

A decorative rectangular border composed of repeating floral and leaf motifs, framing the central text.

BIBLIOGRAPHY

B I B L I O G R A P H Y

1. Albright George A.: Cardiac arrest following regional anaesthesia with etidocaine or bupivacaine. *Anaesthesiology*, 1979; 51 : 287.
2. Bonica J.J. : The management of pain with special emphasis on use of analgesia block in diagnosis, prognosis and therapy. Philadelphia Lea & Febiger, 1953.
3. Case R.D. : Haematoma block : a safe method of reducing Colles' fractures. *Injury* 1985; 16:469.
4. Cobb A.G. and Houghton G.R. : Local anaesthetic infiltration versus Bier's block for Colles' fractures. *Brit Med Jour* 1985; Dec. 14 : 291.
5. Dinley R.J. and Michelinakis E. : Local anaesthesia in the reduction of Colles' fractures. *Injury* 1972; 4 : 345-6.
6. Goldberg L. : Pharmacological properties of xylocaine *Svensk Tundlak Tidsk* 1947; 40 : 819.
7. Gordh T. : Xylocaine - A new local analgesia. *Anaesthesia*, 1949; 4 : 4.
8. Johnson P.Q. and Noffsinger M.A. : Haematoma block of distal forearm fractures, is it safe. *Orthop Rev* 1991; Nov., 20(11) : 977-9.

9. Liles R, Frierson JN, Wolf CL, et al : Reduction of Colles' fracture by weight traction under local anaesthetic. South Med Jour, 1969; 62:45.
10. Lloyd RS, and Blythe JO : Clinical experience with lidocaine as a local anaesthetic. Jour Amer Dental Association 1949; 39 : 296.
11. Miller WA : The manipulation of fractures under local and vocal anaesthesia. Oklahoma St. Med Assoc Journ 1974; 67 : 499.
12. Pitkin George P, Ed. 2. Philadelphia. J.P. Lippincott Company, 1953.
13. Ramsey RH, and Pedersen HE : Use of local anaesthesia in treatment of fracture and dislocation. Archives of Surgery, 1957; 75 : 976.
14. Wallace WA, Guardini R, and Ellis SJ : Intravenous regional anaesthesia. Br. Med. J. 1982; 285 : 554.
15. Watson-Jones SR : The closed treatment of fractures. Sixth edition, 1982; 283.
16. Wardrope J, Flowers M, and Wilson DH : Comparison of local anaesthetic techniques in the reduction of Colles' fracture. Arch. Emerg Med, 1985; 67.

MASTER CHART

Sl. No.	Name	Age/Sex (years)	Type of fracture	Fracture line & Communion (+)/(-)	Associated injury
1.	K. Charan	21/M	Colles' Rt.	S. Ob. (+)	Ulna Sty. Rt.
2.	Kamla	55/F	" Lt.	Trans (-)	-
3.	Badam	35/M	Barton Rt.	(+)	-
4.	Babu Lal	35/M	B.B. Lt. leg	S.Ob. Trans(-)	-
5.	Vivekanand	32/M	Colles' Rt.	Trans. (+)	-
6.	Brij Lal	32/M	B.B. Rt. leg	Trans (-)	-
7.	K. Chandra	22/M	Tibia Rt. leg	(+)	-
8.	S. Gowami	26/M	Barton Lt.	(+)	Ext. cap Rt. femur
9.	R. Sharma	35/M	Colles' Lt.	Trans (-)	-
10.	G. Prasad	80/M	Colles' Rt.	S. Ob. (-)	-
11.	RK Tewari	25/M	-do-	Trans. (-)	-
12.	Har Lal	26/M	-do-	Trans. (-)	-
13.	S. Devi	70/F	B/L Colles' Rt. Compd.	Trans. (-)	-
14.	Ratan Singh	55/M	B.B. Lt leg	(+)	-
15.	B. Ram	20/M	Colles' Lt.	Trans. (-)	B/L Compd BB leg.
16.	Sona Bai	80/F	Colles' Rt.	Trans. (-)	-
17.	M. Raseed	30/M	Colles' Lt.	Trans. (-)	-
18.	Sunder Lal	28/M	B.B. Rt. leg.	(+)	-
19.	Nasira	30/F	Colles' Lt.	(+)	-
20.	R. Kishore	16/M	B.B. Lt. leg	Short Ob. (-)	-
21.	Suman	18/F	Barton Lt.	(+)	Pelvis
22.	S. Khan	32/M	Colles' Rt.	Trans. (+)	Pelvis
23.	Laxmi Devi	70/F	Colles' Lt.	Trans. (-)	-
24.	Lacchoo	67/F	B/L Colles' Lt. Compd.	Trans. (-)	-
25.	S. Bhargava	40/F	Colles' Rt.	Short Ob. (-)	-
26.	Renuka	50/F	Colles' Lt.	Trans. (-)	-
27.	S. Prakash	45/M	Barton Lt.	Darsal B. (+)	-
28.	Ramvati	50/F	Colles' Rt.	Trans. (-)	-
29.	Rama Devi	60/F	Colles' Lt.	Trans. (-)	-
30.	Mahavir	50/M	Colles' Rt.	Trans. (-)	-
31.	R. Tewari	34/M	Colles' Lt.	(+)	-
32.	Bihari	22/M	Colles' Lt.	Trans. (-)	Compd BB Rt leg.
33.	Munna Lal	55/M	Colles' Rt.	(+)	-
34.	Bhaqwati	45/F	Colles' Rt.	Ob. (-)	-

Sl. No.	Time since injury (days)	Amount of 2% xylocaine(ml)	Onset of effect (Min.)	Time for max.effect of analgesia (min.)	Time required in red.& immob. (min)	Pain relief (%)	Immediate complication
1.	1	10	5	10	15	80	-
2.	7	10	2	10	15	70	-
3.	2	10	5	10	20	90	-
4.	3	10	Immediate	Immediate	20	100	-
5.	Same day	8	2	12	15	90	-
6.	-do-	15	2	10	20	100	-
7.	4	10	5	10	25	80	-
8.	1	10	2	2	15	100	-
9.	1	10	2	2	10	100	-
10.	1	8	2	5	10	100	-
11.	2	10	2	5	15	90	-
12.	6	10	2	5	15	75	-
13.	Same day	10	2	5	15	90	-
14.	-do-	10	2	5	20	100	-
15.	2	8	4	10	15	100	-
16.	6	8	2	5	15	75	-
17.	6	10	2	5	15	75	-
18.	4	12	5	10	15	90	-
19.	2	8	2	5	15	90	-
20.	1	10	2	10	20	90	-
21.	2	8	1	5	15	80	-
22.	1	10	2	12	15	100	-
23.	2	8	3	10	15	100	-
24.	7	8	5	8	30	70	-
25.	2	8	Immediate	Immediate	10	100	-
26.	7	10	2	5	15	75	-
27.	1	10	2	5	10	80	-
28.	3	8	Immediate	Immediate	15	100	-
29.	2	10	2	10	15	90	-
30.	4	10	5	10	15	90	-
31.	Same day	10	2	5	15	100	-
32.	5	10	2	5	15	100	-
33.	7	10	3	10	20	70	-
34.	5	8	2	5	15	100	Fainting for 2 min.
35.	5	10	2	5	15	100	-

APPENDIXWORKING PROFORMALOCAL ANAESTHESIA FOR REDUCTION OF CLOSED FRACTURES BY
HAEMATOMA BLOCK

Case No. ____

OPD/MRD No. _____

Name of Patient :

Age/Sex :

D.O.A.:

Address :

D.O.D.:

Consultant :

Brief History :

Date and time of injury :

Fracture

Side :

Site :

Bone involved :

Fracture line & comminution :

Date and time of Local Infiltration :
(Time since injury)

Amount of Local Analgesic :

Effect of Anaesthesia :

Onset of effect :

Subsequent plaster changes :

Radiological findings after :
manipulation and reduction
