

## CHAPTER-13

### BIBLIOGRAPHY

- <sup>[1]</sup> Tajima, T.; Dawson, J.M. (1979), "Laser electron accelerator", *Phys. Rev. Lett.* **43**(4), 267-270.
- <sup>[2]</sup> Cicchitelli, L.; Hora, H.; Postle, R. (1990), "Longitudinal field components for laser beams in vacuum," *Phys. Rev. A* **41**(7), 3727-3732.
- <sup>[3]</sup> Steinhauer, L.C.; Kimura, W.D. (1992), "A new approach for particle acceleration in vacuum", *J. Appl. Phys.* **72**(8), 3237-3245.
- <sup>[4]</sup> Goreslavskii, S.P.; Narozhny, N.B.; Shcherbachev, O.V.; Yakovlev, V.P. (1993), "The Dynamics and Radiation of a Relativistic Electron in the Field of an Intense, Focused Laser Pulse", *Laser Phys.* **3**(2), 418-430.
- <sup>[5]</sup> Erikson, W.L.; Singh, S. (1994), "Polarization properties of Maxwell Gaussian beams", *Phys. Rev. E* **49**(6), 5778-5786.
- <sup>[6]</sup> Esarey, E.; Sprangle, P.; Krall, J. (1995), "Laser acceleration of electrons in vacuum", *Phys. Rev. E* **52**(5), 5443-5453.
- <sup>[7]</sup> Haaland, C.M. (1995), "Laser electron acceleration in vacuum", *Opt. Commun.* **114**, 280-284.
- <sup>[8]</sup> Hartemann, F.V.; Fochs, S.N.; Sage, G.P.L.; Luhmann N.C.; Jr.; Woodworth, J.G.; Perry, M.D.; Chen, Y.J.; Kerman, A.K. (1995), "Nonlinear ponderomotive scattering of relativistic electrons by an intense laser field at focus", *Phys. Rev. E* **51**(5), 4833-4843.
- <sup>[9]</sup> Ivanov, V.V.; Knyazev, A.K.; Kutsenko, A.V.; Matsveiko, A.A.; Mikhailov, Y.A.; Osetrov, V.P.; Popov, A.I.; Sklizkov, G.V.; Starodub, A.N. (1996), "Investigation of the generation of high-energy electrons in a laser plasma", *JETP* **82**(4), 677-682.
- <sup>[10]</sup> Sprangle, P.; Esarey, E.; Krall, J. (1996), "Laser driven electron acceleration in vacuum, gases, and plasmas", *Phys. Plasma* **3**(5), 2183-2190.
- <sup>[11]</sup> Stadler, M.; Schadt, M. (1996), "Linearly polarized light with axial

- symmetry generated by liquid-crystal polarization converters,” *Opt. Lett.*, **21**(23), 1948-1950.
- <sup>[12]</sup> Esarey, E.; Sprangle, P. (1996), “Overview of Plasma-Based Accelerator Concepts”, *IEEE Trans. Plasma Sci.* **24**(2), 252-288.
- <sup>[13]</sup> Malika, G.; Lefebvre, E.; Miquel, J.L. (1997), “Experimental observation of electrons accelerated in vacuum to relativistic energies by a high intensity laser”, *Phys. Rev. Lett.* **78**, 3314-3317.
- <sup>[14]</sup> Wang, J.X.; Ho, Y.K.; Kong, Q.; Zhu, L.J.; Feng, L.; Scheid, S.; Hora, H. (1998), “Electron capture and violent acceleration by an extra-intense laser beam,” *Phys. Rev. E* **58**(5), 6575-6577.
- <sup>[15]</sup> Liu, Y.; Cline, D.; He, P. (1999), “Vacuum laser acceleration using a radially polarized CO<sub>2</sub> laser beam”, *Nucl. Inst. Meth. Phys. Res. A* **424**, 296-303.
- <sup>[16]</sup> Zeng, G. (1999), “Energy gain of injected electrons subjected to an intense laser field and its magnetic field induced in plasma”, *Phys. Rev. E* **60**, 5950-5958.
- <sup>[17]</sup> Hartemann, F.V.; Landahl, E.C.; Troha, A.L.; Meter, J.R.V.; Baldis, H.A.; Freeman, R.R.; Luhmann, N.C.; Song, L.; Kerman, A.K.; Yu, D.U.L. (1999), “The chirped pulse inverse free electron laser: A high gradient vacuum laser accelerator”, *Phys. Plasma* **10**(6), 4104-4110.
- <sup>[18]</sup> Ditmire, T.; Zweiback, J.; Yanovsky, V.P.; Cowan, T.E.; Hays, G.; Wharton, K.B. (1999), “Nuclear fusion from explosions of femtosecond laser-heated deuterium clusters”, *Nature* **398**, 489-492.
- <sup>[19]</sup> Hora, H.; Hoelss, M.; Scheid, W.; Wang, J.W.; Ho, Y.K.; Osman, F.; Castillo, R. (2000), “Principle of high accuracy for the nonlinear theory of the acceleration of electrons in a vacuum by lasers at relativistic intensities”, *Laser Part. Beams* **18**(1), 135-144.
- <sup>[20]</sup> Yu, W.; Bychenkov, V.; Sentoku, Y.; Yu, M.Y.; Sheng, Z.M.; Mima, K. (2000), “Electron acceleration by a short relativistic laser pulse at the front of solid targets”, *Phys. Rev. Lett.* **85**, 570-573.

- <sup>[21]</sup> Sprangle, P.; Hafizi, B.; Penano, J.R.; Hubbard, R.F.; Ting, A.; Zigler, A.; Antonsen, T.M. (2000), “Stable laser-pulse propagation in plasma channels for GeV electron acceleration”, *Phys. Rev. Lett.* **85**(24), 5110-5113.
- <sup>[22]</sup> Tsakiris, G.D.; Gahn, C.; Tripathi V.K. (2000), “Laser induced electron acceleration in the presence of static electric and magnetic fields in a Plasma”, *Phys. Plasma* **7**, 3017-3030.
- <sup>[23]</sup> Ishikawa, K.; Blenski, T. (2000), “Explosion dynamics of rare-gas clusters in an intense laser field”, *Phys. Rev. A* **62**, 063204(1-11).
- <sup>[24]</sup> Belafhal, A.; Ibnchaikh, M. (2000), “Propagation properties of Hermite-cosh-Gaussian laser beams”, *Opt. Commun.* **186**, 269-276.
- <sup>[25]</sup> Zweiback, J.; Smith, R.A.; Cowan, T.E.; Hays, G.; Wharton, K.B.; Yanovsky, P.; Ditmire, T. (2000), “Nuclear fusion driven by Coulomb explosions of large deuterium clusters,” *Phys. Rev. Letts.* **84**(12), 2634-2637.
- <sup>[26]</sup> Stupakov, G.V.; Zolotarev, M.S. (2001), “Ponderomotive laser acceleration and focusing in vacuum for generation of attosecond electron bunches,” *Phys. Rev. Lett.* **86**(23), 5274-5277.
- <sup>[27]</sup> Liu, C.S.; Tripathi, V.K. (2001), “Relativistic laser guiding in an azimuthal magnetic field in a plasma”, *Phys. Plasma* **8**, 285-288.
- <sup>[28]</sup> Umstadter, D. (2001), “Review of physics and applications of relativistic Plasma driven by ultra-intense lasers”, *Phys. Plasma* **8**, 1774-1785.
- <sup>[29]</sup> Faure, J., Marques, J.R.; Malka, V.; Amiranoff, F.; Najmudin, Z.; Walton, B.; Rousseau, J.P.; Rance, S.; Solodov, A.; Mora, P. (2001), “Dynamics of Raman instabilities using chirped laser pulses”, *Phys. Rev. E* **63**, 065401(1-4).
- <sup>[30]</sup> Donnelly, T.D., Rust, M.; Weiner, I.; Allen, M.; Smith, R.A.; Steinke, C.A.; Wilks, S.; Zweiback, J.; Cowan, T.E.; Ditmire, T. (2001), “Hard x-ray and hot electron production from intense laser irradiation of wavelength-scale particles”, *J. Phys. B: At. Mol. Opt. Phys.* **34**(10), L313.
- <sup>[31]</sup> Zweiback, J.; Ditmire, T. (2001), “Femtosecond laser energy deposition in

- strongly absorbing cluster gases diagnosed by blast wave trajectory analysis”, *Phys. Plasma* **8**(10), 4545-4550.
- <sup>[32]</sup> Moore, C.I.; Ting, A.; Jones, T.; Briscoe, E.; Hafizi, B.; Hubbard, R.F.; Sprangle, P. (2001), “Measurements of energetic electrons from the high-intensity laser ionization of gases”, *Phys. Plasma* **89**(5), 2481-2487.
- <sup>[33]</sup> Hu, S.X.; Starace, A.F. (2002), “GeV electron from ultraintense laser interaction with highly charged ions”, *Phys. Rev. Lett.* **88**(24), 245003(1-4).
- <sup>[34]</sup> Krainov, V.P.; Roshchupkin, S.P. (2002), “Dynamics of Coulomb Explosion of Large Xe Clusters Irradiated by a Super-Intense Ultra-Short Laser Pulse”, *Laser Phys.* **12**(2), 375–376.
- <sup>[35]</sup> Wang, P.X.; Ho, Y.H.; Yuan, X.Q.; Kong, Q.; Cao, N.; Shao, L.; Sessler, A.M.; Esarey, E.; Moshkovich, E.; Nishida, Y.; Yugami, N.; Ito, H.; Wang, J.X.; Scheid, S. (2002), “Characteristics of laser-driven electron acceleration in vacuum,” *J. Appl. Phys.* **91**(2), 856-866.
- <sup>[36]</sup> Salamin, Y.I.; Mocken, G.R.; Keitel, C.H. (2002), “Electron scattering and acceleration by a tightly focused laser beam”, *Phys. Rev. ST Accel. Beams* **5**(10), 101301(1-14).
- <sup>[37]</sup> Leemans, W.P.; Catravas, P.; Esarey, E.; Geddes, C.G.R.; Toth, C.; Trines, R.; Schroeder, C.B.; Shadwick, B.A.; Tilborg, J.V.; Faure, J. (2002), “Electron-Yield Enhancement in a Laser-Wakefield Accelerator Driven by Asymmetric Laser Pulses”, *Phys. Rev. Lett.* **89**(17), 174802(1-4).
- <sup>[38]</sup> Hartemann, F.V. (2002), *High-Field Electrodynamics*, CRC Press LLC, Boca Raton, FL.
- <sup>[39]</sup> Tanimoto, M.; Kato, S.; Miura, E.; Saito, N.; Koyama, K.; Koga, J.K. (2003), “Direct electron acceleration by stochastic laser fields in the presence of self-generated magnetic fields”, *Phys. Rev. E* **68**, 026401(1-7).
- <sup>[40]</sup> Umstadter, D. (2003), “Relativistic laser–plasma interactions”, *J. Phys. D: App. Phys.* **36**, R151-R165.
- <sup>[41]</sup> Dorn, R.; Quabis, S.; Leuchs, G. (2003), “Sharper Focus for a Radially

- Polarized Light Beam”, *Phys. Rev. Lett.* **91**(23), 233901(1-4).
- <sup>[42]</sup> Springate, E.; Aseyev, S.A.; Zamith, S.; Vrakking, M.J.J. (2003), “Electron kinetic energy measurements from laser irradiation of clusters”, *Phys. Rev. A* **68**, 053201(1-7).
- <sup>[43]</sup> Breizman, B.N.; Arefiev, A.V. (2003), “Electron response in laser-irradiated microclusters”, *Plasma Phys. Rep.* **29**(7), 642-647.
- <sup>[44]</sup> Liu, C.S.; Tripathi, V.K. (2003), “Ion Coulomb explosion of clusters by a Gaussian laser beam,” *Phys. Plasma* **10**(17), 4085-4089.
- <sup>[45]</sup> Geddes, C.G.R.; Toth, C.; Tilborg, J.V.; Esarey, E.; Schroeder, C.B.; Bruhwiler, D.; Nieter, C.; Cary, J.; Leemans, W.P. (2004), “High-quality electron beams from a laser wakefield accelerator using plasma-channel guiding”, *Nature* **431**, 438-441.
- <sup>[46]</sup> Khachatryan, A.G.; Goor, F.A.V.; Boller, K.J. (2004), “Interaction of free charged particles with a chirped electromagnetic pulse”, *Phys. Rev. E* **70**, 067601(1-4).
- <sup>[47]</sup> Bingham, R.; Mendon, J.T.; Shukla, P.K. (2004), “Plasma based charged-particle accelerators”, *Plasma Phys. Cont. Fus.* **46**, R1–R23.
- <sup>[48]</sup> Singh, K.P.; Tripathi, V.K. (2004), “Laser induced electron acceleration in a tapered magnetic wiggler”, *Phys. Plasma* **11**(2), 743-746.
- <sup>[49]</sup> Feng, H.; Wei, Y.; Peixiang, L.; Han, X. (2004), “Electron acceleration by a Focused Gaussian Laser Pulse in Vacuum”, *Laser Sci. Tech.* **6**(5), 2492-2495.
- <sup>[50]</sup> Bahk, S.W.; Rousseau, P.; Planchon, T.A.; Chvykov, V.; Kalintchenko, G.; Maksimchuk, A.; Mourou, G.A.; Yanovsky, V. (2004), “Generation and characterization of highest laser intensities ( $10^{22}$ W/cm<sup>2</sup>)”, *Opt. Lett.* **29**(24), 2837-2839.
- <sup>[51]</sup> Cang, Y.; Dong, Q.L.; Wu, H.C.; Sheng, Z.M.; Yu, W.; Zhang, J. (2004), “Effect of Cluster Coulomb Fields on Electron Acceleration in Laser–Cluster Interaction”, *Chin. Phys. Lett.* **21**, 2414-2417.
- <sup>[52]</sup> Xu, H.; Yu, W.; Lu, P.; Senecha, V.K.; He, F.; Shen, B.; Qian, L.; Li, R.;

- Xu, Z. (2005), “Electron self-injection and acceleration driven by a tightly focused intense laser beam in an underdense plasma” *Phys. Plasma* **12**, 013105(1-6).
- <sup>[53]</sup> Liu, C.S.; Tripathi, V.K. (2005), “Ponderomotive effect on electron acceleration by plasma wave and betatron resonance in short pulse laser”, *Phys. Plasma* **12**, 043103(1-8).
- <sup>[54]</sup> Plettner, T.; Byer, R.L.; Colby, E.; Cowan, B.; Sears, C.M.S.; Spencer, J.E.; Siemann, R.H. (2005), “Proof-of-principle experiment for laser-driven acceleration of relativistic electrons in a semi-infinite vacuum”, *Phys. Rev. ST Accel. Beams* **8**, 121301(1-12).
- <sup>[55]</sup> Gupta, D.N.; Ryu, C.M. (2005), “Electron acceleration by a circularly polarized laser in the presence of an obliquely incident magnetic field in vacuum,” *Phys. Plasma*, **12**(5), 053103-053107.
- <sup>[56]</sup> Singh, K.P. (2005), “Electron acceleration by a chirped short intense laser pulse in vacuum”, *App. Phys. Lett.* **87**, 254102(1-3).
- <sup>[57]</sup> Hu, S.X.; Starace, A.F. (2006), “Laser acceleration of electrons to giga-electron-volt energies using highly charged ions”, *Phys. Rev. E* **73**, 066502(1-14).
- <sup>[58]</sup> Liu, H.; He, X.T.; Hora, H. (2006), “Additional acceleration and collimation of relativistic electron beams by magnetic field resonance at very high intensity laser interaction”, *Appl. Phys. B* **82**, 93–97.
- <sup>[59]</sup> Sohbatzadeh, F.; Mirzanejad, S.; Ghasemi, M. (2006), “Electron acceleration by a chirped Gaussian laser pulse in vacuum”, *Phys. Plasma* **13**, 123108(1-8).
- <sup>[60]</sup> Leemans, W.P.; Nagler, B.; Gonsalves, A.J.; Toth, C.; Nakamura, K.; Geddes, C.G.R.; Esarey, E.; Schroeder, C.B.; Hooker, S.M. (2006), “GeV electron beams from a centimetre-scale accelerator”, *Nature Phys.* **2**, 696-699.
- <sup>[61]</sup> Salamin, Y.I. (2006), “Electron acceleration from rest in vacuum by an intense Gaussian laser beam”, *Phys. Rev. A* **73**, 043402(1-6).

- <sup>[62]</sup> Gupta, D.N.; Suk, H. (2006), “Combined role of frequency variation and magnetic field on laser electron acceleration”, *Phys. Plasma* **13**, 013105(1-6).
- <sup>[63]</sup> Mirzanejhad, S.; Sohbatzadeh, F.; Asri, M.; Toosi, E.S. (2006), “Electron bunch acceleration in an inverse free-electron laser with a helical magnetic wiggler and axial guide field”, *Phys. Plasma* **13**(12), 123105(1-6).
- <sup>[64]</sup> Singh, K.P. (2006), “Acceleration of electrons by a circularly polarized laser pulse in the presence of an intense axial magnetic field in vacuum,” *J. Appl. Phys.* **100**(4), 044907(1-4).
- <sup>[65]</sup> Zimmermann, F.; Schulte, D.; Cimino, R.; Vaccarezza, C.; Zobov, M.; Wanzenberg, R. (2006), EuroTeV Report, [http://www.desy.de/~mpywar/paper/2006/CLIC\\_Note\\_650.pdf](http://www.desy.de/~mpywar/paper/2006/CLIC_Note_650.pdf).
- <sup>[66]</sup> Gupta, D.N.; Kant, N.; Kim, D.E.; Suk, H. (2007), “Electron acceleration to GeV energy by a radially polarized laser”, *Phys. Lett. A* **368**, 402-407.
- <sup>[67]</sup> Bochkarev, S.G.; Bychenkov, V.Y. (2007), “Acceleration of electrons by tightly focused femtosecond laser pulses”, *Quant. Elect.* **37**(3), 273-284.
- <sup>[68]</sup> Xu, J.J.; Kong, Q.; Chen, Z.; Wang, P.X.; Lin, D.; Ho, Y.K. (2007), “Polarization effect of fields on vacuum laser acceleration”, *Laser Part. Beams* **25**, 253-257.
- <sup>[69]</sup> Joshi, C. (2007), “The development of laser and beam-driven plasma accelerators as an experimental field”, *Phys. Plasma* **14**, 055501(1-14).
- <sup>[70]</sup> Malka, V.; Faure, J.; Gauduel, Y.A.; Lefebvre, E.; Rousse, A.; Phuoc, K.T. (2008), “Principles and applications of compact laser–plasma accelerators”, *Nature Phys.* **4**, 447-453.
- <sup>[71]</sup> York, A.G.; Milchberg, H.M. (2008), “Direct Acceleration of Electrons in a Corrugated Plasma Waveguide”, *Phys. Rev. Lett.* **100**, 195001(1-4).
- <sup>[72]</sup> Niu, H.Y.; He, X.T.; Qiao, B.; Zhou, C.T. (2008), “Resonant acceleration of electron by intense circularly polarized Gaussian laser pulse”, *Laser Part. Beams* **26**, 51-59.
- <sup>[73]</sup> Singh, K.P.; Malik, H.K. (2008), “Resonant enhancement of electron

- energy by frequency chirp during laser acceleration in an azimuthal magnetic field in a plasma”, *Laser Part. Beams* **26**, 363–369.
- <sup>[74]</sup> Singh, K.P.; Gupta, D.N.; Malik, H.K. (2008), “The effect of laser pulse parameters and initial phase on the acceleration of electrons in a vacuum”, *Phys. Scripta* **77**, 045401(1-6).
- <sup>[75]</sup> Sajal, V; Tripathi, V.K. (2008), “Large amplitude lower hybrid wave driven by laser and its effect on electron acceleration in a magnetic plasma channel”, *Opt. Commun.* **281**, 3542-3546.
- <sup>[76]</sup> Lerman, G.M.; Levy, U. (2008), “Effect of radial polarization and apodization on spot size under tight focusing conditions“, *Opt. Exprs.* **16**(7), 4567-4581.
- <sup>[77]</sup> Yanovsky, V.; Chvykov, V.; Kalinchenko, G.; Rousseau, P; Planchon, T.; Matsuoka, T.; Maksimchuk, A.; Nees, J.; Cheriaux, G.; Mourou, G.; Krushelnick, K. (2008), “Ultra-high intensity- 300-TW laser at 0.1 Hz repetition rate”, *Opt. Exprs.* **16**(3), 2109-2115.
- <sup>[78]</sup> Niu, H.Y.; He, X.T.; Zhou, C.T.; Qiao, B. (2009), “Enhanced resonant acceleration of electrons from intense laser interaction with density-attenuating plasma”, *Phys. Plasma* **16**, 013104(1-5).
- <sup>[79]</sup> Esarey, E.; Schroeder, C.B.; Leemans, W.P. (2009), “Physics of laser-driven plasma-based electron accelerators”, *Rev. Mod. Phys.* **81**(3), 1229-1285.
- <sup>[80]</sup> Sharma, A; Tripathi, V.K. (2009), “Ponderomotive acceleration of electrons by a laser pulse in magnetized plasma”, *Phys. Plasma* **16**, 043103(1-5).
- <sup>[81]</sup> Li, J.; Xie, B.S.; Sang, H.B.; Hong, X.R.; Zhang, S.; Yu, M.Y. (2009), “Nonlinear laser-driven electron resonance acceleration in an inhomogeneous magnetic field”, *App. Phys. Lett.* **95**, 161105(1-3).
- <sup>[82]</sup> Singh, K.P.; Sajal, V. (2009), “Quasimonoenergetic collimated electrons from the ionization of nitrogen by a chirped intense laser pulse”, *Phys. Plasma* **16**, 043113(1-8).



- <sup>[83]</sup> Singh, K.P; Gupta, D.N.; Sajal, V. (2009), “Electron energy enhancement by a circularly polarized laser pulse in vacuum” *Laser Part. Beams* **27**, 635-642.
- <sup>[84]</sup> Rajput, J.; Kant, N.; Singh, H.; Nanda, V. (2009), “Resonant third harmonic generation of a short pulse laser in plasma by applying a wiggler magnetic field”, *Opt. Commun.* **282**, 4614-4617.
- <sup>[85]</sup> Ramunno, L.; Beabec, T.; Krainov, V. (2009), “Strong Field Laser Physics, pp 225-241, Springer New York, Springer-Verlag New York.
- <sup>[86]</sup> Wong, L.J.; Kartner, F.X. (2010), “Direct acceleration of an electron in infinite vacuum by a pulsed radially-polarized laser beam”, *Opt. Exp.* **18**(24), 25035-25051.
- <sup>[87]</sup> Sohbatzadeh, F.; Mirzanejhad, S.; Aku, H.; Ashouri, S. (2010), “Chirped Gaussian laser beam parameters in paraxial approximation”, *Phys. Plasma* **17**, 083108(1-5).
- <sup>[88]</sup> Mirzanejhad, S.; Sohbatzadeh, F.; Asri, M.; Ghanbari, K.. (2010), “Quasimonoenergetic GeV electron bunch generation by the wake-field of the chirped laser pulse”, *Phys. Plasma* **17**, 033103(1-5).
- <sup>[89]</sup> Li, J.X.; Zang, W.P.; Tian, J.G. (2010), “Electron acceleration in vacuum induced by a tightly focused chirped laser pulse”, *App. Phys. Lett.* **96**, 031103 (1-3).
- <sup>[90]</sup> Layer, B.D.; Palastro, J.P.; York, A.G.; Antonsen, T.M.; Milchberg, H.M. (2010), “Slow wave plasma structures for direct electron acceleration”, *New J. Phys.* **12**, 095011(1-21).
- <sup>[91]</sup> Fortin, P.L; Piche, M; Varin, C. (2010), “Direct-field electron acceleration with ultrafast radially polarized laser beams: scaling laws and optimization”, *J. Phys. B: At. Mol. Opt. Phys.* **43**, 025401(1-7).
- <sup>[92]</sup> Fennel, T.; Broer, K.H.M.; Tiggesbaumker, J.; Reinhard, P.G.; Dinh, P.M.; Suraud, E. (2010), “Laser-driven nonlinear cluster dynamics”, *Rev. Mod. Phys.* **82**(2), 1793(1-51).
- <sup>[93]</sup> [http://www.plasma.ee.kansaiu.ac.jp/iec2010/pdf/pdf\\_slides\\_posters/Takaku](http://www.plasma.ee.kansaiu.ac.jp/iec2010/pdf/pdf_slides_posters/Takaku)

- ra\_poster.pdf.
- <sup>[94]</sup> <http://www.lanl.gov/orgs/mpa/nhmfl/> and  
<http://www.lanl.gov/orgs/mpa/nhmfl/60TLP.shtm>.
- <sup>[95]</sup> Dai, L.; Li, J.X.; Zang, W.P.; Tian, J.G. (2011), “Vacuum electron acceleration driven by a tightly focused radially polarized Gaussian beam”, *Opt. Exps.* **19**(10), 9303-9308.
- <sup>[96]</sup> Sohbatzadeh, F.; Aku, H. (2011), “Polarization effect of a chirped Gaussian laser pulse on the electron bunch acceleration”, *J. Plasma Phys.* **77**(1), 39-50.
- <sup>[97]</sup> Singh, K.P.; Kumar, M. (2011), “Electron acceleration by a radially polarized laser pulse during ionization of low density gases”, *Phys. Rev. STAB.* **14**, 030401(1-11).
- <sup>[98]</sup> Yuan, C.J.; Wu, X.Y.; Wang, J.X.; Wang, P.X. (2011), “Analysis in the instantaneous frequency forms of a chirped laser pulse”, *Phys. Plasma* **18**, 104509(1-3).
- <sup>[99]</sup> Galow, B.J.; Salamin, Y.I.; Liseykina, T.; Harman, Z.; Keitel, C.H. (2011), “Dense monoenergetic proton beams from chirped laser-plasma interaction”, *Phys. Rev. Lett.* **107**, 185002(1-5).
- <sup>[100]</sup> Marceau, V.; April, A.; Piche, M. (2012), “Electron acceleration driven by ultrashort and nonparaxial radially polarized laser pulses”, *Opt. Lett.* **37**(13), 2442-2444.
- <sup>[101]</sup> Salamin, Y.I. (2012), “Net electron energy gain from interaction with a chirped plane-wave laser pulse”, *Phys. Lett. A* **376**, 2442–2445.
- <sup>[102]</sup> Lu, L.J.; Ming, S.Z.; Jun, Z. (2012), “Electron acceleration by tightly focused radially polarized few-cycle laser pulses”, *Chin. Phys. B* **21**, 024101(1-8).
- <sup>[103]</sup> Liu, J.L.; Sheng, Z.M.; Zheng, J.; Liu, C.S.; Zhang, J. (2012), “Proton acceleration by radially polarized chirped laser pulses”, *Phys. Rev. ST Accel. Beams* **15**(4), 041301(1-8).
- <sup>[104]</sup> Zhang, L.; Chen, L.M.; Wang, W.M.; Yan, W.C.; Yuan, D.W. (2012),

- “Electron acceleration via high contrast laser interacting with submicron clusters” *Appl. Phys. Lett.* **100**, 014104(1-3).
- <sup>[105]</sup> Wang, X.; Zgadzaj, R.; Fazel, N.; Li, Z.; Yi, S.A.; Zhang, X.; Henderson, W.; Chang, Y.Y.; Korzekwa, R.; Tsai, H.E.; Pai, C.H.; Quevedo, H.; Dyer, G.; Gaul, E.; Martinez, M.; Bernstein, A.C.; Borger, T.; Spinks, M.; Donovan, M.; Khudik, V.; Shvets, G.; Ditmire, T.; Downer, M.C. (2013), “Quasi-monoenergetic laser-plasma acceleration of electrons to 2 GeV” *Nature Commun.* **4**, 1988(1-9).
- <sup>[106]</sup> Varin, C.; Payeur, S.; Marceau, V.; Fourmaux, S.; April, A.; Schmidt, B.; Fortin, P.L.; Thire, N.; Brabec, T.; Legare, F.; Kieffer, J.C.; Pich, M. (2013), “Direct Electron Acceleration with Radially Polarized Laser Beams”, *Appl. Sci.* **3**, 70-93.
- <sup>[107]</sup> Zhu, L.W.; Sheng, Z.M.; Yu, M.Y. (2013), “Direct acceleration of electrons by a circular polarized laser pulse with phase Modulation”, *Phys. Plasma* **20**, 113112(1-4).
- <sup>[108]</sup> Galow, B.J.; Li, J.X.; Salamin, Y.I.; Harman, Z.; Keitel, C.H. (2013), “High-quality multi-GeV electron bunches via cyclotron autoresonance”, *Phys. Rev. ST Accel. Beams* **16**, 081302(1-6).
- <sup>[109]</sup> Jha, P.; Saroch, A.; Mishra, R.K. (2013), “Wakefield generation and electron acceleration by intense super-Gaussian laser pulses propagating in plasma”, *Laser Part. Beams* **31**(4), 583(1-6).
- <sup>[110]</sup> Askari, H.R.; Shahidani, A. (2013), “Influence of properties of the Gaussian laser pulse and magnetic field on the electron acceleration in laser-plasma interactions”, *Opt. Laser Tech.* **45**, 613-619.
- <sup>[111]</sup> Hooker, S.M. (2013), “Developments in laser-driven plasma accelerators”, *Nature Photon.* **7**, 775-782.
- <sup>[112]</sup> Rao, B.S.; Moorti, A.; Naik, P.A.; Gupta, P.D. (2013), “Effect of chirp on self-modulation and laser wakefield electron acceleration in the regime of quasimonoenergetic electron beam generation”, *Phys. Rev. ST Accel. Beams* **16**, 091301(1-6).

- <sup>[113]</sup> Gopal, A.; Minardi, S.; Burza, M.; Genoud, G.; Tzianaki, I.; Karmakar, A.; Gibbon, P.; Tatarakis, M.; Persson, A.; Wahlstrom, C.G. (2013), “MegaGauss magnetic field generation by ultra-short pulses at relativistic intensities “ *Plasma Phys. Control. Fusion* **55**, 035002(1-7).
- <sup>[114]</sup> Nanda, V.; Kant, N. (2014), “Enhanced relativistic self-focusing of Hermite-cosh-Gaussian laser beam in plasma under density transition”, *Phys. Plasma* **21**, 042101(1-6).
- <sup>[115]</sup> Igumenshchev, I.V.; Zylstra, A.B.; Li, C.K.; Nilson, P.M.; Goncharov, V.N.; Petrasso, R.D. (2014), “Self-generated magnetic fields in direct-drive implosion experiments”, *Phys. Plasma* **21**, 062707(1-10).
- <sup>[116]</sup> Afhami, S.; Eslami, E. (2014), “Effect of Nonlinear Chirped Gaussian Laser Pulse Parameters on the Electron Acceleration”, *Opt. Rev.* **21**(5), 475–478.
- <sup>[117]</sup> Afhami, S.; Eslami, E. (2014), “Effect of nonlinear chirped Gaussian laser pulse on plasma wake field generation”, *AIP Adv.* **4**(8), 087142(1-9).
- <sup>[118]</sup> Jisrawi, N.M.; Galow, B.J.; Salamin, Y.I. (2014), “Simulation of the relativistic electron dynamics and acceleration in a linearly-chirped laser pulse”, *Laser Part. Beams* **32**(4), 671-680.
- <sup>[119]</sup> Salamin, Y.I.; Jisrawi, N.M. (2014), “Electron laser acceleration in vacuum by a quadratically chirped laser pulse”, *J. Phys. B: At. Mol. Opt. Phys.* **47**, 025601(1-5).
- <sup>[120]</sup> Aggarwal, M.; Vij, S.; Kant, N. (2015), “Wiggler magnetic field assisted second harmonic generation in clusters”, *Eur. Phys. J. D.* **69**, 149(1-5).
- <sup>[121]</sup> Ghotra, H.S.; Kant, N. (2015), “Electron acceleration to GeV energy by a chirped laser pulse in vacuum in the presence of azimuthal magnetic field”, *App. Phys. B* **120**(1), 141-147.
- <sup>[122]</sup> Ghotra, H.S.; Kant, N. (2015), “Electron acceleration by a chirped laser pulse in vacuum under influence of magnetic field”, *Opt. Rev.* **22**(4), 539-543.
- <sup>[123]</sup> Koestera, P.; Bussolino, G.C.; Cristoforettia, G.; Faenova, A.; Giuliattia,

- A.; Giuliattia, D.; Labatea, L.; Levatoa, T.; Pikuza, T.; Gizzia, L.A. (2015), “High-charge divergent electron beam generation from high-intensity laser interaction with a gas-cluster target”, *Laser Part. Beams* **33**(2), 331-338.
- <sup>[124]</sup> Alpmann, C.; Scholer, C.; Denz, C. (2015), “Elegant Gaussian beams for enhanced optical manipulation”, *App. Phys. Letts.* **106**, 241102(1-5).
- <sup>[125]</sup> Flacco, A.; Vieira, J.; Lifschitz, A.; Sylla, F.; Kahaly, S.; Veltcheva, M.; Silva, L.O.; Malka, V. (2015), “Persistence of magnetic field driven by relativistic electrons in plasma”, *Nature Phys.* **11**, 409-413.
- <sup>[126]</sup> Ghotra, H.S.; Kant, N. (2015), “Sensitiveness of axial magnetic field on electron acceleration by a radially polarized laser pulse in vacuum”, *Opt. Commun.* **356**, 118-122.