

## LIST OF FIGURES

<b>FIGURE No.</b>	<b>TITLE</b>	<b>IN BETWEEN PAGES</b>
Fig. 2.1	Symptoms on tomato, Left; infected with tomato leaf curl virus (ToLCV) and Right; infected with tomato yellow leaf curl virus (TYLCV).	7-8
Fig 2.2	Genome organization of the genus belonging to the family <i>Geminiviridae</i> .	9-10
Fig 2.3 A	TGMV plus-strand origin of replication and AL61 promoter.	12-13
Fig 2.3 B	TGMV Rep domains and predicted motifs.	12-13
Fig 2.4	Genome organization of begomovirus associated satellites.	21-22
Fig 2.5	Schematic diagram depicting the begomovirus replication in plant cell.	24-25
Fig 2.6	Schematic representation of replication modes of geminiviruses.	25-26
Fig 2.7	Possible scenario of geminivirus (DNA-A and DNA-B) and satellite evolution, in space and time.	27-28
Fig 2.8	Schematic structure of the <i>Agrobacterium</i> Ti-plasmid and integrated T-DNA molecules.	30-31
Fig 2.9	Schematic diagram of co-integration/exchange systems and T-DNA binary vector.	31-32
Fig 2.10	Diagram showing rolling circle replication mediated release of full-length viral insert from the tandem repeated viral genome.	31-33
Fig. 4.1	Distribution of ToLCVs in India.	53-54
Fig. 4.2	ToLCV-affected tomato plants showing variation of symptoms, on tomato samples collected from Jharkhand and Bihar.	54-55
Fig. 4.3	Agarose gel electrophoresis showing PCR based detection of begomoviruses in infected tomato plant samples using ToLCNDV, ToLCGV and ToLCNDB primers	55-56
Fig. 4.4	Agarose gel electrophoresis showing PCR based detection of begomoviruses in infected tomato plant	55-56

samples using  
ToLCGVB, ToLCPaV and ToLCPaB primers.

- Fig. 4.5 Agarose gel electrophoresis showing PCR based detection of begomoviruses in infected tomato plant samples using ToLCBV, ToLCKV and DNA- $\beta$  primers 55-56
- Fig. 4.6 Agarose gel electrophoresis showing PCR based detection of begomoviruses in infected tomato plant samples using ToLCNDV, ToLCNDBC1, ToLCGVBC1, ToLCGV and DNA- $\beta$  primers. 55-56
- Fig 4.7 Cloning of begomovirus viral genome (DNA-A) and satellite DNA- $\beta$  from ToLCV infected tomato plant from Dhanbad, Jharkhand. 55-56
- Fig 4.8 Cloning of begomovirus viral genome (DNA-A) and satellite DNA- $\beta$  from ToLCV infected tomato plant from Patna, Bihar and Ramgadh, Jharkhand. 55-56
- Fig 4.9 Cloning of begomovirus viral genome (DNA-A) and satellite DNA- $\beta$  from infected tomato plant from Ranchi. 55-56
- Fig. 4.10 Agarose gel electrophoresis showing, restriction analysis of DNA-A clones (VIRO-20 and VIRO-29), comparing with ToLCNDV and ToLCGV. 56-57
- Fig 4.11 Agarose gel electrophoresis showing, Restriction analysis of VIRO-20, VIRO-29, VIRO-28 and VIRO-97. 56-57
- Fig 4.12 Linearized and circular restriction map of DNA-A clones associated with ToLCD in India. 56-57
- Fig 4.13 Linearized and circular restriction map of DNA- $\beta$  clones associated with ToLCD in India. 56-57
- Fig. 4.14 Phylogenetic tree obtained from aligned DNA-A sequences of begomoviruses causing ToLCD in India. 56-57
- Fig. 4.15 Phylogenetic tree obtained from aligned DNA-B sequences associated with begomoviruses causing ToLCD in India. 57-58
- Fig. 4.16 Phylogenetic tree obtained from aligned DNA- $\beta$  sequences associated with begomoviruses causing ToLCD in India. 58-59
- Fig. 4.17 Recombination linearized map of representative of the nine species of ToLCV reported from India and some other related species from outside of India. 60-61
- Fig 4.18 Geographical distribution pattern of tomato infecting 60-61

Begomoviruses in the world with the phylogenetic tree.

Fig 5.1 A	Agarose gel electrophoresis showing confirmation of partial tandem repeat of ToLCPaV in pCAMBIA 2301.	67-68
Fig 5.1 B	Agarose gel electrophoresis showing confirmation of partial tandem repeat of ToLCPaB in pCAMBIA 2301.	67-68
Fig 5.2	Genome organization of ToLCPaV and its associated betasatellite ToLCPaB.	69-70
Fig 5.3	Alignment of IR region of ToLCPaV with other begomoviruses showing Rep-binding region.	70-71
Fig 5.4	Fig 5.4 Phylogenetic tree obtained from aligned DNA- $\alpha$ sequences.	70-71
Fig 5.5	Phylogenetic tree obtained from aligned DNA- $\beta$ sequences.	71-72
Fig. 5.6	Similarity plot (Top) and boot scanning (Bottom) analysis of ToLCPaV.	71-72
Fig. 5.7	Schematic representation based on RDP analysis showing regions of recombinant origin between ToLCPaV and four selected begomovirus species.	71-72
Fig. 5.8	Similarity plot (Top) and boots canning (Bottom) analysis of ToLCPaB.	72-73
Fig. 5.9	Symptoms induced by <i>Tomato leaf curl Patna virus</i> .	72-73
Fig. 5.10	Symptoms induced by <i>Tomato leaf curl New Delhi virus</i> and <i>Tomato leaf curl Gujarat virus</i> .	73-74
Fig. 5.11	Southern blot analysis showing relative accumulation of viral DNA in inoculated <i>N. benthamiana</i> and tomato plants.	73-74
Fig. 5.12	Southern hybridization showing level of DNA accumulation in <i>N. benthamiana</i> plants.	73-74
Fig 6.1 A	Agarose gel electrophoresis showing confirmation of partial tandem repeat construct of ToLCGV-[Var] in pCAMBIA 2301.	81-82
Fig 6.1 B	Agarose gel electrophoresis showing confirmation of partial tandem repeat construct of ToLCGVB-[Var] in pCAMBIA 2301.	81-82
Fig 6.2 A	Agarose gel electrophoresis showing confirmation of partial tandem repeat construct of ToLCGV-[Dhn] in pCAMBIA 2301.	81-82
Fig 6.2 B	Agarose gel electrophoresis showing confirmation of partial tandem repeat construct of TYLCTHB-[Dhn] in	81-82

pCAMBIA 2301. 81-82

Fig 6.3 A	Agarose gel electrophoresis showing confirmation of partial tandem repeat construct of ToLCGV-[Ram] in pCAMBIA 2301.	81-82
Fig 6.3 B	Agarose gel electrophoresis showing confirmation of partial tandem repeat construct of TYLCTHB-[Ram] in pCAMBIA 2301.	81-82
Fig. 6.4	Digrammatic representation of ToLCGV tandem dimeric constructs in pCAMBIA2301.	82-83
Fig. 6.5	Variation of symptoms on tomato induced by three isolates of ToLCGV; in field (left) and agroinoculated (right).	84-85
Fig. 6.6	Symptom severity on tomato (var. DVRT-1) induced by different combination of ToLCGV isolates.	84-85
Fig 6.7	Southern blot showing accumulation of viral DNA at 11dpi, 18dpi and 21dpi, from three plants, inoculated with tandem dimeric constructs of DNA-A of three isolates of ToLCGV.	84-85
Fig 6.8 A	Southern blot analysis at 11dpi, 14dpi, 17dpi, of ToLCGV isolates agroinoculated plants with different combination of constructs.	84-85
Fig 6.8 B	Southern blot analysis showing detection of DNA-B and DNA- $\beta$ at 11dpi, 14dpi, 17dpi of ToLCGV isolates agroinoculated plants with different combination of constructs.	84-85
Fig 6.9	Photograph showing symptom severity difference between tomato plants inoculated with ToLCGV and different combination of constructs.	85-86
Fig. 6.10	Graph representing symptom severity pattern on tomato.	85-86
Fig 6.11	Phylogenetic tree showing relationship among ToLCGV isolates.	85-87
Fig 6.12 A	Multiple alignment of CR of ToLCGV-[Var], ToLCGV-[Dhn] and ToLCGV-[Ram].	86-87
Fig 6.12 B	Multiple alignment of Rep-protein amino acid sequence of ToLCGV-[Var], ToLCGV-[Dhn] and ToLCGV-[Ram].	86-87
Fig. 6.13	Multiple alignment of AC2 amino acid sequence of ToLCGV-[Var], ToLCGV-[Dhn] and ToLCGV-[Ram].	86-87
Fig 6.14	Multiple alignment AC4 amino acid sequence of	86-87

	ToLCGV-[Var], ToLCGV-[Dhn] and ToLCGV-[Ram].	
Fig 7.1 A	Agarose gel electrophoresis showing confirmation of partial tandem repeat of ToLCBDV-[Ran] in pCAMBIA 2301.	92-93
Fig 7.1 B	Agarose gel electrophoresis showing confirmation of partial tandem repeat of ToLCBDB-[Ran] in pCAMBIA 2301.	92-93
Fig 7.2	Multiple alignment of CR region of ToLCBDV-[Ran] with selected begomoviruses.	93-94
Fig. 7.3	Multiple alignment of deduced amino acid sequence of Rep protein of ToLCBDV-[Ran] and other related begomovirus species.	94-95
Fig 7.4	Diagram representing genome organization of ToLCBDV-[Ran] and regions of putative recombinant origin which shares similarity with other begomovirus species.	94-95
Fig. 7.5	Phylogenetic tree obtained from aligned DNA-A sequences.	94-95
Fig. 7.6	Similarity plot (Top) and bootscanning (Bottom) analysis of ToLCBDV-[Ran] with three closely related begomovirus species.	95-96
Fig 7.7	Recombination linearized map based on RDP analysis showing regions of putative recombinant origin between ToLCBDV-[Ran] and its closely related begomovirus species.	95-96
Fig. 7.8	Phylogenetic tree obtained from aligned DNA- $\beta$ sequences associated with ToLCD in Asia.	95-96
Fig 7.9	Similarity plot (Top) and boot scanning (Bottom) analysis of ToLCBDB-[Ran] with four DNA- $\beta$ complete sequences taken from GenBank.	95-96
Fig. 7.10	Symptoms induced by ToLCBDV-[Ran] on inoculated test plants with different combinations of construct (as given below) at 25 dpi.	96-97
Fig 7.11	Southern blot analysis showing detection of ToLCBDV-[Ran], DNA-A and DNA- $\beta$ , inoculated plants from <i>N. benthamiana</i> and tomato.	96-97
Fig. 8.1	Symptoms induced by <i>Tomato leaf curl Patna virus</i> on inoculated test plants.	103-104
Fig. 8.2	Symptoms induced by <i>Tomato leaf curl Gujarat virus</i> on inoculated test plants .	103-104

Fig. 8.3	Symptoms induced by <i>Tomato leaf curl New Delhi virus</i> on inoculated test plants.	103-104
Fig. 8.4	Southern blot analysis showing detection of ToLCPaV, ToLCGV and ToLCNDV viral DNA from inoculated <i>N. benthamiana</i> and tomato plants.	103-104
Fig. 8.5	Southern blot analysis showing detection of betasatellite DNA from inoculated <i>N. benthamiana</i> and tomato (blot plants).	104-105
Fig. 8.6	Southern blot analysis showing detection of betasatellite DNA from inoculated <i>N. benthamiana</i> and tomato plants.	104-105
Fig. 8.7	Alignment of putative amino acid sequence of $\beta$ C1 protein of five selected betasatellite species.	105-106
Fig. 8.8	Alignment of selected five betasatellite species complimentary sense sequence.	105-106
Fig. 8.9	Alignment of SCR region of selected five betasatellite species used in this study.	105-106
Fig. 8.10	Alignment of the nucleotide sequence of five batasatellite species with the AYVB and ToLCB-Sat nucleotide sequence .	105-106