

References

- Ahmadi G. and Mostaghel N. (1984) "Dynamics of structure with a friction foundation", *Journal de Mecanique Theorique et Appliquee*, 3(2), 271-285
- Alavi B. and Krawinkler H. (2004) "Behavior of moment-resisting frame structures subjected to near-fault ground motions", *Earthquake Engineering and Structural Dynamics*, 33(6), 687-706
- Almazan J. L. and Llera J. (2002) "Analytical model of structures with frictional pendulum isolator" *Earthquake Engineering and Structural Dynamics*, 31, 305-332
- ASTM G-115 (1993) Standard guide for measuring and reporting friction coefficients.
- Baker Jack W. (2007) "Quantitative classification of near-fault ground motions using wavelet analysis", *Bulletin of the seismological society of America*, 97(5), 1486-1501
- Borino G. and Muscolino G. (1986) "Mode-superposition methods in dynamic analysis of non-classically damped linear systems" *Earthquake Engineering and Structural Dynamics*, 14, 705-717
- Bray J. D. and Marek A. R. (2004) "Characterization of forward-directivity ground motions in near-fault region", *Soil Dynamics and Earthquake Engineering*, 24(11), 815-828
- Bruno P. and Luigi P. (1999) "Combined control strategy: Base isolation and tuned mass damping", *ISET Journal of Earthquake Technology*, 36(2-4), 121-137
- Buckle I. G. and Mayes R. L. (1990) "Seismic isolation: history, application and performance - a world view", *Earthquake Spectra*, 6(2), 161-201.
- Calantarientis J. A. (1909) "Improvements in and connected with building and other works and appurtenances to resist the action of earthquake and the like", *Engineering Library, Stanford University, Stanford, California*, Paper No. 326371
- Caspe M. S. (1970) "Earthquake isolation of multistory concrete structures" *Journal of the American Concrete Institute*, 11, 923-933
- Caspe M. S. (1984) "Base isolation from earthquake hazards: An idea whose time has come" *8th World Conference in Earthquake Engineering*, San Francisco, U.S.A. 5, 1031-1038
- Chai J. F. and Loh C. H. (2000) "Near-fault ground motion and its effect on civil structures", *International workshop on mitigation of seismic effects on transportation structures*, Taipei, Taiwan, 70-81
- Chopra A. K. (2003) *Dynamics of Structures-Theory and Application to Earthquake Engineering*, Second edition, Prentice Hall of India Pvt. Ltd., New Delhi

- Clough R. W. and Mojtahedi S. (1976) "Earthquake response analysis considering non-proportional damping" *Earthquake Engineering and Structural Dynamics*, 4, 489-496
- Clough R. W., and Penziene J. (1993) *Dynamics of Structures*, Second edition, McGraw-Hill, Inc., New York, NY, USA
- Constantinou M., Mokha A., and Reinhorn A. (1990) "Teflon Bearings in Base Isolation II: Modeling" *Journal of Structural Engineering*, 116(2), 455-474
- Datta T. K. (2003) "A state-of-the-art review on active control of structures", *ISET Journal of Earthquake Technology*, 40(1), 1-17
- Diclsli M. and Mansour M. Y. (2003) "Seismic retrofitting of highway bridges in Illinois using friction pendulum seismic isolation bearings and modeling procedures", *Journal of Engineering Structures*, 25, 1139-1156
- Dixit Jagabandhu, Dewikar D. M. and Jangid R. S. (2012) "Free field surface motion at different site types due to near-fault ground motions", *International scholarly research network*, Article ID 821051, 6 pages.
- Dowrick D. J. (1987) *Earthquake Resistant Structures*, Second edition, John Wiley Publication.
- Duncan P. E. and Taylor R. E. (1979) "A note on the dynamic analysis of non-proportionally damped systems", *Earthquake Engineering and Structural Dynamics*, 7, 99-105
- Eroz M. and DesRoches R. (2008) "Bridge seismic response as a function of the friction pendulum system (FPS) modeling assumptions", *Journal of Engineering Structures*, 30, 3204-3212
- Foss K. A. (1958) "Co-ordinates which uncouple the equations of motion of damped linear dynamic systems" *Journal of Applied Mechanics*, ASME, 25, 361-364
- Guerand R. (1985) "Seismic isolation using sliding elastomer bearing pads", *Nuclear Engineering and Design*, 84, 363-377
- Hall J. F., Heaton T. H., Halling M. W. and Wald D. J. (1995) "Near-source ground motion and its effects on flexible buildings", *Earthquake Spectra*, 11, 569-605
- Heaton T. H., Hall J. F., Wald D. J. and Halling M. W. (1995) "Response of high-rise and base-isolated building to a hypothetical M_w 7.0 blind thrust earthquake", *Journal of Science*, 267, 206-211
- Hurty W. C. and Rubienstein M. F. (1967) *Dynamics of Structures*. Prentice-Hall of India Pvt. Ltd., New Delhi.
- Igusa T., Der Kiureghian A., and Sackman J. L. (1984) "Modal decomposition method for stationary response of non-classically damped systems", *Earthquake Engineering and Structural Dynamics*, 12, 121-136
- IS 13920: 1993 *Ductile Detailing of Reinforced Concrete Structures subjected to Seismic Forces – Code of Practice*, Bureau of Indian Standard, New Delhi
- Jadhav M. B. and Jangid R. S. (2006) "Response of base-isolated liquid storage tanks to near-fault motions", *Structural Engineering Mechanics*, 23, 615-634
- Jangid R. S. (2005) "Optimum friction pendulum system for near-fault motion" *Engineering Structures*, 27, 349-359

- Jangid R. S. (2008) "Stochastic response of bridges seismically isolated by friction pendulum system", *Journal of Bridge Engineering*, ASCE, 13, 319-330
- Jangid R. S. and Datta T. K. (1993) "Seismic response of structure isolated by R-FBI system", *Bulletin of the Indian Society of Earthquake Technology*, 30(2), Paper No. 331
- Jangid R. S. and Datta T. K. (1995) "Seismic behavior of base-isolated buildings: a state-of-the-art review", *Prot. Instn. Civil Engrs Structs and Bldgs.*, 110, 186-203.
- Jangid R. S. and Kelly J. M. (2001) "Base isolation for near-fault motions", *Earthquake Engineering and Structural Dynamics*, 30, 691-707
- Kelly J. M. (1986) "Aseismic base isolation: review and bibliography", *Soil Dynamics and Earthquake Engineering*, 5(3), 202-209
- Kelly J. M. (1993) "State-of-the-art and state-of-the-practice in base isolation", *Seminar on Seismic Isolation, Passive Energy Dissipation and Active Control (ATC-17-1)*, Applied Technology Council, Redwood City, CA, USA
- Kelly J. M. (1997) *Earthquake Resistant Design with Rubber*, Second Edition, Springer, 1-18
- Kelly T. E. (2001) *Base Isolation of Structures-Design Guidelines*, Holmes Consulting Group Ltd.
- Kelly T. E., Skinner R. Ivan and Robinson Bill (W.H.) (2010) *Seismic Isolation for Designers and Structural Engineers*, First edition, nicee Publication, IIT Kanpur, India
- Kramer S. L. (2003) *Geotechnical Earthquake Engineering*, Pearson Education (Singapore) Pvt. Ltd., Delhi, First Indian reprint, 80
- Krishnamoorthy Agrahara (2010) "Seismic isolation of bridges using variable frequency and variable friction pendulum isolator system", *Structural Engineering International*, 2, 178-184.
- Lei K.M. and Hernried A.G. (1992) "Seismic response of equipment in resilient-friction base isolated structures", *Proceedings of 10th World Conference on Earthquake Engineering*, Madrid, Spain, 4, 2013-2018
- Lin Su, Ahmadi G. and Tadjbakhsh I. G. (1989a) "Comparative study of base isolation systems", *Journal of Engineering Mechanics*, 115(9), 1976-1992
- Lin Su, Ahmadi G. and Tadjbakhsh I. G. (1989b) "A comparative study of performances of various base isolation systems, Part I: Shear beam structure", *Earthquake Engineering and Structural Dynamics*, 18, 11-32
- Lin Su, Ahmadi G. and Tadjbakhsh I. G. (1990) "A comparative study of performances of various base isolation systems, Part II: Sensitivity analysis", *Earthquake Engineering and Structural Dynamics*, 19, 21-33
- Lin Su, Goodarz A. and Tadjbakhsh I. G. (1991) "Performance of sliding resilient-friction base isolation system" *Journal of Structural Engineering*, ASCE, 117(1), 165-181

- Loh C. H., Liao W. I. and Chai J. F. (2002a) "Effect of near-fault earthquake on bridges: lessons learned from Chi-Chi earthquake", *Proceedings of 3rd National Seismic Conference and Workshop on Bridges and Highways*, FHWA Western Resource Centre and MCEER, Portland, Ore, 211-222
- Loh C. H., Liao W. I. and Chai J. F. (2002b) "Effect of near-fault earthquake on bridges: lessons learned from Chi-Chi earthquake", *Earthquake Engineering and Engineering Vibration*, 1, 86-92
- Lu L. Y., Shih M. H. and Wu C. Y. (2004) "Near Fault Seismic Isolation using Sliding Bearing with Variable Curvatures", *Proceedings of 13th World Conference on Earthquake Engineering*, Vancouver, B.C., Canada, Paper No. 3264
- Lu L. Y., Shih M. H., Chang Chien C. S. and Chang W. N. (2002) "Seismic performance of sliding isolated structures in near-fault areas", *Proceedings of 7th US National Conference on Earthquake Engineering*, Boston, MA, USA, Session AT-2
- Lu L. Y., Shih M. H., S. W. Tzeng and C. S. Chang Chien (2003) "Experiment of a sliding isolated structure subjected to near-fault ground motion", *Proceedings of 7th Pacific Conference on Earthquake Engineering*, Christchurch, New Zealand
- Lu L. Y., Wang Jain and Hsu C. C. (2006) "Sliding isolation using variable frequency bearings for near-fault ground motions", *Proceedings of 4th International Conference on Earthquake Engineering*, Taipei, Taiwan, Paper No. 164
- Malhotra P. K. (1999) "Response of buildings to near-field pulse like ground motions", *Earthquake Engineering and Structural Dynamics*, 28, 1309-1326
- Malu Girish and Murnal Pranesh (2010) "Behavior of structure with VFPI during near-field ground motion", *Proceeding of International Conference on Innovative World of Structural Engineering*, Aurangabad, India, 1, 166-174
- Malu Girish and Murnal Pranesh (2012) "Comparative study of sliding isolation system for low frequency ground motion", *Proceedings of 15th World Conference on Earthquake Engineering*, Lisbon, Portugal, Paper No. 4606
- Malushte S. R. and Singh M. P. (1989) "A Study of Seismic Response Characteristics of Structures with Friction Damping", *Journal of Earthquake Engineering and Structural Dynamics*, 18(6), 767-783
- Markis M. (1997) "Rigidity-plasticity-viscosity: can electroheological dampers protect base isolated structures from near-source ground motions?", *Earthquake Engineering and Structural Dynamics*, 26, 571-591
- Markis M. and Chang S. P. (2000a) "Effect of viscous, visoplastic and friction damping on the seismic isolated structures", *Earthquake Engineering and Structural Dynamics*, 29, 85-107
- Markis M. and Chang S. P. (2000b) "Response of damped oscillators to cycloidal pulses", *Journal of Engineering Mechanics*, ASCE, 126, 123-131
- Markis N. and Constantinou M. C. (1991a) "Analysis of Motion Resisted by Friction. I. Constant Coulomb and Linear/Coulomb Friction" *Mechanical Structure and Machine*, 19(4), 477-500
- Markis N. and Constantinou M. C. (1991b) "Analysis of Motion Resisted by Friction. II. Velocity Dependent Friction" *Mechanical Structure and Machine*, 19(4), 501-526

- Mathur A. K., "spec", A program developed at Indian Institute of Technology, Roorkee, A computer program to develop accelogram.
- Matsagar V. A. and Jangis R. S. (2003) "Response of Base-Isolated Structures during Impact to Near-fault Motions", *Proceedings of 4th International Conference on Earthquake Engineering and Seismology*, Tehran, Iran.
- Mazza Fabio, Vulcano Alfonso and Mazza Mirko (2012) "Nonlinear Dynamic Response of RC Building with Different Base Isolation Systems Subjected to Horizontal and Vertical Components of Near-Fault Ground Motions", *The Open Construction and Building Technology Journal*, 6, 373-383
- Moeindarbari H. and Taghikhany T. (2012) "Optimum design of triple friction pendulum bearing subjected to near-field ground motion", *Proceedings of 15th World Conference on Earthquake Engineering*, Lisbon, Portugal, Paper No. 2519
- Mokha A, Amin N., Constantinou M. C. and Zaya V.A. (1996) "Seismic isolation retrofit of a large historic building" *Journal of Structural Engineering*, ASCE, 122(3), 298-308
- Mokha A, Constantinou M. C. and Reinhorn A. M. (1990) "Teflon Bearings in Base Isolation I: Testing" *Journal of Structural Engineering*, ASCE, 116(2), 438-454
- Mostaghel N. and Khodaverdian M. (1987) "Dynamics of Resilient-Friction Base Isolator (R-FBI)" *Earthquake Engineering and Structural Dynamics*, 15, 379-390
- Mostaghel N. and Tanbakuchi J. (1983) "Response of Sliding Structures to Earthquake Support Motion" *Earthquake Engineering and Structural Dynamics*, 11, 729-748
- Mostaghel N., Hejazi M. and Tanbakuchi J. (1983) "Response of Sliding Structures to Harmonic Support Motion" *Earthquake Engineering and Structural Dynamics*, 11, 355-366
- Murnal P. and Sinha R. (2002) "Earthquake Resistant Design of Structures using the Variable Frequency Pendulum Isolator" *Journal of Structural Engineering*, 870-880
- Murnal P. and Sinha R. (2004) "Behavior of Torsionally Coupled Structures with Variable Frequency Pendulum Isolator" *Journal of Structural Engineering*, 1041-1054
- Murnal Pranesh and G. M. Malu (2007) "Selection of VFPI parameters for isolation effectiveness during near-field ground motion", *Proceeding of 8th Pacific Conference on Earthquake Engineering*, Singapore, Paper No. 116
- Murnal Pranesh and Sinha Ravi (2004) "Behavior of structures isolated using VFPI during near source ground motions", *Proceedings of 13th World Conference on Earthquake Engineering*, Vancouver, B.C., Canada, Paper No. 3105
- Murthy C.V.R. (2005) *Earthquake Tips*, Building Material and Technology Promotion Council, New Delhi
- Naeim F. and Kelly J. M. (1993) *Design of seismic isolated structures: from theory to practice*, John Wiley and Sons, New York, NY, USA
- Naeim F. and Kelly J. M. (1999) *Design of Seismic Isolated Structures: from theory to practice*, John Wiley and Sons, New York, NY, USA
- Nagarajaiah S. and Sun X. (2001) "Base-isolated RCC building: impact response during Northridge earthquake", *Journal of Structural Engineering*, ASCE, 127, 1063-1075

- Narasimhan S. and Nagarajaiah S. (2006). "Smart base isolated buildings with variable friction systems: H controller and SAIVF device", *Earthquake Engineering and Structural Dynamics*, 35(8), 921-942.
- Panchal V. R. and Jangid R. S. (2008). "Variable friction pendulum system for seismic isolation of liquid storage tanks", *Nuclear Engineering and Design*, 238, 1304-1315.
- Panchal V. R. and Soni D. P. (2010) "Seismic Performance of Variable Frequency Pendulum Isolator under Bi-Directional Near-Fault Ground Motions", *International Institute of Earthquake Engineering and Seismology, JSEE*, 11(4), 171-188
- Pezeshki H. and Ziyaeifar M. (2012) "The use of nonlinear viscous dampers in base isolated structures in near-fault regions", *Proceedings of 15th World Conference on Earthquake Engineering*, Lisbon, Portugal, Paper No. 0455
- Pranesh M. (2000) "VFPI: An innovative device for aseismic design", *Ph.D. Thesis, Indian Institute of Technology, Bombay, India*
- Pranesh M. and Ravi Sinha (2000a) "Aseismic design of tall structures using variable frequency pendulum oscillator", *Proceedings of 12th World Conference on Earthquake Engineering*, Auckland, New Zealand, Paper No. 284
- Pranesh M. and Ravi Sinha (2000b) "VFPI: an isolation device for aseismic design" *Earthquake Engineering and Structural Dynamics*, 29, 603-627
- Pranesh M. and Sinha R. (1998) "Vibration control of primary-secondary systems using variable frequency pendulum isolator", *Proceedings 11th Symposium on Earthquake Engineering*, University of Roorkee, Roorkee, India 697-704.
- Providakis C. P. (2008) "Effect of LRB isolator and supplemental viscous dampers on seismic isolated buildings under near-fault excitations", *Journal of Engineering Structures*, 30(5), 1187-1198
- Ramallo J. C., Johnson E. A. and Spencer B. F. (2002) "Smart Base Isolation Systems", *Journal of Engineering Mechanics*, ASCE, 128(10), 1088-1099
- Rao P. B. and Jangid R. S. (2001) "Performance of sliding systems under near-fault motions", *Nuclear Engineering Digest*, 203, 259-272
- Seed H. B., Ugas C. and Lysmer J. (1976) "Site dependent spectra for earthquake resistant design", *Bulletin of the Seismological Society of America*, 66(1), 221-243
- Shabana A. (1994) *Computational Dynamics*, Wiley, New York
- Shrimali M. K. and Jangid R. S. (2002) "A comparative study of performance of various isolation systems for liquid storage tanks" *International Journal of Structural Stability and Dynamics*, 2, 573-591
- Shrimali M. K. and Jangid R. S. (2004) "Seismic analysis of base-isolated liquid storage tank", *Journal of Sound and Vibrations*, 275, 59-75
- Singh M. P. and Malushte S. R. (1990) "Seismic Response of Simple Structures Using Spring-Assisted Sliding Slabs with Coulomb Damping", *Journal of Earthquake Engineering and Structural Dynamics*, 19, 189-203
- Singh M. P. and Suarez L. E. (1992) "Dynamic Condensation with Synthesis of Substructure Eigenproperties" *Journal of Sound and Vibration*, 159(1), 139-155

- Singh M. P., Chang T. S., and Suarez L. E. (1992) "A Response Spectrum Method for Seismic Design Evaluation of Rotating Machines", *Journal of Sound and Acoustics*, ASME, 114(4), 454-460
- Sinha R. (1993) "Non-classically damped structures", *One Week Interaction Programme on State-of-the-Art on Seismic Qualification of Structures and Systems*, Lecture notes, Compiled by R. S. Soni, 71-80
- Sinha R. and Igusa T. (1995a) "CQC and SRSS methods for non-classically damped structures", *Earthquake Engineering and Structural Dynamics*, 24, 615-619
- Sinha R. and Igusa T. (1995b) "Response of primary-secondary systems to short-duration, wide band input", *Journal of Sound and Vibration*, 185(1), 119-137
- Skinner R. I., Robinson W. H. and McVerry G. H. (1993) *A introduction to Seismic Isolation*, John Wiley and Sons
- Somerville Paul (1997). "Engineering characteristics of near fault ground motion", *Proceedings of SMIP97 Seminar*, Los Angeles, California, 9-28.
- Somerville Paul G. (2003) "Magnitude scaling of the near fault rupture directivity pulse", *Physics of the earth and planetary interiors*, 137, 201-212
- Somerville Paul G. (2005). "Engineering characterization of near fault ground motion", *Proc. 2005 New Zealand Society for Earthquake Engineering Conference*, New Zealand, Paper No. 1, 1-8.
- Spencer B.F. and Nagarajaya H. (2003) "State-of-art-of Structural Control", *Journal of Structural Engineering*, 129(7), 845-856
- Traill-Nash R. W. (1981) "Modal methods in the dynamics of system with non-classical damping" *Earthquake Engineering and Structural Dynamics*, 9, 153-169
- Tsai C. S., Chiang T. C. and Chen B. J. (2003) "Finite element formulations and theoretical study for variable curvature friction pendulum system", *Journal of Engineering Structures*, 25, 1719-1730
- Tsai H. C. and Kelly J. M. (1993) "Seismic response of heavily damped base isolation systems" *Earthquake Engineering and Structural Dynamics*, 22, 633-645
- Tsai H. C. and Kelly J. M. (1988) "Non-classical damping in dynamic analysis of base-isolated structures with internal equipment" *Earthquake Engineering and Structural Dynamics*, 16, 29-43
- Tsopelas P. C., Constantinou M. C., Okamoto S., Fujii S. and Ozaki D. (1996) "Experimental study of bridge seismic sliding isolation systems", *Journal of Engineering Structures*, 18, 301-310
- Tsopelas P., Constantinou M. C., Kim Y. S. and Okamoto S. (1996) "Experimental study of FPS system in bridge seismic isolation", *Journal of Earthquake Engineering and Structural Dynamics*, 25(1), 65-78.
- Veestos A. S. and Ventura C. E. (1986) "Modal analysis of non-classically damped linear systems", *Earthquake Engineering and Structural Dynamics*, 14, 77-90
- Wang X. F., Amin N. and Mokha A. (1995) "Study of base uplift of seismic isolated building" *Symposium on Natural Hazard Phenomena and Mitigation*, ASME/ISME/PVP Conference, ASME, New York, N.Y., 155-160

- Wang Y. P., Chung L. L. and Liao W. H. (1998) "Seismic response analysis of bridges isolated with friction pendulum bearings" *Earthquake Engineering and Structural Dynamics*, 27, 1060-1093
- Westermo B. and Udvardia F. (1983) "Periodic Response of a Sliding Oscillator System to Harmonic Excitation" *Earthquake Engineering and Structural Dynamics*, 11 (1), 135-146
- Xu K., and Igusa T. (1991) "Dynamic characteristics of non-classically damped structures" *Earthquake Engineering and Structural Dynamics*, 20, 1127-1144
- Yang Y., Lee T. and Tsai L. (1990) "Response of Multi-Degree-of-Freedom Structures with Sliding Supports", *Earthquake Engineering and Structural Dynamics*, 19, 739-752
- Zayas V. A. and Low S. S. (2000) "Seismic isolation for strong near-field earthquake motion", *Proceedings of 12th World Conference on Earthquake Engineering*, Auckland, New Zealand, Paper No. 88
- Zayas V. A., Low S. S., and Mahin S. A. (1987) "The FPS earthquake resisting system: Experimental report", *Report No. UCB/EERC-87/01, Earthquake Engineering Research Centre*, University of California, Berkeley, CA, USA
- Zayas V.A. (1990) "A Simple Pendulum Technique for Achieving Seismic Isolation" *Earthquake Spectra*, 6(2), 317-333