

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
1.1	Graphical representation of Moor's law	2
1.2	Interconnect structure	6
1.3	Comparison of interconnects	6
1.4	Resistance geometry	8
1.5	Resistivity of Cu wires dimensions	9
1.6	MOS Capacitance model	11
1.7	Lumped RC model	12
1.8	Lumped interconnect models	12
1.9	Distributed RC model	13
1.10	Load capacitance of CMOS gate	15
1.11	Basic compression principle	17
1.12	Technology scale down	21
3.1	Block diagram of basic compression principle	54
3.2	Classification of data compression	55
3.3	Huffman code tree	58
3.4	Classification of lempel ziv family	64
3.5	Flow diagram of simple byte compression algorithm	69
3.6	Flow diagram of simple byte decompression algorithm	72
3.7	Output of Text data compression	73
3.8	Analysis of BPC for different compression techniques	75

FIGURE NO.	TITLE	PAGE NO.
3.9	Compression ratio	76
3.10	Compression ratios of different compression techniques	79
3.11	Compression factor analysis for different compression techniques	79
3.12	Analysis of saving percentages for different compression techniques	81
4.1	Deep submicron model for N bit data bus	84
4.2	Block diagram of proposed multi coding technique	91
4.3	Hamming distance estimator	93
4.4	XOR Stack	94
4.5	Simulation output for input data B_1^k	96
4.6	Simulation output for input data B_2^k	97
4.7	Simulation output for input data B_3^k	98
4.8	Comparison of transition count in multi coding technique	100
4.9	Percentage of energy saved in multi coding technique	101
4.10	Comparison of energy saving percentage	102
5.1	Power reduction design aspects	105
5.2	Static power calculation model	108
5.3	Equivalent circuit for dynamic power calculation	109
5.4	Energy per transition	111
5.5	Power analysis chart	111
5.6	Two dimension (2D)VLSI design flow	113

FIGURE NO.	TITLE	PAGE NO.
5.7	Two dimension (2D) design parameter	113
5.8	Three dimension (3D) VLSI design flow	115
5.9	Three dimension (3D) design parameter	115
5.10	Relationship between different abstraction level & Power estimation techniques	116
5.11	RTL shematic overview of encoder	117
5.12	RTL shematic of encoder output	118
5.13	Synthesis report of area requirement	118
5.14	Synthesis report of delay	119
5.15	Power analysis flow chart	120
5.16	Power output using Xpower	121
6.1	Pass transistor logic	125
6.2	NMOS Pass transistor showing transmission of 0V	126
6.3	NMOS Pass transistor showing transmission of V_{DD}	126
6.4	PMOS pass transistor	127
6.5	Arithmetic adder used in HD estimator	127
6.6	Conventional static full adder	128
6.7	Static differential cascode voltage switch full adder	129
6.8	Dual rail domino logic full adder	130
6.9	Double Pass transistor logic full adder	131
6.10	Static differential split level logic full adder	132
6.11	Dynamic differential cascode voltage switch logic full adder	133

FIGURE NO.	TITLE	PAGE NO.
6.12	Complementary Pass transistor logic full adder	134
6.13	Propagation delay V_S power dissipation of different CMOS logic design	136
6.14	Transistor count for different CMOS logic design	137
6.15	Power dissipation for different CMOS logic design	138
6.16	Propagation delay for different CMOS logic design	139
6.17	Area of different CMOS logic design	140
6.18	Simulation result of CPL adder	141