

LIST OF FIGURES

- Figure 1.1** : Poly(ferrocenylene)
- Figure 1.2** : Geometrical structures of some of the conjugated polymers
- Figure 1.3** : Various oxidation states of Polyaniline
- Figure 1.4** : Electro-synthesis of Polypyrrole
- Figure 1.5** : Oxidative coupling mechanism for Polypyrrole
- Figure 1.6** : Radical mechanism for Polypyrrole synthesis
- Figure 1.7** : Mechanism for electro-polymerization of heterocycles
- Figure 1.8** : One electron band model for electrical conduction
- Figure 1.9** : Conductivity behavior of metal, semiconductor and insulator
As a function of reciprocal of temperature
- Figure 1.10** : Functionalization of Conducting polymers
- Figure 1.11** : Preparation of Phthalocyanine monomer
- Figure 2.1** : Diagrammatic sketch of Electrochemical Measurement Apparatus
- Figure 2.2** : Diagrammatic sketch of various type of materials used in the study
- Figure 2.3** : Diagrammatic sketch of Sensitivity Measurement Apparatus
- Figure 2.4** : Diagrammatic sketch of Conductivity Measurement Apparatus
- Figure 3.1** : Reaction scheme for PANI-CuPc chemical synthesis
- Figure 3.2** : FT-IR absorption spectrum of PANI-CuPc powder sample
- Figure 3.3** : UV-VIS Spectra of PANI-CuPc of the powder sample in dilute H₂SO₄
- Figure 3.4** : UV-VIS Spectra of Copper Phthalocyanine in dilute H₂SO₄
- Figure 3.5** : X-Ray Diffraction patterns of PANI-CuPc powder samples

Figure 3.6 : N(1s) and C(1s) core-level Spectrum of PANI and CuPc green samples

Figure 3.7 : N(1s) and C(1s) core-level Spectrum of PANI + 5% CuPc and
PANI +20% CuPc samples

Figure 3.8 : Cl(2p) core level Spectrum for PANI + 20% CuPc and
CuPc (green) samples

Figure 3.9 : Plot of conductivity Vs CuPc concentration of PANI-CuPc Powder Samples

Figure 3.10 : Plots of log conductivity Vs reciprocal of temperature of PANI-CuPc
powder samples

Figure 3.11 : Plot of Activation energy Vs CuPc concentration of PANI-CuPc
powder samples

Figure 3.12 : C-V measurements of pure PANI pellet in 0.1M HCl

Figure 3.13 : C-V measurements of PANI + 2% CuPc pellet in 0.1M HCl

Figure 3.14 : C-V measurements of PANI + 5% CuPc pellet in 0.1M HCl

Figure 3.15 : TGA/DTA Thermograms of PANI-CuPc powder samples in
Nitrogen atmosphere

Figure 3.16 : Plots of Sensitivity Factor Vs CuPc concentration for CH₃OH, NH₃,
NO₂ vapors of PANI-CuPc/PEO/CuCl₂ interdigitated electrodes

Figure 3.17 : FT-IR absorption spectrum of PANI-CuPc films

Figure 3.18 : UV-VIS spectrum of PANI-CuPc films deposited on ITO

Figure 3.19 : N (1s) and C (1s) core-level spectrum of PANI, CuPc blue
And PANI + 3% CuPc films

Figure 3.20 : Plot of conductivity Vs CuPc concentration of PANI-CuPc films

Figure 3.21 : Plots of log conductivity Vs reciprocal of temperature for PANI-CuPc films

Figure 3.22 : Plot of activation energy Vs CuPc concentration of PANI-CuPc films

Figure 3.23 : C-V measurements of PANI and PANI-CuPc films in 0.1M HCl

Figure 3.24 : C-V measurements of PANI and PANI-CuPc films in 0.1M LiClO₄ in
Propylene carbonate

Figure 3.25 : C-V measurements of PANI film in 0.1M HCl recorded in dark and
Under illumination

Figure 3.26 : C-V measurements of PANI + 2% CuPc film in 0.1M HCl recorded
In dark and under illumination

Figure 3.27 : C-V measurements of PANI + 3% CuPc film in 0.1M HCl recorded
In dark and under illumination

Figure 4.1 : FT-IR absorption spectrum of PPy-CuPc powder samples

Figure 4.2 : UV-VIS absorption spectrum of PPy-CuPc powder samples in dilute H₂SO₄

Figure 4.3 : X-Ray Diffraction patterns of PPy-CuPc powder samples

Figure 4.4 : C(1s), N(1s) and Cl (2p) core-level spectrum of pure PPy powder sample

Figure 4.5 : C(1s), N(1s), Cl (2p) and Cu(2p) core-level spectrum of PPy + 4% CuPc
powder sample

Figure 4.6 : Plot of conductivity Vs CuPc concentration of PPy-CuPc polymers

Figure 4.7 : Reaction scheme for PPy-CuPc polymers chemical synthesis

Figure 4.8 : Plots of log conductivity Vs reciprocal of temperature of PPy-CuPc
Powder samples

Figure 4.9 : Plot of activation energy Vs CuPc concentration of PPy-CuPc polymers

Figure 4.10 : C-V measurements of PPy-CuPc pellets in 0.1M KCl

- Figure 4.11** : TGA/DTA thermograms of PPy-CuPc powder samples
- Figure 4.12** : FT-IR absorption spectrum of PPy-CuPc films
- Figure 4.13** : UV-VIS absorption spectrum of PPy-CuPc films on gold deposited glass
- Figure 4.14** : C(1s) and N(1s) core-level spectrum of PPy-CuPc films
- Figure 4.15** : Plot of conductivity Vs CuPc concentration of PPy-CuPc films
- Figure 4.16** : Plots of log conductivity Vs reciprocal of temperature of PPy-CuPc
Polymeric films
- Figure 4.17** : Plot of activation energy Vs CuPc concentration of PPy-CuPc films
- Figure 4.18** : C-V measurements of PPy-CuPc films in 0.1M KCl
- Figure 4.19** : C-V measurements of PPy-CuPc films in 0.1M LiClO₄ electrolyte
- Figure 4.20** : Plots of Sensitivity Factor Vs CuPc concentration for CH₃OH, NH₃,
NO₂ vapors of PPy-CuPc/PEO/CuCl₂ interdigitated electrodes
- Figure 5.1** : Color changes of PT-CuPc polymers with different CuPc concentrations
- Figure 5.2** : FT-IR absorption spectrum of PT-CuPc powder samples
- Figure 5.3** : UV-VIS spectra of PT-CuPc powder samples in its reflection mode
- Figure 5.4** : UV-VIS spectra of PT-CuPc powder samples in dilute H₂SO₄
- Figure 5.5** : X-Ray Diffraction patterns of PT-CuPc powder samples
- Figure 5.6** : C (1s) and S (2p) core-level spectrum of pure PT powder in its Doped
and undoped states
- Figure 5.7** : C (1s), S (2p) and Cl (2p) core-level spectrum of PT + 5% CuPc powder
In its undoped and doped states
- Figure 5.8** : I₂ (3p) core-level spectrum of PT-CuPc powder samples

- Figure 5.9** : Plots of electrical conductivity Vs CuPc concentration of PT-CuPc
Undoped and doped polymers
- Figure 5.10** : Plots of log conductivity Vs reciprocal of temperature of PT-CuPc
Undoped powder samples
- Figure 5.11** : Plots of log conductivity Vs reciprocal of temperature of PT-CuPc
Iodine doped powder samples
- Figure 5.12** : Plot of activation energy Vs CuPc concentration of PT-CuPc
Undoped and doped polymers
- Figure 5.13** : C-V measurements of pure PT pellet in 0.1N sodium sulfide electrolyte
In dark and under illumination
- Figure 5.14** : C-V measurements of PT + 2% CuPc pellet in 0.1N sodium sulfide
Electrolyte in dark and under illumination
- Figure 5.15** : C-V measurements of PT + 5% CuPc pellet in 0.1N sodium sulfide
Electrolyte in dark and under illumination
- Figure 5.16** : Energy level diagram for PT-CuPc films in sodium sulfide electrolyte
- Figure 5.17** : TGA/DTA thermograms of PT-CuPc powder samples
- Figure 5.18** : Plots of sensitivity factor Vs CuPc concentration of PT-CuPc/PEO/CuCl₂
Interdigitated electrodes with (a) CH₃OH (b) NH₃ and (c) NO₂ vapors
- Figure 5.19** : FT-IR absorption spectrum of PT-CuPc polymeric films
- Figure 5.20** : X-Ray Diffraction patterns of PT-CuPc polymeric films
- Figure 5.21** : Plots of conductivity Vs CuPc concentration of as synthesized and
Iodine doped PT-CuPc polymeric films

Figure 5.22 : Plots of log conductivity Vs reciprocal of temperature of PT-CuPc
Polymeric films

Figure 5.23 : Plot of activation energy Vs CuPc concentration of PT-CuPc Films

Figure 5.24 : C-V measurements of pure PT film in 0.1 N sodium sulfide electrolyte
In dark (D) and under illumination (L)

Figure 5.25 : C-V measurements of PT + 0.5% CuPc polymeric film in 0.1N sodium
Sulfide electrolyte in dark (D) and under illumination (L)

Figure 5.26 : C-V measurements of PT + 2% CuPc polymeric film in 0.1N sodium
Sulfide electrolyte in dark (D) and under illumination (L)