

Bibliography

1. **Akkaya MS, Bhagwat AA, Cregan PB** (1992) Length polymorphisms of simple sequence repeat DNA in soybean. *Genetics* 132:1131-1139
2. **Albertini E, Porceddu A, Marconi G, Barcaccia G, Pallottini L, Falcinelli M** (2003) Microsatellite-AFLP for genetic mapping of complex polyploids. *Genome* 46:824-832
3. **Alghanim HJ and Almirall Jr** (2003) Development of microsatellite markers in *Cannabis sativa* for DNA typing and genetic relatedness analyses. *Analytical and Bioanalytical Chemistry* 376:1225-33
4. **Altschul, Stephen F, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ** (1997) "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs". *Nucleic Acids Research* 25:3389-3402
5. **Anderson JA, Churchill GA, Autrique JE, Tanksley SD, Sorrells ME** (1993) Optimizing parental selection for genetic linkage maps. *Genome* 36: 181 -186
6. **Arnold C, Rossetto M, McNally J, Henry RJ** (2002) The application of SSRs characterized for grape (*Vitis vinifera*) to conservation studies in Vitaceae. *American Journal of Botany* 89:22–28
7. **Axtell MJ, Snyder JA, Bartel DP** (2007) Common Functions for Diverse Small RNAs of Land Plants. *The Plant Cell* 19:1750-1769
8. **Ayers NM, McClung AM, Larkin PD, Bligh HFJ, Jones CA, Park WD** (1997) Microsatellites and a single nucleotide polymorphism differentiate apparent amylose classes in an extended pedigree of US rice germplasm. *Theoretical and Applied Genetics* 94:773-781
9. **Balasaravanan T, Pius PK, Raj Kumar R, Muraleedharan N, Shasany AK** (2003) Genetic diversity among south Indian tea germplasm (*Camellia sinensis*, *C. assamica* and *C. assamica* spp. *lasiocalyx*) using AFLP markers. *Plant Science* 165:365-372
10. **Bao JS, Corke H, Sun M** (2002) Microsatellites in starch-synthesizing genes in relation to starch physicochemical properties in waxy rice (*Oryza sativa* L.) *Theoretical and Applied Genetics* 105: 898 – 905
11. **Bartel DP** (2004) MicroRNAs: genomics, biogenesis, mechanism, and function. *Cell* 116:281–297
12. **Baruah A, Naik V, Hendre PS, Rajkumar R, Rajendrakumar P, Aggarwal RK** (2003) Isolation and characterization of nine microsatellite markers from *Coffea arabica* L., showing wide cross-species amplifications. *Molecular Ecology Notes* 3: 647-650

13. **Beckmann JS, Soller M** (1990) Toward a unified approach to genetic mapping of eukaryotes based on sequence tagged microsatellite sites. *Bio/technology* 8:930 – 932
14. **Bell CJ, Ecker JR** (1994) Assignment of 30 microsatellite loci to the linkage map of *Arabidopsis*. *Genomics* 19:137 – 144
15. **Beyermann B, Nurnberg P, Weihe A, Meixner M, Epplen JT, Borner T** (1992) Fingerprinting plant genomes with oligonucleotide probes specific for simple repetitive DNA sequences. *Theoretical and Applied Genetics* 83: 691-694
16. **Bhat KV, Amaravathi Y, Gautam PL, Velayudhan KC** (2004) AFLP characterization and genetic diversity analysis of Indian banana and plantain cultivars (*Musa* spp.). *Plant Genetic Resources* 2(2): 121-130
17. **Bhat KV, Lakhanpaul S, Chadha S** (2005) Amplified fragment length polymorphism analysis of genetic diversity in Indian mungbean (*Vigna radiate* (L.) Wilczek) cultivars. *Indian Journal of Biotechnology* 4: 56 -64
18. **Bhatia P, Ashwath N, Senaratna T, Krauss SL** (2005) Genetic analysis of cotyledon derived regenerants of tomato using AFLP markers. *Current Science* 88 (2) 280-284
19. **Birnboim HC, Dolly J** (1979) A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Research* 7: 1513 – 1523
20. **Bonato ALV, Calvo ES, Arias CAA, Toledo JFF, Geraldi IO** (2006) Prediction of genetic variability through AFLP-based measure of genetic distance in soybean. *Crop breeding and Applied Biotechnology* 6: 30 -39
21. **Bonnet E, Wuyts J, Rouze P, Van de Peer Y** (2004) Evidence that microRNA precursors, unlike other non-coding RNAs, have lower folding free energies than random sequences. *Bioinformatics* 20:2911 – 2917
22. **Botstein D, White RL, Skolnick M, Davis RW** (1980) Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American Journal of Human Genetics* 32:314–331
23. **Boukar O, Kong L, Singh BB, Murdock L, Ohm HW** (2004) AFLP and AFLP-derived SCAR markers associated with *Striga gesnerioides* resistance in Cowpea. *Crop Science* 44: 1259 – 1264
24. **Bowcock AM, Ruiz-Linares A, Tomfohrde J, Minch E, Kidd JR, Cavalli-Sforza LL** (1994) High resolution of human evolutionary trees with polymorphic microsatellites. *Nature* 368: 455-457
25. **Brien SJ, Cowling WA, Potter RH, O'Brien PA, Jones RAC, Jones MGK** (1999) A molecular marker for early maturity (*Ku*) and marker-assisted breeding of *Lupinus angustifolius*. In *Proceedings of the Australian Plant Breeding Conference*,

- 11th, Adelaide. 19–23 April, South Australian Research and Development Institute, Urrbrae, South Australia.: 204–205
26. **Brini W, Mars M, Hormaza JI** (2007) Genetic diversity in local Tunisian pears (*Pyrus communis* L.) studied with SSR markers. *Scientia Horticulturae* (in press)
 27. **Brown JR, Sanseau P** (2005) A computational view of microRNAs and their targets. *Drug Discovery Today* 10: 595– 601
 28. **Brunel D** (1994) A microsatellite marker in *Helianthus annuus* L. *Plant Molecular Biology* 24: 397-400
 29. **Bryan GJ, Collins AJ, Stephenson P, Orry A, Smith JB, Gale MD** (1997) Isolation and characterization of microsatellites from hexaploid bread wheat. *Theoretical and Applied Genetics* 94: 557-563
 30. **Callen DF, Thompson AD, Shen Y, Phillips HA, Richards RI, Mulley JC, Sutherland GR** (1993) Incidence and origin of null alleles in the (AC) n microsatellite markers. *American Journal of Human Genetics* 52: 922 – 927
 31. **Casacuberta E, Puigdomenech P, Monfort A** (2000) Distribution of microsatellites in relation to coding sequences within the *Arabidopsis thaliana* genome. *Plant Science* 157: 97 – 104
 32. **Chao CT, Devanand PS, Chen J** (2005) AFLP analysis of genetic relationships among *Calathea* species and cultivars. *Plant Science* 168(6):1459-1469
 33. **Chen J, Devanand PS, Norman DJ, Henny RJ, Chao CT** (2004) Genetic Relationships of *Aglaonema* species and cultivars inferred from AFLP markers. *Annals of Botany* 93: 157 – 166
 34. **Cho YG, Ishii T, Temnykh S, Chen X, Lipovich L, McCouch SR, Park W, Ayres N, Cartinhour S** (2000) Diversity of microsatellites derived from genomic libraries and GenBank sequences in rice (*Oryza sativa* L.). *Theoretical and Applied Genetics* 100:713-722
 35. **Collevatti RG, Brondani RV, Grattapaglia D** (1999) Development and characterization of microsatellite markers for genetic analysis of a Brazilian endangered tree species *Caryocar brasiliense*. *Heredity* 83: 748-756
 36. **Cordeiro GM, Casu R, McIntyre CL, Manners JM, Henry RJ** (2001) Microsatellite markers from sugarcane (*Saccharum* spp) EST's cross transferable to erianthus and sorghum. *Plant Science* 160: 1115 – 1123
 37. **Cordeiro GM, Taylor GO, Henry RJ** (2000) Characterization of microsatellite markers from sugarcane (*Saccharum* sp.), a highly polyploid species. *Plant Science* 155:161-168
 38. **Crow J, Kimura M** (1970) *An introduction to Population Genetics Theory*. Burgess Publishing Company, Minneapolis, pp. 591

39. **D'Alessio J M, Gerard GF** (1988) Second-strand cDNA synthesis with *E. coli* DNA polymerase I and RNase H: the fate of information at the mRNA 5' terminus and the effect of *E. coli* DNA ligase. *Nucleic Acids Res.* **16**:1999–2014
40. **Dasgupta A, Dutta, PC** (1976) Cytotaxonomy of Piperaceae. *Cytologia* **41**: 697-706
41. **De Magalhaes Bertini CHC, Schuster I, Sedyama T, de Barros EG, Moreira MA** (2006) Characterization and genetic diversity analysis of cotton cultivars using microsatellites. *Genetics and Molecular Biology* **29**(2): 321- 329
42. **Dellaporta SL, Wood J, Hicks JB** (1983) A plant DNA minipreparation: version II. *Plant Molecular Biology Reporter* **1**(4):19-21
43. **Di Rienzo A, Peterson AC, Garza JC, Valdes AM, Slatkin M, Freimer NB** (1994) Mutational processes of simple sequence repeat loci in human populations. *Proceeding of National Academy of Sciences* **91**: 316 -3170
44. **Dong J, Guang-Yan Z, Qi-Bing H** (2006) Analysis of microsatellites in *Citrus Unigenes*. *Acta Genetica Sinica* **33**(4): 345 – 353
45. **Dos Santos KL, Welter LJ, de Mesquita Dantas AC, Guerra MP, Joseph Ducroquet JPH, Nodari RO** (2007) Transference of microsatellite markers from *Eucalyptus* spp to *Acca sellowiana* and the successful use of this technique in genetic characterization. *Genetics and Molecular Biology* **30**:1
46. **Echt CS, May-Marquardt P, Hseih M, Zahorchak R** (1996) Characterization of microsatellite markers in eastern white pine. *Genome* **39**:1102–1108
47. **Edwards KJ, Barker JHA, Daly A, Jones C, Karp A** (1996) Microsatellite libraries enriched from several microsatellite sequences in plants. *Biotechniques* **20**: 758-760
48. **Edwards YJ, Elgar G, Clark MS, Bishop MJ** (1998) The identification and characterization of microsatellites in the compact genome of the Japanese pufferfish, *Fugu rubripes*: perspectives in functional and comparative genomic analyses. *Journal of Molecular Biology* **278**: 843 – 854
49. **Estoup A, Cornuet JM, Rousset F, Guyomard R** (1999) Juxtaposed microsatellite systems as diagnostic markers for admixture: theoretical aspects. *Molecular Biology and Evolution* **16**: 898 – 908
50. **Eujayl I, Sorrells ME, Baum M, Wolters P, Powell, W** (2002) Isolation of EST-derived microsatellite markers for genotyping the A and B genomes of wheat. *Theoretical and Applied Genetics* **104**:399-407
51. **Fernandez M** (2002) Variabilidad genetica en *Lens* (Miller): Analisis de los espaciadores intergenicos ribosomales. Ph. D. Dissertation, Univ.de Leon, Spain.

52. **Fischer D, Bachmann K** (1998) Microsatellite enrichment in organisms with large genomes (*Allium cepa* L.). *BioTechniques* 24: 796 - 802
53. **Folta KM, Staton M, Stewart PJ, Jung, S, Bies DH, Jesdurai C, Main D** (2005) Expressed sequence tags (EST's) and simple sequence repeat (SSR) markers from octoploid strawberry (*Fragaria x ananassa*). *BMC Plant Biology* 5: 12
54. **Fujimori S, Washio T, Higo K, Ohtomo Y, Murakami K, Matsubara K, Kawai J, Carninci P, Hayashizaki Y, Kikuchi S, Tomita M** (2003) A novel feature of microsatellites in plants: a distribution gradient along the direction of transcription *FEBS Letters* 554: 17 – 22
55. **Gamble JS** (1925) *Flora of the Presidency of Madras. Vol.II Botanical Survey of India, Calcutta (Report)*
56. **George KJ, Ganga G, Varam RS, Sasikumar B, Saji KV** (2005) Identification of hybrids in black pepper (*Piper nigrum* L) using male parent –specific RAPD markers. *Current Science* 88(2) : 216-218
57. **Goff SA, Ricke D, Lan TH** (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *japonica*). *Science* 296: 92-100
58. **Grabczyk E, Kumari D, Usdin K** (2001) Fragile X syndrome and Friedreich's ataxia: two different paradigms for repeat induced transcript insufficiency. *Brain Research Bulletin* 56:367–373
59. **Grant V** (1981) *Plant Speciation, Ed. 2. Columbia University Press, New York*
60. **Grivet L, D'Hont A, Roques D, Feldmann P, Lanaud C, Glaszmann JC** (1996) RFLP mapping in cultivated sugarcane (*Saccharum* spp.): genome organization in a high polyploid and aneuploid interspecific hybrid. *Genetics* 142: 987–1000
61. **Grodzicker T, Williams J, Sharp P, Sambrook J** (1974) Physical mapping of temperature sensitive mutations. *Cold Spring Harbor Symposium Quart. Biol.* 39: 439-446
62. **Guo-Qing G, Guo-Hao H, Yang-Rui L** (2003) Microsatellite enrichment from AFLP fragments by magnetic beads. *Acta Botanica Sinica* 45(11): 1266-1269
63. **Gupta PK, Varshney RK** (2000) The development and use of microsatellite markers for genetic analysis and plant breeding with special emphasis on bread wheat. *Euphytica* 113: 163 – 185
64. **Guyomarc H, Sourdile P, Charmet G, Edwards KJ, Bernard M** (2002) Characterization of polymorphic microsatellite markers from *Aegilops tauschii* and transferability to the D-genome of bread wheat. *Theoretical and Applied Genetics* 104: 1164- 1172
65. **Hackauf B, Wehling P** (2002) Identification of microsatellite polymorphisms in an expressed portion of the rye genome. *Plant Breeding* 121:17-25

66. **Hamada H, Petrino MG, Kakunaga R** (1982) A novel repeated element with z-DNA-forming potential is widely found in evolutionary diverse eukaryotic genomes. *Proceeding of National Academy of Sciences, USA* 79: 6465 – 6469
67. **Hamilton MB, Pincus EL, Di Fiore A, Fleischer RC** (1999) Universal linker and ligation procedures for construction of genomic DNA libraries enriched for microsatellites. *Biotechniques* 27: 500-507
68. **Hancock JM** (1999) Microsatellites and other simple sequence sequences: Genomic context and mutational mechanisms. In: Goldstein DB and Schlotterer C (eds) *Microsatellites: Evolution and Applications*. Oxford University Press, New York, p1-9
69. **He G, Meng R, Newman M, Gao G, Pittman RN, Prakash CS** (2003) Microsatellites as DNA markers in cultivated peanut (*Arachis hypogaea* L.) *BMC Plant Biology* 3:3
70. **Hicks M, Adams D, O’Keefe S, Macdonald E, Hodgetts R** (1998) The development of RAPD and microsatellite markers in lodgepole pine. *Genome* 41: 797 – 805
71. **Hill M, Witsenboer H, Zabeau M, Vos P, Kerseli R, Michelmore R** (1996) PCR based fingerprinting using AFLPs as a tool for studying genetic relationships in *Lactuca* spp. *Theoretical and Applied Genetics* 93:1202-1210
72. **Hodgetts RB, Aleksasuk MA, Brown A, Clarke C, Macdonald E, Nadeem S, Khasa D** (2001) Development of microsatellite markers for white spruce (*Picea glauca*) and related species. *Theoretical and Applied Genetics* 102: 1252 – 1258
73. **Hossain KG, Kawai H, Hayashi M, Hoshi M, Yamanaka N, Harada K** (2000) Characterization and identification of (CT)_n microsatellites in soybean using sheared genomic libraries. *DNA Research* 7: 103-110
74. **Hotelling H** (1933) Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology* 24: 417-441
75. **Huang H, Jeffers SN, Layne DR, Schnabel G** (2004) AFLP Analysis of *Phytophthora cactorum* Isolates from Strawberry and Other Hosts: Implications for Identifying the Primary Source of Inoculum. *Plant Disease* 88: 7
76. **Ito T, Smith CL, Cantor CR** (1992) Sequence-specific DNA purification by triplex affinity capture. *Proceeding of National Academy of Sciences, U S A* 89: 495–498
77. **Janaki Ammal, EK** (1945) In CD Darlington and Wylie AP (1955) *Chromosome Atlas of Flowering Plants*. George Allan and Unwin Ltd., London
78. **Jones RMW, Bartel DP, Bartel B** (2006) MicroRNAs and their regulatory roles in plants. *Annual Review of Plant Biology* 57: 19–53

79. **Jordan SA, Humphries P** (1994) Single nucleotide polymorphism in exon 2 of the BCP gene on 7q31-q35. *Human Molecular Genetics* 3: 1915
80. **Jose J, Sharma AK** (1984) Chromosome studies in the genus *Piper* L. *Journal of Indian Botanical Society* 63:313-319
81. **Joy N, Abraham Z, Soniya EV** (2007) A preliminary assessment of genetic relationships among agronomically important cultivars of black pepper. *BMC Genetics* 8:42
82. **Jurka J, Pethiyagoda C** (1995) Simple repetitive DNA sequences from primates: compilation and analysis. *Journal of Molecular Evolution* 40: 120-126
83. **Kang Tae-Jin, Fawley MW** (1997) Variable (CA/GT) n simple sequence repeat DNA in the alga *Chlamydomonas*. *Plant Molecular Biology* 35: 943-948
84. **Kantety RV, La Rota M, Mathews DE, Sorrells ME** (2002) Data mining for simple sequence repeats in expressed sequence tags from barley, maize, rice, sorghum and wheat. *Plant Molecular Biology* 48: 501 -510
85. **Kijas JMH, Fowler JCS, Garbett CA, Thomas MR** (1994) Enrichment of microsatellites from the citrus genome using biotinylated oligonucleotide sequences bound to streptavidin coated magnetic particles. *Biotechniques* 16: 657-660
86. **Lagercrantz U, Ellegren H, Anderson L** (1993) The abundance of various polymorphic microsatellite motifs differs between plants and animals. *Nucleic Acids Research* 21: 1111-1115
87. **Laurentin HE and Karlovsky P** (2006) Genetic relationship and diversity in a sesame (*Sesamum indicum* L.) germplasm collection using amplified fragment length polymorphism (AFLP). *BMC Genetics* 7:10
88. **Lench NJ, Norris A, Bailey A, Booth A, Markham AF** (1996) Vectorette PCR isolation of microsatellite repeat sequences using anchored dinucleotide primers. *Nucleic Acids Research* 24: 2190 – 2191
89. **Lescot M, Déhais P, Moreau Y, De Moor B, Rouzé P, Rombauts S** (2002) PlantCARE: a database of plant cis-acting regulatory elements and a portal to tools for in silico analysis of promoter sequences. *Nucleic Acids Research Database* issue 30(1):325-327
90. **Li CD, Zang XQ, Eckstein P, Rossnagel BG, Scoles GJ** (2000) A polymorphic microsatellite in the limit dextrinase gene of barley (*Hordeum vulgare* L.) *Molecular Breeding* 5: 569 – 577
91. **Li YC, Korol AB, Fahima T, Beiles A, Nevo E** (2002) Microsatellites: genomic distribution, putative functions and mutational mechanisms : a review *Molecular Ecology* 11 : 2453-2465

92. **Li YC, Korol AB, Fahima T, Nevo E** (2004) Microsatellites within genes: Structure, function and evolution, *Molecular Biology and Evolution* 21(6):991-1007
93. **Lin J, Kuo J, Ma J, Saunders JA, Beard HS, MacDonald MH, Kenworthy W, Ude GN, Matthews BF** (1996) Identification of molecular markers in soybean comparing RFLP, RAPD and AFLP DNA mapping techniques. *Plant Molecular Biology Reporter* 14:156-169
94. **Litt M, Luty JA** (1989) A hypervariable microsatellite revealed by *in-vitro* amplification of a dinucleotide repeat within the cardiac muscle actin gene. *American Journal of Human Genetics* 44: 397-401
95. **Liu LW, Wang Y, Gong YQ, Zhao TM, Liu G, Li XY, Yu FM** (2007) Assessment of genetic purity of tomato (*Lycopersicon esculentum* L.) hybrid using molecular markers. *Scientia Horticulturae* 115:7-12
96. **Maheswaran M** (2004) Molecular markers: History, Features and Applications. *Advanced Biotech* 17-24
97. **Martinez LE, Cavagnaro PF, Masuelli RW, Zuniga M** (2006) SSR-based assessment of genetic diversity in South American *Vitis vinifera* varieties. *Plant Science* 170: 1036 – 1044
98. **Masterson J** (1994) Stomatal size in fossil plants – evidence for polyploidy in majority of angiosperms. *Science* 264: 421- 424
99. **Mathew PJ, Mathew PM, Kumar V** (2006) Multivariate analysis in fifty cultivars/ landraces of ‘black pepper’ (*Piper nigrum* L.) occurring in Kerala, India. *Rev. Bras. Pl. Med., Botucatu*, v8, n.esp : 180-185
100. **Mathew PM** (1958) Studies on Piperaceae. *Journal of Indian Botanical Society* 37:155-171
101. **Mathew PM** (1972) Karyomorphological studies on *Piper nigrum*. In *Proceedings of National Symposium on Plantation Crops*: 15-18
102. **Mathews DH, Sabina J, Zuker M, Turner DH** (1999) Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *Journal of Molecular Biology* 288: 911 – 940
103. **Maughan PJ, Saghai-Marroof MA, Buss GR, Huestis GM** (1996) Amplified fragment length polymorphisms (AFLP) in soybean: species diversity, inheritance, and near- isogenic lines analysis. *Theoretical and Applied Genetics* 93(3):392-401
104. **Mirosław T** (2002) A simplified AFLP method for fingerprinting of common wheat (*Triticum aestivum* L.) cultivars. *Journal of Applied Genetics* 43(2):131-143
105. **Mitchell SE, Kresovich S, Jester CA, Hernandez CJ, Szewc-McFadden AK** (1997) Application of multiplex PCR and fluorescence-based, semi-automated allele sizing technology for genotyping plant genetic resources. *Crop Science* 37: 617-624.

106. **Moran C** (1993) Microsatellite repeats in pig (*Sus domestica*) and chicken (*Gallus domesticus*) genomes. *Journal of Heredity* 84: 274 – 280
107. **Morgante M, Hanafey M, Powell W** (2002) Microsatellites are preferentially associated with nonrepetitive DNA in plant genomes. *Nature Genetics* 30:194-200
108. **Morgante M, Olivieri AM** (1993) PCR amplified microsatellite as markers in plant genetics. *Plant Journal* 3:175-182
109. **Nagl W, Jeanjour M, Kling H, Kuhner S, Michels I, Muller T, Stein B** (1983) Genome and chromatin organization in higher plants. *Biologisches Zentralblatt* 102: 129 – 148
110. **Neeraja CN, Hariprasad AS, Malathi S, Siddiq EA** (2005) Characterization of tall landraces of rice (*Oryza sativa* L.) using gene-derived simple sequence repeats.
111. **Negi MS, Sabharwal V, Bhat SR, Lakshmikumaran M** (2004) Utility of AFLP markers for the assessment of genetic diversity within *Brassica nigra* germplasm. *Plant Breeding* 123(1):13-16
112. **Nei M, Li WH** (1979) Mathematical model for studying genetic variation in term of restriction endonuclease. *Proceeding of National Academy of Sciences, U.S.A* 76: 5269 – 5273
113. **Oliveira EJ, Padua JG, Zucchi MI, Vencovsky R, Vieira MLC** (2006) Origin, evolution and genome distribution of microsatellites. *Genetics and Molecular Biology* 29(2): 294-307
114. **Ostrander EA, Jong PM, Rine J, Duyk G** (1992) Construction of small –insert genomic DNA libraries highly enriched for microsatellite repeat sequences. *Proceeding of National Academy of Sciences, USA* 89: 3419 – 3423
115. **Paran I, Michelmore RW** (1993) Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. *Theoretical and Applied Genetics* 85: 985-993
116. **Parthasarathy U, Saji KV, Jayarajan K, Parthasarathy VA** (2006) Biodiversity of Piper in South India-application f GIS and cluster analysis. *Current Science* 91(5) 652-658
117. **Pearson K** (1901) On Lines and Planes of Closest Fit to Systems of Points in Space. *Philosophical Magazine* 2 (6): 559–572
118. **Penner GA, Bush A, Wise R, Kim W, Domier L, Kasha K, Laroche A, Scoles G, Molner SJ, Fedak G** (1993) Reproducibility of random amplified polymorphic DNA (RAPD) analysis among laboratories. *PCR Methods and Applications* 2:341-345

119. **Perrier X, Flori A, Bonnot F** (2003) Data analysis methods. In: Hamon P, Seguin M, Perrier X, Glaszmann JC Ed. Genetic diversity of cultivated tropical plants Enfield, Science Publishers. Montpellier :43 - 76
120. **Perry MD, Davey MR, Power JB, Lowe KC, Bligh HFJ, Roach PS, Jones C** (1998) DNA Isolation and AFLP Genetic Fingerprinting of *Theobroma cacao* (L.) 16:49-59
121. **Pfeiffer A, Olivieri AM, Morgante M** (1997) Identification and characterization of microsatellites in Norway spruce. *Genome* 40: 411 – 419
122. **Polanco C, Ruiz ML** (2002) AFLP analysis of somaclonal variation in *Arabidopsis thaliana* regenerated plants. *Plant Science* 162: 817–824
123. **Poljuha D, Sladonja B, Setic E, Milotic A, Bandelj D, Jakse J, Javornik B** (2007) DNA fingerprinting of olive varieties in Istria (Croatia) by microsatellite markers. *Scientia Horticulturae* in press
124. **Powell W, Machray GC, Provan J** (1996) Polymorphism revealed by simple sequence repeats. *Trends in Plant Science* 1: 209 – 245
125. **Pradeepkumar T, Karihaloo JL, Archak S** (2001) Molecular characterization of *Piper nigrum* L cultivars using RAPD markers. *Current Science* 81:3
126. **Pradeepkumar Y, Karihaloo JL, Archak S, Baldev A** (2003) Analysis of genetic diversity in *Piper nigrum* L. using RAPD markers. *Genetic Resources and Crop Evolution* 50(5):469-475
127. **Prasanth VP and Chandra S** (2006a) ALS-Binary: A C Program for converting allele size data into binary Data, International Crops Research Institute for the Semi-Arid Tropics
128. **Prasanth VP and Chandra S** (2006b) Shared Allele Frequency – SAF. A C program to compute shared allele frequency for microsatellite marker data based on Bowcock et al. 1994. *Biometrics*. ICRISAT. International Crops Research Institute for the Semi-Arid Tropics. ICRISAT, Patancheru 502324, Andhra Pradesh, India
129. **Prasanth VP, Chandra S, Jayashree B, Hoisington D** (2006) AlleloBin – A program for allele binning of microsatellite markers based on the algorithm of Idury and Cardon - 1997 [Genome Research 7:1104-1109]) International Crops Research Institute for the Semi-Arid Tropics
130. **Proite K, Leal-Bertioli SCM, Bertioli DJ, Moretzsohn MC, da Silva FR, Martins NF, Guimaraes PM** (2007) EST's from a wild *Arachis* species for gene discovery and marker development. *BMC Plant Biology* 7:7
131. **Ravindran PN** (1991) Studies on Black Pepper and some of its wild relatives. Pd. D thesis, University of Calicut

132. **Ravindran PN, Balakrishnan R, Nirmal Babu K** (1997a) Morphogenetic studies on black pepper I. Cluster analysis of black pepper cultivars. *Journal of Spices and Aromatic Crops* 6:9-20
133. **Ravindran PN, Balakrishnan R, Nirmal Babu K** (1997b) Morphometric studies on black pepper II. Principal component analysis of black pepper cultivars. *Journal of Spices and Aromatic Crops* 6:21-29
134. **Ravindran PN, Nirmal Babu K** (1994) Genetic resources of Black Pepper. In Chadha K and ethinam P (Eds) *Advances In Horticulture Volume 9 (1)*, Malhotra Pub. Co., New Delhi: 99-120
135. **Reddy OUK, Pepper AE, Abdurakhmonov I, Saha S, Jenkins JN, Brooks T, Bolek Y, El-Zik KM** (2001) New dinucleotide and trinucleotide microsatellite marker resources for cotton genome research. *Journal of Cotton Science* 5: 103 – 113
136. **Reinhart BJ, Weinstein EG, Rhoades MW, Bartel B, Bartel DP** (2002) MicroRNAs in plants. *Genes and Development* 16:1616– 1626
137. **Ririe KM, Rasmussen RP, Wittwer CT** (1997) Product differentiation by analysis of DNA melting curves during the polymerase chain reaction. *Analytical Biochemistry* 245: 154 -160
138. **Ritschel PS, de Lima Lins TS, Tristan RL, Buso GSC, Buso JA, Ferreira ME** (2004) Development of microsatellite markers from an enriched genomic library for genetic analysis of melon (*Cucumis melo* L.) *BMC Plant Biology* 4:9
139. **Rogers SO, Bendich AJ** (1994) Extraction of total cellular DNA from plants, algae and fungi. *Plant Molecular Biology Manual 2nd Edn.*, Eds. Gelvin SB, Schilperoort RA, Kluwer Academic Publishers D1: 1-8
140. **Rosetto M, McLauchlan A, Harriss FCL, Henry RJ, Baverstock PR, Lee SL, Maguire TL, Edwards KJ** (1999) Abundance and polymorphism of microsatellite markers in tea tree (*Melaleuca alternifolia*-Myrtaceae). *Theoretical and Applied Genetics* 98: 1091 – 1098
141. **Roupe van der Voort JN, van Zandvoort P, van Eck HJ, Folkertsma RT, Hutten RC, Draaistrals J, Gommers FJ, Jacobsen E, Helder J, Bakker J** (1997): Use of allele specificity of comigrating AFLP markers to align genetic maps from different potato genotypes. *Molecular and General Genetics* 255(4):438-47
142. **Roy CB, Nazeer MA, Saha T** (2004) Identification of simple sequence repeats in rubber (*Hevea brasiliensis*). *Current Science* 87(6): 807 -811
143. **Rubinsztein DC, Amos W, Leggo J, Goodburn S, Jain S, Li SH, Margolis RL, Ross CA, Ferguson-Smith MA** (1995) Microsatellite evolution-Evidence for directionality and variation rate between species. *Nature Genetics* 10: 337 - 343

144. **Rudolph B, Uzunova MI, Ecke W** (1999) Development and genetic mapping of microsatellite markers in rapeseed. 10th International rape seed congress, Canberra, Australia
145. **Salamov A, Solovyev V** (2000) *Ab initio* gene finding in Drosophila genomic DNA. *Genome Research* 10:516-522
146. **Sanchez-Perez R, Ruiz D, Dicenta F, Egea J, Martinez-Gomez P** (2005) Application of simple sequence repeat (SSR) markers in apricot breeding: molecular characterization, protection and genetic relationships. *Scientia Horticulturae* 103: 305-315
147. **Sarma Y R and Kalloo G** (2004) Status of current research towards increased production and productivity in black pepper in India. *Focus on Pepper* 1:69-86
148. **Sasikumar B, Chempakam B** (1999) Characterization of two interspecific hybrids of Piper. *Journal of Horticultural Science and Biotechnology* 74(1): 125-131 Indian Institute of Spices Research, Calicut
149. **Saunders JA, Pedroni MJ, Daughtry CS** (1998) DNA fingerprinting of marijuana by the AFLP technique. *Focus* 20(Suppl.): 10–11
150. **Saunders JA, Pedroni MJ, Penrose LDJ, Fist AJ** (2001) AFLP analysis of opium poppy. *Crop Science* 41:1596-1601
151. **Savazzini F, Martinelli L** (2006) DNA analysis in wines: Development of methods for enhanced extraction and real-time polymerase chain reaction quantification. *Analytica Chimica Acta* 563: 274-282
152. **Schlotterer C and Pemberton J** (1998) The use of microsatellites for genetic analysis of natural populations- a critical review. In *Molecular Approaches to Ecology and Evolution* (DeSalle, R. and Schierwater, B.eds) 71-86, Birkhauser
153. **Scott KD, Egger P, Seaton G, Rossetto M, Ablett EM, Lee LS, Henry RJ** (2000) Analysis of SSRs derived from grape EST's. *Theoretical and Applied Genetics* 100: 723-726
154. **Scott LJ, Cross M, Shepherd M, Maguire T, Henry RJ** (1999) Increasing the Efficiency of Microsatellite Discovery from Poorly Enriched Libraries in Coniferous Forest Species. *Plant Molecular Biology Reporter* 17: 351–354
155. **Senior M, Heun M** (1993) Mapping maize microsatellites and polymerase chain reaction confirmation of targeted repeats using a CT primer. *Genome* 36: 884-889
156. **Shan X, Blake TK, Talbert LE** (1999) Conversion of AFLP markers to sequence-specific PCR markers in barley and wheat. *Theoretical and Applied Genetics* 98: 1072-1078
157. **Sharma AK, Bhattacharya, N K** (1959) Chromosome studies on two genera of the family Piperaceae. *Genetics* 29: 256-289

158. **Shepherd M, Henry R** (1998) Monitoring of fluorescence during DNA melting as a method for discrimination and detection of PCR products in variety identification. *Molecular Breeding* 4: 509-517
159. **Shokeen B, Sethy NK, Kumar S, Bhatia S** (2007) Isolation and characterization of microsatellite markers for analysis of molecular variation in the medicinal plant Madagascar periwinkle (*Catharanthus roseus* (L.) G. Don). *Plant Science* 172: 441-451
160. **Skinner DM, Beattie WG, Blattner FR** (1974) The repeat sequence of a hermit crab satellite deoxyribonucleic acid is $(-T-A-G-G-)n \times (-A-T-C-C-)n$. *Biochemistry* 13: 3930 – 3937
161. **Skroch P, Nienhuis J** (1995) Impact of scoring error and reproducibility of RAPD data on RAPD based estimates of genetic distance. *Theoretical and Applied Genetics* 91:1086-1091
162. **Slatkin M** (1995) A measure of population subdivision based on microsatellite allele frequencies. *Genetics* 139: 457-462
163. **Song QJ, Fickus EW, Cregan PB** (2000) Construction of wheat genomic libraries enriched for microsatellite sequences. In *Proceedings of 2000 National Fusarium Head Blight Forum*, Cincinnati, OH (Edited by: Jauhar PP):50-51
164. **Soriano JM, Romero C, Vilanova S, Liacer G, Badenes ML** (2005) Genetic diversity of loquat germplasm (*Eriobotrya japonica* (Thunb) Lindl) assessed by SSR markers. *Genome* 48: 108-114
165. **Stajner N, Jakse J, Kozjak P, Javornik B** (2005) The isolation and characterization of microsatellites in hop (*Humulus lupulus* L.). *Plant Science* 168: 213 – 221
166. **Stallings RL, Torney DC, Hildebrand CE, Longmire JL, Deaven LL, Jett JH, Doggett NA, Moyzis RK** (1990) *Proceeding of National Academy of Sciences, USA* 87: 6218 – 6222
167. **Stebbins GL** (1971) *Chromosomal Evolution in Higher Plants*. Addison-Wesley, Reading, MA
168. **Steinkellner H, Fluch S, Turetschek E, Lexer C, Streiff R, Kremer A, Burg K, Glossl J** (1997) Identification and characterization of (GA/CT) n - microsatellite loci from *Quercus petraea*. *Plant Molecular Biology* 33: 1093-1096
169. **Stephenson P, Bryan G, Kirby J, Collins A, Devos K, Busso C, Gale M** (1998) Fifty new microsatellite loci for the wheat genetic map. *Theoretical and Applied Genetics* 97: 946-949

170. **Strand M, Prolla TA, Liskay RM, Petes D** (1993) Destabilisation of tracts of simple repetitive DNA in yeast by mutations affecting DNA mismatch repair. *Nature* 365: 274-276
171. **Sun GL, Salomon B, Bothmer RV** (1998) Characterization and analysis of microsatellite loci in *Elymus caninus* (Triticeae: Poaceae). *Theoretical and Applied Genetics* 96: 676 – 682
172. **Suwabe K, Iketani H, Numone T, Kage T, Hirai M** (2002) Isolation and characterization of microsatellites in *Brassica rapa* L. *Theoretical and Applied Genetics* 104: 1092- 1098
173. **Tautz D** (1989) Hypervariability of simple sequences as a general source of polymorphic DNA markers. *Nucleic Acids Research* 17: 6463 – 6471
174. **Telenius H, Carter NP, Bebb CE, Nordenskjold M, Ponder BJ, Tunnacliffe A** (1992) Degenerate oligonucleotide-primed PCR: general amplification of target DNA by a single degenerate primer. *Genomics* 13: 718 -725
175. **Thiel T, Michalek W, Varshney RK, Graner A** (2003) Exploiting EST databases for the development and characterization of gene-derived SSR-markers in barley (*Hordeum vulgare* L.) *Theoretical and Applied Genetics* 106: 411 – 422
176. **Thomas MR, Scott NS** (1993) Microsatellite repeats in grapevine reveal DNA polymorphisms when analyzed as sequence-targeted sites (STSs). *Theoretical and Applied Genetics* 86: 986-990
177. **Thompson JD, Higgins DG, Gibson TJ** (1994) ClustalW: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Research* 22:4673-4680
178. **T'ien JK** (1981) China and pepper trade. *Hemisphere*:220-222
179. **Uzunova MI, Ecke W** (1999) Abundance, polymorphism and genetic mapping of microsatellites in oilseed rape (*Brassica napus* L.) *Plant Breeding* 118: 323 – 326
180. **Valent B, Chumley FG** (1994) Avirulence genes and mechanisms of genetic instability in the rice blast fungus. In: *Rice Blast Disease* (Zeigler RS, Leong SA, Teng PS, eds.). CAB International, Wallingford :111-134
181. **Van Lith HA, Van Zutphen LF** (1996) Characterization of rabbit DNA microsatellites extracted from the EMBL nucleotide sequence database. *Animal Genetics* 27: 387- 395
182. **Varshney RK, Kumar A, Balyan HS, Roy JK, Prasad M, Gupta PK** (2000) Characterization of microsatellites and development of chromosome specific STMS markers in bread wheat. *Plant Molecular Biology Reporter* 18: 5-16

183. **Vos P, Hogers R, Bleeker M, Reijans M, Lee TV, Hornes M, Frijters A, Pot J, Peleman J, Kupier M, Zabeau M** (1995) AFLP, a new technique for DNA fingerprinting. *Nucleic Acids Research* 23:4407-4414
184. **Wang Y, Luo J, Xue X, Korpelainen H, Li C** (2005) Diversity of microsatellite markers in the populations of *Picea asperata* originating from the mountains of China. *Plant Science* 168: 707-714
185. **Wang Z, Weber JL, Zhong G, Tanksley S D** (1994) Survey of plant short tandem DNA repeats. *Theoretical and Applied Genetics* 88: 1-6
186. **Weber JL** (1990) Informativeness of human (dC-dA) n (dG-dT) n polymorphisms. *Genomics* 7: 524 – 530
187. **Weising K, Weigand F, Driesel AJ, Kahl G, Zischler H, Epplen JT** (1989) *Nucleic Acids Research* 17: 10128.
188. **Weising K, Nybom H, Wolff K, Kahl G** (2005) DNA fingerprinting in plants Principles, Methods and Applications second edition, CRC Press, Taylor and Francis group
189. **Weising K, Nybom H, Wolff K, Meyer W** (1995) DNA Fingerprinting in Plants and Fungi. CRC Press, Boca Raton, FL
190. **Westman AL, Kresovich S** (1998) The potential for cross-taxa simple-sequence repeat (SSR) amplification between *Arabidopsis thaliana* L. and crop Brassicas. *Theoretical and Applied Genetics* 96: 272-281
191. **White G, Powell W** (1997) Isolation and characterization of microsatellite loci in *Swietenia humilis* (Meliaceae): an endangered tropical hardwood species. *Molecular Ecology* 6: 851 – 860
192. **Williams JGK, Kubelik AR, Livak KJ, Rafalsk JA, Tingey SV** (1990) DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acid Research* 18: 6531 - 6535
193. **Wilson EO** (editor) (1988) Biodiversity National Academy Press. Washington D.C.
194. **Wittwer CT, Ririe KM, Andrew RV, David DA, Gundry RA, Balis UJ** (1997) The LightCycler: a microvolume multisample fluorimeter with rapid temperature control. *Biotechniques* 22: 176-181
195. **Wright S** (1931) Evolution in Mendelian populations. *Genetics* 16: 97-159
196. **Wu KS, Tanksley SD** (1993) Abundance, polymorphism and genetic mapping of microsatellites in rice. *Molecular and General Genetics* 241: 225-235
197. **Xiaoquan Q, Pim L** (1997) Development of AFLP markers in barley. *Molecular and General Genetics* 254:330-336
198. **Xu RQ, Tomooka N, Vaughan DA** (2000) AFLP Markers for Characterizing the Azuki Bean Complex. *Crop Science* 40:808-815

199. **Yaish MWF, dela Vega MP** (2003) Isolation of (GA)_n microsatellite sequences and description of a predicted MADS-box sequence isolated from common bean (*Phaseolus vulgaris* L.). *Genetics and Molecular Biology* 26(3): 337 – 342
200. **Yu J, Hu S, Wang J, Wong GK, Li S, Liu B, Deng Y, Dai L, Zhou Y, Zhang X** (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *indica*). *Science* 296:79-92
201. **Yu JK, Mangor J, Thompson L, Edwards KJ, Slabaugh MB, Knapp SJ** (2002) Allelic diversity of simple sequence repeats among elite inbred lines of cultivated sunflower. *Genome* 45: 652 – 660
202. **Yu K, Park J, Poysa V, Gepts P** (2000) Integration of Simple Sequence Repeats (SSR) markers into a molecular linkage map of common bean (*Phaseolus vulgaris*). *Journal of Heredity* 91: 429 – 434
203. **Yu YG, Saghai-Marroof MA, Buss GR** (1996) Divergence and allelomorphic relationship of a soybean virus resistance gene based on tightly linked DNA microsatellite and RFLP markers. *Theoretical and Applied Genetics* 92: 64 – 69
204. **Yunbi X, Beachell H, McCouch SR** (2004) A Marker-Based Approach to Broadening the Genetic Base of Rice in the USA. *Crop Science* 44:1947-1959
205. **Zhang B, Pan X, Anderson TA** (2006) Identification of 188 conserved maize micro RNAs and their targets. *FEBS Letters* 580: 3753-3762
206. **Zhao W, Miao X, Jia S, Pan Y, Huang Y** (2005) Isolation and characterization of microsatellite loci from the mulberry, *Morus* L. *Plant Science* 168: 519 – 525
207. **Zhao XP, Kochert GA** (1993) Phylogenetic distribution and genetic mapping of a (GGC)_n microsatellite from rice (*Oryza sativa* L.) *Plant Molecular Biology* 21: 607 -614
208. **Zietkiewicz E, Rafalski A, Labuda D** (1994) Genomic fingerprinting by simple sequence repeat (SSR)-anchored polymerase chain reaction amplification. *Genomics* 20:176–183
209. **Zuker M** (2003) Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Research* 31: 3406–3415
210. **Zuker M, Mathews DH, Turner DH** (1999) Algorithms and Thermodynamics for RNA Secondary Structure Prediction: A Practical Guide in RNA Biochemistry and Biotechnology, J. Barciszewski and B.F.C. Clark, eds., NATO ASI Series, Kluwer Academic Publishers