

CONTENTS

	Page No.
LIST OF TABLES	x
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	xix
1 INTRODUCTION	1
2 AIM AND OBJECTIVES	6
2.1 NEED FOR THE STUDY	6
2.2 AIM	7
2.3 HYPOTHESIS	7
2.4 OBJECTIVES	8
2.5 PLAN OF WORK	10
3 REVIEW OF LITERATURE	11
3.1 Oral Squamous cell carcinoma	11
3.2 <i>Trigonella foenum- graecum</i> L.	34
3.3 <i>Cinnamomum verum</i> J. Presl	46
3.4 <i>Carica papaya</i> L.	65
4 MATERIALS AND METHOD	84
4.1 AREA OF RESEARCH	84
4.2 RESEARCH DESIGN	84
4.3 SOURCES OF DATA	84
4.4 COLLECTION, AUTHENTICATION, PREPARATION OF EXTRACTS AND IN-VITRO PRELIMINARY PHYTOCHEMICAL ANALYSIS	85
4.4.1 Collection of plant material and authentication	89
4.4.2 Microscopic characterization	89
4.4.3 Preparation of herbal extracts	92
4.4.4 Preliminary phytochemical analysis	94

	Page No.
4.5	<i>IN-VITRO</i> ANTIOXIDANT ACTIVITY 96
4.5.1	Total antioxidant activity assay 97
4.5.2	Reducing power assay 98
4.5.3	DPPH radical scavenging assay 99
4.5.4	Nitric oxide scavenging activity assay 99
4.5.5	Superoxide radical scavenging activity assay 100
4.6	<i>IN-VITRO</i> ANTIMICROBIAL ACTIVITY 101
4.6.1	<i>In-vitro</i> antimycotic activity against fluconazole resistant <i>Candida albicans</i> 101
4.6.2	<i>In-vitro</i> antimicrobial activity against <i>Streptococcus mutans</i> 105
4.7	QUANTIFICATION OF ACTIVE INGREDIENT AND SELECTION OF THE EXTRACTS BY HIGH PERFORMANCE THIN LAYER CHROMATOGRAPHY 107
4.7.1	Introduction 107
4.7.2	Armamentarium 108
4.7.3	HPTLC profile 110
4.7.4	Procedure 111
4.8	ISOLATION AND QUANTIFICATION OF ALKALOID FRACTION 111
4.8.1	Isolation of alkaloid fraction by acid base precipitation method 111
4.8.2	Estimation of alkaloids 113
4.9	ASSESSMENT OF <i>IN-VITRO</i> ANTICANCER ACTIVITY 116
4.9.1	SCC 25 ATCC CRL 1628 cell line maintenance 116
4.9.2	Cytokeratin 8 stain staining 119
4.9.3	Cytotoxicity screening 123
4.9.4	Acridine orange and ethidium bromide staining 125

	Page No.
4.9.5 DNA fragmentation assay	128
4.9.6 Cell cycle analysis by flowcytometry	131
4.9.7 Assessment of mitochondrial membrane potential using 5,5',6,6'-tetrachloro-1,1',3,3'-tetraethylbenzimidazolylcarbocyanine iodide (JC-1) stain by confocal microscopy	134
4.10 QUANTIFICATION OF SAPONINS, POLYPHENOLS AND TANNINS IN SELECTED EXTRACT HAVING PRONOUNCED ANTICANCER ACTIVITY	136
4.10.1 Estimation of saponins by high performance liquid chromatography	136
4.10.2 Estimation of total polyphenol content	139
4.10.3 Estimation of tannin content	141
5 EXPERIMENTAL RESULTS	144
5.1 COLLECTION, AUTHENTICATION, PREPARATION OF EXTRACTS AND IN-VITRO PRELIMINARY PHYTOCHEMICAL ANALYSIS	144
5.1.1 Collection of Plant Material and Authentication	144
5.1.2 Microscopic Characteristics	144
5.1.3 Preparation of Crude Extracts and Assessment of Physical Characteristics	155
5.1.4 Preliminary Phytochemical Analysis	160
5.2 IN-VITRO ANTIOXIDANT ACTIVITY	162
5.2.1 Total antioxidant activity assay	163
5.2.2 Reducing power assay	164
5.2.3 Nitric oxide scavenging activity assay	165
5.2.4 DPPH radical scavenging assay	166
5.2.5 Superoxide radical scavenging activity assay	167

	Page No.
5.3	IN-VITRO ANTIMICROBIAL ACTIVITY 168
5.3.1	<i>In-vitro</i> Antimycotic activity of hydroalcoholic extracts of <i>Trigonella foenum-graecum</i> L. (seeds), <i>Cinnamomum verum</i> J. Presl (bark) and <i>Carica papaya</i> L. (leaves and seeds) against fluconazole resistant <i>Candida albicans</i> 169
5.3.2	<i>In-vitro</i> Antimicrobial activity of hydroalcoholic extracts of <i>Trigonella foenum-graecum</i> L. (seeds), <i>Cinnamomum verum</i> J. Presl (bark) and <i>Carica papaya</i> L. (leaves and seeds) against <i>Streptococcus mutans</i> . 172
5.4	QUANTIFICATION OF ACTIVE INGREDIENT IN <i>Trigonella foenum-graecum</i> L. (seeds), <i>Cinnamomum verum</i> J. Presl (bark), <i>Carica papaya</i> L. (seeds) AND SELECTION OF THE EXTRACTS FOR ASSESSMENT OF <i>IN-VITRO</i> ANTICANCER ACTIVITY 175
5.4.1	Quantification of trigonelline hydrochloride in extracts of <i>Trigonella foenum-graecum</i> L. (seeds). 176
5.4.2	Quantification of cinnamaldehyde, 4 hydroxy cinnamic acid and eugenol in of <i>Cinnamomum verum</i> J. Presl (bark). 177
5.4.3	Quantification of benzyl isothiocyanate in extracts of <i>Carica papaya</i> L. (seeds). 178

5.5	QUANTIFICATION OF ALKALOID FRACTION OF <i>Carica papaya</i> L. (leaves of male and female plant) AND SELECTION OF THE EXTRACTS FOR ASSESSMENT OF <i>IN-VITRO</i> ANTICANCER ACTIVITY	180
		Page No.
5.5.1	Quantification of alkaloid fraction of <i>Carica papaya</i> L. (leaves of male and female plant.	180
5.5.2	<i>In-vitro</i> antioxidant activity of alkaloid fraction and ethanol: water extracts of <i>Carica papaya</i> L. (leaves of male and female plant)	181
5.6	ASSESSMENT OF <i>IN-VITRO</i> ANTICANCER EFFECTS IN SCC 25 CELL LINES AFTER TREATMENT WITH SELECTED EXTRACTS, RESPECTIVE ACTIVE COMPOUNDS AND STANDARD CISPLATIN	182
5.6.1	Procurement and maintenance of SCC25 ATCC CRL 1628,	182
5.6.2	Cytotoxicity Screening by MTT Assay	184
5.6.3	Acridine orange and ethidium bromide staining to assess apoptosis	187
5.6.4	Assessment of Apoptosis by DNA fragmentation assay	197
5.6.5	Assessment of the effects of the extracts and active compounds on cell cycle of SCC25 cells	201
5.6.6	Determination of mitochondrial membrane potential by confocal microscopy	226

5.7	QUANTIFICATION OF SAPONINS, POLYPHENOLS AND TANNINS IN THE SELECTED EXTRACT – HAVING PRONOUNCED ANTICANCER ACTIVITY	233
5.7.1	Quantification of saponins in <i>Cinnamomum verum</i> J. Presl (bark)	233
5.7.2	Quantification of Polyphenols in <i>Cinnamomum verum</i> J. Presl (bark)	234
5.7.3	Quantification of Tannins in <i>Cinnamomum verum</i> J. Presl (bark)	234
		Page No.
6	DISCUSSION	235
7	SUMMARY AND CONCLUSION	256
8	BIBLIOGRAPHY	262
	ANNEXURES	