

# Contents

<b>Preface</b>	<b>i</b>
<b>Symbol &amp; Abbreviations</b>	<b>ii-iii</b>
<b>Chapter 1: Introduction</b>	<b>5-8</b>
<i>Background</i>	5-6
<i>Objectives of present work</i>	6-7
<i>Rationale of present work</i>	7-8
<b>Chapter 2: Review of Literature</b>	<b>6-33</b>
<i>prologue</i>	9-10
<i>Nomenclature and classification of antimicrobial peptide based on different parameters</i>	11-23
<i>Nomenclature</i>	
<i>Classification</i>	
<i>Based on source organisms</i>	
<i>Based on biological activities</i>	
<i>Based on peptides characteristics</i>	
<i>Based on chemical modification</i>	
<i>Based on structure</i>	
<i>Based on mechanism of action</i>	
<i>Designed antimicrobial peptides</i>	24-27
<i>Factor controlling activity of peptides</i>	27-28
<i>Antimicrobial peptide in clinical application</i>	28-35
<i>Concluding remarks</i>	35
<b>Chapter 3: Materials And Methods</b>	<b>37-48</b>
<i>Materials</i>	37-38
<i>Methods</i>	38-48
<b>Chapter 4: Designed peptides</b>	<b>50-68</b>
<i>Characterization short of short, novel antimicrobial peptides designed on the basis of heptad repeat sequence with different hydrophobic amino acid at 'a' and 'd' positions.</i>	
<i>Introduction</i>	50-68
<i>Results</i>	64-68
<i>Discussion</i>	
<b>Chapter 5: LPS neuralization</b>	<b>69-78</b>
<i>Study of anti-endotoxin property of the designed short heptadic peptides of different hydrophobic amino acids</i>	
<i>Introduction</i>	69-74
<i>Results</i>	75-78
<i>Discussion</i>	

## Symbols and Abbreviations

A	Alanine
AMP	Antimicrobial Peptide
ANS	8-Anilinonaphthalene-1-sulfonate
C	Cysteine
D	Aspartate
CD	Circular dichroism
CFU	Colony forming units
Chol	Cholesterol
Conc.	Concentration
DCM	Dichloromethane
DIC	Di-isoproyl carbodiimide, Differential interference contrast
DIPEA	Diisopropylethylamine
DMF	Dimethyl formamide
DMSO	Dimethyl sulfoxide
E	Glutamate
ESI-MS	Electro spray ionization mass spectrometry
F	Phenylalanine
FITC	Fluorescein isothiocyanate
Fmoc	N-(9-fluorenyl) methoxycarbonyl
G	Glycine
H	Histidine
HBTU	2-(1H-benzotriazole-1-yl)-1,1,3,3-tetramethyluronium hexafluorophosphate
HEPES	N- [2-hydroxymethyl] piperazine-N'- [2-ethanesulfonic acid]
HOBT	N' hydroxybenzotriazole
HPLC	High performance liquid chromatography
hRBCs	Human red blood cells
I	Isoleucine
K	Lysine
L	Leucine
M	Methionine

LCMS	Liquid chromatography mass spectrometry
MALDI-TOF	Matrix-assisted laser desorption ionization timeof-flight
MBHA	Methylbenzhydrylamine
MIC	Minimum inhibitory concecentration
mg	Milligram
min	Minutes
ml	Milliliters
mM	Millimolar
N	Asparagine
nM	Nano molar
OD	Optical density
P	Proline
PBS	Phosphate buffer saline
PC	Phosphatidylcholine
PG	Phosphatidylglycerol
pH	Negative log of hydrogen ion
PI	Propidium Iodide
Q	Glutamine
R	Arginine
Rho	Rhodamine
S	Serine
SDS	Sodium dodecyl Sulphate
Sec	Second
SUV	Small unilamellar vesicles
T	Threonine
TBTU	2-(1H-benzotriazole-1-yl)-1,1,3,3-tetramethyluronium tetrafluoroborate
V	Valine
W	Tryptophan
Y	Tyrosine
µg	Microgram
µl	Microliter
µM	Micromolar

<b>Chapter 6: Melittin</b>	<b>80-92</b>
<i>Studies on the effect of substitution of all heptadic leucine of melittin with a similar hydrophobic amino acid valine on its cytotoxicity and antimicrobial activity</i>	
<i>Introduction</i>	<b>80-89</b>
<i>Results</i>	<b>90-92</b>
<i>Discussion</i>	
<b>Chapter7: BMAP-28</b>	<b>94-106</b>
<i>Introducing selectivity in bovine cathelicidin-BMAP-28 towards bacteria after minor reshuffling in its amino acid sequence</i>	
<i>Results</i>	<b>94-103</b>
<i>Discussion</i>	<b>104-106</b>
<b>Conclusive remarks</b>	<b>107-108</b>
<b>Bibliography</b>	<b>109-123</b>
<b>List of publications</b>	<b>124</b>