

References

- Aboueleta AMK, Shahein YE, Tawfik SS and Zahran AM (2007). Phytotherapeutic effects of *Echinacea purpurea* in gamma-irradiated mice. J. Vet. Sci. 8(4): 341-351.
- Acharya GS and Goyal PK (2008). Role of rosemary leaves extract against radiation-induced hematological and biochemical alterations in mice. Nuc. Technol. Radiat. Protect. 2: 72-78.
- Adaramoye OA, Okiti OO and Farombi EO (2011). Dried fruit extract from *Xylopia aethiopica* (Annonaceae) protects Wistar albino rats from adverse effects of whole body radiation. Exp. Toxicol. Pathol. 63: 635-643.
- Adaramoye OA, Popoola BO and Farombi EO (2010). Effects of *Xylopia aethiopica* (Annonaceae) fruit methanol extract on gamma-radiation-induced oxidative stress in brain of adult male Wistar rats. Acta Biol. Hung. 61: 250-261.
- Aditya M and Nair CKK (2013). Ayurvedic formulations as therapeutic radioprotectors: preclinical studies on Brahma rasayana and chyavanaprash. Current Sci. 104(7): 959-966.
- Aebi H (1984). Catalase *in vitro*. In: "Methods in enzymology." [Colowick SP and Kaplan NO (eds.)], 121-126, Academic Press, New York.
- Agarwal A and Goyal PK (2011). Radiation-induced haematological alterations and their inhibition by *Aegle marmelos* fruit extract. Nuc. Technol. Radiat. Protect. 26(3): 237-244.
- Agarwal A and Goyal PK (2012). Debilitation of radiation induced intestinal injury by *Aegle marmelos* fruit extract in mice. Int. J. Cur. Biomed. Pharm. Res. 2(2): 234-240.
- Agarwal M, Purohit RK, Chakrawarti A, Basu A and Bhartiya KM (2011). Protective efficacy of *Aloe vera* against radiation and cadmium induced haematological changes in the Swiss albino mice. Advanced Biotech. 10(10): 44-47.
- Agarwala PK and Goel HC (2002). Protective effect of RH-3 with special reference to radiation induced micronuclei in mouse bone marrow. Ind. J. Exp. Biol. 40: 525-530.

- Ahmad VU and Sultana A (1989). A terpenoid diketone from the leaves of *Prosopis juliflora*. *Phytochemistry* 28(1): 278-279.
- Ahn M, Moon C, Yang W, Ko EJ, Hyun JW, Joo HG, Jee Y, Lee NH, Park JW, Ko RK, Kim GO and Shin T (2011). Diphlorethohydroxycarmalol, isolated from the brown algae *Ishige okamurae*, protects against radiation-induced cell damage in mice. *Food Chem. Toxicol.* 49: 864-870.
- Akerfeldt S (1963). Radioprotective effect of S-phosphorylated thiols. *Acta Radiol. Ther.* 1: 465-470.
- Alam SS, Hassan AM, El-Halawany N, El-Nashar DE and Abd El-Azeem MG (2010). Radioprotective activity of L-Carnitine and α -Lipoic acid against whole body γ -irradiation in rats. *J. Am. Sci.* 12(6): 865-879.
- Andrade ER, Cruz IBM, Andrade VVR, Piccoli JCE, Gonzalez-Gallego J, Barrio JP and Gonzalez P (2011). Evaluation of the potential protective effects of ad libitum black grape juice against liver oxidative damage in whole-body acute X-irradiated rats. *Food Chem. Toxicol.* 49: 1026-1032.
- Andrade ER, Piccoli JCE, Cruz IBM, Rocha JBT, Andrade VV, Gonzalez P, Bauermann LF and Barrio JP (2009a). Effect of black grape juice intake on liver lipoperoxidation and body weight loss in whole body X-irradiated rats. *J. Med. CBR. Def.* 7: 1-12.
- Andrade ER, Piccoli JCE, Cruz IBM, Rocha JBT, Garzo E, Marina R, Mauriz JL, Gonzalez P and Barrio JP (2009b). Radiomodifying effect of organic grape juice supplementation on haematological parameters and organ weight in whole-body X-irradiation in rats. *Nutr. Hosp.* 24: 297-303.
- Anscher MS, Chen L, Rabbani Z, Kang S, Larrier N, Huang H, Samulski TV, Dewhirst MW, Brizel DM, Folz RJ and Vujaskovic Z (2005). Recent progress in defining mechanisms and potential targets for prevention of normal tissue injury after radiation therapy. *Int. J. Radiat. Oncol. Biol. Phys.* 62(1): 255-259.

- Anzai K, Furuse M, Yoshida A, Matsuyama A, Moritake T, Tsuboi K and Ikota N (2004). *In vivo* radioprotection of mice by 3-methyl-1-phenyl-2-pyrazolin-5-one (Edaravone; Radicut[®]), a clinical drug. *J. Radiat. Res.* 45: 319-323.
- Arora R, Gupta D, Chawla R, Sagar R, Sharma A, Kumar R, Prasad J, Singh S, Samanta N and Sharma RK (2005). Radioprotection by plant products: present status and future prospects. *Phytother. Res.* 19: 1-22.
- Ayene SI, Kale RK and Srivastava PN (1988). Radioprotective effect of 2-mercaptopropionyl glycine on radiation-induced lipid peroxidation and enzyme release in erythrocytes. *Int. J. Radiat. Biol.* 53(4): 629-639.
- Azab KS, Bashandy M, Salem M, Ahmed O, Tawfik Z and Helal H (2011). Royal jelly modulates oxidative stress and tissue injury in gamma irradiated male Wister albino rats. *North American J. Med. Sci.* 3(6): 268-276.
- Bacq ZM** and Alexander P (1961). In: "Fundamentals of radiobiology" 2nd edition, 272, Pergamon Press, London.
- Bacq ZM, Herve A, Lecomte J, Fischer P and Blavier J (1951). Protection contre le rayonnement X par la b-mercaptoproethylamine. *Arch. Int. Physiol.* 59: 442-447.
- Bai H, Hai C, Xi M, Liang X and Liu R (2010). Protective effect of maize silks (*Maydis stigma*) ethanol extract on radiation induced oxidative stress in mice. *Plant Foods Hum. Nutr.* 65(3): 271-276.
- Bala M, Prasad J, Singh S, Tiwari S and Sawhney RC (2009). Whole-body radioprotective effects of SBL-1: A preparation from leaves of *Hippophae rhamnoides*. *J. Herbs Spices Med. Plants* 15(2): 203-215.
- Baliga MS, Bhat HP, Pereira MM, Mathias N and Venkatesh P (2010). Radioprotective effects of *Aegle marmelos* (L.) Correa (Bael): a concise review. *J. Altern. Complement. Med.* 16: 1109-1116.
- Baliga MS, Jagetia GC, Venkatesh P, Reddy R and Ulloor JN (2004). Radioprotective effect of abana, a polyherbal drug following total body irradiation. *Br. J. Radiol.* 77(924): 1027-1035.

- Beaumariage ML (1957). Radioprotective property of cystamine in the young rat and chick. C.R. Seances Soc. Biol. Fil. 151: 1788-1791.
- Begum N, Prasad NR and Thayalan K (2012). Apigenin protects gamma-radiation induced oxidative stress, hematological changes and animal survival in whole body irradiated Swiss albino mice. Int. J. Nutrition Pharmacol. Neurol. Disease 2(1): 45-52.
- Belli M, Sapora O and Tabocchini MA (2002). Molecular targets in cellular response to ionizing radiation and implications in space radiation protection. J. Radiat. Res. 43: S13–S19.
- Benkovic V, Knezevic AH, Dikic D, Lisicic D, Orsolic N, Basic I, Kosalec I and Kopjar N (2008). Radioprotective effects of propolis and quercetin in γ -irradiated mice evaluated by the alkaline comet assay. Phytomedicine 15(10): 851-858.
- Beutler E, Duron O and Kelly BM (1963). Improved method for the determination of blood glutathione. J. Lab. Clin. Med. 61: 882-888.
- Bhandari PR (2013). A review of radioprotective plants. Int. J. Green Pharm. 7: 90-101.
- Bhardwaj DK, Bisht MS, Jain RK and Sharma GC (1980). Prosogerin-D, a new flavone from *Prosopis spicigera* seeds. Phytochemistry 19: 1269-1270.
- Bhardwaj DK, Gupta AK, Jain RK and Sharma GC (1981). Chemical examination of *Prosopis spicigera* seeds. J. Nat. Prod. 44(6): 656-659.
- Bhartiya HC (1970). The effects of radiation on the gastrointestinal tract and associated glands in the Indian desert gerbil (*Meriones hurrianae*, Jerdon). A Ph.D thesis submitted to the University of Rajasthan, Jaipur, India.
- Bhartiya US, Raut YS, Joseph LJ, Hawaldar RW and Rao BS (2008). Evaluation of the radioprotective effect of turmeric extract and vitamin E in mice exposed to therapeutic dose of radioiodine. Ind. J. Clin. Biochem. 23(4): 382-386.
- Bhatia AL and Jain M (2004). *Spinacia oleracea* L. protects against gamma radiations: a study on glutathione and lipid peroxidation in mouse liver. Phytomedicine 11: 607-615.

- Bhatia AL, Kamal R, Verma G, Sharma KV, Vats S and Jain M (2008). Radioprotective role of Gymnemic acid on mice: study on hepatic biochemical alterations. *Asian J. Exp. Sci.* 22(3): 427-432.
- Bhattacharjee SK (2001). Handbook of medicinal plants, 3rd edition, 284, Pointer Publication, Jaipur.
- Biaglow JE, Varnes ME, Epp ER and Clark EP (1987). In: "Anticarcinogenesis and Radiation Protection". [Cerrutti PA, Nygaard OF and Simic MG (eds.)], 387. Plenum Press, New York.
- Bodamer OAF and Halliday D (2001). Uses of stable isotopes in clinical diagnosis and research in the paediatric population. *Arch. Dis. Child* 84: 444-448.
- Bond VP, Fliendner TM and Archambeau JO (1965). Mammalian radiation lethality. In: "A disturbance in cellular kinetics." Academic Press, New York, London.
- Borek C (2004). Antioxidants and radiation therapy. *J. Nutr.* 134: 3207S-3209S.
- Bradley WS, Peter JB, Kent JR, Ling M, Hawthorne MF and Jeffrey AC (2006). Selective irradiation of the vascular endothelium has no effect on the survival of murine intestinal crypt stem cells. *PNAS* 103(10): 3787-3792.
- Brown DQ, Graham WJ, Mackensie LJ, Pittock JW and Shaw L (1988). Can WR-2721 be improved upon? *Pharmacol. Ther.* 39(1-3): 157-168.
- Buettner GR (1993). The pecking order of free radicals and antioxidants: lipid peroxidation, alpha-tocopherol and ascorbate. *Arch. Biochem. Biophys.* 300: 535-543.
- Bump EA and Brown JM (1990). Role of glutathione in the radiation response of mammalian cells *in vitro* and *in vivo*. *Pharm. Ther.* 47: 117-136.
- Cadet J and Wagner JR (2013). DNA base damage by reactive oxygen species, oxidizing agents and UV radiation. *Cold Spring Harbor Perspect. Biol.* 5(2). doi: 10.1101/cshperspect.a012559.

- Capps GW, Fulcher AS, Szucs RA and Turner MA (1997). Imaging features of radiation-induced changes in the abdomen. *Radiographics* 17: 1455-1473.
- Casarett AP (1968). In: "Radiation Biology." 158-189. Prentice-Hall Inc., Englewood Cliffs, New Jersey.
- Cassatt DR, Fazenbaker CA, Bachy CM and Hanson MS (2002). Preclinical modeling of improved amifostine (ethyol) use in radiation therapy. *Semin. Radiat. Oncol.* 12: 97-102.
- Castillo J, Benavente GO, Lorente J, Alcaraz M, Redondo A, Ortuno A and Del Rio JA (2000). Antioxidant activity and radioprotective effects against chromosomal damage induced *in vivo* by X-rays of flavan-3-ols (procyanidins) from grape seeds (*Vitis vinifera*): comparative study versus other phenolic and organic compounds. *J. Agric. Food Chem.* 48: 1738-1745.
- Catala A (2009). Lipid peroxidation of membrane phospholipids generates hydroxyl-alkenals and oxidized phospholipids active in physiological and/or pathological conditions. *Chem. Phys. Lipids* 157: 1-11.
- Catala A (2012). Lipid peroxidation modifies the picture of membranes from the "Fluid Mosaic Model" to the "Lipid Whisker Model". *Biochimie* 94: 101-109.
- Chandrasekharan DK, Kagiya TV and Nair CKK (2009). Radiation protection by 6-palmitoyl ascorbic acid-2-glucoside: studies on DNA damage *in vitro*, *ex vivo*, *in vivo* and oxidative stress *in vivo*. *J. Radiat. Res.* 50: 203-212.
- Chandrasekharan H and Gupta N (2006). Fundamentals of nuclear science. In: "Application in agriculture." 1-260. Northern Book Centre, New Delhi.
- Chapman WA, Sipe CR, Eltzholtz DC, Cronkite EP and Chambers FW (1950). Sulfhydryl-containing agents and the effects of ionizing radiations: I. Beneficial effect of glutathione injection on X-ray induced mortality rate and weight loss in mice. *Radiology* 55: 865-873.
- Chapman WH and Cronkite EP (1950). Further studies on the beneficial effect of glutathione on X-irradiated mice. *Proc. Soc. Exp. Biol. Med.* 75: 318-322.

- Chatterjee A (2013). Reduced glutathione: a radioprotector or a modulator of DNA-repair activity? *Nutrients* 5: 525-542.
- Chatterjee A and Jacob-Raman M (1986). Modifying effect of reduced glutathione on X-ray induced chromosome aberrations and cell cycle delay. *Mutat. Res.* 175: 73-82.
- Cheng J, Wang F, Yu DF, Wu PF and Chen JG (2011). The cytotoxic mechanism of malondialdehyde and protective effect of carnosine via protein cross-linking/mitochondrial dysfunction/reactive oxygen species/MAPK pathway in neurons. *Eur. J. Pharmacol.* 650(1): 184-194.
- Chung SI, Seong J, Park YN, Kim WW, Oh HJ and Han KH (2010). Identification of proteins indicating radiation-induced hepatic toxicity in cirrhotic rats. *J. Radiat. Res.* 51: 643-650.
- Citrin D, Cotrim AP, Hyodo F, Baum BJ, Krishna MC and Mitchell JB (2010). Radioprotectors and mitigators of radiation induced normal tissue injury. *The Oncologist* 15: 360-371.
- Coleman CN, Blakely WF, Fike JR, MacVittie TJ, Metting NF, Mitchell JB, Moulder JE, Preston RJ, Seed TM, Stone HB, Tofilon PJ and Wong RSL (2003). Molecular and cellular biology of moderate dose (1–10Gy) radiation and potential mechanisms of radiation protection: report of a workshop at Bethesda, Maryland, December 17–18, 2001. *Radiat. Res.* 159: 812-834.
- Comporti M (1987). Glutathione depleting agents and lipid peroxidation. *Chem. Phys. Lipids* 45: 143-169.
- Copeland ES (1978). Mechanisms of radioprotection: a review. *Photochem. Photobiol.* 28: 839-844.
- Cuendet M, Hostettmann K and Potterat O (1997). Iridoid glucosides with free radical scavenging properties from *Fagraea blumei*. *Helvetica Chimica Acta* 80: 1144–1152.
- Curello S, Ceconi C, Cargnoni A, Cornacchiaro A, Ferrari R and Albertini A (1987). Improved procedure for determining glutathione in plasma as an index of myocardial oxidative stress. *Clin. Chem.* 33(8): 1448-1449.

- D'Antoni HL and Solbrig OT (1977). Algarrobos in South American cultures: past and present. In: "Mesquite: Its biology in two desert ecosystems." [Simpson BB (ed.)], 189-200, Stroudsburg Dowden, Hutchinson and Ross, Pennsylvania, USA.
- Daga SS, Jain VK and Goyal PK (1995). Radioprotective effect of Liv.52 (a herbal preparation) against radiation induced hematological changes in mice. Proc. Natl. Acad. Sci. India 65(B) III: 289-293.
- Dainiak N (2002). Hematologic consequences of exposure to ionizing radiation. Exp. Hematol. 30(6): 513-528.
- Dale WM (1942). The effect of X-rays on the conjugated protein d-aminoacids oxidase. J. Biochem. 36(1-2): 80-85.
- Das DK, Sinha M, Khan A, Das K, Manna K and Dey S (2013). Radiation protection by major tea polyphenol, epicatechin. Int. J. Hum. Genet. 13(1): 59-64.
- Das RM (1998). In: "DNA-binding bibenzimidazoles as radioprotectors". 127-150, CRC Press, London.
- Das U, Manna K, Sinha M, Datta S, Das DK, Chakraborty A, Ghosh M, Saha KD and Dey S (2014). Role of ferulic acid in the amelioration of ionizing radiation induced inflammation: a murine model. PLoS ONE 9(5): e97599. doi:10.1371/journal.pone.0097599.
- Datta K, Suman S, Trani D, Doiron K, Rotolo JA, Kallakury BVS, Kolesnic R, Cole MF and Fornace AJ Jr (2012). Accelerated hematopoietic toxicity by high energy ^{56}Fe radiation. Int. J. Radiat. Biol. 88(3): 213-222.
- Davis TA, Clarke TK, Mog SR and Landauer MR (2007). Subcutaneous administration of genistein prior to lethal irradiation supports multilineage, hematopoietic progenitor cell recovery and survival. Int. J. Radiat. Biol. 83: 141-151.
- Day RM, Barshishat-Kupper M, Mog SR, McCart EA, Prasanna PG, Davis TA and Landauer MR (2008). Genistein protects against biomarkers of delayed lung sequelae in mice surviving high-dose total body irradiation. J. Radiat. Res. 49(4): 361-372.

- De Freitas RB, Augusti PR, De Andrade ER, Rother FC, Rovani BT, Quatrin A, Alves NM, Emanuelli T and Bauermann LF (2014). Black grape juice protects spleen from lipid oxidation induced by gamma radiation in rats. *J. Food Biochem.* 38: 119–127.
- Demirel C, Kilciksiz S, Ay OI, Gurgul S, Ay ME and Erdal N (2009). Effect of *N*-acetylcysteine on radiation-induced genotoxicityand cytotoxicity in rat bone marrow. *J. Radiat. Res.* 50: 43-50.
- Devasagayam TPA, Tilak JC, Boloor KK, Sane KS, Ghaskadbi SS and Lele RD (2004). Free radicals and antioxidants in human health: current status and future prospects. *J. Assoc. Physicians India* 52: 794-804.
- Dharani B, Sumathi S, Sivaprabha J and Padma PR (2011). *In vitro* antioxidant potential of *Prosopis cineraria* leaves. *J. Nat. Prod. Plant Resour.* 1(3): 26-32.
- Dickinson DA and Forman HJ (2002). Cellular glutathione and thiols metabolism. *Biochem. Pharmacol.* 64: 1019-1026.
- Dixit D, Dixit AK, Lad H, Bhalla PJS and Bhatnagar D (2012). Protective effects of *Terminalia chebula* in modulating oxidative damages against gamma irradiation induced lethality in rats. *Int. J. Biol. Pharma. Res.* 3(5): 734-742.
- Doherty DG and Burnett WT Jr (1955). Protective effect of 5, β -aminoethyl–isothiouronium Br. HBr. and related compounds against X-radiation death in mice. *Proc. Soc. Exp. Biol. Med.* 89: 312-314.
- Dokmeci D, Akpolat M, Aydogdu N, Uzal C, Doganay L and Turan FN (2006). The protective effect of L-carnitine on ionizing radiation-induced free oxygen radicals. *Scand. J. Lab. Anim. Sci.* 33(2): 75-83.
- Du X, Geng Y, Huang Z, Chen Y, Zhang H, Liu H, Chen Z , Wu Z, Song T and Zeng X (2012). Effects of *Zingiber officinale* extract on antioxidation and lipid peroxidation in mice after exposure to 60 Co- γ -ray. *Afr. J. Biotechnol.* 11(11): 2609-2615.
- Duan Y, Zhang H, Xie B, Yan Y, Li J, Xu F and Qin Y (2010). Whole body radioprotective activity of an acetone–water extract from the seedpod of *Nelumbo nucifera* Gaertn. seedpod. *Food Chem. Toxicol.* 48(12): 3374-3384.

- El Shahat AN (2013). Efficiency of broccoli in attenuating of some biochemical disorders in rats exposed to γ -irradiation. Arab. J. Nuc. Sci. Appl. 46(4): 260-267.
- El-Beltagi HS and Mohamed HI (2013). Reactive oxygen species, lipid peroxidation and antioxidative defense mechanism. Not. Bot. Horti. Agrobo. 41(1): 44-57.
- El-Fatih NM and El-Tawil GA (2009). Restorative effects of caffeic acid phenethyl ester in radiation induced oxidative hepatic disorders. J. Rad. Res. Appl. Sci. 2: 235-254.
- El-Ghazaly MA, El-Hazek RM and Khayyal MT (2014). Protective effect of the herbal preparation, STW 5, against intestinal damage induced by gamma radiation in rats. Inter. J. Rad. Biol. 1-21 (doi:10.3109/09553002.2014.954059).
- El-Habit OH, Saada HN, Azab KS, Abdel-Rahman M and El-Malah DF (2000). The modifying effect of β -carotene on gamma radiation induced elevation of oxidative reactions and genotoxicity in male rats. Mutat. Res. 466: 179-186.
- El-Missiry M, Fayad T, El-Sawy M and El-Sayed A (2007). Ameliorative effect of melatonin against irradiation induced oxidative stress and tissue injury. Ecotoxicol. Environ. Saf. 66(2): 278-286.
- El-Shawi OE and Eldahshan OA (2014). Protective effect of rhoifolin on gamma irradiation induced cardiac dysfunctions in albino mice. Arab. J. Nuc. Sci. Appl. 47(1): 198-207.
- Enginar H, Cemek M, Karaca T and Unak P (2007). Effect of grape seed extract on lipid peroxidation, antioxidant activity and peripheral blood lymphocytes in rats exposed to x-radiation. Phytother. Res. 21: 1029-1035.
- Enginar H, Cemek M, Karaca T and Unak P (2010). Effect of grape seed extract on lipid peroxidation, antioxidant activity and peripheral blood lymphocytes in rats exposed to X-radiation. Phytother. Res. 21: 1029-1035.
- Ezz MK (2011). The ameliorative effect of *Echinacea purpurea* against gamma radiation induced oxidative stress and immune responses in male rats. Aust. J. Basic Appl. Sci. 5(10): 506-512.

- F**ajardo LF (1982). In: “Pathology of radiation injury.” 57-70, Masson Publishing, New York, USA.
- Fajardo LF, Berthrong M and Anderson RE (2001a). Small intestine. In: “Radiation pathology.” 209-228, Oxford University Press, New York.
- Fajardo LF, Berthrong M, Anderson RE and Meyer JL (2001b). In: “Radiation pathology.” 87-94, Oxford University Press Inc., New York.
- Fan ZL, Wang ZY, Zuo LL and Tian SQ (2012). Protective effect of anthocyanins from lingonberry on radiation-induced damages. *Int. J. Environ. Res. Public Health* 9: 4732-4743.
- Farag MF, Ali SE and Younies BM (2009). Effect of irradiated milk in rat ration to ameliorate the biochemical changes in γ -irradiated rats. *Egypt J. Rad. Sci. Appl.* 22(1): 303-319.
- Focea R, Nadejde C, Creanga D and Luchian T (2012). Low dose X-ray effects on catalase activity in animal tissue. *J. Phys.: Conf. Ser.* 398 012032.
- Francis G, Kerem Z, Makkar HPS and Becker K (2002). The biological action of saponins in animal systems: a review. *Br. J. Nutr.* 88(6): 587-605.
- Fred SS and Smith WW (1968). Induced changes in transplantability of hemopoietic colony following cells. *Proc. Soc. Exp. Biol. Med.* 128(2): 364-366.
- Fu Y, Wang Y, Du L, Xu C, Cao J, Fan T, Liu J, Su X, Fan S, Liu Q and Fan F (2013). Resveratrol inhibits ionising irradiation-induced inflammation in MSCs by activating SIRT1 and limiting NLRP-3 inflammasome activation. *Int. J. Mol. Sci.* 14: 14105-14118.
- Furuse M, Tsuneoka K, Uchida K and Nomoto K (1997). Acceleration of granulocytic cell recovery in irradiated mice by a single subcutaneous injection of a heat-killed *Lactobacillus casei* preparation. *J. Radiat. Res.* 38(2): 111-120.
- G**anasoundari A, Uma Devi P and Rao BSS (1998). Enhancement of bone marrow radiation protection and reduction in WR-2721 toxicity by *Ocimum sanctum*. *Mutat. Res.* 397(2): 303-312.

- Ganasoundari A, Uma Devi P and Rao MNA (1997). Protection against radiation-induced chromosome damage in mouse bone marrow by *Ocimum sanctum*. *Mutat. Res.* 373(2): 271-276.
- Gandhi NM and Nair CKK (2005). Protection of DNA and membrane from gamma radiation induced damage by gallic acid. *Mol. Cell Biochem.* 278: 111–117.
- Garriott ML and Crowe DT (1983). AET reduces the frequency of micronuclei in bone marrow cells of mice exposed to gamma radiation. *Radiat. Res.* 93: 200-204.
- Gaur A (2010). Ameliorating effects of genestein: study on mice liver glutathione and lipid peroxidation after irradiation. *Iran. J. Radiat. Res.* 7(4): 187-199.
- George M, Joseph L and Sharma A (2012). Antidepressant and skeletal muscle relaxant effects of the aqueous extract of the *Prosopis cineraria*. *Braz. J. Pharm. Sci.* 48(3): 577-582.
- Georgieva S, Popov B, Tanchev S and Hristova D (2012). *Haberlea rhodopensis* (Friv.) reduces chromosomal aberrations in whole body irradiated rabbits. *Int. J. Phytomed.* 4: 395-398.
- Geraci JP and Mariano MS (1993). Radiation hepatology of the rat: parenchymal and nonparenchymal cell injury. *Radiat. Res.* 136: 205-213.
- Gharib OA, Sherif NH and Fahmy HA (2013). Possible anti-hemolytic and antioxidant role of ethanolic extract of coriander on irradiated rats. *Euro. J. Bio. Med. Sci. Res.* 1(3): 39-48.
- Ghoneum M, Badr El-Din NK, Abdel Fattah SM and Tolentino L (2013). Arabinoxylan rice bran (MGN-3/Biobran) provides protection against whole-body γ -irradiation in mice via restoration of hematopoietic tissues. *J. Radiat. Res.* 54: 419-429.
- Goel HC, Agrawala PK, Pathania V and Malhotra N (2003a). Immunomodulatory and cytoprotective role of RP-1 in γ -irradiated mice. *Mole. Cell. Biochem.* 254: 73-81.
- Goel HC, Prasad J and Sharma AK (1999). Protective effect of podophyllum against radiation damage. *Adv. Radiat. Biol. Peace* 2: 27-33.

- Goel HC, Prasad J, Singh S, Sagar RK, Prem Kumar I and Sinha AK (2002). Radioprotection by a herbal preparation of *Hippophae rhamnoides*, RH-3, against whole body lethal irradiation in mice. *Phytomedicine* 9(1): 15-25.
- Goel HC, Prem Kumar I, Samanta N and Rana SVS (2003b). Induction of DNA–protein cross-links by *Hippophae rhamnoides*, implications in radioprotection and cytotoxicity. *Mol. Cell Biochem.* 245: 57-67.
- Gowda DKM, Shetty L, Krishna AP, Kumari SN, Sanjeev G and Naveen P (2013). The efficacy of *Nardostachys jatamansi* against the radiation induced haematological damage in rats. *J. Clin. Diagn. Res.* 7(6): 982-986.
- Gracy RW, Talent JM, Kong Y and Conard CC (1999). Reactive oxygen species: the unavoidable environmental insults? *Mutat. Res.* 428: 17-22.
- Grdina DJ, Murley JS and Kataoka Y (2002). Radioprotectants: current status and new directions. *Oncology* 63: 2-10.
- Greenberger JS (2009). Radioprotection. *In Vivo*. 23: 323-336.
- Gridley DS, Pecaut MJ, Miller GM, Moyers MF and Nelson GA (2001). Dose and dose rate effects of whole body gamma-irradiation: II. Hematological variables and cytokines. *In vivo*. 15(3): 209-216.
- Griffiths NM, Dublineau I, Francois A and Kass B (1999). Radiation induced colonic injury: decreased fluid absorption and effects of granisetron A5HT₃ receptor inhibitor. In: “Advance radiation biology and peace.” (Suppl. II) [Goel SC (ed.)], Uttar Pradesh, Zoological Society, Muzaffarnagar, India.
- Grizzi F and Chirira-Internati M (2007). Human binucleate hepatocytes: are they a defence during chronic liver diseases? *Med. Hypothes.* 69(2): 258-261.
- Gupta ML and Ghose A (1993). Radioprotective efficiency of a combination of Hydroxytryptophan and AET on mouse bone marrow micronuclei. *J. Radiat. Res.* 34: 295-301.
- Gupta U, Agrawal NK, Chaudhary R and Goyal PK (2013). Radioprotective role of *Alstonia scholaris* extract against hematological dysfunctions in mice. *J. Radioprotect. Res.* 1(1): 1-9.

- Guruvayoorappan C and Kuttan G (2008). Protective effect of *Biophytum sensitivum* (L) DC on radiation induced damage in mice. *Immunopharmacol. Immunotoxicol.* 30: 815-825.
- Gutteridge JMC (1995). Lipid peroxidation and antioxidants as biomarkers of tissue damage. *Clin. Chem.* 41(12): 1819-1828.
- H**abib GM, Shi ZZ and Lieberman MW (2007). Glutathione protects cells against arsenite-induced toxicity. *Free Rad. Biol. Med.* 42: 191-201.
- Hagen V (1989). Biochemical aspects of radiation biology. *Experientia* 45(1):7-12.
- Hamza RG and El-Shennawy HM (2009). Role of vitamin E and/or high protein diet in modulating antioxidant status and certain biochemical changes in gamma-irradiated rats. *J. Rad. Res. Appl. Sci.* 2: 31-48.
- Hanson WR, Houseman KA and Colins PW (1988). Radiation protection *in vivo* by prostaglandins and related compounds of the arachidonic acid cascade. *Pharmacol. Ther.* 39(1-3): 347-356.
- Hawas AM (2013). Effect of low dose gamma rays on certain essential metals and oxidative stress in different rat organs. *J. Radiat. Res. Appl. Sci.* 6: 38-44.
- Hazra B, Ghosh S, Kumar A and Pandey BN (2012). The prospective role of plant products in radiotherapy of cancer: a current overview. *Front. Pharmacol.* 2(94): 1-13.
- Heikkinen P, Kosma VM, Hongisto T, Huuskonen H, Hyysalo P, Komulainen H, Kumlin T, Lahtinen T, Lang S, Puranen L and Juutilainen J (2001). Effects of mobile phone radiation on X-ray induced tumorigenesis in mice. *Radiat. Res.* 156(6): 775-785.
- Helszer Z, Jozwiak Z and Leyko W (1980). Osmotic fragility and lipid peroxidation of irradiated erythrocytes in the presence of radioprotectors. *Experientia* 36: 521-522.
- Herve A and Bacq ZM (1949). Cyanure et dose lethale de rayon X. *Comptes rendus des seances de la Societe de biologie et de ses filiales* 143: 881-883.

- Heslet L, Bay C and Nepper-Christensen S (2012). Acute radiation syndrome (ARS) – treatment of the reduced host defense. *Int. J. Gen. Med.* 5: 105–115.
- Hockenberry DM, Oltvai ZN, Yin XM, Milliman CL and Korsmeyer SJ (1993). *Bcl-2* functions in an antioxidant pathway to prevent apoptosis. *Cell* 75(2): 241-251.
- Holland JF, III EF and Kufe DW (2000). Principles of multidisciplinary management. In: “Holland-Frei cancer medicine.” [Bast RC Jr, Kufe DW and Pollock RE (eds.)]. 5th edition. Hamilton (ON): BC Decker; 2000.
- HosseiniMehr SJ (2007). Foundation review: Trends in the development of radioprotective agents. *Drug Discov. Today* 12(19-20): 794-805.
- HosseiniMehr SJ (2010). Flavonoids and genomic instability induced by ionizing radiation. *Drug Discov. Today* 15: 907-918.
- HosseiniMehr SJ and Nemati A (2006). Radioprotective effects of hesperidin against gamma-irradiation in mouse bone marrow cells. *Br. J. Radiol.* 79: 415-418.
- HosseiniMehr SJ, Azadbakht M, Mousavi SM, Mahmoudzadeh A and Akhlaghpour S (2007). Radioprotective effects of hawthorn fruit extract against gamma irradiation in mouse bone marrow cells. *J. Radiat. Res.* 48: 63-68.
- HosseiniMehr SJ, Mahmoudzadeh A, Ahmadi A, Mohamadifar S and Akhlaghpour S (2009). Radioprotective effects of hesperidin against genotoxicity induced by γ -irradiation in human lymphocytes. *Mutagenesis* 24: 233-235.
- HosseiniMehr SJ, Tavakoli H, Pourheidari G, Sobhani A and Shafiee A (2003). Radioprotective effects of citrus extract against γ -irradiation in mouse bone marrow cells. *J. Radiat. Res.* 44: 237-241.
- HosseiniMehr SJ, Zakaryae V and Frougizadeh M (2006). Oral oxymetholone reduces mortality induced by gamma irradiation in mice through stimulation of hematopoietic cells. *Mol. Cell Biochem.* 287: 193-199.

- Hovdenak N (2004). Acute radiation proctitis- a clinical, histopathological and histochemical study. In: “Radiology and nuclear medicine.” 1-126, Institute of Medicine, Section of Oncology, Haukeland University Hospital, Bergen, Norway.
- Hu Y, Cao JJ, Liu P, Guo DH, Wang YP, Yin J, Zhu Y and Rahman K (2011). Protective role of tea polyphenols in combination against radiation induced haematopoietic and biochemical alterations in mice. *Phytother. Res.* 25(12): 1761-1769.
- Hughes HN and Walden TL Jr (1988). Quantitative functional and biochemical alterations in peritoneal cells of mice exposed to whole body gamma irradiation. Changes in cellular protein, adherence properties and enzymatic activities associated with platelet activating factor formation and inactivation and arachidonate metabolism. *Int. J. Radiat. Biol.* 53(6): 943-964.
- Hussain A and Virmani OP (1992). Dictionary of Indian medicinal plants. In: “Central institute of medicinal and aromatic plants.” [Popali SP, Mishra LN, Gupta MM, Srivastava GN, Abraham Z and Singh AK (eds.)], 376, 1st edition, Lucknow.
- Hussein EM (2008). Modulatory role of arabic gum in gamma rays- induced damages in rats. *J. Rad. Res. Appl. Sci.* 1: 427-441.
- I**CFRE (Indian Council of Forestry Research and Education) (1993). *Khejri (Prosopis cineraria)*. ICFRE, Dehradun, India.
- Inouye S (1984). Site-specific cleavage of double-strand DNA by hydroperoxide of linoleic acid. *FEBS Lett.* 172(2): 231-234.
- J**acobson LO (1954). The haematotoxic effects of ionizing radiation. In: “Radiation Biology”. [Hollander A (ed.)], 1029, Vol. 1 Part II, McGraw Hill, New York.
- Jagetia GC (2007). Radioprotective potential of plants and herbs against the effects of ionizing radiation. *J. Clin. Biochem. Nutr.* 40: 74-81.
- Jagetia GC and Aruna R (1997). The herbal preparation abana protects against radiation-induced micronuclei in mouse bone marrow. *Mutat. Res.* 393(1-2): 157-163.

- Jagetia GC and Baliga MS (2002a). Cystone, an ayurvedic herbal drug imparts protection to the mice against the lethal effects of gamma radiation: a preliminary study. *Nahrung* 46(5): 332-336.
- Jagetia GC and Baliga MS (2002b). *Syzygium cumini* (Jamun) reduces the radiation-induced damage in the cultured human peripheral blood lymphocytes: a preliminary study. *Toxicol. Lett.* 132(1): 19-25.
- Jagetia GC and Baliga MS (2003). Evaluation of the radioprotective effect of the leaf extract of *Syzygium cumini* (Jamun) in mice exposed to a lethal dose of gamma-irradiation. *Nahrung* 47(3): 181-185.
- Jagetia GC and Baliga MS (2004a). Polyherbal extract of Septilin protects mice against whole body lethal dose of gamma radiation. *Phytother. Res.* 18(8): 619-623.
- Jagetia GC and Baliga MS (2004b). The evaluation of the radioprotective effect of chyawanaprasha (an ayurvedic rasayana drug) in mice exposed to lethal dose of gamma-radiation: a preliminary study. *Phytother. Res.* 18(1): 14-28.
- Jagetia GC and Baliga MS (2005). Radioprotection by mangiferin in DBAxC₅₇BL mice: a preliminary study. *Phytomedicine* 12: 209-215.
- Jagetia GC, Baliga MS, Aruna R, Rajanikant GK and Jain V (2003a). Effect of abana (a herbal preparation) on the radiation-induced mortality in mice. *J. Ethnopharmacol.* 86: 159-165.
- Jagetia GC, Baliga MS, Malagi KJ and Kamath SM (2002). The evaluation of radioprotective effect of triphala (an Ayurvedic rejuvenating drug) in the mice exposed to gamma-radiation. *Phytomedicine* 9: 99-108.
- Jagetia GC, Baliga MS, Venkatesh P and Ulloor JN (2003b). Influence of ginger rhizome (*Zingiber officinale* Rose) on survival, glutathione and lipid peroxidation in mice after whole-body exposure to gamma radiation. *J. Radiat. Res.* 160(5): 584-592.
- Jagetia GC, Malagi KJ, Baliga MS, Venkatesh P and Veruva RR (2004). Triphala, an ayurvedic rasayana drug, protects mice against radiation-induced lethality by free radical scavenging. *J. Altern. Complement. Med.* 10(6): 971-978.

- Jagetia GC, Venkatesh, P and Baliga MS (2003c). Evaluation of radioprotective effect of *Aegle marmelos* (L.) Correa in the cultured human peripheral blood lymphocytes exposed to different doses of gamma-radiation: a micronucleus study. *Mutagenesis* 18(4): 387-393.
- Jeong WI, Do SH, Kim TH, Jeong DH, Hong IH, Ki MR, Kwak DM, Lee SS, Jee YH, Kim SB and Jeong KS (2007). Acute effects of fast neutron irradiation on mouse liver. *J. Radiat. Res.* 48: 233-240.
- Jewers K, Nagler MJ, Zirvi KA and Amir F (1976). Lipids, sterols and a piperidine alkaloid from *Prosopis spicigera* leaves. *Phytochemistry* 15(1): 238-240.
- Jewers K, Nagler MJ, Zirvi KA, Amir F and Cottee FH (1974). *Pahlavi Med. J.* 5: 1.
- Jha M, Sharma V and Narayan G (2012). Role of *Pistia stratiotes* on radiation induced genotoxicity: analysis of micronucleus and chromosome aberrations *in vivo*. *Int. J. Pharmacol. Pharmaceut. Technol.* 1: 63-67.
- Jiang Z, Xu B, Yang M, Li Z, Zhang Y and Jiang D (2013). Protection by hydrogen against gamma ray-induced testicular damage in rats. *Basic Clin. Pharmacol. Toxicol.* 112: 186-191.
- Jindal A, Agrawal A and Goyal PK (2010). Influence of *Rosemarinus officinalis* extract on radiation-induced intestinal injury in mice. *J. Environ. Pathol. Toxicol. Oncol.* 29: 169-179.
- Jo EH, Hong HD, Ahn NC, Jung JW, Yang SR, Park JS, Kim SH, Lee YS and Kang KS (2004). Modulations of Bc12/Bax family were involved in chemopreventive effects of licorice root (*Glycyrrhiza uralensis fisch*) in MCF-7 human breast cancer cells. *J. Agric. Food Chem.* 52: 1715.
- Johar D, Roth JC, Bay GH, Walker JN, Krocak TJ and Los M (2004). Inflammatory response, reactive oxygen species, programmed (necrotic-like and apoptotic) cell death and cancer. *Roczn. Akad. Med. Bialymst.* 49: 31-39.
- Johari P, Kumar M and Kumar A (2011). Oltipraz: DNA and radioprotection. *Pharmacologyonline* 1: 651-659.

- Jones DP, Thor H, Smith MT, Jewell SA and Orrenius S (1983). Inhibition of ATP-dependent microsomal Ca^{2+} sequestration during oxidative stress and its prevention by glutathione. *J. Biol. Chem.* 258: 6390-6393.
- Joseph LJ, Bhartiya US, Raut YS, Hawaldar RW, Nayak Y, Pawar YP, Jambhekar NA and Rajan MG (2011). Radioprotective effect of *Ocimum sanctum* and amifostine on the salivary gland of rats after therapeutic radioiodine exposure. *Cancer Biother. Radiopharm.* 26: 737-743.
- Joshi YM, Jadhav TA and Kadam VJ (2010). Radioprotective—A pharmacological intervention for protection against ionizing radiations: a review. *The Internet J. Inter. Med.* 8(2): 1-5.
- Joy J and Nair CK (2009). Protection of DNA and membranes from gamma-radiation induced damages by *Centella asiatica*. *J. Pharm. Pharmacol.* 61: 941-947.
- K**alpana C and Menon VP (2004). Modulatory effects of curcumin on lipid peroxidation and antioxidant status during nicotine-induced toxicity. *Pol. J. Pharmacol.* 56(5): 581-586.
- Kalpana KB, Devipriya N, Srinivasan M, Vishwanathan P, Thayalan K and Menon VP (2011). Evaluating the radioprotective effect of hesperidin in the liver of Swiss albino mice. *Euro. J. Pharmacol.* 658: 206-212.
- Karbownik M and Reiter RJ (2000). Antioxidative effects of melatonin in protection against cellular damage caused by ionizing radiation. *Proc. Soc. Exp. Biol. Med.* 225: 9-22.
- Karovin MS, Bol'Shakov MA, Grindneva VT, El'chaninov AA, Klimav AI and Rostov VV (2005). Assesment of some metabolic parameters of whole rats liver after exposure to repetitive X-ray or microwave pulses. *Eksp. Klin. Gastroenterol.* 3(70): 101.
- Kawakatsu M, Urata Y, Imai R, Goto S, Ono Y, Nishida N and Li TS (2013). Nicaraven attenuates radiation-induced injury in hematopoietic stem/progenitor cells in mice. *PLoS ONE* 8(3): Doi: 10.1371/journal.pone.0060023.

- Khatri A, Rathore A and Patil UK (2010). *Prosopis cineraria* (Linn) Druce: a boon plant of desert– an overview. Int. J. Biomed. Ad. Res. 1: 141-149.
- Kim JS, Heo K, Yi JM, Gong EJ, Yang K, Moon C and Kim SH (2012). Genistein mitigates radiation–induced testicular injury. Phytother. Res. 26: 1119-1125.
- Kim SG, Nam SY and Kim CW (1998). *In vivo* radioprotective effects of oltipraz in γ -irradiated mice. Biochem. Pharmacol. 55: 1585-1590.
- Kim JY, Oh SJ, Park HK, Yoon JS, Kim ES, Kim CS, Lee YY and Kim BK (2005). Radioprotective effects of various cytokines in peripheral blood mononuclear cells and C3H mice. Oncol. Rep. 13: 1177–1183.
- Kimura Y and Sumiyoshi M (2009). Olive leaf extract and its main component oleuropein prevent chronic ultraviolet B radiation–induced skin damage and carcinogenesis in hairless mice. J. Nutr. 139: 2079-2086.
- Koch CJ (1998). The mechanisms of radiation protection by non–protein sulphhydryls: glutathione, cysteine and cysteamine. In: “Radioprotectors: chemical, biological and clinical perspective.” [Bump EA and Malaker K (eds.)], 25-52, CRC Press, Boca Raton, FL.
- Koiram PR, Veerapur VP, Kunwar A, Mishra B, Barik A, Priyadarsini IK and Mazhuvancherry UK (2007). Effect of curcumin and curcumin copper complex (1:1) on radiation–induced changes of anti–oxidant enzymes levels in the livers of Swiss albino mice. J. Radiat. Res. 48: 241-245.
- Kolodny A (1925). Tissue changes after experimental deep roentgen irradiation. Am. J. Path. 1: 285-294.
- Konings AWT (1987). Role of membrane lipid composition in radiation-induced death of mammalian cells. In: “Prostaglandins and lipid metabolism in radiation injury”. [Walden Jr TR and Hughes HN (eds.)] 29-43, Plenum Press, New York.
- Konings AWT and Drijver EB (1979). Radiation effects on membranes. I. Vitamin E deficiency and lipid peroxidation. J. Radiat. Res. 80: 494-501.

- Konings AWT, Damen J and Trieling WB (1979). Protection of liposomal lipids against radiation induced oxidative damage. Int. J. Radiat. Biol. 35(4): 343-350.
- Koukourakis MI (2012). Radiation damage and radioprotectants: new concepts in the era of molecular medicine. Brit. J. Radiol. 85: 313–330.
- Krishna A and Kumar A (2005). Evaluation of radioprotective effects of Rajgira (*Amaranthus paniculatus*) extract in Swiss albino mice. J. Radiat. Res. 46: 233-239.
- Kucukkurt I, Ince S, Enginar H, Eryavuz A, Fidan AF and Kargioglu M (2011). Protective effects of *Agrostemma githago* L. and *Saponaria officinalis* L. extracts against ionizing radiation-induced oxidative damage in rats. Revue. Méd. Vét. 162(6): 289-296.
- Kumar A and Mehta G (1973). Age dependent radioresponse of liver and intestine in Swiss albino mice. Strahlentherapie 146(5): 594-598.
- Kumar A, Ram J, Samarth RM and Kumar M (2005). Modulatory influence of *Adhatoda vasica* Nees leaf extract against gamma irradiation in Swiss albino mice. Phytomedicine 12(4): 285-293.
- Kumar IP and Goel HC (2000). Iron chelation and related properties of *Podophyllum hexandrum*, a possible role in radioprotection. Ind. J. Exp. Biol. 38(10): 1003-1006.
- Kumar KBH and Kuttan R (2007). An extract of *Phyllanthus amarus* protects mouse chromosomes and intestine from radiation induced damages. J. Radiat. Res. 48: 469-476.
- Kumar KBH, Sabu MC, Lima PS and Kuttan R (2004). Modulation of haematopoietic system and antioxidant enzymes by *Emblica officinalis* Gaertn and its protective role against γ -radiation induced damages in mice. J. Radiat. Res. 45: 549-555.
- Kumar M, Samarth R, Kumar M, Selvan SR, Saharan B and Kumar A (2007). Protective effect of *Adhatoda vascia* Nees against radiation-induced damage at cellular, biochemical and chromosomal levels in Swiss albino mice. Evid. Based Complement. Alternat. Med. 4(3): 343-350.

- Kumar M, Sharma MK, Saxena PS and Kumar A (2003). Radioprotective effect of *Panax ginseng* on the phosphatases and lipid peroxidation level in testes of Swiss albino mice. Biol. Pharm. Bull. 26(3): 308-312.
- Kumar P, Kuttan R and Kuttan G (1996). Radioprotective effects of rasayanas. Ind. J. Exp. Biol. 34(9): 848-850.
- Kuttan G (1996). Use of *Withania somnifera* Dunal as an adjuvant during radiation therapy. Ind. J. Exp. Biol. 34(9): 854-856.
- Lacassagne M (1942). Chute de la sensibilité aux rayons X chez la souris nouveau-né en état d'asphyxie. Comptes Rendus de L Académie des Sciences (Paris) 616: 231-232.
- Landauer MR, Davis HD, Dominitz JA and Weiss JF (1988). Comparative behavioral toxicity of four sulphydryl radioprotective compounds in mice: WR-2721, cysteamine, diethyldithiocarbamate and N-acetylcysteine. Pharmacol. Ther. 39(1-3): 97-100.
- Landauer MR, Srinivasan V and Seed TM (2003). Genistein treatment protects mice from ionizing radiation injury. J. Appl. Toxicol. 23: 379-385.
- Lata M, Prasad J, Singh S, Kumar R, Singh L, Chaudhary P, Arora R, Chawla R and Tyagi S (2009). Whole body protection against lethal ionizing radiation in mice by REC-2001: a semi-purified fraction of *Podophyllum hexandrum*. Phytomedicine 16: 47-55.
- Latarjet R and Ephrati E (1948). Influence protectrice de certaines substances contre l'inactivation d'un bactériophage par les rayons X. Compt. Rend. Soc. Biol. Ses. Fil. 142: 497-499.
- Lawrence TS, Robertson JM, Anscher MS, Jirtle RL, Ensminger WD and Fajardo LF (1995). Hepatic toxicity resulting from cancer treatment. Int. J. Radiat. Oncol. Biol. Phys. 31(5): 1237-1248.
- Lee HJ, Kim JS, Song MS, Seo HS, Moon C, Kim JC, Jo SK, Jang JS and Kim SH (2009). Photoprotective effect of red ginseng against ultraviolet radiation induced chronic skin damage in the hairless mouse. Phytother. Res. 23: 399-403.
- Legué F, Guittot N, Brouazin-Joussema V, Colleu-Durel S, Nourgalieva K and Chenal C (2001). IL-6 key cytokine *in vitro* and *in vivo* response of sertoli cells to external gamma irradiation. Cytokine 16: 232-238.

- Lew H and Quintanilha A (1991). Effects of endurance training and exercise on tissue anti-oxidative capacity and acetaminophen detoxification. *Eur. J. Drug Metabol. Pharmacok.* 16(1): 59-68.
- Li CJ, Feng L, Xing Y, Wang SY, Du L, Xu C, Cao J, Wang Q, Fan S, Liu Q and Fan F (2014a). Radioprotective and antioxidant effect of resveratrol in hippocampus by activating Sirt1. *Int. J. Mol. Sci.* 15: 5928-5939.
- Li CJ, Wang SZ, Wang SY and Zhang YP (2014b). Assessment of the effect of local application of amifostine on acute radiation-induced oral mucositis in guinea pigs. *J. Radiat. Res.* PMID: 24706999.
- Li XL and Zhou AG (2007). Preparation of polysaccharides from *Acanthopanax senticosus* and its inhibition against irradiation-induced injury of rat. *Carbohydrate Polymers* 67: 219-226.
- Lin RX, Zhao HB, Li CR, Sun YN, Qian XH and Wang SQ (2009). Proteomic analysis of ionizing radiation-induced proteins at the subcellular level. *J. Proteome Res.* 8(1): 390-399.
- Links M and Lewis C (1999). Chemoprotectants: a review of their clinical pharmacology and therapeutic efficiency. *Drugs* 57(3): 293-308.
- Little MP (2003). Risks associated with ionizing radiation environmental pollution and health. *Br. Med. Bull.* 68(1): 259-275.
- Lukin L and Gregersen MI (1957). Premortal blood volumes in splenectomized dogs after total body X-irradiation. *Radiat. Res.* 7(2): 161-166.
- M**a ZC, Hong Q, Wang Y, Tan HL, Xiao CR, Liang QD, Lu BB and Gao Y (2011). Effects of ferulic acid on hematopoietic cell recovery in whole-body gamma irradiated mice. *Int. J. Radiat. Biol.* 87(5): 499-505.
- Madhu LN and Kumari NS (2014). Radioprotective effect of sulphhydryl group containing triazole derivative to modulate the radiation-induced clastogenic effects. *Res. Pharmaceut. Sci.* 9(1): 23-29.
- Madhu LN, Kumari NS, Naveen P and Sanjeev G (2012). Protective effect of *Nardostachys jatamansi* against radiation-induced damage at biochemical and chromosomal levels in Swiss albino mice. *Ind. J. Pharm. Sci.* 74(5): 460-465.

- Maharwal J, Samarth RM and Saini MR (2003). Radiomodulatory influence of Rajgira (*Amaranthus paniculatus*) leaf extract in Swiss albino mice. *Phytother. Res.* 17(10): 1150-1154.
- Maharwal J, Samarth RM and Saini MR (2005). Antioxidative effect of Rajgira leaf extract in liver of Swiss albino mice after exposure to different doses of gamma radiation. *Phytother. Res.* 19: 717–20.
- Mahoney D (1990). Trees of Somalia- a field guide for development workers. 133-136, Oxfam/HDRA, Oxford.
- Maisin JR and Doherty DG (1960). Chemical protection of mammalian tissues. *Fed. Proc.* 19: 564-572.
- Maks CJ, Wan XS, Ware JH, Romero-Weaver AL, Sanzari JK, Wilson JM, Rightnar S, Wroe AJ, Koss P, Gridley DS, Slater JM and Kennedy AR (2011). Analysis of white blood cell counts in mice after gamma- or proton-radiation exposure. *Radiat. Res.* 176(2): 170–176.
- Malhotra N, Rani N, Rana K and Malhotra RK (1990). Radiation induced blood pathology in chick erythrocytes and related parameters. *Exp. Pathol.* 38(4): 241-248.
- Malik A and Kalidhar SB (2007). Phytochemical examination of *Prosopis cineraria* (L.) Druce Leaves. *Ind. J. Pharma. Sci.* 69: 576-578.
- Manda K (1999). Investigation on the possible radioprotective effect of β-carotene on mice testis. A Ph.D. Thesis, University of Rajasthan, Jaipur, India.
- Manikandar RVM, Rajesh V, Kumar RS, Perumal P and Raj CD (2009). Analgesic and anti-pyretic activity of stem bark of *Prosopis cineraria* (Linn) Druce. *J. Pharm. Res.* 2: 660-662.
- Mann T and Keilin D (1939). Homocuprein and heptocuprein, copper-protein compounds of blood and liver in mammals. *Proc. R. Soc. Lond. B.* 126: 303-315.
- Mansour HH (2013). Protective effect of ginseng against gamma-irradiation-induced oxidative stress and endothelial dysfunction in rats. *EXCLI J.* 12: 766-777.

- Mansour HH, El-Sayed RIN and Farouk HH (2014). Ameliorative effect of septilin, an ayurvedic preparation against γ -irradiation-induced oxidative stress and tissue injury in rats. *Ind. J. Biochem. Biophys.* 51: 135-141.
- Mansour HH, Hafez HF, Fahmy NM and Hanafi N (2008b). Protective effect of N-acetylcysteine against radiation induced DNA damage and hepatic toxicity in rat. *Biochem. Pharmacol.* 75: 773-780.
- Mansour SZ, El-Tawil G, El-Shamy E and Ali SM (2008a). Effectiveness of curcumin against γ -irradiation induced liver injury and alteration of oxidant status in rats. *J. Radiat. Res. Appl. Sci.* 1(2): 397-408.
- Mantena SK, Unnikrishnan MK and Uma Devi P (2008). Radioprotective effect of sulfasalazine on mouse bone marrow chromosomes. *Mutagenesis* 23(4): 285-292.
- Maridonneau I, Braquet P and Garay RP (1983). Na^+ and K^+ transport damage induced by oxygen free radicals in human red cell membranes. *J. Biol. Chem.* 258: 3107-3113.
- Marklund SL (1984). Extracellular superoxide dismutase in human tissues and human cell lines. *J. Clin. Invest.* 74(4): 1398-1403.
- Marklund SL and Marklund G (1974). Involvement of superoxide anion radical in autoxidation of pyragallol and a convenient assay for superoxide dismutase. *Eur. J. Bio. Chem.* 47: 469-474.
- Martin RF and Anderson RF (1999). Pulse radiolysis studies indicate that electron transfer is involved in radioprotection by Hoechst 33342 and methylproamine. *Int. J. Radiat. Oncol. Biol. Phys.* 42(4): 827-831.
- Masella R, Di BR, Varì R, Filesi C and Giovannini C (2005). Novel mechanisms of natural antioxidant compounds in biological systems: involvement of glutathione and glutathione-related enzymes. *J. Nutr. Biochem.* 16: 577-586.
- Mathew D, Nair CK, Jacob JA, Biswas N, Mukherjee T, Kapoor S and Kagiya TV (2007). Ascorbic acid monoglucoside as antioxidant and radioprotector. *J. Radiat. Res.* 48: 369-376.

- Maurya DK and Devasagayam TPA (2013). Ferulic acid inhibits gamma radiation-induced DNA strand breaks and enhances the survival of mice. *Cancer Biother. Radiopharma.* 28(1): 51-57.
- Maurya DK, Devasagayam PA and Nair CKK (2006). Some novel approaches for radioprotection and the beneficial effect of natural products. *Ind. J. Expt. Biol.* 44: 93-114.
- Mazur L (2000). Radioprotective effects of the thiols GSH and WR-2721 against X-ray-induction of micronuclei in erythroblasts. *Mutat. Res.* 468: 27-33.
- Mazzuca M and Balzaratti VT (2003). Fatty acids, sterols and other steroids from seeds of Pantagonian *Prosopis* species. *J. Sci. Food Agric.* 83: 1072-1075.
- McCord JM and Fridovich I (1969). Superoxide dismutase. An enzymic function for erythrocuprein (hemocuprein). *J. Biol. Chem.* 244: 6049-6055.
- Menon A, Nagalekshmi R, Chandrasekharan DK and Nair CKK (2012). Radiotherapeutic potential of the extracts of *Andrographis paniculata* and *Swertia chirayita*. *J. Pharmacol. Toxicol.* 7(1): 20-28.
- Merzabani M, El M, Aaser AA, Attia MA, Al-Duwemi AK and Ghazal AM (1979). Screening system of Egyptian plants with potential antitumour activity. *Planta Medica.* 36: 150-155.
- Mettler FA and Morsely RD (1985). Medical effects of ionizing radiation, Grune and Stratton, New York.
- Miko S, Yanai T and Hasegawa H (1998). Concentration of metallothioneine in mice livers after small dose of irradiation. *J. Radiat. Res.* 39(4): 239-242.
- Mills JN and Valli VEO (1988). Clinicopathologic principles for veterinary medicine. In: "The hematopoietic system." 38-84, 1st edition, Cambridge University Press, Cambridge.
- Mirjana M, Silva D, Goran P, Miodrag P, Aleksandra U, Jelena A and Desanka B (2009). The acute-phase protein α_2 -macroglobulin plays an important role in radioprotection in the rat. *Shock* 36(6): 607-614.

- Mittal A, Pathania V, Agarwala PK, Prasad J, Singh S and Goel HC (2001). Influence of *Podophyllum hexandrum* on endogenous antioxidant defence system in mice: Possible role in radioprotection. *J. Ethnopharmacol.* 76(3): 253-262.
- Miyanomae T and Friendel E (1988). Radioprotection of haemopoiesis conferred by *Acanthopanax senticosus* (Shigoka) administrated before and after irradiation. *Exp. Hematol.* 16: 801.
- Mohammad IS, Khan MS, Akhtar N and Rasool F (2013). Biological potential and phytochemical evaluation of *Prosopis cineraria*. *World Appl. Sci. J.* 27(11): 1489-1494.
- Montoro A, Barquinero JF, Almonacid M, Montoro A, Sebastlá N, Verdú G, Sahuquillo V, Serrano J, Saiz M, Villaescusa JI and Soriano JM (2011). Concentration-dependent protection by ethanol extract of propolis against γ -ray-induced chromosome damage in human blood lymphocytes. *Evid. Based Complement. Alternat. Med.* Doi: 10.1155/2011/174853.
- Mori Y, Takashima H, Seo H, Ohkawa M, Yamamoto G and Tanabe M (1993b). Experimental studies on nicaraven as a radioprotector: survival ratio of mice, spleen colony formation, blood picture and lipid peroxidation. *Okayama Ishi.* 105: 673-680.
- Mori Y, Takashima H, Seo H, Yamamoto G, Liu J, Ohkawa M and Tanabe M (1993a). Experimental studies on nicaraven as radioprotector-free radical scavenging effect and the inhibition of the cellular injury. *Nihon Igaku Hoshasen Gakkai Zasshi. Nippon Acta Radiologica.* 53(6): 704-712.
- Moron MS, Depierre JW and Mannervick B (1979). Levels of GSH, GR and GST activities in rat lung and liver. *Biochem. Biophys. Act* 582: 67-68.
- Moss AJ, Emmanouilides GC, Adams FH and Chuang K (1964). The effect of hypoxia and status of ductus arteriosus on acid-base balance in newborn infants. *J. Pediatr.* 65: 819-823.
- Muzammil AS, Farhana T and Salman A (2013). Analgesic activity of leaves extract of *Samanea saman* Merr. and *Prosopis cineraria* Druce. *Int. Res. J. Pharma.* 4(1): 93-95.

- N**ada AS, Hawas AM, Abd Elmageed ZY and Amin NE (2013). Protective value of *Aloe vera* extract against γ -irradiation induced some biochemical disorders in rats. *J. Radiat. Res. Appl. Sci.* 6:31-37.
- Nagata H, Sugahara T and Tanaka T (1972). Radiation protection by 2-mercaptopropionylglycine in mice. *J. Radiat. Res.* 13: 163-166.
- Nakamura W, Kojima E, Minamizawa H, Kankura T, Kabayashi S and Eto H (1968). In: "Comparative cellular and species radiosensitivity in animals". [Bond VP and Sugahara T (eds.)], Igaku Shoin, Tokyo.
- Nakazawa T and Nagatsuka S (1980). Radiation induced lipid peroxidation and membrane permeability in liposomes. *Int. J. Radiat. Biol.* 38: 537-544.
- Napar AA, Bux H, Zia MA, Ahmad MZ, Iqbal A, Roomi S, Muhammad I and Shah SH (2012). Antimicrobial and antioxidant activities of *Mimosaceae* plants; *Acacia modesta* Wall (Phulai), *Prosopis cineraria* (Linn.) and *Prosopis juliflora* (Swartz). *J. Med. Plants Res.* 6(15): 2962-2970.
- Nassar SA, Ghonemy OI, El-Serafy SS, Roushdy HM and Abd-El-Hady AM (2008). Silymarin protects the histological pattern of rat liver against radiation toxicity. *Egypt. J. Hosp. Med.* 32: 277-288.
- Niki E (2009). Lipid peroxidation: Physiological levels and dual biological effects. *Free Rad. Biol. Med.* 47(5): 469-484.
- Nunia V and Goyal PK (2004). Prevention of gamma radiation anaemia in mice by diltiazem. *J. Radiat. Res.* 45: 11-17.
- Nunia V, Sancheti G and Goyal PK (2007). Protection of Swiss albino mice against whole body gamma irradiation by diltiazem. *Brit. J. Radiol.* 80(950): 77-84.
- Nwozo SO, Yakubu OF and Oyinloye BE (2013). Protective effect of aqueous extracts of *Aframomum melegueta* on γ -radiation-induced liver damage in male Wistar rats. *Mil. Med. Sci. Lett. (Voj. Zdrav. Listy)* 82: 1-7.
- O**hkhawa K, Ohishi N and Vogi K (1979). Assay for lipid peroxidation in animal tissue by thiobarbituric acid reaction. *Anal. Biochem.* 95: 351-358.

- Okunewick JP and Kretchmar AL (1967). A model for post-irradiation erythropoietic recovery. *Radiat. Res.* 31(3): 529-677.
- Oral BH, George JTA and Haskard OD (2000). Prevention of hydrogen peroxide- and cisplatin-induced apoptosis by intracellular catalase overexpression. *Turk. J. Biol.* 24: 685-696.
- Orsolic'N, Benkovic' V, Horvat-Knezevic'A, Kopjar N, Kosalec I, Bakmaz M, Mihaljevic' Z, Bendelja K and Basic'I (2007). Assessment by survival analysis of the radioprotective properties of propolis and its polyphenolic compounds. *Biol. Pharm. Bull.* 30: 946-951.
- Osman NN, AL-Seen MN, Alkhatab MH and Al-shreef HA (2013). Modulation of radiation injury by *Physalis Peruviana*. *Life Sci. J.* 10(4): 3403-3410.
- Özyurt H, Özden AS, Çevik Ö, Özgen Z, Çadirci S, Elmas MA, Ercan F, Şener G and Gören MZ (2014). Investigation into the role of the cholinergic system in radiation-induced damage in the rat liver and ileum. *J. Radiat. Res.* 55(5): 866-875.
- Pahadiya S and Sharma J (2003). Alteration of lethal effects of gamma rays in Swiss albino mice by *Tinospora cordifolia*. *Phytother. Res.* 17(5): 552-554.
- Pajovi SB, Joksi G, Peji S, Kasapovi J, Cuttone G and Masotti L (2001). Antioxidant dose response in human blood cells exposed to different types of irradiation. *J. Med. Sci.* 3(1): 133-136.
- Pande S, Kumar M and Kumar A (1998). Investigation of radio-protective efficacy of *Aloe vera* leaf extract. *Pharmaceut. Biol.* 36: 1-6.
- Parihar VK, Prabhakar KR, Veerapur VP, Kumar MS, Reddy YR, Joshi R, Unnikrishnan MK and Rao CM (2006). Effect if sesamol on radiation-induced cytotoxicity in Swiss albino mice. *Mutat. Res.* 611(1-2): 9-16.
- Park E, Ahn G, Lee NH, Kim JM, Yun JS, Hyun JW, Jeon YJ, Wie MB, Lee YJ, Park JW and Jee Y (2008). Radioprotective properties of eckol against ionizing radiation in mice. *FEBS Lett.* 582: 925-930.
- Patel M and Day BJ (1999). Metalloporphyrin class of therapeutic catalytic antioxidants. *Trends Pharmacol. Sci.* 20(9): 359–364.

- Pathak CM, Avti PK, Kumar S, Khanduja KL and Sharma SC (2007). Whole body exposure to low-dose gamma radiation promotes kidney antioxidant status in Balb/c mice. *J. Radiat. Res.* 48: 113-120.
- Patil SL, Mallaiah SH, and Patil RK (2013). Antioxidative and radioprotective potential of rutin and quercetin in Swiss albino mice exposed to gamma radiation. *J. Med. Phys.* 38: 87-92.
- Patil SL, Somashekharappa HM and Rajashekhar KP (2012). Evaluation of the radioprotective action of rutin in mice exposed to gamma-radiation. *Int. J. Biol. Pharma. Res.* 3(1): 12-18.
- Patt HM, Smith DE, Tyree EB and Straube RL (1950). Further studies on modification of sensitivity to X-rays by cysteine. *Proc. Soc. Expt. Biol.* 73(1): 18-21.
- Patt HM, Tyree EB, Straube RL and Smith DE (1949). Cysteine protection against X-ray irradiation. *Science* 110: 213-214.
- Paul P, Unnikrishnan MK and Nagappa AN (2011). Phytochemicals as radioprotective agents: a review. *Ind. J. Nat. Prod. Res.* 2: 137-150.
- Pillai TG, Maurya DK, Salvi VP, Janardhanan KK and Nair CKK (2014). Fungal beta glucan protects radiation induced DNA damage in human lymphocytes. *Ann. Transl. Med.* 2(2): 1-7.
- Popov B, Georgieva S, Gadjeva V and Petrov V (2011). Radioprotective, anticlastogenic and antioxidant effects of total extract of *Haberlea rhodopensis* on rabbit blood samples exposed to gamma radiation *in vitro*. *Revue Méd. Vét.* 162(1): 34-39.
- Prasad KN (1999). *Handbook of Radiobiology*. 344, CRC press, Boca Raton, FL.
- Prasad NR, Menon VP, Vasudev V and Pugalendi KV (2005). Radioprotective effect of sesamol on γ -radiation induced DNA damage, lipid peroxidation and antioxidants levels in cultured human lymphocytes. *Toxicology* 209: 225-235.
- Prasanna PG and Uma Devi P (1993). Modification of WR-2721 radiation protection from gastrointestinal injury and death in mice by 2-mercaptopropionylglycine. *Radiat. Res.* 133: 111-115.

- Prem Kumar I, Samanta N and Goel HC (2002). Modulation of chromatin organization by RH-3, a preparation of *Hippophae rhamnoides*, a possible role in radioprotection. Mol. Cell. Biochem. 238(1-2): 1-9.
- Purohit A and Ram H (2012). Hypolipidemic and antiatherosclerotic effects of *Prosopis cineraria* bark extract in experimentally induced hyperlipidemic rabbits. Asian J. Pharm. Clin. Res. 5(3): 106-109.
- Purohit RK, Tak S, Chakrawarti A and Bhartiya KM (2009). Protective role of *Aloe vera* against radiation and cadmium induced histopathological changes in the liver of Swiss albino mice. Pharmacologyonline 2: 595-604.
- Purohit SC, Bisby RH and Cundall RB (1980). Structural modification of human erythrocyte membranes following gamma-irradiation. Int. J. Radiat. Biol. 38: 147-158.
- Qian L, Shen J, Chuai Y and Cai J (2013).** Hydrogen as a new class of radioprotective agent. Int. J. Biol. Sci. 9: 887-894.
- Quastler H (1956). The nature of intestinal radiation death. Radiat. Res. 4: 303-320.
- Rabbani ZN, Anscher MS, Folz RJ, Archer E, Huang H, Chen L, Golson ML, Samulski TS, Dewhirst MW and Vujaskovic Z (2005).** Overexpression of extracellular superoxide dismutase reduces acute radiation induced lung toxicity. BMC Cancer 5(1): 59.
- Rades D, Fehlauer F, Bajrović A, Mahlmann B, Richter E and Alberti W (2004). Serious adverse effects of amifostine during radiotherapy in head and neck cancer patients. Radiother. Oncol. 70: 261-264.
- Raleigh JA (1987). Radiation Peroxidation in Model Membranes. In: "Prostaglandin and lipid metabolism in radiation Injury". [Walden Jr TC and Hughes HN (eds.)] 3-27, Plenum Press, New York.
- Ramachandran L and Nair CKK (2012). Radioprotection by tempol: studies on tissue antioxidant levels, hematopoietic and gastrointestinal systems, in mice whole body exposed to sub-lethal doses of gamma radiation. Iran. J. Radiat. Res. 10(1): 1-10.

- Ramnath N, Lo Russo, Simon M and Martino S (1997). Phase II evaluation of cisplatin and WR-2721 for refractory metastatic breast cancer. Am. J. Clin. Oncol. 20(4): 368-372.
- Ran Y, Wang R, Gao Q, Jia Q, Hasan M, Awan MUF, Tang B, Zhou R, Dong Y, Wang X, Li Q, Ma H, Deng Y and Qing H (2014). Dragon's blood and its extracts attenuate radiation-induced oxidative stress in mice. J. Radiat. Res. 55(4): 699-706.
- Rao AV, Devi PU and Kamath R (2001). *In vivo* radioprotective effect of *Moringa oleifera* leaves. Ind. J. Exp. Biol. 39(9): 858-863.
- Rao BN, Rao BSS, Aithal BK and Kumar MRS (2009). Radiomodifying and anticlastogenic effect of Zingerone on Swiss albino mice exposed to whole body gamma radiation. Mutat. Res. 677: 33-41.
- Rashed RR, El-Ghazaly MA and Kenawy SA (2014). Protective effect of garlic oil alone or combined with low-dose gamma irradiation on paracetamol-induced hepatotoxicity in rats. European J. Bio. Med. Sci. Res. 2(3): 1-27.
- Rastogi RP and Mehrotra BN (1995). Compendium of Indian medicinal plants: a CDRI Series, Lucknow, Vol. IV, 597, Publication and Information Directorate, New Delhi.
- Re R, Pellegrini N, Proteggente A, Pannala A, Yang M and Rice- Evans C (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. Free Rad. Bio. Med. 26: 1231-1237.
- Real A, Guenechea G, Bueren JA and Maganto G (1992). Radioprotection mediated by the hemopoietic stimulation conferred by AM5: a protein-associated polysaccharide. Int. J. Radiat. Biol. 62: 65-72.
- Rekha PS, Kuttan G and Kuttan R (2000). Effect of herbal preparation, *Brahma rasayana*, in amelioration of radiation induced damage. Ind. J. Exp. Biol. 38: 999-1002.
- Rennenberg H (1982). Glutathione metabolism and possible biological roles in higher plants. Phytochemical 21: 2771-2781.

- Revez L, Modig H and Monstantinova MM (1972). Release of endogenous glutathione by exposure of cell cultures to Thiola (MPG). Proceedings of the Second International Symposium on Thiola, December 29-30, 12, Montego Bay, Jamaica.
- Riehl T, Cohen S, Tessner T, Scholemann S and Stenson WS (2000). Lipopolysaccharide is radioprotective in mouse intestine through a prostaglandin mediated mechanism. *Gastroenterology* 118: 1106-1116.
- Robertson S, Narayanan N and Kapoor BR (2011). Antitumour activity of *Prosopis cineraria* (L.) Druce against Ehrlich ascites carcinoma-induced mice. *Nat. Pro. Res.* 25(8): 857-862.
- Robertson S, Narayanan N, Deattu N and Nargis NRR (2010). Comparative anatomical features of *Prosopis cineraria* (L.) Druce and *Prosopis juliflora* (Sw.) DC (Mimosaceae). *Int. J. Green Pharm.* 4: 275-280.
- Romero-Weaver AL, Ni J, Lin L and Kennedy AR (2014). Orally administered fructose increases the numbers of peripheral lymphocytes reduced by exposure of mice to gamma or SPE-like proton radiation. *Life Sci. Space Res.* 2: 80–85.
- Ross GM (1999). Induction of cell death by radiotherapy. *Endocr. Relat. Cancer* 6: 41-44.
- Roudkenar MH, Li L, Baba T, Kuwahara Y, Nakagawa H, Wang L, Kasaoka S, Ohkubo Y, Ono K and Fukumoto M (2008). Gene expression profiles in mouse liver cells after exposure to different types of radiation. *J. Radiat. Res.* 49: 29-40.
- Rubin P and Casarett GW (1968). In: “Clinical Radiation Biology” haematopoietic tissues and blood. WB Saunders Company Philadelphia, pp.778.
- Ryan JL (2012). Ionizing radiation: the good, the bad and the ugly. *Invest. Dermatol.* 132: 985–993.
- Saharan BR, Saini MR and Uma Devi P (1981). MPG protection against radiation sickness and weight loss and its correlation with mortality of mice after whole body gamma irradiation. *Strahlentherapie* 157(2): 138-140.

- Saini DK and Saini MR (2011). Evaluavation of radioprotective efficacy and possible mechanism of action of *Aloe* gel. Environ. Toxicol. Pharmacol. 31: 427-435.
- Saini M, Bala M, Farooqi H, Abdin MZ and Prasad J (2014). Renoprotective activity of *Hippophae* leaf extract in total body ^{60}Co -gamma-irradiated mice: an oxidative and histopathology study. Int. J. Pharm. Pharmaceut. Sci. 6(3): 161-166.
- Saini MR (1985). Liv.52 protection against radiation-induced lesions in mammalian liver. Radiobiol. Radiother. 26: 379-384.
- Saini MR, Uma Devi P and Yadav SS (1978). Radiation protection of bone marrow lymphocytes by 2-mercaptopropionyl-glycine (MPG). Experientia 34: 1627-1628.
- Sakaibara T, Miyamoto S, Aizawa K, Nagoya T and Toshioka T (1965). Protective effect of cysteine administration on the lowering of resistance to bacterial infection induced by X-irradiation. Hoshasen Igaku Seibutsugaku. 2: 23.
- Samarth RM (2001). Modulation of radiation induced alterations in Swiss albino mice by plant extract. A Ph.D. Thesis, University of Rajasthan, Jaipur, India.
- Samarth RM (2007). Protection against radiation induced hematopoietic damage in bone marrow of Swiss albino mice by *Mentha piperita* (Linn). J. Radiat. Res. 48: 523-528.
- Samarth RM and Kumar A (2003). Radioprotection of Swiss albino mice by plant extract *Mentha piperita* (Linn.). J. Rad. Res. 44: 101-109.
- Samarth RM and Samarth M (2009). Protection against radiation-induced testicular damage in Swiss albino mice by *Mentha piperita* (Linn.). Basic Clin. Pharmacol. Toxicol. 104: 329-334.
- Samarth RM, Goyal PK and Kumar A (2001). Radioprotective effects of *Mentha piperita*. J. Med. Aromat. Plant Sci. 22: 91-97.
- Samarth RM, Panwar M, Kumar M and Kumar A (2005). Radiomodulatory influence of *Mentha piperita* (Linn.) leaf extract on hepatic antioxidant status and lipid peroxidation in Swiss albino mice. Proc. Seventh Int. Symp., 344, Society for Radiological Protection, Cardiff, UK.

- Samarth RM, Panwar M, Kumar M and Kumar A (2006). Radioprotective influence of *Mentha piperita* (Linn.) against gamma irradiation in mice: antioxidant and radical scavenging activity. Int. J. Radiat. Biol. 82(5): 331-337.
- Samoylenko V, Ashfaq MK, Jacob MR, Tekwani BL, Khan SI, Manly SP, Joshi VC, Walker LA and Muhammad I (2009). Indolizidine, antiinfective and antiparasitic compounds from *Prosopis glandulosa* var. *glandulosa*. J. Nat. Prod. 72: 92-108.
- Sandeep D and Nair CKK (2011). Radioprotection by α -asarone: prevention of genotoxicity and hematopoietic injury in mammalian organism. Mutat. Res. 722(1): 62-68.
- Sandeep D and Nair CKK (2012). Protection from lethal and sub-lethal whole body exposures of mice to radiation by *Acorus calamus L.* Studies on tissue antioxidant status and cellular DNA damage. Exp. Toxicol. Pathol. 64(1-2): 57-64.
- Sanzari JK, Wan SX, Diffenderfer ES, Cengel KA and Kennedy AR (2014). Relative biological effectiveness of simulated solar particle event proton radiation to induce acute hematological change in the porcine model. J. Radiat. Res. 55: 228–244.
- Satyamitra M, Devi PU, Murase H and Kagiya VT (2001). *In vivo* radioprotection by alpha-TMG, preliminary studies. Mutat. Res. 479 (1-2): 53-61.
- Saunders EL, Michael JM, Donald RE and Michael LF (1991). Depletion of glutathione after γ -irradiation modifies survival. Radiat. Res. 125(3): 267-276.
- Savoure N, Maudet M, Nicol M, Pelissier M, Albrecht R, Briand G and Combre A (1996). Modulation of ultraviolet light induced oxidative stress in mice skin related dietary vitamin A and selenium intake. Int. J. Vitam. Nutr. Res. 66(4): 306-315.
- Scanff P, Souidi M, Grison S, Griffiths NM and Gaurmelou P (2004). Alteration of the enterohepatic recirculation of the bile acids in rats after exposure to ionizing radiation. Can. J. Physiol. Pharmacol. 82(2): 114-124.

- Seddek M, Abou Gabal H, Salama S and El-Kashef H (2000). Effect of deltamethrin and γ -radiation on immune-hematological elements of pregnant rats. *J. Egypt. Ger. Soc. Zool.* 31: 171-182.
- Selding M (1904). Über die wirkung der roentgen-und radiumstrahlen auf innere organe und den gesamtorganismus der tiere. *Fortschr. Rontgenstr.* 7: 322-338.
- Shadad AK, Sullivan FJ and Martin DJ (2013). Gastrointestinal radiation injury: symptoms, risk factors and mechanisms. *World J. Gastroenterol.* 19: 185-198.
- Sharaf HA, Morsy FA, Shaffie NM and El-Shennawy ATM (2012). Histological and histochemical study on the protective effect of curcumin on ultraviolet irradiation induced testicular damage in albino rats. *J. Cytol. Histol.* 3: 159 Doi: 10.4172/2157-7099.1000159.
- Sharma D and Singla YP (2013). Analysis of gallic acid and 4-hydroxy benzoic acid in *Prosopsis cineraria* leaf extract using high performance liquid chromatography. *J. Scientif. Innvo. Res.* 2(4): 790-794.
- Sharma J and Sharma R (2010). Radioprotection by acetone fraction of *Centella asiatica* on peripheral blood of mice. *Pharmacologyonline* 1: 1004-1015.
- Sharma KV and Sisodia R (2009). Evaluation of the free radical scavenging activity and radioprotective efficacy of *Grewia asiatica* fruit. *J. Radiol. Prot.* 29: 429-443.
- Sharma KV and Sisodia R (2010). Hepatoprotective efficacy of *Grewia asiatica* fruit against oxidative stress in Swiss albino mice. *Iran. J. Radiat. Res.* 8(2): 75-85.
- Sharma M and Kumar M (2007). Radioprotection of Swiss albino mice by *Myristica fragrans* houtt. *J. Radiat. Res.* 48:135-141.
- Sharma N, Garg V and Paul A (2010). Antihyperglycemic, antihyperlipidemic, antioxidative potential of *Prosopsis cineraria* leaf. *Ind. J. Clin. Bio. Chem.* 25: 193-200.

- Sharma P and Goyal PK (2013). Preclusion of radiation-mediated hematological and biochemical variations by root extract of *Tinospora cordifolia* (an Indian medicinal plant). Nuc. Technol. Radiat. Protect. 28(4): 389-397.
- Sharma R and Sharma J (2005). Modification of gamma ray induced changes in the mouse hepatocytes by *Centella asiatica* extract: *In vivo* studies. Phytother. Res. 19: 605.
- Sharma R, Jodhwat N, Purohit S and Kaur S (2012). Antibacterial activity and phytochemical screening of dried pods of *Prosopis cineraria*. Int. J. Pharm. Sci. Rev. Res. 14: 15-17.
- Shimoji K, Masuda S, Shen B, Furugori M and Kinae N (1996). Radioprotective effects of antioxidative plant flavonoids in mice. Mutat. Res. 350(1) 153–161.
- Sies H (1999). Glutathione and its role in cellular functions. Free Rad. Biol. Med. 27(9-10): 916-921.
- Singh S, Naresh V and Sharma SK (2013b). Isolation of novel phytoconstituents from the bark of wonder tree: *Prosopis Cineraria* (L.) Druce. Sch. Acad. J. Pharm. 2(3): 195-198.
- Singh VK, Beattie LA and Seed TM (2013a). Vitamin E: tocopherols and tocotrienols as potential radiation countermeasures. J. Radiat. Res. 54: 973-988.
- Singh VK, Grace MB, Parekh VI, Whitnall MH and Landauer MR (2009). Effects of genistein administration on cytokine induction in whole-body gamma irradiated mice. Int. Immunopharmacol. 9: 1401-1410.
- Sinha M, Das DK, Bhattacharjee S, Majumdar S and Dey S (2011). Leaf extract of *Moringa oleifera* prevents ionizing radiation-induced oxidative stress in mice. J. Med. Food 14: 1167-1172.
- Sinha M, Das DK, Datta S, Ghosh S and Dey S (2012). Amelioration of ionizing radiation induced lipid peroxidation in mouse liver by *Moringa oleifera* Lam. leaf extract. Ind. J. Exp. Biol. 50(3): 209-215.
- Sinha S (1990). Chemoradioprotection of haematopoietic tissue by combined use of radioprotectors and radiosensitizers. A Ph.D. Thesis, University of Rajasthan, Jaipur, India.

- Sisodia R, Singh S, Sharma KV and Ahaskar M (2008). Post treatment effect of *Grewia asiatica* against radiation-induced biochemical alterations in Swiss albino mice. *J. Environ. Pathol. Oncol.* 27: 113-121.
- Sisto M, Lisi S, Amore MD, De Lucro R, Carati D, Castellana D, Pesa VL, Zuccarello V and LoFrumento DD (2012). Saponins from *Tribulus terrestris* L. protect human keratinocytes from UVB-induced damage. *J. Photochem. Photobiol. B.* 117: 193-201.
- Smith DE, Patt HM, Tyree EB and Straube RL (1950). Quantitative aspects of the protective action of cysteine against X-irradiation. *Proc. Soc. Exp. Biol. Med.* 73(1): 18-21.
- Song JY, Han SK and Bac KG (2003). Radioprotective effects of ginsan, an immunomodulator. *Radiat. Res.* 159(6): 768-774.
- Soni AK (2007). Radioprotective effects of *Brassica campestris* against radiation induced haematological changes in Swiss albino mice. A Ph.D thesis submitted to the University of Rajasthan, Jaipur, India.
- Soni AK, Samarth RM, Kumar M, Shukla S, Meena PD, Kumar M and Kumar A (2006). Modulation of radiation induced alterations in Swiss albino mice by *Brassica campestris* (*var sarason*). *Pharmacologyonline* 2: 190-199.
- Soule BP, Hyodo F, Matsumoto KI, Simone NL, Cook JA, Krishna, MC and Mitchell JB (2007). The chemistry and biology of nitroxide compounds. *Free Rad. Biol. Med.* 42(11): 1632-1650.
- Soyal D, Jindal A, Singh I and Goyal PK (2007a). Modulation of radiation-induced biochemical alterations in mice by rosemary (*Rosemarinus officinalis*) extract. *Phytomedicine* 14: 701-705.
- Soyal D, Jindal A, Singh I and Goyal PK (2007b). Protective capacity of Rosemary extract against radiation induced hepatic injury in mice. *Iran. J. Radiat. Res.* 4(4): 161-168.
- Srinivasan V, Doctrow S, Singh VK and Whitnall MH (2008). Evaluation of EUK-189, a synthetic superoxide dismutase/catalase mimetic as a radiation countermeasure. *Immunopharmacol. Immunotoxicol.* 30: 271-290.

- Srivastava M, Choudhary D, Sharma A and Kale RK (1998). Effect of 45 MeV Li⁷ and 68 MeV O¹⁶, charged particles on microsomal membrane fluidity. *Curr. Sci.* 74(1): 58-61.
- Stone D, Lin PS and Kwock L (1978). Radiosensitization of human erythrocytes by diethyldithio-carbamate. *Int. J. Radiat. Biol.* 32: 393-396.
- Stone HB, Coleman CN, Anscher MS and McBride WH (2003). Effects of radiation on normal tissue: consequences and mechanisms. *Lancet Oncol.* 4: 529–536.
- Stone HB, Moulder JE, Coleman CN, Ang KK, Anscher MS, Barcellos-Hoff MH, Dynan WS, Fike JR, Grdina DJ, Greenberger JS, Hauer-Jensen M, Hill RP, Kolesnick RN, Macvittie TJ, Marks C, McBride WH, Metting N, Pellmar T, Purucker M, Robbins ME, Schiestl RH, Seed TM, Tomaszewski JE, Travis EL, Wallner PE, Wolpert M and Zaharevitz D (2004). Models for evaluating agents intended for the prophylaxis, mitigation and treatment of radiation injuries. *Radiat. Res.* 162(6): 711-728.
- Sugahara T, Tanaka Y, Nagata H, Tanaka T and Kano E (1970). Radiation protection by 2-MPG. Proceeding International symposium on Thiol, Osaka, Japan, 267-272.
- Sumner JB and Dounce AL (1937). Crystalline catalase. *Science* 85: 366-367.
- Sun J, Chen Y, Li M and Ge Z (1998). Role of antioxidant enzymes on ionizing radiation resistance. *Free Rad. Biol. Med.* 24: 586-593.
- Tanaka Y (1972). Studies on chemical radiation protection of 2-mercaptopropionylglycine (MPG) in radiation therapy. Proc. of second International Symp. on Thiola, 23, Santen Pharmaceutical Co. Ltd. Osaka, Japan.
- Tapia A, Feresin GE, Bustos D, Astuillo L, Theoduloz C and Hirschmann GS (2000). Biologically active alkaloids and a free radical scavenger from *Prosopis* species. *J. Ethnopharm.* 71: 241-246.
- Theis AE (1905). Wirkung der radiumstrahlen auf verschiedene Gewehe und organe. *Mitt. a.d. Grenzele. D. Med.U. Chir.* 14: 694.

- Theriot CA, Casey RC, Moore VC, Mitchell L, Reynolds JO, Burgoyne M, Partha R, Hu JL, Conyers JL, Jeevarajan A and Wu H (2010). Dendro [C60] fullerene DF-1 provides radioprotection to radiosensitive mammalian cells. *Radiat. Environ. Biophys.* 49(3): 437-445.
- Tiku AB, Abraham SK and Kale RK (2004). Eugenol as an *in vivo* radioprotective agent. *J. Radiat. Res.* 45: 435-440.
- Todo T, Yonei S and Kato M (1982). Radiation-induced structural changes in human erythrocyte membrane proteins revealed by sodium dodecyl sulphate/polyacrylamide gel electrophoresis. *Radiat. Res.* 89(2): 408-419.
- Tribble DL, Aw TY and Jones DP (1987). The pathophysiological significance of lipid peroxidation in oxidative cell injury. *Hepatology* 7(2): 377-386.
- Tsuchihashi S, Enomoto Y, Yamada T, Nakamura W and Eto H (1969). The mortality and body weight response of male Wistar rats in the lethal X-ray dose range. *Radiat. Res.* 10(3): 133-138.
- U**ma Devi P (2001). Radioprotective anticarcinogenic and antioxidant properties of the Indian holy basil *Ocimum Sanctum* (tulsi). *Ind. J. Exp. Biol.* 39: 185-190.
- Uma Devi P and Ganasoundari A (1995). Radioprotective effect of leaf extract of Indian medicinal plant *Ocimum sanctum*. *Ind. J. Exp. Biol.* 33(3): 205-208.
- Uma Devi P and Prasanna PG (1990). Radioprotective effect of combinations of WR-2721 and mercaptopropionylglycine on mouse bone marrow chromosomes. *Radiat. Res.* 124: 165-170.
- Uma Devi P and Saharan BR (1978). Chemical protection of mouse spermatocytes against gamma rays with 2-mercaptopropionyl-glycine. *Experientia* 34(1): 91-92.
- Uma Devi P, Ganasoundari A, Rao BSS and Srinivasan KK (1999). *In vivo* radioprotection by *Ocimum flavonoids*: survival of mice. *Radiat. Res.* 151(1): 74-78.

- Uma Devi P, Ganasoundari A, Vrinda B, Srinivasan KK and Unnikrishnan MK (2000). Radiation protection by the *ocimum* flavonoids orientin and vicenin: mechanism of action. *Radiat. Res.* 154: 455-460.
- Umegaku K, Aoki S and Esashi T (1995). Whole body irradiation to mice decrease ascorbic acid concentrations in bone marrow: comparison with vitamin E. *Free Rad. Biol. Med.* 19: 493-497.
- Upadhyay SN, Dwarakanath BS, Ravindranath T and Mathew TL (2005). Chemical radioprotectors. *Defence Sci. J.* 55(4): 403-425.
- Upton AC (1986). Historical perspectives on radiation carcinogenesis. In: "Radiation carcinogenesis." [Upton AC, Albert RE, Burns FJ and Shore RE (eds.)], 1-10, Elsevier, New York.
- Vacek A, Rotkovska D, Bartonickova A and Kautska J (1992). Amelioration of radiation damage to haemopoiesis by Ivastimul, given after irradiation to mice protected by preoral cystamine. *Folia. Biol. Praha.* 38(6): 323-331.
- Valko M, Leibfritz D, Moncol J, Cronin MT, Mazur M and Telser J (2007). Free radicals and antioxidants in normal physiological functions and human disease. *Int. J. Biochem. Cell Biol.* 39: 44-84.
- Varanda EA and Tavares DC (1998). Radioprotection: mechanisms and radioprotective agents including honeybee venom. *J. Venom. Anim. Toxins.* 4(1): 5-21.
- Varshney R and Kale RK (1996). Physio-chemical pathways in radioprotective action of calmodulin antagonists. *Radiat. Phys. Chem.* 47: 595-599.
- Vasin MV (2014). Bioflavonoids as important component of biological protection from ionizing radiation. *Food Nutr. Sci.* 5: 472-479.
- Veeraraghavan J, Aravindan S, Natarajan M, Awasthi V, Herman TS and Aravindan N (2011). Neem leaf extract induces radiosensitization in human neuroblastoma xenografts through modulation of apoptotic pathway. *Anticancer Res.* 31: 161-170.

- Velmurugan V, Arunachalam G and Ravichandran V (2010). Antibacterial activity of stem bark of *Prosopis cineraria* (Linn.) Druce. Sch. Res. Lib. Arch. Appl. Sci. Res. 2: 147-150.
- Velpula N, Ugrappa S and Kodangal S (2013). A role of radioprotective agents in cancer therapeutics: a review. Int. J. Basic Clin. Pharmacol. 2: 677-682.
- Verma S, Kalita B, Saini R and Gupta ML (2014). The protective effect of *Podophyllum hexandrum* on hepato-pulmonary toxicity in irradiated mice. Oxid. Antioxid. Med. Sci. 3(1): 51-64.
- Verma S, Samarth R and Panwar M (2006). Evaluation of radioprotective effects of Spirulina in Swiss albino mice. Asian J. Expt. Sci. 20(1): 121-126.
- Vimal OP and Tyagi PD (1986). *Prosopis juliflora*: chemistry and utilization. The role of *Prosopis* in Will beteland development. [Patel VJ (ed.)], OVP1-OVP8, Javrajbhai Patel Agroforestry Center, Surendrabag, Gujarat, India.
- Vittorio PV, Dziubalo-Blehm S and Amey EA (1969). The effect of radioprotective agents on stem cell recovery after irradiation. J. Radiat. Res. 37(3): 653-664.
- Vorotnikova E, Rosenthal RA, Tries M, Doctrow SR and Brauhut SJ (2010). Novel synthetic SOD/Catalase mimetics can mitigate capillary endothelial cell apoptosis caused by ionizing radiation. Radiat. Res. 173(6): 748-759.
- Vrinda B and Uma Devi P (2001). Radioprotection of human lymphocyte chromosomes in vitro by orientin and vicenin. Mutat. Res. 498(1-2): 39-46.
- W**aghmare G, Chavan R and Mane D (2011b). Lymphocyte variation in peripheral blood of mice with low level gamma irradiation. Int. J. Pharm. Biol. Arch. 2(5): 1415-1418.
- Waghmare G, Waghmare S, Chavan R and Mane D (2011a). Leucocytes response in mice to low level gammairradiation and their protection by Liv.52. Biosci. Tech. 2(6): 405-409.

- Wang B, Tanaka K, Morita A, Ninomiya Y, Maruyama K, Fujita K, Hosoi Y and Nenoi M (2013). Sodium orthovanadate (vanadate), a potent mitigator of radiation-induced damage to the hematopoietic system in mice. *J. Radiat. Res.* 54: 620-629.
- Wang J, Xu HW, Li BS, Zhang J and Cheng J (2012). Preliminary study of protective effects of flavonoids against radiation-induced lung injury in mice. *Asian Pacific J. Cancer Prevent.* 13: 6441-6446.
- Wang K, Liu C, Di CJ, Ma C, Han CG, Yuan MR, Li PF, Li L and Liu YX (2014). Kojic acid protects c57bl/6 mice from gamma-irradiation induced damage. *Asian Pac. J. Canc. Prevent.* 15: 291-297.
- Warren S (1980). Effects of radiation on normal tissues. *CA Canc. J. Clin.* 30(6): 350-355.
- Waselenko JK, MacVittie TJ, Blakely WF, Pesik N, Wiley AL, Dickerson WE, Tsu H, Confer DL, Coleman CN, Seed T, Lowry P, Armitage JO and Dainiak N (2004). Medical management of the acute radiation syndrome: recommendations of the strategic national stockpile radiation working group. *Ann. Intern. Med.* 140: 1037-1051.
- Watanabe M, Akiyama N, Sekine H, Mori M and Manome Y (2006). Inhibition of poly (ADP-ribose) polymerase as a protective effect of nicaravene in ionizing radiation- and ara-C-induced cell death. *Anticancer Res.* 26: 3421-3427.
- Weiss JF (1997). Pharmacologic approaches to protection against radiation-induced lethality and other damage. *Environ. Health Perspect.* 105(6): 1473-1478.
- Weiss JF and Landauer MR (2000). Radioprotection by anti-oxidants. *Ann. N. Y. Acad. Sci.* 899: 44-60.
- Weiss JF and Landauer MR (2003). Protection against ionization radiation by antioxidants and phytochemicals. *Toxicology* 189: 1-20.
- Weiss JF and Landauer MR (2009). History and development of radiation-protective agents. *Int. J. Radiat. Biol.* 85(7): 539-573.
- Weydert CJ, Waugh TA, Ritchie JM, Iyer KS, Smith JL, Li L, Spitz DR and Oberley LW (2006). Overexpression of manganese or copper-zinc superoxide dismutase inhibits breast cancer growth. *Free Rad. Biol. Med.* 41(2): 226-237.

- Whitnall MH, Elliott TB, Harding RA, Inal CE, Landauer MR, Wilhelmsen CL, McKinney L, Miner VL, Jackson III WE, Loria RM, Ledney GD and Seed TM (2000). Androstenediol stimulates myelopoiesis and enhances resistance to infection in gamma-irradiated mice. *Int. J. Immunopharmacol.* 22: 1-14.
- Widel M, Jedrus S, Lukaszczuk B, Raczek-Zwierzycka K and Swierniak A (2003). Radiation-induced micronucleus frequency in peripheral blood lymphocytes is correlated with normal tissue damage in patients with cervical carcinoma undergoing radiotherapy. *Radiat. Res.* 159: 713-721.
- Witztum J (2002). Splenic immunity and atherosclerosis: a glimpse into a novel paradigm? *J. Clin. Invest.* 109: 721-724.
- Xu W, Yang F, Shen X, Fan S, Liu Q and Wang D (2014).** Polysaccharide isolated from *Parmelia tinctorum* ameliorates ionizing irradiation-induced damage in mice. *J. Radiat. Res.* 1-7, Doi: 10.1093/jrr/rrt224.
- Yadav A (2005).** Amelioration of radiation damage to hematopoiesis in Swiss albino mice. A Ph.D. Thesis, University of Rajasthan, Jaipur, India.
- Yalinkilic O and Enginar H (2008). Effect of X-radiation on lipid peroxidation and antioxidant systems in rats treated with saponin-containing compounds. *Photochem. Photobiol.* 84(1): 236-242.
- Yamaguchi M, Hirouchi T, Nakano M, Monzen S, Yoshino S, Chiba M, Ishikawa J, Nishiyama A, Murakami S, Ito K and Kashiwakura I (2014). Long-lasting radioprotective effects of a combination of pharmaceutical drugs on the survival of mice exposed to lethal ionizing radiation. *Radiat. Emerg. Med.* 3(1): 50-55.
- Yamini K and Gopal V (2010). Natural radioprotective agents against ionizing radiation – an overview. *Int. J. PharmTech. Res.* 2(2): 1421-1426.
- Yang R, Wang J, Liu Z, Pei X, Han X and Li Y (2011). Antioxidant effect of a marine oligopeptide preparation from chum salmon (*Oncorhynchus keta*) by enzymatic hydrolysis in radiation injured mice. *Mar. Drugs* 9(11): 2304-2315.

- Yannarelli A and Award AB (1982). The effects of alteration of nuclear lipids on messenger RNA transport from isolated nuclei. *Biochem. Biophys. Res. Commun.* 108(3): 1056-1060.
- Yin H, Xu YL and Porter NA (2011). Free radical lipid peroxidation: mechanisms and analysis. *Chem. Rev.* 111: 5944-5972.
- You WC, Lin WC, Huang JT and Hsieh CC (2009). Indigowood root extract protects hematopoietic cells, reduces tissue damage and modulates inflammatory cytokines after total-body irradiation: does Indirubin play a role in radioprotection? *Phytomedicine* 16: 1105-1111.
- Yuhas JM (1972). Improvement of lung tumor radiotherapy through differential chemoprotection of normal and malignant tissues. *J. Natl. Cancer Inst.* 48: 1255-1257.
- Yuhas JM and Strorer JB (1969). Differential chemoprotection of normal and malignant tissues. *J. Natl. Cancer Inst.* 42(2): 331-335.
- Yuhas JM, Spellman JM and Culo F (1980). The role of WR-2721 in radiotherapy and/or chemotherapy. *Cancer Clin. Trials.* 3(3): 211-216.
- Yukawa O and Nakazawa T (1980). Radiation-induced lipid peroxidation and membrane-bound enzymes in liver microsomes. *Int. J. Radiat. Biol.* 37(6): 621-631. Jones DP, Thor H, Smith MT, Jewell SA and Orrenius S (1983). Inhibition of ATP-dependent microsomal Ca^{2+} sequestration during oxidative stress and its prevention by glutathione. *J. Biol. Chem.* 258: 6390-6393.
- Zahran A, Azab KH and Abbady M (2006). Modulatory role of allopiprinol on xanthine oxidoreductase system. *Egypt. J. Rad. Sci. Appl.* 19(2): 373-388.
- Zaider M, Bardash M and Fung A (1994). Molecular damage induced directly and indirectly by ionizing radiation in DNA. *Int. J. Rad. Biol.* 66: 459-465.
- Zakaria KM and IBrahim MS (2014). Role of some natural plant to enhance the immune system against exposure of ionizing radiation in experimental animals. *Arab. J. Nuc. Sci. Appl.* 47(2): 217-225.

- Zelko IN, Mariani TJ and Folz RJ (2002). Superoxide dismutase multigene family: a comparison of the CuZn-SOD (SOD1), Mn-SOD (SOD2), and ec-SOD (SOD3) gene structures, evolution, and expression. *Free Radic. Biol. Med.* 33(3): 337-349.
- Zhang ZL, Ding XF, Tong J and Li BY (2011). Enhanced radiosensitivity in 1, 25-dihydroxyvitamin D₃ deficient mice. *J. Radiat. Res.* 52: 215-219.
- Zhao BL, Li XJ, He RG, Ching SJ and Xin WJ (1989). Scavenging effect of extracts of green tea and natural antioxidants on active oxygen radicals. *Cell Biophys.* 14(2): 175-185.
- Zhao X, Yang H, Jiang G, Ni M, Deng Y and Cai J (2014). Simvastatin attenuates radiation-induced tissue damage in mice. *J. Radiat. Res.* 55: 257-264.
- Zhou Y and Mi MT (2005). Genistein stimulates hematopoiesis and increases survival in irradiated mice. *J. Radiat. Res.* 46: 425-433.