

## 7. Bibliography

- Abdel-Wahab, S.M., Rifaat, D.M., Ahmed, K.A. and Hamdi Y.A. (1976) Resistance to antibiotics in Rhizobium trifolii and its relation to nitrogen fixation. Abl. Bakt. Abt. II 131, 170-178.
- Ahmad, M.H., Eaglesham, A.R.J., and Hassouna, S. (1981) Examining serological diversity of Cowpea rhizobia by the ELISA technique. Arch. Microbiol. 130, 281-287.
- Allen, E.K., and Allen, O.N. 1950. Biochemical and symbiotic properties of the rhizobia. Bacteriol. Rev. 14, 273-330.
- Allen, E.K., and Allen, O.N. (1958) Biological aspects of symbiotic nitrogen fixation. Handb. Pflphysiol. 8, 48-118.
- Allen, O.N., and Allen, E.K. 1936.a. Root nodule bacteria of some tropical leguminous plants : I. Cross-inoculation studies with Vigna sinensis L. Soil. Sci. 42, 61-77.
- Allen, O.N. and Allen, E.K. 1936.b. Plants in the subfamily Caesalpinioideae observed to be lacking nodules. Soil. Sci. 42, 87-91.
- Allen, O.N. and Allen, E.K. 1939. Root nodule bacteria of some tropical leguminous plants:II. Cross-inoculation tests within the cowpea group. Soil. Sci. 47, 63-76.
- Allen, O.N. and Allen, E.K. 1947. A survey of nodulation among leguminous plants. Soil. Sci. Soc. Am. Proc. 12, 203-208.
- Allen, O.N. and Allen, E.K. 1981. The Leguminosae: A source book of characteristics, Uses and Nodulation. The University of Wisconsin press.
- Allen, O.N. and Baldwin, I.L. 1954, Rhizobia-legume relationships. Soil. Sci., 78, 415-427.

- Bal, A.K., Shantharam, S. and Wong, P.P. 1982. Nodulation of pole bean (Phaseolus vulgaris L) by Rhizobium species of two cross-inoculation groups. Appl. Environ. Microbiol. 44, 965-971.
- Balaji, S. and Rangarajan, M. 1985. Responses of certain tree legumes to rhizobial inoculation. Abstracts - XXVI Annual conference of the Association of Microbiologists India, Madras, p. 69.
- Basak, M.K., and Goyal, S.K. 1980. Studies on tree legumes, III. Characterization on the symbionts and direct and reciprocal cross inoculation studies with tree legumes and cultivated legumes. Plant Soil. 56, 39-52.
- Basnyat, S.R. 1979. Studies on the cowpea rhizobia with special reference to serological subgroups in the big cowpea cross inoculation group. Part I. Ph.D. Thesis, University of Poona, Pune.
- Barrios, S. and Gonzalez, V. 1971. Rhizobial symbiosis on Venezuelan Savannas. Plant Soil 34, 707-719.
- Beadle, N.C.W. 1964. Nitrogen economy in arid and semiarid plant communities. III. The symbiotic nitrogen fixing organisms. Proc. Linn. Soc. N.S.W. 89, 273-286.
- Bergersen, F.J. 1961. The growth of Rhizobium in synthetic media. Aust. J. Biol. Sci. 4, 349-360.
- Bernaerts, M.J. and De Lay, J. 1963. A biochemical test for crown gall bacteria. Nature 197 406-407.
- Bhardwaj, K.K.R. 1975. Survival and symbiotic characteristics of Rhizobium in saline-alkali soil. Plant Soil 43, 377-385.

- Bhatia, R., Varghese, A. and Agarwal, D.S. 1981. Evaluation of two methods for detection of the enzyme penicillinase. *Ind. J. Med. Res.* 73, 729-732.
- Bhelke, V. 1972. Some new records of nodulated wild leguminous plants. *Curr. Sci.* 41, 467.
- Bhide, V.P. 1956. Cross inoculation studies with some rhizobia of the cowpea group. *Ind. Phytopath.* 9, 198-201.
- Biordii, J.L. and Ertola, R.J. 1985. Rhizobium biomass production in batch and continuous culture with a malt-sprouts medium. *MIRCEN J. Appl. Microbiol. Biotechnol.* 1, 163-171.
- Bohlool, B.B., Kosslak and Woolfenden, R. 1984. The ecology of Rhizobium in the rhizosphere: survival, growth and competition. In "Advances in Nitrogen fixation research" (Ed C. Veeger and W.E. Newton.) Martinus Nijhoff/DR. Junk publishers. pp. 357.
- Brockwell, J. Asuo, S.K. and Rea, G.A. 1966. Acid production by rhizobia from the genera Trifolium and Lotus. *J. Austral. Inst. Agric. Sci.* 32, 295-297.
- Bromfield, E.S.P., and Kumar Rao J.V.D.K. 1983, Studies on fast and slow growing Rhizobium spp. nodulating Cajanus cajan and Cicer arietinum. *Ann. Appl. Biol.* 102, 485-494.
- Broughton, W.J., Samrey U., Pankhurst C.E., Schneider, G.M., and Vance C.P. 1984. Ecology and Microbiology of symbiotic diazotrophs. In 'Advances in Nitrogen fixation research' (Ed. C. Veeger and W.E. Newton). Martinus Nijhoff/DR. W.Junk Publishers. pp. 279-285.
- Bushnell, D.A. and Sarles, W.B. 1937, Studies on the root nodule bacteria of wild plants in Wisconsin. *Soil. Sci.* 44, 409-23.

- Bushnell, D.A. and Sarles, W.B. 1939. Investigation upon the antigenic relationship of the root nodule bacteria of the soybean, cowpea and lupine cross inoculation groups. *J. Bacteriol.* 38, 401-418.
- Carroll, W.R. 1934. A study of Rhizobium species in relation to nodule formation on the roots of Florida legumes. *I. Soil. Sci.* 37, 117-135.
- Chahal, V.P.S., Joshi, P.K., Chahal, D.S., and Rewari, R.B. 1978. Studies on serotyping and competitiveness of different isolates of Gram-Rhizobium. *Ind. J. Microbiol.* 18, 148-150.
- Chahal, V.P.S., and Sharma, P.K. 1982. The use of lentil (Lens esculantia) nodules as an antigen for strain identification of Rhizobium leguminosarum. *Mikrobiologiya*; 51, 135-137.
- Cloonan, M.J. 1963. Black nodules of Dolichos. *Aust. J. Sci.* 26, 121.
- Conklin, M.E. 1936. Studies of the root nodule organisms of certain wild legumes. *Soil Sci.* 41, 167-185.
- Corby, H.D.L. 1967. Progress with the legume bacteria in Rhodesia. *Proc. Congr. Grassl. Soc. S.Afr.* 2, 75-81.
- Corby, H.D.L. 1971. The shape of leguminous nodules and colour of leguminous roots. *Plant Soil*, Spl. Vol. 305-314.
- Corby, H.D.L. 1974. Systematic implications of nodulation among Rhodesian legumes, Kirkia. 9, 301-329.
- Crow, V.L., Jarvis B.D.W., and Greenwood, R.M. 1981. Deoxyribonucleic acid homologies among acid producing strains of Rhizobium. *Int. J. Syst. Bacteriol.* 31, 152-172.

- Dadarwal, K.R. and Sen, A.N. 1973. Serological studies with strains of Rhizobium isolated from some pulse crops of India. Ind. J. Microbiol. 13, 7-12.
- Dadarwal, K.R., Singh, C.S. and Subba Rao, N.S. 1974. Nodulation and serological studies of rhizobia from six species of Arachis. Plant Soil 40, 535-544.
- Dadarwal, K.R., Shashi Prabha, Tauro, P. and Subba Rao, N.S. 1977. Serology and host range infectivity of cowpea rhizobia. Ind. J. Exptl. Biol. 15, 462-465.
- Dadarwal, K.R., Shashi Prabha and Tauro P. 1979. Efficiency and antigenic characteristics of Green gram (Vigna radiata var aureus) rhizobia. Ind. J. Exptl. Biol. 17, 668-670.
- Dadarwal, K.R., Grover R. and Tauro, P. 1982. Uptake hydrogenase in Rhizobium and nodule leghemoglobin in cowpea miscellany hosts. Arch. Microbiol. 133, 303-306.
- Dart, P.J. and Day, J.M. 1971. Effects of incubation temperature and oxygen tension on nitrogenase activity of legume root nodules. Plant Soil. Spl. Vol. 167-184.
- Date, R.A. and Decker, A.M. 1965. Minimal antigenic constitution of 28 strains of R. japonicum. Canad. J. Microbiol. 11, 1-11.
- Date, R.A. and Halliday, J. 1979. Selecting Rhizobium for acid, infertile soils of the tropics. Nature, 277, 62-64.
- Davis, R.J. 1962. Resistance of rhizobia to antimicrobial agents. J. Bacteriol. 84, 187.
- Dazzo, F.B. and Hubbell, D.H. 1975. Antigenic differences between infective and non-infective strains of Rhizobium trifolii. Appl. Microbiol. 30, 171-177.

- deFaria, S.M. da Silva, G.G. Ribeiro Junior W.Q., and Franco, A.A. 1985. Identification of nodulated legume trees and response of inoculation of useful species. Abstracts - 10th North American Rhizobium Conference, Maui, Hawaii (U.S.A.), p. 58.
- De Souza, D.I.A. 1966. Nodulation of indigenous Trinidad legumes Trop. Agricult. 43, 265-267.
- Dommergues, Y.R., Diem, H.G., Gauthier, D.L., Dreyfus, B.L. and Cornet, F. 1984. Nitrogen fixing trees in the tropics. Potentials and limitations. In "Advances in Nitrogen fixation research (Ed. C. Veeger and W.E. Newton) martinus Nijhoff/DR. W. Junk Publishers. pp. 7-13.
- Dowdle, S. and Bohlool, B.B. 1985, The competitive advantage of indigenous fast growing soybean rhizobia Abstracts - 10th North American Rhizobium conference. Maui, Hawaii (U.S.A.) p. 34.
- Dreyfus, B.L. and Dommergues, Y.R. 1981. Nodulation of Acacia species by fast and slow growing tropical strains of Rhizobium. Appl. Environ. Microbiol. 41, 97-99.
- Dubey, H.D., Woodbury R. and Rodriguez, Rita L. 1972. New records of tropical legume nodulation. Bot. Gaz. 133, 35-38.
- Dudman, W.F. 1964. Immune diffusion analysis of the extra-cellular soluble antigens of two strains of Rhizobium meliloti. J. Bacteriol., 88, 782-794.
- Dudman, W.F. 1971, Antigenic analysis of Rhizobium japonicum by immunodiffusion. Appl. Microbiol. 21, 973-985.
- Dudman, W.F. and Brockwell, J. 1968. Ecological studies of root nodule bacteria introduced into field environments. I. A survey of field performance of clover inoculants by gel immunodiffusion serology. Aust. J. Agric. Res. 19, 739-747.

- Dye, M. 1979. Functions and maintenance of a Rhizobium collection. In "Recent advances in biological nitrogen fixation". (Ed N.S. Subba Rao) Oxford and IBM Publishing Co., New Delhi, Bombay, Calcutta, pp. 435-471.
- Eli, Sidney Lopes, 1977. Ecology of legume-Rhizobium symbiosis. In 'Limitations and potentials for biological nitrogen fixation in the tropics (Ed. Johanna Dobreiner, R.H. Burris and A. Hollaender) Plenum Press, NY and London, PP. 173-190.
- Elkan, G.H. 1971, Biochemical and genetical aspects of the taxonomy of Rhizobium japonicum. Plant Soil. Spl. Vol. 85-104.
- Elkan, G.H. 1981. The taxonomy of Rhizobiaceae In "International Reviews of Cytology." Supplement B, Biology of the Rhizobiaceae (Ed. K.L. Giles and A.G. Atherly) Academic Press, New York, pp. 1-12.
- Elkan, G.H. and Kwik, I.E.M. 1968. Nitrogen, energy and vitamin nutrition of Rhizobium japonicum. J. Appl. Bacteriol. 31, 399-404.
- \* Erdman, L.W., and Walker, R.H. 1927. Occurance of the various groups of legume bacteria in Iowa soils. Iowa Acad. Sci. Proc. 34, 53-57.
- Essawi, El, T.M. and Abdel Ghaffer, A.S. 1967. Cultural and symbiotic properties of rhizobia from Egyptian clover (Trifolium alexadrinum) J. Appl. Bacteriol. 30, 354-361.
- Fred, E.B., Baldwin, I.L. and McCoy F. 1932. Root nodule bacteria and leguminous plants. Madison, University of Wisconsin Studies No. 52. Science No. 5.
- Fuquay, J.I. Bottomley P.J. and Jenkins, M.B. 1984. Complementary methods for the differentiation of Rhizobium meliloti isolates. Appl. Environ. Microbiol. 47, 663-669.

- \* Gallardo, H.A.D.A. 1970. Nodulation in sub-tropical leguminosae of Argentina. Rev. Mus. Argent. Cienc. Natur. Bernardino Rivadavia Inst. Nac Invest Cienc Natur Cienc Bot. 3, 267-286.
- Gaur, Y.D., Sen A.N. and Subba Rao, N.S. 1974. Problem regarding Ground nut (Arachis hypogaea L.) inoculation in tropics with special reference to India. Proc. Ind. Nat. Sci. Acad. 40B; 562-570.
- Gaur, Y.D. and Sen, A.N. 1981. Cultural and biochemical characteristics of root nodule bacteria of chickpea (Cicer arietinum) Zbl. Bakt. II Abt. 136, 307-316.
- Gaur, Y.D. and Sen, A.N. 1984. Surface and internal cell antigens of Cicer rhizobia and their reisolates after plant passage. Ind. J. Expt. Biol. 22, 302-304.
- Gibson, A.H. 1965. Physical environment and symbiotic nitrogen fixation II.- Root temperature effects on the relative nitrogen assimilation rate. Aust. J. Biol. Sci. 18, 295-310.
- Gibson, A.H. 1980. Methods for legumes in glasshouses and controlled environment Cabinets. In 'Methods for evaluating Biological Nitrogen fixation' (Ed. F.J. Bergersen). John Wiley and Sons. Ltd. pp. 139-184.
- Glenn, A.R. and Dilworth, M.J. 1981. The uptake and hydrolysis of disaccharides by fast and slow growing species of Rhizobium. Arch. Microbiol. 129, 233-239.
- Gonzalez Cu, G. 1985. Infectivity of the Simbiose Rhizobium spp. with tropical forage legumes. Abstracts : 10th North American Rhizobium Conference Maui, Hawaii (U.S.A.) p. 60.



- Graham P.H. 1963.a. Antigenic affinities of root nodule bacteria. *Antonie van Leeuwenhoek.* 29, 281-291.
- Graham, P.H. 1963.b. Antibiotic sensitivities of the root nodule bacteria. *Aust J. Biol. Sci.* 16, 557-559.
- Graham, P.H. 1964. Studies on the utilization of carbohydrates and Kreb's cycle intermediates by rhizobia using agar plate method. *Antonie van Leeuwenhoek.* 30, 68-72.
- Graham, P.H. 1976. Identification and classification of root nodule bacteria. In 'Symbiotic nitrogen fixation in plants'. (Ed. P.S. Nutman) Cambridge University Press, Cambridge. pp. 99-112.
- Graham, P.H. and Parker, C.A. 1964. Diagnostic features in the characterization of root nodule bacteria of legumes. *Plant Soil.* 20, 383-396.
- Grant, P.M. and Purdom, M.R. 1977. A comparison of the effectiveness of various strains of rhizobia on soybean in the glass house and in a field trial. *Rhod. J. Agric. Res.* 15, 227-230.
- \* Grobbelaar, N., Beijma, M.C. Van and Todd, G.M. 1967. A qualitative study of the nodulating ability of legume species. List 1. Publications of the University of Pretoria, New series, No. 38.
- Grobbelaar, N., and Clarke, B. 1972. A qualitative study of the nodulating ability of legume species. List. 2. *J. Afr. Bot.* 38, 241-247.
- \* Grobbelaar, N. and Clarke, B. 1974. A qualitative study of the nodulating ability of legume species. List. 4, *Agroplantae* 6; 59-64.

- Gupta, R.P., Kaira, M.S., Bhandari, S.C., and Khurana, A.S. 1983. Intrinsic multiple antibiotic resistance markers for competitive and effectiveness studies with various strains of Mungbean rhizobia. *J. Bio Sci.* 5, 253-260.
- Habish H.A. and Khairi, S.M. 1968. Nodulation of legumes in the Sudan : Cross inoculation groups and the associated Rhizobium strains. *Exp. Agric.* 4, 227-234.
- Hansen, R. and Tanner, F.W. 1932. The nodule bacteria of the Leguminosae with special reference to the mechanism of inoculation. *Centl. Bakt.* 85, 130-152.
- Hardy, R.W.F., Holsten R.D., Jackson, E.K. and Burns, R.C. 1968. The acetylene ethylene assay for N<sub>2</sub> fixation : Laboratory and field evaluation. *Pl. Physiol.* 43, 1185-1207.
- Hardy, R.W.F., Burns, R.C. and Holsten, R.D. 1973. Application of acetylene ethylene assay for measurement of nitrogen fixation. *Soil Biol. Biochem.* 5, 47-81.
- Hariharan, K. and Rangrajan, M. 1985. Occurrence of identical rhizobial serogroups in different host plants of cowpea miscellany inoculation group. Abstracts : 10th North American Rhizobium Conference Maui, Hawaii (U.S.A.) p. 66.
- Herrea, M.A. and Olivares, J. 1984. Some aspects of Rhizobium woody legume - symbiosis. In 'Advances in Nitrogen Fixation Research' (Ed.C. Veeger and W.E. Newton.) Martinus Nijhoff/DR. W. Junk Publishers. pp. 342.
- Herridge, D.F. and Roughley, R.J. 1975. Variation in colony characteristics and symbiotic effectiveness of Rhizobium. *J. Appl. Bacteriol.* 38, 19-27.

- Hofer, A.W., 1935. Method for distinguishing between legume bacteria and their most common contaminants. J. Amer. Soc. Agron. 27, 228-230.
- Holding, A.J. and Lowe, J.F. 1971. Some effects of acidity and heavy metals on the Rhizobium - leguminous plant association. Plant Soil. Spl. Vol., 153-166.
- Holland, A.A. 1966. Serological characteristics of certain root nodule bacteria of legumes. Antonie van Leeuwenhoek. 32, 410-418.
- Humphrey, B.A. and Vincet, J.M. 1965. The effect of calcium nutrition on the production of diffusible antigens by Rhizobium trifolii. J. Gen. Microbiol. 41, 109-118.
- Humphrey, B.A. and Vincet, J.M. 1975. Specific and shared antigens in strains of Rhizobium meliloti. Microbios. 13, 71-76.
- Ikram, A. and Broughton, W.J. 1980. Rhizobia in tropical legumes VIII Serological characteristics of Psophocarpus tetragonolobus. (L.) DC. isolates. Soil Biol. Biochem. 12, 83-87.
- Jain, S.K. and Rewari, R.B. 1983. Differences in the biochemical and physiological properties of temperature tolerant and temperature sensitive strains of rhizobia. Ind. J. Microbiol. 23, 169-173.
- Jarvis, B.D.W., Pankhurst, E.E. and Patel, J.J. 1982. Rhizobium loti, a new species of legume root nodule bacteria. Int. J. Syst. Bacteriol. 32, 378-380.
- Jensen, H.L. 1942. Nitrogen fixation in leguminous plants. I. General characters of root nodule bacteria isolated from species of Medicago and Trifolium in Australia. Proc. Linn Soc. N.S.W. 66, 98-108.

- Johnson, H.W. and Means, U.M. 1963. Serological groups of R. japonicum recovered from nodules of soybeans. Agron.J. 55, 269-271.
- Johnson, M.D. and Allen, O.N. 1952. Nodulation studies with special reference to strains isolated from Sesbania spp. Antonie van Leeuwenhoek. 18, 12-22.
- Jones, G.D., and Burrows, A.C. 1969. Acid production and symbiotic effectiveness in Rhizobium trifolii. Soil. Biochem. 1, 57-61.
- Jordan, D.C. 1982. Transfer of Rhizobium japonicum Buchanan 1980 to Bradyrhizobium gen.nov, a new genus of slow growing root nodule bacteria from leguminous plants. Int. J. Syst. Bacteriol. 32, 136-139.
- Jordan, D.C. 1984. Fam. III Rhizobiaceae Conn. 1938. In N.R. Kreig and J.G. Hold (ed) Bergey's Manual of Systematic Bacteriology, 9th ed. Vol. I. The Williams and Wilkins Co. Baltimore pp 234-244.
- Jordan, D.C., and Allen, O.N. 1974. Family Rhizobiaceae. In Buchanan R.E., Gibbons N.E. (ed), Bergey's Manual of determinative bacteriology, 8th ed. The Williams and Wilkins. Co. Baltimore. pp. 261-267.
- \* Joshi N.V. 1920. Studies on the root nodule organism of the leguminous plants. India Dep. Agric. Mem. Bact. Ser. 1, 247-276.
- Keck'es, M. and Manniger, E. 1962. Effect of antibiotics on the growth of rhizobia. Can. J. Microbiol. 8, 157-159.
- Kleczkowska, J., Nutman, P.S. Skinner F.A. and Vincent, J.M. 1968. The identification and classification of Rhizobium. In 'Identification methods for Microbiologists. (Ed. B.M. Gibbs and D.A. Shapton), Academic press, New York and London. pp. 51-65.

- Konde, B.K. 1975. Tolerance of crystal violet and relative effectiveness of Rhizobium sp. (Cowpea group) and Rhizobium meliloti Dangard. Ind. J. Microbiol. 15, 46-48.
- Konde, B.K. and Moniz, L. 1967. Morphological and biochemical characters and nitrogen fixing ability of strains of nodule bacteria from wal (Dolichos lablab L) and methi (Trigonella foenumgraceum L). Ind. J. Microbiol 7, 111-118.
- Koontz, F.P., and Faber, J.E., 1961. Somatic antigens of Rhizobium japonicum. Soil Sci. 91, 288-292.
- Kovaks, N. 1956. Identification of Pseudomonas pyocyanea by the oxidase reaction. Nature (London). 178, 703.
- Kremer, R.J. and Peterson, H.L. 1982. Isolation, selection and evaluation of Rhizobium under controlled conditions. Commun. Soil. Sci. Plant Anal. 13, 749-774.
- Lange, R.T. 1959. Additions to the known nodulating species of Leguminosae. Antonie van Leeuwenhoek. 25, 272-276.
- Lange, R.T. 1961. Nodule bacteria associated with the indigenous Leguminosae of south Western Australia. J. Gen. Microbiol. 26, 351-359.
- \* Larsen, J.A. 1979. Univ. Ind. Res. Newslett. 13, 5-7.
- Lawrie, A.C. 1983. Relationship among rhizobia from native Australian legumes. Appl. Environ. Microbiol. 45, 1822-1828.
- Leonard, L.T. 1943. A simple assembly for use in testing cultures of rhizobia. J. Bacteriol. 45, 523-525.
- Lim, G. and Burton, J.C. 1982. Nodulation status of Leguminosae. In 'Nitrogen fixation Vol. 2. Rhizobium' (Ed W.J. Broughton), Clarendon Press, Oxford. pp. 1-34.

- Lim, G. and Ng, H.L. 1977. Root nodules of some tropical legumes in Singapore. *Plant Soil*. 46, 317-327.
- MacConnel, J.T. and Bond, G. 1957, Nitrogen fixation in wild legumes. *Ann. Bot.* 21, 185-192.
- Manhart, J.R. and Wong, P.P. 1979. Nitrate reductase activities of rhizobia and co-relation between nitrate reductase and nitrogen fixation. *Can. J. Microbiol.* 25, 1169-1174.
- Martinez-De-Drets, G. and Arias, A. 1972. Enzymatic basis for differentiation of Rhizobium into fast and slow growing groups. *J. Bacteriol.* 109, 467-470.
- Martinez-De-Drets, G., Arias, A. and de Cutinella, M.R. 1974. Fast and slow growing rhizobia: differences in sucrose utilization and invertase activity. *Can. J. Microbiol.* 20, 605-609.
- \* McKnight, T. 1949. Efficiency of isolates of Rhizobium in the cowpea group with proposed additions to this group. *Q.J.Sci.* 6, 61-76.
- Means, Ura M., Johnson., H.W., and Date, R.A. 1964. Quick serological method of classifying strains of Rhizobium japonicum in nodules. *J. Bacteriol* 87, 547-553.
- Munns, D.N. 1977. In 'Exploiting the legume-Rhizobium symbiosis in tropical agriculture' (Ed J.M. Vincent, A.S. Whitney, and J. Bose) College of tropical Agriculture, Misc. Publ. No. 145, University of Hawaii, Honolulu. pp. 211-238.
- Norris, D.O. 1956. Legumes and the Rhizobium symbiosis. *Emp. J. Exp. Agric.* 24, 247-270.

- Norris, D.O. 1965. Acid production by Rhizobium-A unifying concept. Plant Soil. 22, 143-166.
- \* Norton, J.B.S. and Walls, S.E.P. 1905. The wild legumes in Maryland and their utilization. Maryland Agr. Expt. Sta. Bul. 100, 97-124.
- Oke, O.L. 1966. Nitrogen fixing capacity of some Nigerian legumes. Exptl. Agric. 3, 315-321.
- Okafor, N. and Alexander, M. 1975. Preliminary physiological studies on cowpea rhizobia. Soil. Biol. Biochem. 7, 405-406.
- Padmanabhan, S. 1978. Rhizobia for tropical legumes. Rhizobium Newsletter, 23, 32-33.
- Pandher, M.S. and Kahlon, S.S. 1978. pH and salt tolerance of Rhizobium leguminosarum isolates from Pea (Pisum sativum L). Ind. J. Microbiol. 18, 81-84.
- Pankhurst, C.E. 1974. Ineffective Rhizobium trifolii mutants examined by immunodiffusion, gel electrophoresis and electron microscopy. J. Gen. Microbiol. 82, 405-413.
- Pankhurst, C.E. 1979. Some antigenic properties of cultured cell and bacteroid forms of fast and slow-growing strains of Lotus rhizobia. Microbios. 24, 19-28.
- Parker, C.A. 1977. The potential of biological nitrogen fixation for increasing food production. In 'The proceeding of the third international conference on culture collection. (Ed. F. Fernandes and R.C. Pereira). University of Bombay. pp. 70-77.

- Parker, C.A. and Grove, P.L. 1970. Rapid serological identification of rhizobia in small nodules. *J. Appl. Bacteriol.* 33, 248-252.
- \* Raju, M.S. 1938. Studies on bacterial plant groups. IV. Variation in the fermentation characters of different strains of nodule bacteria of cowpea, Cicer, and dhaincha groups. *Zbl. Bakt. II Abt.* 99, 133-141.
- Ramchandran, K., Menon, M.R. and Aiyer, R.S. 1980. Effect of Composite rhizobial culture inoculation on cowpea. (Vigna unguiculata (L) walp). *Ind. J. Microbiol.* 20, 220-224.
- Ramaswamy, P.P.R., Perumal Nair, K.S. and Selvaraj, K.V. 1977. Shoot, root and nodule systems in certain pulses. *Curr. Res.* 6, 193-195.
- Rangarajan, M. and Balaji, S. 1985. Invalidity of Siratro (Macroptilium atropurpureum) as a test host for certain tree legume rhizobia. Abstracts : 10th North American Rhizobium Conference. Maui, Hawaii (U.S.A.) p. 46.
- Rangaswami, G. and Oblisami, G. 1962. Studies on some legume root nodule bacteria. *J. Ind. Soil. Sci.* 10, 175-185.
- Roskoski, J.P. and Wood, T. 1984. Nodulation and nitrogen fixation by five species of leguminous trees grown in soil from undisturbed and disturbed tropical sites in Mexico. In 'Advances in Nitrogen fixation research' (Ed.C. Veeger and W.E. Newton) Martinus Nijhoff/DR. W. Junk Publishers. pp. 357.
- Rothschild, D.I. 1981. Acid production by Rhizobium : a useful criterion for taxonomy and phylogeny of Leguminosae, investigated in Argentine indigenous legume species. Rhizobium Newsletter. 26, 45-47.



- Sadowsky, M.J., Keyser, H.H., and Bohlool, B.B. 1983. Biochemical characterization of fast and slow growing rhizobia that nodulate soybeans. *Int. J. Syst. Bacteriol.* 33, 716-722.
- Satyanarayan, Y., and Gaur, Y.D. 1965. Preliminary studies on the nodulation of arid zone legumes. *Curr. Sci.* 34, 21-22.
- Scholla, M.H. and Elkan, G.H. 1984. Rhizobium fredii Sp. Nov. a fast growing species that effectively nodulates soybeans. *Int. J. Syst. Bacteriol.* 34, 484-486.
- Schwinghamer, E.A. and Dudman, W.E. 1980. Methods for identifying strains of diazotrophs. In 'Methods for evaluating biological Nitrogen fixation' (Ed. F.J. Bergersen). John Wiley & Sons, Ltd. pp. 337-365.
- Shinde, V.S. 1976. Survey of uncultivated wild legumes of the Maharashtra state for nodulation Part II. Ph.D. Thesis, University of Poona, Pune.
- \* Shmyreva, T.V. and Plaksina, T.B. 1972. Carbohydrate components in nutrient medium for slowly growing nodule bacteria. *Prikl. Biochem. Mikrobiol.* 8, 34-37.
- Sidhu B.S. Brar, S.S. and Pareek, R.P. 1977. Serogrouping of R. trifolii strains. *Ind. J. Microbiol.* 17, 129-132.
- Singh, C.S., Dadarwal, K.R. and Subba Rao, N.S. 1976. Effectiveness of rhizobia from wild species of Arachis on the cultivated species Arachis hypogaea and their physiological characteristics *Zbl. Bakt. Abt. II* 131, 72-78.
- Sinha, N.B., Chatterjee, S. and Banerjee, A.K. 1971. Occurrence of root nodule bacteria in some wild leguminous plants of West Bengal. *Sci. and Cult.* 37, 107-108.

- Sinha, R.C. and Peterson, E.A. 1980. Homologous serological analysis of Rhizobium meliloti strains by immunodiffusion. Can. J. Microbiol. 26, 1157-1161.
- Skinner, F.A. 1977. An evaluation of the Nile blue test for differentiating rhizobia from agrobacteria. J. Appl. Bacteriol. 43, 91-98.
- Skrdleta, V. 1965. Somatic serogroups of Rhizobium japonicum. Plant Soil. 23, 43-48.
- Skrdleta, V. 1969. Serological analysis of eleven strains of Rhizobium japonicum. Antonie van Leeuwenhoek, 35, 77-83.
- Somasegaran, P. Woolfender, R., and Halliday, J. 1983. Suitability of oven dried root nodules for Rhizobium strain identification by immunofluorescence and agglutination. J. Appl. Bacteriol. 55, 253-261.
- Somasegaran, P., and Hoben, H.J. 1985. In 'Methods in legume-Rhizobium technology'. University of Hawaii NiTAL project and MIRCEN, Hawaii (U.S.A.)
- Srivastava, J.S. and Tewari, V.P. 1981. Response of green gram (Vigna radiata) and cowpea (Vigna unguiculata) to inoculation with rhizobia from wild legumes. In 'Biological nitrogen fixation technology for tropical agriculture' (Ed. P.H. Graham and S.C. Harris). PP. 269-273.
- Steinborn, J. and Roughley, R.H. 1975. Toxicity of sodium and chloride ions to Rhizobium spp. in broth and peat culture. J. Appl. Bacteriol. 39, 133-138.
- \* Stevens, J.W. 1923. Can all strains of specific organisms be recognised by agglutination. J. Infect. Dis. 33, 557-566.

- Stowers, M.D. and Eaglesham, A.R.J. 1983. A stem nodulating Rhizobium with physiological characteristics of both fast and slow growers. *J.Gen. Microbiol.* 129, 3651-3655.
- Stowers, M.D. and Eaglesham, A.R.J. 1984. Physiological and symbiotic characteristics of fast growing Rhizobium japonicum. *Plant Soil.* 77, 3-14.
- Tan, I.K.P. and Broughton, W.J. 1981. Rhizobia in tropical legumes. XIII. Biochemical basis of acid and alkali reaction. *Soil. Biol. Biochem.* 13. 389-393.
- Thomas, J.M. Ann Owens, P. -and Scott, G.A. 1985. Competition studies with fast growing Rhizobium japonicum strains. *Can. J. Microbiol.* 31, 220-223.
- Trinick, M.J. 1968. Nodulation of tropical legumes I. Specificity in the Rhizobium symbiosis of Leucaena leucocephala. *Exptl. Agric.* 4, 243-253.
- Trinick, M.J. 1980.a. Relationships amongst the fast growing rhizobia of Lablab purpureus, Leucaena leucocephala, Mimosa spp. Acacia farnesiana and Sesbania grandiflora and their affinities with other rhizobial groups. *J. Appl. Bacteriol.* 49, 39-53.
- Trinick, M.J. 1980.b. Growth of Parasponia in agar tube culture and symbiotic effectiveness of isolates from Parasponia spp. *New Phytol.* 85, 37-45.
- Trinick, M.J. 1982. In 'Nitrogen fixation, volume 2. Rhizobium'. (Ed. W.J. Broughton) Clarendon Press, Oxford. pp. 76-146.
- Trinick M.J., Dilworth, M.J. and Grounds M. 1976. Factors affecting the reduction of acetylene by root nodules of Lupinus species. *New Phytol.* 77, 359-370.

- Trinick, M.J., Rhodes, M.L. and Galbraith, J.H. 1983. Competition between fast growing and slow growing tropical legume rhizobia for nodulation of Vigna unguiculata. Plant Soil. 73, 105-116.
- Upchurch, R., and Elkan, G.H. 1977. Comparison of colony morphology, salt tolerance, and effectiveness in Rhizobium japonicum. Can. J. Microbiol. 23, 1118-1122.
- Vincent, J.M. 1970. A manual for the practical study of root nodule bacteria. I.P. Hand book 15, Oxford and Edinburgh : Blackwell Scientific Publications.
- Vincent, J.M. 1974. Root nodule symbioses with Rhizobium. In 'The Biology of Nitrogen fixation' (Ed. A. Quispel) Amsterdam. North Holland Publishing Company. pp. 265-341.
- Vincent, J.M. 1977. In 'Treatise on nitrogen fixation, Section III Biology' (Ed. R.W.F. Hardy and W.S. Silver) John Wiley, New York, pp. 277-366.
- Vincent, J.M. and Humphrey, B.A. 1970. Taxonomically significant group antigens in Rhizobium. J. Gen. Microbiol. 63, 379-382.
- Vincent, J.M., Humphrey, B.A. and Skrdleta, V. 1973. Group antigens in slow growing rhizobia. Arch. Microbiol. 89, 79-82.
- \* Vogel, J. and Zipfel H. 1921. Beitrage Zur Frage de Verwandf sch aftholtnisse de leguminosem knollchenbakkerien deron, artbestimmung mittles serologrscher uulersuchnings method. 54, 13-54.
- Vyas, S.R. and Prasad, N. 1980. Investigations on the failure of peas in "Goradu" soils of Gujrat. Proc. Ind. Acad. Sci. 51 B, 242-248.

- \* Warren, J.A. 1909, Notes on the number and distribution of native legumes in Nebraska and Kansas. U.S. Dep. Agric. Bur. Pl. Ind. Circ. 31, 9.
- Yadav, N.K. and Vyas, S.R. 1971. Response of root nodule bacteria to saline, alkaline and acid conditions. Ind. J. Agric. Sci. 41, 875-881.
- Yadav, N.K. and Vyas, S.R. 1973. Salt and pH tolerance of rhizobia. Folia Microbiol. 18, 242-247.
- Yanasugondha, D., Lotong, N, Kampee, T. and Chetanachitra, C. 1977. Collection and improvement of Rhizobium strains in Thailand. In 'Proceedings of the 3rd international conference on culture collections' (Ed. F. Fernandes and R.C. Pereira) University of Bombay. pp. 96-101.
- \* Zipfel, H. 1912. Bertrage Zur morphologie and biologie der knollehenbakterein de legumunosen. Zent 11 Bakt. Pavasit. Ked. Abt. II, 32, 97-137.
- Zablotowicz, R.M., and Focht, D.D. 1981. Physiological characteristics of cowpea rhizopia : Evaluation of symbiotic efficiency of Vigna unguiculata. Appl. Environ. Microbiol. 41, 679-685.
- \* Not seen in the original.