



LIST OF REFERENCES



REFERENCES :

- Abra, R. M. and Hunt. C. A.(1981) Liposome disposition in-vivo : dose and vesicle size effect. *Biochim. Biophys. Acta* 666: 493-503.
- Adhage, N.A. and Vavia, P.R. (1998). A method for β -cyclodextrin inclusion complexation, 17th Asian Congress of Pharmaceutical Sciences, 10-13 December, Mumbai (Bombay) India, Abstract IA₁₂, PP: 25.
- Aggett, P.J. Fenwick, P.K. and Kirk, H (1982). The effect of amphotericinB on the permeability of lipid bilayers divalent trace metals. *Biochim. Biophys. Acta* 684, 291-294.
- Ahmad, I., Sarkar A.K. and Bachhawat, B.K. (1989). Liposomal AmphotericinB in control of experimental aspergillosis in mice: Part I – relative therapeutic efficacy of free and liposomal amphotericin B. *Ind. J. Biochim. Biophys.* 26, 351-356.
- Ahmad, I., Sarkar, A.K. and Bachhawat, B.K. (1990). Effect of cholesterol in various liposomal composition on the in-vivo toxicity, therapeutic efficacy & tissue distribution of amphotericinB. *Biotechnol. Appl. Biochim.* 12, 550-556.
- Ahmad, I., Sarkar, A.K. and Bachhawat, B.K. (1991). Mannosylated liposome-mediated delivery of amphotericinB in the control of experimental aspergillosis in Balb/c mice. *J. Clin. Biochim. Nut* 10, 171-179.
- Alder-Moore, J.P. Chiang, S.M., Satorius, A., Guerra, D., McAndrew, B., McManus, E.J., et.al.,(1991).Treatment of murine candidosis and cryptococcosis with a unilamellar liposomal amphotericin B formulation (AmBisome. *J.Antimicrob.Chemother.*28, Suppl. B,63-71.
- Allen, T.M. and Chonn, A. (1987). Large unilamellar liposomes with low uptake into the reticuloendothelial system. *FEBS Lett.* 223, 42-46.
- Allen, T.M., Hansen, C. and De-Menzes, D. E. L. (1992) Pharmacokinetics of long circulating liposomes. *Adv. Drug. Deliv. Rev.*, 16:267-284.
- Allende, M.C., Francis, P., Berenguer, J., Lee J.W., Garrett, K., Dollenberg. H. (1992) Efficiency of amphotericin B colloidal dispersion (ABCD) in the

treatment of invasive pulmonary aspergillosis in rabbits. In program and abstract of the Thirty second inter science conference on Antimicrobial agents and chemotherapy. Anaheim, C.A. Abstract 180, p 140. American society of Microbiology, Washington, D. C.

- Allendoerfer, R., Yates, R.R., Sun, S.H. and Graybill, J.R. (1991). Comparison of amphotericin B lipid complex with amphotericinB and SCH39304 in the treatment of murine coccidiodal meningitis. J. Med. And Vet. Mycology 30, 377-384.
- Andreoli, T.E. (1974). The structure and function of amphotericin B – cholesterol pores in lipid bilayer membranes Ann. N.Y. Acad. Sci. 235, 448-468.
- Baloch, R.I. and Mercer, E.I. (1987). Inhibition of sterol Δ^8 - Δ^7 -isomerase and Δ^{14} -reductase by fenpropimorph, tridemorph & fenpropidin in cell free enzyme systems from *saccharomyces cerevision* . Phytochemistry 26, 663-668.
- Bangham A.D., Standish, M.M. and Watkins, J.C. (1965). Diffusion of univalent ions across the lamellae of swollen phospholipids. J. Mol. Biol. 13, 238-252.
- Bennett, J.E. (1988). *Aspergillus and Aspergillosis*, Eds. Plenum Press New York 115.
- Bittman, R., Chen, W.C. and Anderson, D.R. (1974) Interaction of Filpin III and amphotericin B with lecithin sterol vesicles and cellular membrane- spectral and electron microscope studies. Biochemistry, 13, 1364 – 1373.
- Bodey, G.P. and Fainstein, V. (1988) *Candidiasis*, Eds. Raven Press, New York.
- Bodey, G.P. and Fainstein, V. (1993), *Candidiasis*, 2nd Eds. Raven Press, New York.
- Bonte, F and Juliano R.L. (1986) Interaction of liposomes with serum proteins. Chem, Phys. Lipids 40, 359 –372.
- Bootsma, H.P.R., Frijlink, H.W., Eissens, A., Proost, J.H., Van -Doorne, H. and Lerk, C.F. (1989) β - cyclodextrin as an excipient in solid oral dosage form: in-vitro & in-vivo evaluation of spray-dried diazepam - β - cyclodextrin products. Int. J. Pharm 51, 213 – 223.

- Brajtburg, J. Powderly, W.G. Kobayashi, G.S. and Medoff, G. (1990). Amphotericin B: delivery system. *Antimicrob. Agents Chemother.* 34, No. 3, 381-384.
- Bullock, W.E., Luke, R.G. and Bhatena, D. (1976). Can Mannitol reduce amphotericin B nephrotoxicity ? Double blind study & description of a new vascular lesion. *Antimicrob. Agents. Chemother* 10, 555-563.
- Burgess J. and Birchall, R. (1972). Nephrotoxicity of amphotericin B with emphasis on changes in tubular function. *Am. J. Med.* 53, 77-84.
- Butler, W., Bennett, J.F. and Aling, D.W. (1964). Nephrotoxicity of amphotericin B : Early and late effects of 81 patients. *Ann. Intern. Med.* 61, 175-187.
- Cabib, E (1987). The synthesis and degradation of chitins. *Adv. Enzymol.* 59, 59-101.
- Caillot, D., Cassashovas, O. and Solary, E (1993). Efficacy and tolerance of an amphotericin B lipid (Intralipid) emulsion on the treatment of candidaemia in neutropenic patients. *J. Antimicrob. Chemother.* 31, 161-169.
- Chakraborty K.K. Naik S.R. (1997). In-situ liposomal preparations containing amphotericin B : evaluation of haemolytic toxicity. 11th Int symp. On Microencapsulation, 27 – 29 August Bangkok Thailand.
- Chakraborty, K.K. and Naik, S.R. (1998). Pharmacokinetic analysis of in-situ liposomal preparation derived from proliposome. Symposium on Natural origin substances in drug formulation, 4 to 6 November, Beijing China, PP: 49-50.
- Chakraborty, K.K. and Naik, S.R. (1999) Stabilization of in-situ liposomal preparation derived from proliposome containing amphotericin B complexed with different chemically modified β -cyclodextrin, symposium on lipid and surfactant dispersed systems, 26-28 Sept. Moscow (Russia).
- Chakraborty, K.K. and Naik, S.R. (2000a) In-situ liposomal preparation containing amphotericin – B and its related toxicity and tissue disposition studies, *Pharmaceutical development and Technology* (In press).
- Chakraborty, K.K. and Naik, S.R. (2000b) Pharmacokinetic studies of in-situ liposomal preparation containing amphotericin B complexed with different chemically modified β - cyclodextrins.

- Chavanet, P.Y. Garry, I. and Charlier, N. (1992). Trial of glucose versus fat emulsion in preparation of amphotericin for use in HIV infected patients with candidiasis *BMJ*. 305, 921-925.
- Clark, J.M., Whitney, R.R. Olsen, S.J., George, R.J., Swerdel, M.R, Kunselman, L. et al. (1991). Amphotericin B lipid complex therapy of experimental fungal infections in mice. *Antimicrob. Agents Chemother*, 35, 615-621.
- Clemons, K.V. & Stevens, D.A. (1991). Comparative efficacy of amphotericinB colloidal dispersion and amphotericinB deoxycholate suspension in the treatment of murine coccidioidmycosis. *Antimicrob. Agents Chemother* 35, 1829-1833.
- Coune, A. (1988) Amphotericin B as a potentiating agent to cytotoxic chemotherapy. *Euro. J. Cancer clin. oncol.* 24: 117-121.
- Datta A., Ganehan, K. and Natarajan, K. (1989) Current trends in candida albicans research. *Adv. Microb. Physio.* 30, 53-58.
- Dave, J. and Patel, H.M. (1986) Differentiation in hepatic and splenic phagocytic activity during reticuloendothelial blocked with cholesterol free and cholesterol rich liposomes, *Biochim, Biophys. Acta* 888: 184-190.
- De-Chasteign, S., Fessi, H., Devissaguet, J.P. and Puisieux, F. (1996), comparative study of the association of Itraconazole with colloidal drug carrier, *Drug Dev. Res.* 38(2), 125-133.
- de Gier, J., Mandersloot, J.G. and Van Deenen, L.L.M. (1969)The role of cholesterol in lipid membranes. *Biochim. Biophys. Acta* 173: 143-145.
- De Kruijff, B. and Demel, R.A. (1974) Polyene antibiotic- sterol interactions in membranes of Acholeplasma laidlawii cells & lecithin liposomes III. Molecular structure of the polyene antibiotic –cholesterol complexes. *Biochim. Biophys. Acta* 339: 57-70.
- De Kruijff B., Gerritsen, W.J. Oeriemans, A., Demel, R.A. and Van Deenen, L.L.M. (1974) Polyene antibiotic- sterol interactions in membranes of Acholeplasma laidlawii cells & lecithin liposomes I. Specificity of the membrane permeability changes induced by the polyene antibiotics. *Biochim, Biophys, Acta*, 339, 30-43.

- De Marie, S., Janknegt, R., and Bakker – Wounderberg, I.A.J.M. (1994) Clinical use of liposomal and lipid complexed amphotericin-B, *J. Antimicrob Chemother.* 33, 907-916.
- Denning. D.W., & Stevens, D. A. (1990) Antifungal and surgical treatment of invasive aspergillosis: Review of 2121 published cases. *Reviews of infectious diseases.* 12,1147-1201.
- Denning, D.W., Follansbee, S. E., Scolaro, M., Norris, S., Edelstein, H. and Stevens, D. H. (1991) Pulmonary aspergillosis in the acquired immuno deficiency syndrome. *N. Engl. J. Med.*, 324:654-662.
- Douglas, J. and Healy, J. (1969) Nephrotoxic effects of amphotericin B including renal tubular acidosis. *Am. J. Med.* 46, 154162.
- Duchene, D. and Wounessidjewe D. (1993) In new trends in cyclodextrin and derivatives (Duchene, D. ed.) Edition de. Sante. Paris pp. 447 – 482.
- Duchene, D. Wouessidiewe D. (1996) Absorption enhancing effects of CDs. Conference on the formulation of poorly available drugs for oral administration 5-6 February Paris, France. *Cyclodextrin News*, Vol.10(8) pp. 149.
- Ellis, W.G., Sobel, R.A. and Nielsen, S.L. (1982) Leukoencephalopathy in patients treated with amphotericin B methyl ester. *J. Infect Dis.* 146, 125-137.
- Fielding, R.M., Smith, P.C., Wang, L.H., Portor, J. and Guo, L.S.S. (1991) Comparative pharmacokinetics of amphotericin B after administration of novel colloidal delivery system. ABCD, and a conventional formulation to rat. *Antimicrob. Agents and Chemother.* 35, 1208-1211.
- Fielding R.M., Singer, A.W., Wang, L.H., Babbar, S. and Guo, L.S.S. (1992) Relationship of pharmacokinetics and drug distribution in tissue to increased safety of amphotericin B colloidal dispersion in dogs. *Antimicrob. Agents Chemother.* 36, 299-307.
- Finn, J.T., Cohen, L.H. and Steinmetz, P.R. (1977) Acidifying defects induced by amphotericin B: comparison of bicarbonate and hydrogen ions permeabilities. *Kidney Int.* 11, 261-266.
- Fisher B.D. D-Armstrong, B.Vn and Gold J.W.M. (1981) Invasive aspergillosis progress in early diagnosis and treatment, *A.M.J. Med.* 71:571.

- Forster, D., Washington, C & Davis S.S. (1988) Toxicity of solubilized and colloidal amphotericin B formulation to human erythrocytes. *J. Pharm. And Pharmacol.* 40, 325-328.
- Gabizone, A and Martin, F (1997). Polyethylene glycol- coated (Pegylated) liposomal doxorubicin. *Drugs*, 54 Suppl. 4:15-21.
- Gale, E.F. (1974) The release of potassium ions from candida albicans in the presence of polyene antibiotics. *J. Gen. Microbiol.* 80, 451-465.
- Gal-Fuzy, M., Szente, L., Szejtli, J. and Harangi, J. (1985) Cyclodextrin – stabilized, volatile substances for inhalation therapy. *Pharmazie*, 39, 558 – 559.
- Galgiani, J.N. and van Wyck, D.B. (1984) Ornithyl amphotericin methyl ester treatment of experimental candidiasis in rats. *Antimicrob. Agents Chemother* 26, 108-109.
- Georgopapadakou, N.H. and Walsh, T.J. (1994) Site of action of some anti fungal compounds used clinically. *Science* 264, 371.
- Gerloczy A. Vikmon, M. Szethi J. (1997) Pharmaceutical applications of cyclodextrin 4th International workshop on carbohydrates as organic raw materials 20-21 March Vienna Austria. *Cyclodextrin News* (1997), Vol. 11(6), pp. 118.
- Gibaldi, M. and Parrier, D (1982) non-compartmental analysis based on statistical moment theory. In: *Pharmacokinetics 2nd Edn.*, Ed. Swarbrick. J., Marcel Dekker Inc., Newyork, and PP: 409-416.
- Gondal, J.A. Swartz, R.P. and Rahman, A. (1989) Therapeutic evaluations of free & liposome-encapsulated amphotericinB in the treatment of systemic candidiasis in mice. *Antimicrob. Agents Chemother* 33, 1544-1548.
- Goodman. I. and Gilman A. (1975). *The pharmacological basis of therapeutics*, 5th Eds. MacMillan, New York.
- Goodman, I. and Gilmans, A. (1980) *The Pharmacological basis of Therapeutics* 7th edition. Publisher McMillan Publishing company New York.
- Graybill J.R., Craven, P.C., Taylor, R.L., Williams, D.M. and Magee, W.E. (1982) Treatment of murine cryptococcosis with liposome associated amphotericinB. *J. Infect Dis.* 145, No. 5, 748-752.
- Graybill J.R. (1988) Histoplasmosis and AIDS. *J. Infect Dis.* 58, 623-626.

- Graybill J.R., Sharkey, P.K., Vincent, D. et.al.,(1991) Amphotericin B lipid complex (ABLC) in treatment (Rx) of cryptococcal meningitis(CM) in patients with AIDS. In program and abstract of the Thirty second inter science conference on Antimicrobial agents and chemotherapy. Anaheim, C.A. Abstract 180, p 140. American society of Microbiology, Washington, D. C.
- Gregoriadis, G., Lethwood, P.D. and Ryman, B.E. (1971). Enzyme entrapment in liposomes, FEBS Lett: 14, 95.
- Gregoriadis, G and Ryman B.E. (1972) Fate of protein containing liposomes injected into rats, an approach to the treatment of strange diseases Euro. J. Biochim 24, 485-491.
- Gregoriadis, G. (1977). In Biomedical applications of immobilized Enzymes and proteins vol. 1 Chang, T.M.S. Ed; Plenum press, New York, 191.
- Gregoriadis, G. and Davis C. (1979) Stability of liposome in-vivo and in-vitro is promoted by their cholesterol content and the presence of blood cells. Biochim, Biophys. Res. Commum 89, 1287-1293.
- Gregoriadis, G., Neerunjun, D., Meade, T.W., Goolamali, S.K., Weeraratne, H., and Bill, G., (1980). In Enzyme Therapy in Genetic disease; 2 Desnick, R.J. ed; A.R. Liss, New York, 363.
- Gregoriadis, Gregory; McCormack, Brenda (1995) PCT Int. Appl. 44 Patent specifications WO 9515746 A1
- Guo, L.S.S. Fielding, R.M., Lasic, D.D. et. al. (1991) Novel antifungal drug delivery: stable amphotericinB – cholesterol sulphate. Int. J. Pharm. 75, 45-54.
- Gustafson, T.L., Schaffner, W. and Levelay, G.B. (1983) Invasive aspergillosis in renal transplant recipients correlation with corticosteroid therapy. J. Infect Dis. 148, 230-238.
- Harindran, J., Chakraborty K.K. and Naik S.R. (1999)Preparation ,relative toxicity and therapeutic efficacy of liposomal HA-1-92(a new oxohexaene polyene macrolide antibiotic). Journal of Pharmacy & Pharmacology 51,771-776.
- Hassan, M.A., Suleiman, M.S. and Najib N.M. (1990) Improvement of the in-vitro dissolution characteristics of famotidine by inclusion in β -cyclodextrin. Int. J. Pharm. 58, 19 – 24.

- Hay, R.J. (1991) Fungal infection in the immunocompromised patient, 2nd Eds. John Wiley & Sons, Chichester, 232.
- Hay, R.J. (1994) Antifungal drugs on the horizon. *J. Am. Acad. Dermatol.* 31, S 82-86.
- Hazen, E.L. and Brown, R (1950) Two antifungal agents produced by a soil actinomycete *Science*, 112, 423
- Heymans, C., Vander Auwera, P. et. al. (1990) In-vitro evaluation of the antifungal activity of amphotericin B entrapped into liposomes during storage for 1 year. *J. Antimicrob. Chemother.* 25, 361-366.
- Heimenz, J.W., and Walsh, T. J. (1996) Emergency-use amphotericin B lipid complex (ABLC) in the treatment of patients with aspergillosis; historical control comparison with amphotericin B (abstract) *Blood* 86(suppl. 1):849a.
- Hirayamma, F., Uekama, K. (1987) In cyclodextrin and their industrial uses; Duchene, D., Ed., editions de Sante Paris, chapter 4, 131 – 172.
- Hoepfich, P.D. (1978) Chemotherapy of systemic fungal diseases *Ann. Rev., Pharmacol. Toxicol* 18, 205-231.
- Hoogevest, P.V. and Kruijff, B.D. (1978) Effects of amphotericin B on cholesterol- containing liposomes of egg phosphatidylcholine and didocosenoyl phosphatidyl –choline-A refinement of the model for the formation of pores by amphotericinB in membranes. *Biochim. Biophys Acta* 511, 397 – 407.
- Hopfer, R.L., Mehta, R. and Lopez-Berestein, G. (1987) Synergistic antifungal activity and reduced toxicity of liposomal amphotericin B combined with aranicidine S or NF. *Antimicrob. Agents Chemother* 31, No. 12, 1978-1981.
- Hostetler, J.S., Clemons, K.V., Hanson, L.H. and Stevens, D.A. (1992) Efficacy and safety of amphotericinB colloidal dispersion compared with those of amphotericin B deoxycholate suspension for treatment of disseminated murine cryptococcosis. *Antimicrob Agents and Chemother* 36, 2556-2660
- Huang, S.K., Mayhew, E. and Gilani, S. (1992) Pharmacokinetics and therapeutics of sterically stabilized liposomes in mice bearing C-26 carcinoma. *Cancer Res.* 52, 6774-6781.

- Huston, A.C. and Hoeprich, P.D. (1978) Comparative susceptibility of four kinds of pathogenic fungi to amphotericin B methyl ester. *Antimicrob. Agents Chemother* 13, 905-909.
- Illum, L. and Davis S.S. (1984) The organ uptake of intravenously administered colloidal particles can be altered using a non ionic surfactant (ploxamer 338) *FEBS Lett* 167, 79-82.
- Illum L. Hunneyball I.M. and Davis S.S. (1986) The effect of hydrophilic coatings on the uptake of colloidal particles by the liver 7 by peritoneal macrophages. *Int. J. Pharm.* 29, 53-65.
- Inoue, K. (1974) Permeability properties of liposomes prepared from dipalmitoyl lecithin, dimyristoyl lecithin, egg lecithin, rat liver lecithin and beef brain sphingomyelin. *Biochim, Biophys. Acta* 339, 390-402.
- Irie, T and Uckama, K (1997) Pharmaceutical application of cyclodextrin (iii)- Toxicological issues and safety evaluation, *Journal of Pharmaceutical Sciences* 86, No.2, 147-162.
- Janknegt, R., De Marie, S., Bakker-Woudenberg, I.A.J.M. & Crommelin, D.J.A. (1992) Liposomal and lipid formulations of amphotericin-B, *Clin. Pharmacokinetics* 23, 279-291.
- Janoff, A.S., Minchey, S.R., Cullis, P. R., Maden ,T.D., Tarashi, T., Graner, S. M. and Shymsunder, E. (1988a) Unusual lipid structures selectively reduced the toxicity of amphotericin B . *Proc. Natl. Acad. Sci.* 85, 6122-26
- Janoff A.S., Kurtz. C.L., Jablonski, R.L. et.al. (1988b) Characterization of cholesterol hemisuccinate and α -tocopherol hemisuccinate vesicles. *Biochim. Biophys. Acta* 91, 165-175.
- Janoff, A.S., Popenscu, C.M., Weener, A.L., Bolesak, L.E., Tremblay, P.A. and Swenson, C.E. (1993). Compositions containing tris salt of cholesterol hemisuccinate and antifungal. United States Patent 5, 231, 112.
- Janoff, A.S., Perkins, W.R., Saleton, S.L. and Swenson, C.E. (1993) Amphotericin B lipid complex (Abelect) a molecular rationale for the attenuation of amphotericin B related toxicities. *J. Lip. Res.* 3, 451-471.

- Joly, V. Dormer F. Barge J. Yeni, P Seta, M. Molas G & Carbon c (1989) Incorporation of amphotericin B (AmB) into liposomes alters AmB induced acute nephrotoxicity in rabbits . J. Pharmacol Exp. Ther. 251, 311.
- Joly, V., Geoffrey, C., Reynes, J., Goujard, C., Mechani, D. and Yeni, P. (1993) A pilot study of deoxycholate amphotericin B associated with Intralipid in the treatment of cryptococcal meningitis in patients with AIDS. Program Abstr 33rd Intersci. Abstr. 814, p 228.
- Jones, S.K. (1990) Novel pentamidine analogs in the treatment of experimental *Pneumocystis carinii*. Antimicrob. Agents Chemother 34, 1026-1030.
- Juliano, R.L., Grant, C.W.M., Barber, K.R. and Kalp, M.A. (1986) Mechanism of selective toxicity of amphotericin B incorporated into liposomes. Mol. Pharmacol. 31, 1-11.
- Jullien, S., Brajtburg, J. and Bolard J. (1990) Affinity of amphotericin B for phosphatidyl choline vesicles as determinant of the *in-vitro* cellular toxicity of liposomal preparation. Biochim, Biophys. Acta. 1021, 39-45.
- Kamath, A and Chakraborty, K. (1989) Role of yeast elongation factor 3 in the elongation cycle. J. Bio. Chem, 264, 15423-15428.
- Kan, V.L. Bennett J.E. and Lectin, (1988) lectin-like attachment sites on murine pulmonary alveolar macrophages bind *Aspergillus fumigatus* conidia .J. Infect. Dis. 158, 407-414.
- Katz, Y. Diamond J.M. (1974) Thermodynamic constants for non electrolyte partition coefficients between dimyristoyl lecithin and water. J. Membrane Biol. 17: 101 – 120.
- Kasumov, M., Borisova M.P., Ermishkin, L.N. Potseluyev, V.M. Selberstein, A.Y. and Vainshtein, V.A. (1979) How do ionic channel properties depend on the structure of polyene antibiotic molecules. Biochim. Biophys. Acta 551, 229-237.
- Kemper, C.A. Hostetler, J.S. and Follansbee, S.E. (1993) Ulcerative and plaque-like tracheobronchitis due to infection with *Aspergillus* in patients with AIDS. Clin. Infect. Dis. 17, 344-352.
- Khoo, S.H., Bond J. and Denning D.W. (1994). Administering amphotericin B a practical approach. Journal of Antimicrobial Chemotherapy, 33, 203-213.

- Khutorsky (1992) Structures of amphotericinB–Cholesterol complex. *Biochim, Biophys Acta*, 1108, 123 – 127.
- Kim J.A. Lee, E.D. Kim. J.Y. Bae, S.K. Choi, T.B. and Kim J.D. (1997) Hemolytic and antifungal activity of liposome-entrapped amphotericin B prepared by the precipitation method. *Pharmaceutical development and technology*, 2 (3) 275 – 284.
- Kinsky, S.C. (1961) The effect of polyene antibiotics on permeability on Neurospora crassa. *Biochim, Biophys. Res. Commun.* 4, 353-357.
- Kirby, C. J., Gregoriadis, G.(1983) In: Gregoriadis, G. (ed.) *Liposome technology*, Vol. I. CRC press Boca Raton, Florida.
- Kirsh, R. Goldstein, R. and Tarloff, J. (1988) An emulsion formulation of amphotericin B improves the therapeutic index when treating systemic murine candidiasis, *J. Infect Dis.* 158, 1065-1070
- Klein R.S. and Harris, C.A. (1984) Oral candidiasis in high risk patients as the initial manifestation of the acquired immuno deficiency syndrome. *N. Engl. J. Med.* 311, 354-358.
- Koeffler, H. and Golde D. (1997) Amphotericin inhibition of hematopoiesis. *Am. J. Hematol.* 3, 57-62.
- Konsberg, B., Dahlman, A., Carlfors, J. and Karlsson, J (1990). Preparation and evaluation of sterically stabilized liposomes: colloidal stability, serum stability, macrophage uptake and toxicity. *Journal of Pharm. Sci.*, 79 (8) 667-671.
- Konishi, M. (1989) Cis-pentacin, and a new antifungal antibiotic: production, isolation, Physio-chemical properties & structure. *J. Antibiot.* 42, 1949-1755.
- Kotler-Brajtburg J., Price, H.D. Medoff, G., Schlessinger, D. and Kobayashi, G.S. (1974) Molecular basis of the relative toxicity of amphotericinB yeast and filipin for animal cells. *Antimicrob. Agents Chemother* 5, 377-382.
- Krammer M.R. Marshall, S.E. and Stemes, V.A. (1993) infectious complications in heart-lung transplantation. Analysis of 200 episodes. *Arch. Intern. Med.* 153, 2010-2016.
- Kruijff, B.D. and Demel, R.A. (1974) Polyene antibiotic – sterol interaction in membranes of *Acholeplasma Laidlawii* cells and lecithin liposomes II. Temperature dependence of the polyene antibiotic – sterol complex formation. *Biochim. Acta* 339, 44 – 56.

- Kucers, A. and Bennett, N (1975). The use of antibiotics, 2nd Eds William Heinemann, London.
- Kucers, A. and Bennett, N Mck (1987) The use of antibiotics, Eds J.B. Lippincott. Philadelphia
- Kusne, S. Terre-Cisneros J. and Manez R. (1992) Factors associated with invasive lung aspergillosis and the significance of positive aspergillus culture after liver transplantation. J. Infect Dis. 166. 1379-1383.
- Lasic, D.D. (1998). The mechanism of vesicles formation: A review. TIBTECH 16,307.
- Lee, J.W., Amantea, M.A., Francis, P.A., Navarro, E.E., Bacher, J., Pizzo, P.A. et. al. (1994) Pharmacokinetics and safety of a unilamellar liposomal formulation of amphotericin B (AmBisome) in rabbits. Antimicrob. Agents Chemother. 38, No. 4, 713-718.
- Levine S.J., Walsh, T.J., Martinez, A., Eichacker, P.Q., Lopez-Berestein, G. and Natanson, C. (1991) cardiopulmonary toxicity after liposomal amphotericinB infusion. Ann. Intern. Med 114, 664-666.
- Litchfield Jr. J.T. and Wilcoxon F.A. (1949) Simplified method of evaluating dose effect experiments. J. Pharmacol Exp. Ther. 96.99-113.
- Loftsson, T., and Brewster, M. (1996) Pharmaceutical applications of cyclodextrins.1. Drug solubilization and stabilization. J. Pharm. Sci., Vol. 85, No. 10, 1017 – 1025.
- Litzinger, D.C., Buiting, A.M.J. Rooijen, N.V. and Huang L. (1994) Effect of liposome size on the circulation time and intraorgan distribution of amphipathic poly (ethylene glycol)- containing liposomes. Biochim, Biophys. Acta. 1190, 99-107.
- Liu, L.F. (1989) DNA topoisomerase poisons as antitumor drugs. Anm. Rev. Biochim. 58, 351-375.
- Liu, D., Mori, A. and Huang, L. (1991) large liposomes containing gangliosides GM₁, accumulate effectively in spleen. Biochim. Biophys. Acta 1066, 159.
- Lopez-Berestein, G., Mehta, R. and Hopfer, R. (1983) Treatment and prophylaxis of disseminated infection due to *candida albicans* in mice with liposome –encapsulated amphotericin B. J. Infect. Dis. 147, 939-945.

- Lopez Berestein, G. Rosenblum, M.G. and Mehta R. (1984) Altered tissue distribution of amphotericin B by liposome encapsulation: comparison of normal mice infected with candida albicans. *Cancer. Drug Deliv*, 1, 199-205.
- Lopez-Berestein G. et.al. (1985) Liposomal-amphotericinB for the treatment of systemic fungal infections in patients with cancer: a preliminary study. *J. Infect Dis* 151, 704-710.
- Lopez-Berestein G., Bodey, G.P. Frankel, L.S., Mehta, K., (1987) Treatment of hepatosplenic candidiasis with amphotericin B. *Journal of clinical oncology*, 5, 310-7.
- Lopez-Berestein G., Bodey, G.P. Fainstein, V., Keating, M., Frankel, L.S., Zeulff, B., et.al. (1989) Treatment of systemic fungal infections with liposomal amphotericin B. *Arch. Intern. Med.* 149, 2533-2536.
- Lortholary, O., Meyohas, M.C. and Dupont, B. (1993) Invasive aspergillosis in patients with acquired immunodeficiency syndrome: report of 33 cases. French cooperative study group on aspergillus in AIDS. *Am. J. Med.* 95, 177-187.
- Luna, M.A. and Tortoledo, M.E. (1985) In *Candidiasis*, Eds. Raven Press, New York
- Machy, P. and Leserman, L. (1987) In *Liposomes in cells Biology and Pharmacology*, Eds. John Libbey Eurotext Ltd / Inserm, Great Britain, pp 99-165, 33-97
- Maddux, M.S. and Barriere, S.L. (1980) Review of complications of amphotericin B therapy: recommendation for prevention and management. *Drug. Intel. And Clin. Pharm.* 14, 177-181.
- Malcolm. R. Siegel and Hugh, D. Sister (1977) *Antifungal compound Vol. I. Discovery Development and uses* Marcel Dekker Inc. N. York.
- Mallams, A.K. (1988) In *Carbohydrate chemistry*, Eds. Oxford Science Publications, Clarendon Press pp 96-100.
- Marini, F., Arnow, P and Lampen, J.O. (1961) The effect of monovalent cations on the inhibition of yeast metabolism by Nystatin. *J. Gen. Microbiol.* 24, 51-62.
- Masson M., Loftsson, T., Jonsdottir, S., Fridriksdottir, H. Petersen, D.S. (1998). Stabilization of ionic drugs through complexation with nonionic and ionic cyclodextrin. *Int. J. Pharm*, 164 (1-2), 45 – 55.

- Mayer, L.D., Bally M.B. and Cullis, P.R. (1990) Strategies for optimizing liposomal doxorubicin. *J. Liposome Res.* 1, 463 – 480.
- Mc Candy, D.K. Frederic, M. and Elkintron, J.R. (1968) Renal tubular acidosis due to amphotericin B. *N. Engl. J. Med.* 278, 124-131.
- Mc Cann P.P. and Pegg. A.E. (1992) Ornithine decarboxylase as an enzyme target for therapy. *Pharmacol. Ther.* 54, 195-215.
- McCormack, B and Gregoriadis, B. (1996) Comparative studies of the fate of free and liposome –entrapped hydroxy propyl b-cyclodextrin / drug complexes after intravenous injection into rats. *Biochimica et Biophysica Acta* 1291, 237-244.
- Medoff, G. and Kobayashi, G.A. (1980) In *Antifungal Chemotherapy* Eds. John Wiley & Sons Ltd.
- Medoff, G., Brajtburg, J. and Kobayshi, G.S. (1983) Antifungal agents useful in therapy of systemic fungal infections. *Ann. Rev. Pharmacol Toxicol.* 23, 303-330.
- Mehta, R., Lopez-Berestein G., Hopfer R., Mills, K. and Juliano, R.L. (1984) Liposomal amphotericin B is toxic to fungal cell but not to mammalian, *Biochim Biophys. Acta* 770, 230-243
- Mehta R.T., Hopfer R.L., Juliano R.L. & Lopez-Berestein, G. (1989) A comparison of in-vitro toxicity and antifungal efficacy of membrane-active drugs after liposome encapsulation. *Selective Cancer Therapeutics* 5, 113-117.
- Mehta R.T. Mc Queen, T.J. Keyhani, A and Lopez-Berestein G. (1994) Phagocyte transport as mechanism for enhanced therapeutic activity of liposomal amphotericin B. *Exp. Chemother* 40, 256-264.
- Mesens, J.L. Putteman, P., Verheyen, P. (1991) In *new trends in cyclodextrin and derivatives* Duchene, D., Ed., Editions de Sente, Paris, 369 – 407.
- Meyer R.D., Young L.S., Armstrong, D. and Yu, B. (1973) Aspergillois complicating neoplastic disease. *Amer. J. Med.* 54, 6-15.
- Miller H. and Bates J. (1969) Amphotericin B toxicity: A follow up report of 53 patients. *Ann. Intern. Med.* 71, 1089-1095.
- Monbaliu, J., Van Beijsterveldt. L., Menldermans, W., Szath Navy S. Heykants, J. (1991) Mins. 5th Int. Symp cyclodextrin Duchene, D., Ed., Editions de Sante, Paris, 514 – 517.

- Moonis, M., Ahmad, I and Bachhawat, B.K. (1992) Liposomal amphotericin in the control of experimental aspergillosis in mice: relative toxicity, therapeutic efficacy and tissue distribution of free and liposomal amphotericin. *Ind. J. Biochem. Biophys.* 29, 339-345.
- Moreau P., Milpied, N. Fayeette, N. Ramee, J.F. and Haroussean, J.L. (1992) Reduced renal toxicity and improved clinical tolerance of amphotericin B mixed with Intralipid compared with conventional amphotericin B in neutropenic patients. *J Antimicrob Chemother.* 30: 535 – 541.
- Morgan J.R., Williams, L.A. & Howard, C.B. (1985) Technetium – labeled liposome imaging for deep seated infection, *Brit. J. Radio* 58, 35-39
- Moser, M., Cramer, R, and Menz. G. (1992) Proteins, Nucleotide cloning and expression of recombinant aspergillus fumigatus allergen I/a (rAsp f I/a) with IgE binding and type I skin test activity. *J. Immun* 149, 454-460.
- New, R.R.C. Chance, M.L. and Heath S. (1981) Antileishmanial activity of amphotericin B and antifungal agents entrapped in liposomes. *J. Antimicrob. Chemother* 8, 371-381.
- New, R.C.C. (1990) in "Liposomes: a practical approach, IRL press NY.
- Nichols, J.W. and Deamer D.W. (1990) Catecholamine uptake and concentration by liposomes maintaining pH gradient. *Biochim Biophys Acta* 455, 269 – 271.
- Nilsson-Ehle, I., Yoshikawa, T.T., Edwards, J.E., Schotz, M.C. and Lucien, B.G. (1977) Quantitation of amphotericin -B with use of high pressure liquid chromatography, *J. Infect. Dis.* 135, No. 3, 414.
- Ochab, S. (1970) Thin layer chromatography of tetracycline group of antibiotics. *Dissenes Pharm. Pharmac.*, 22, 351.
- Oehlschlager, C and Czyzewska, E. (1992) Emerging Targets in Antibacterial and Antifungal Chemotherapy, Eds. Chapman & Hall, New York.
- Olsen, S.J. Swerdel, M.R. Barbara B. Clark, J.M. and Bonner, D.P. (1991) Tissue distribution of amphotericin B lipid complex in laboratory animals. *J. Pharm. And Pharmacol.* 43, 831-835.
- Okimoto, K., Rajewski, R.A. Jona J.A. Stella V.J. (1995) The interaction of charged and uncharged drugs with a neutral (HPBCD) and anionically charged (SBE-7BCD)β-CD, AAPS, Tenth Annual meeting and Exposition,

November 5-9, Miami Beach, Florida, Cyclodextrin News (1996) ,Vol. 10(7)
pp : 130.

- Oroshnik, W and Mebane, A.D. (1963) The polyene antifungal antibiotics. Fortsehr. Che. Org. Nat. Stoffe, 21,17-79.
- Otsubo. T., Kazuo, M., Maesaki, S., et. al. (1998) Long-circulating immunoliposomal amphotericin B against invasive pulmonary aspergillosis in mice. Antimicrob. Agents Chemother. 42, No. 1, 40-44.
- Owais, M. Ahmad, I., Krishnakumar B., et.al., (1993) Tuftsin-bearing liposomes as drug vehicles in the treatment of experimental aspergillosis. FEBS. 326, 56-58.
- Pahls, S. and Schaffner, A (1994) Comparison of the activity of free and liposomal amphotericin B in-vitro and in model of systemic and localized murine candidiasis. J. Infect Dis. 169, 1057-1060.
- Pain, D. Das, P.K. Ghosh, P.C. and Bachhawat, B.K. (1984) Increased circulatory half life of liposomes after conjunction with dextran. J. Biosci. 6, 811-816.
- Parks, L.W., Lorenz, R.T. and Cassey, W.M. (1992) Emerging Targets in Antibacterial and Antifungal Chemotherapy, Eds. Chapman & Hall New York.
- Patterson T.F., Minitier, P., Dijkstra, J., Szoka, F.C., Ryan, J.L. & Andriole, V.T. (1989) Treatment of experimental invasive aspergillosis with novel amphotericin B / Cholesterol sulfate complexes. J. Infect. Dis. 159, 717-724.
- Payne, N.I., Timmons, P., Ambrose, C.V., Ward M.D. and Ridgway F. (1986) Proliposome: a novel solution to an old problem. J. Pharm. Sci. 75: 325 – 329.
- Pennington, J. E. (1986) In fungal disease of the lung .Eds. Grune & Stratton Inc., USA.
- Perfect, J.R. and Wright, K.A. (1994) Amphotericin B lipid complex in the treatment of experimental cryptococcal meningitis and disseminated candidosis. J. Antimicrob. Chemother 33, 73-81.
- Perrett, S., Golding M. and Patrick Williams W. (1991) A simple method for the preparation of liposomes for pharmaceutical applications: characterization of the liposomes, J. of Pharm. Pharmacol, 43; 154-161
- Peterson, D.E. and Schimpff, S.C. (1989) Aspergillus sinusitis in neutropenic patients with cancer : a review. Biomed. Pharmacother. 43, 307-312.

- Pitha, J. and Szente, L. (1983) Rescue from hypervitaminosis A or potentiation of retinoid toxicity by different modes of cyclodextrin administration. *Int. J. Pharm.* 80, 243 – 251.
- Poznansky, M.J. and Juliano R.L. (1984) Biological approaches to the controlled delivery of drugs.. *Pharmacol Rev.* 36, 277-336.
- Proffitt R.T., William, L.E., Present, C.A., Tin. G.W., Ulinani, J.A., Gamble, R.C. and Baldeschwieter, J.D. (1983) Liposomal blocked of the endothelial system: improved tumor imaging with small unilamellar vesicles, *Science* 220, 502-540.
- Proffitt, R.T. Satorius, A., J.D. Chiang, S., Sullivan, L. and Alder-Moore, J.P. (1991) Pharmacology and toxicology of a liposomal formulation of amphotericin B(AmB) in rodents. *J. Antimicrob. Chemother.* 28, 49-61.
- Puglisi, G., Santagiri, N.A., Ventura C.A., Pignatello. R., Panico. A.M. and Spampinato, S. (1991) Enhancement of 4-biphenylacetic acid bioavailability in rats by its β -cyclodextrin complex after oral administration. *Drug Dev. Ind. Pharm.* 16, 395 – 413.
- Rajewski R.A. and Stella V.J. (1996) Pharmaceutical applications of cyclodextrins. 2. In-vivo drug delivery. *Journal of Pharm.Sci.*,85(II)1142-1169.
- Rand, R.P. (1981) Interacting phospholipid bilayers: major forces and induced structural changes. *Ann. Rev. Biophys. Bioerg* 10, 277 – 314.
- Rapp, R.P., Gubbins, P.O. and Evans, M.E. (1997) Amphotericin-B Lipid Complex, the annals of Pharmacotherapy, 31, 1174-1186.
- Riddel and Stewart (1958) *Fungus diseases and their treatment* Published at Butter worth and CD (Publishers) Ltd.
- Rinaldi, M.G. (1983) Invasive aspergillosis. *Rev. Infect. Dis.* 5, 1061-1077.
- Ringden, O., Meunier, F., Tollemar, J., et. al., (1991)Efficacy of amphotericin B encapsulated in liposomes (AmBisome) in the treatment of invasive fungal infections in immunocompromised patients. *J. Antimicrob. Chemother.* 28(Suppl. B), 73-82
- Rippon, J.W. (1982). In *Medical Mycology*, 2nd Eds. W.B. Saunders Publishing Co.PharmacologPharmacologyRyder, N.S. (1988) *Ann. N.Y. Acad. Sci.* 544, 208
- Ryder. N. S. (1988) Mechanism of action and biochemical selectivity of allylamine antimycotic agents. *Ann. N .Y. Acad. Sci.* 544,208-230.

- Ryley, J.F. Wilson, R.G., Grrauestock and Poyser, J.P. (1981). In advances in Pharmacology and Chemotherapy, Eds. Academic Press Inc. NY.
- Saral, R. (1991) *Candida* and *Aspergillus* infections in immunocompromised patients. Rev. Infect Dis. 13, 487-492.
- Savoca, K.V., Abuchowski, A., Van Es. T., Davis, F.F. and Palezuk, N.C. (1979) Preparation of a non-immunogenic arginase by the covalent attachment of polyethylene glycol. Biochim. Biophys. Acta 578, 47-53.
- Schaffner, A., Douglas H. and Braude, A. (1982) Selective protection against conidia by mononuclear and against mycelia by polymorphonuclear phagocytes in resistance to asperphagocytes. J. Clin. Invest 69, 617-631.
- Schmitt, H.J. (1993) Toxicity of amphotericin B emulsion formulations. Clin. Infect. Dis. 17, Suppl 2, S 501
- Scherphof, G., Damen, J., and Wilschut, J. (1984) Liposome Technology Vol. III G. Gregoriadis, Ed (CRC press Inc; Boca Raton, FL: 205 – 224.
- Sculier, J.P., Coune, A., Meunier, F., Brassine, C, Laduron, C. Hollaert, C., Collette, N., Heymans, C. and Klastersky, J. (1988) Pilot study of amphotericin B entrapped in sonicated liposome in cancer patients with fungal infections. Eur. J. Cancer Clin. Oncol. 24, No. 3, 527-538.
- Sculier, J.P., Bron, D., Coune, A. and Meunier, F., (1999) Successful treatment with liposomal amphotericin B in two patients with persisting fungemia. Eur. J. Clin. Microbiol.Infect.Dis.8, 903-907.
- Senior, J.M. (1987) Fate and behavior of liposomes in vivo. A review of controlling factors CRC critical reviews in therapeutic drugs carrier system vol. 3: 2.
- Sessa, G. and Weissmann, G. (1968) Phospholipid spherules (liposomes) as a model for biological membrane. J. Lipid Res. 9, 310-318.
- Shadomy, S., Espinel Ingroff, A and Gebhart R.J. (1985) In-vitro studies with SF 86-327, anew orally active allylamine. Sabouraudia 23, 125-132.
- Snedecor, G.W. and Cochran, W.G. (1968) statistical method oxford & IBH Publ. Co. India PP 227 – 279.
- Stadler – Szoka, A. Vikmon, M., Szejtli, J. and Kajtar, M. (1985) Fendiline – β - cyclodextrin inclusion complex. J. Inclusion Phenom. 3, 71 – 84.

- Steinmetz, P. R. and Lawson, L. R. (1970) Defects in urinary acidification induced in-vitro by amphotericin B. J. Clin. Invest. 49, 596-601.
- Sternberg S. (1994) The emerging fungal threat. Science 266, 1632-1634..
- Swarbic J., Boylan J.C. (1997) Thermal analysis of drugs and products, encyclopedia of Pharmaceutical Technology Vol. 15: 56-58.
- Szejtli, J., Bolla -Pusztai E., Lengyel – Tardy M. Szabo, P. and Ferenczy, T. (1983) Preparation properties and biological activities of β -CD inclusion complex of menadione. Pharmazie, 38, 189 – 193.
- Szoka, F.C., Mieholl, D and Barza M. (1987) Effects of lipid composition and liposome size on toxicity and in-vitro fungicidal activity of liposome-intercalated amphotericinB. Antimicrob. Agents Chemother 31, 421-429
- Takaes, F., Tomktewiez, Z and Merril, J. (1963) Amphotericin B nephrotoxicity with irreversible renal failure. Ann. Intern. Med. 59, 716-724.
- Talbot, G.H. Huang, A. and Provencher, M. (1991) Invasive aspergillus rhinosinusitis in patients with acute leukemia. Rev. Infect Dis. 13, 219-232.
- Tasic, L., Milic- Ascrabic, J., Rajic, D., Stenkovic, M. and Nidzovic, Z. (1996) Conference on the formulation of poorly available drugs for oral administration 5 – 6 February Paris, France. Cyclodextrin News(1996) Vol.10(8) pp 150
- Taylor, R.L., Williams, DM., Craven, P.C., Graybill, J.R. and Drutz, D .J. (1982) Amphotericin B in liposomes: a novel therapy for histoplasmosis. Am. Rev. Respir. DIS. 125,610-611.
- Thaler. M., Pastakia, B., Shawker, T.H. O'Leary T. and Pizzo P.A. (1988) Hepatic candidiasis in carrier patients: the evolving picture of the syndrome. Ann. Intern. Med. 108, 88-100.
- Tinker, D.O. Saunder L. (1968) Studies of isotropic phosphotidyl choline-n-propanol-water system. Chem. Phys. Lipids 2:316-329.
- Torchilin, V.P., Berdichevsky, V.R., Barsukov, A.A. and Smirnov. V.N. (1980) Coating liposomes with protein decreases their capture by macrophages FEBS Lett. 11, 184-188.
- Torchilin, V.P. Khaw, B.A., Berdichevsky, V.R. Barsukov, A.A. Klibanov, A.L. Haber, E. and Smirnov, V.N. (1983) Complexes of liposomes with immunoglobins and sialoglycoproteins Bull, Exp. Biol. Med. (Russ) 65, 51-53.

- Torchilin, V.P. (1985) Liposomes as targetable drug carriers. *CRC Crit. Rev. Therapeut. Drug. Carrier. Syst.* 2, 65-115.
- Uekama, K. and Otagiri, M. (1987) Cyclodextrins in drug carrier systems. *CRC crit. Rev. Ther. Drug Carrier Syst.* 38, 189 – 193.
- Uekama K., Hirayama F. and Irie T. (1991) In high performance Biomaterials. A comprehensive guide to medical and pharmaceutical applications, Szycher, M., Ed., Technomic PA 789 – 816.
- United States Pharmacopoeia 23rd edition (1995) National formularae 18, 105.
- Utz, J.P. Bennett, J.E. and Brandiss, M.W. (1964) Amphotericin B toxicity. *Ann. Intern. Med.* 61, 334.
- Van Etten, E.W.N. tenKate M.T., Stearne, L.E.T. Bakker-Woundenberg, I.A.J.M. (1995) Amphotericin B liposomes with prolonged circulation in blood: in-vitro antifungal activity, toxicity, and efficacy in systemic candidiasis in leukopenic mice. *Antimicrob Agents Chemother* 39 No. 9, 1954-1958.
- Van Etten, E.W.M. Snijders, S.V., van Vianen, W and Bakker – Woundenberg, I.A.J.M (1998a) Superior efficacy of amphotericin B with prolonged circulation in blood in the treatment of severe candidiasis in leukopenic mice. *Antimicrob Agents Chemother.* 42, 2431-2433.
- Van Etten E.W.M. van Viane, W., Hak, J. and Bakker Woundenbag, I.A.J.M. (1998b) Acivity of liposomal amphotericin B in prolonged circulation in blood versus those of AmBisome and fungizone against intracellular candida albicans in murine peritoneal macrophages. *Antimicrob. Agents Chemother* 42, 2437-2439.
- Vaskovsky, V.E. Kostetsky, E.Y. and Vasendin I.M. (1975) A universal reagent to phospholipid analysis. *J. Chromatogr.*, 114, 129-141.
- Verhoef, J.C., Schipper, N.G.M. Romeijn, S.G. Markus, F.W.H.M. (1994) *J. Controlled release* 29, 351 – 360.
- Vyas S.C (1993) *Handbook of systemic fungicides compounds vol. II*, Tata McGraw Hill. Publishing Company.
- Walsh, T.J. and Pizzo, A, (1988) chronic silastic central venous catherization for induction, maintenance and support of persistent granulocytopenia in rabbits. *Lab. animal Science*, 38: 467-471.

- Walsh T.J. & Pizzo P.A. (1994) In *Infectious Diseases*, 5th Eds. J.B. Lippincott Company, Philadelphia.
- Wang C.Y. and Huang, L. (1987) pH- sensitive immunoliposomes mediate target cell-specific delivery and controlled expression of a foreign gene in mouse. *Proc. Natl. Acad. Sci. USA* 84, 7851-7855.
- Wamock, D.W. (1998) fungal infections in neutropenia: current problems and chemotherapeutic control. *J. Antimicrob Chemother* 41. Suppl. D, 95-105.
- Wasan, K.M. and Lopez-Berestein, G. (1994) Effects of intralipid infusion on rat serum lipoproteins. *Lab. Anim. Science*. 28: 138-142.
- Wasan, M.K., Grossie JR, B.B. and Lopez Berestein, G. (1994) *Antimicrobial Agents and Chemotherapy*, 38(9), 2224-2226.
- Washburn, R.G., De Hart, J. and Ajuna, D.E. (1990) *Aspergillus fumigatus* complement inhibitor: production, characterization & purification by hydrophobic interaction & thin layer chromatography. *Infect Immun*. 58, 3508-3515.
- Weber, R.S. and Lopez-Berestein, G. (1987) *Laryngoscope*. 97, 937-941.
- Woodle, M.C. and Papahadjopoulos, D. (1989) Liposome preparation and size characterization. *Methods in Enzymol*. 171, 193-217.
- Yamaki, H., Yamaguchi, M., Imamura, H., Suzuki, H., Nishimura, T., Saito, H. & Yamaguchi, H. (1990) The mechanism of antifungal action of (S) - 2- amino - 4 -oxo - 5 - hydroxypentanoic acid, RI - 331: the inhibition of homoserine dehydrogenase in *Saccharomyces cerevesiae*. *Biochem. Biophys. Res. Commun* 168, 837-843.
- Yamamoto, M; Aritomi, H., Irie, T Hirayama, F; Uekama K. (1990) In *Mins 5th Int. Symp cyclodextrin*; Duchene, D. Ed., Editions de Sante Paris, 541 – 544.
- Young R.C. Bennett, J.E. and Vogel, C.L. (1970) *Aspergillosis: the spectrum of the disease in 98 patients*. *Medicine* 49, 147-173.
- Zia, V., Bomancini, E.R. Luna, E.A., Rajewaki, R.A., Stella V.J. (1995). Solfoalkyl ether b-CDS: effects of alkyl chain length and degree of substitution on complexation, AAPS, Tenth Annual meeting and Exposition, November 5-9, Miami Beach, Florida, PP: 127.