

References

- ABBASI, M., TAHERI, A. K. & SALEHI, M. 2001. Growth rate of intermetallic compounds in Al/Cu bimetal produced by cold roll welding process. *Journal of Alloys and Compounds*, 319, 233-241.
- ABDOLLAH-ZADEH, A., SAEID, T. & SAZGARI, B. 2008. Microstructural and mechanical properties of friction stir welded aluminum/copper lap joints. *Journal of alloys and Compounds*, 460, 535-538.
- ACARER, M. 2012. Electrical, corrosion, and mechanical properties of aluminum-copper joints produced by explosive welding. *Journal of materials engineering and performance*, 21, 2375-2379.
- AGARWAL, S. P., NAGESWARAN, P., ARIVAZHAGAN, N. & RAMKUMAR, K. D. Development of Friction Stir Welded Butt Joints of AA 6063 Aluminium Alloy and Pure Copper. International Conference on Advanced Research in Mechanical Engineering, 2012. 46-50.
- AKBARI, M., ABDI BEHNAGH, R. & DADVAND, A. 2012. Effect of materials position on friction stir lap welding of Al to Cu. *Science and Technology of Welding and Joining*, 17, 581-588.
- AKBARI, M., BAHEMMAT, P., HAGHPANAHI, M. & BESHARATI GIVI, M. 2013. Enhancing metallurgical and mechanical properties of friction stir lap welding of Al-Cu using intermediate layer. *Science and Technology of Welding and Joining*, 18, 518-524.
- AKBARI, M. & BEHNAGH, R. A. 2012. Dissimilar friction-stir lap joining of 5083 aluminum alloy to CuZn34 brass. *Metallurgical and Materials Transactions B*, 43, 1177-1186.
- AKINLABI, E. 2012. Effect of shoulder size on weld properties of dissimilar metal friction stir welds. *Journal of materials engineering and performance*, 21, 1514-1519.
- AKINLABI, E., MADYIRA, D. & AKINLABI, S. Effect of heat input on the electrical resistivity of dissimilar friction stir welded joints of aluminium and copper. IEEE Africon, 2011a.
- AKINLABI, E. T. 2011. *Characterisation of dissimilar friction stir welds between 5754 aluminium alloy and C11000 Copper*.
- AKINLABI, E. T. & AKINLABI, S. A. 2011. Fracture location characterizations of dissimilar friction stir welds.
- AKINLABI, E. T. & AKINLABI, S. A. 2012. Effect of heat input on the properties of dissimilar friction stir welds of aluminium and copper. *American Journal of Materials Science*, 2, 147-152.
- AKINLABI, E. T. & AKINLABI, S. A. 2014. 6 - Friction stir welding of dissimilar metals. *Advances in Friction-Stir Welding and Processing*. Woodhead Publishing.
- AKINLABI, E. T., ELS-BOTES, A. & LOMBARD, H. Effect of tool displacement on defect formation in friction stir welding of aluminium and copper. Proceedings of the 8th International Friction Stir Welding Symposium, Hamburg, Germany, 2010. 18-20.
- AKINLABI, E. T., ELS-BOTES, A. & MCGRATH, P. J. Effect of travel speed on joint properties of dissimilar metal friction stir welds. Proceedings of 2nd International Conference on Advances in Engineering and Technology (AET), Uganda, 2011b.
- AL-JARRAH, J. A. 2014. *Surface morphology and mechanical properties of aluminum-copper joints welded by friction stir welding*. Al-Balqa Applied University, Jordan.
- AL-ROUBAIY, A. O., NABAT, S. M. & BATAKO, A. D. 2014. Experimental and theoretical analysis of friction stir welding of Al-Cu joints. *The International Journal of Advanced Manufacturing Technology*, 71, 1631-1642.

- ARICI, A. & SELALE, S. 2013. Effects of tool tilt angle on tensile strength and fracture locations of friction stir welding of polyethylene. *Science and Technology of Welding & Joining*.
- AVETTAND-FENOËL, M., TAILLARD, R., JI, G. & GORAN, D. 2012. Multiscale study of interfacial intermetallic compounds in a dissimilar Al 6082-T6/Cu friction-stir Weld. *Metallurgical and Materials Transactions A*, 43, 4655-4666.
- AVETTAND-FENOËL, M. N., TAILLARD, R. & JI, G. Quality of interfaces in Cu/Al dissimilar friction-stirred welds. *Materials Science Forum*, 2012. Trans Tech Publ, 959-964.
- BANG, H., BANG, H., JEON, G., OH, I. & RO, C. 2012. Gas tungsten arc welding assisted hybrid friction stir welding of dissimilar materials Al6061-T6 aluminum alloy and STS304 stainless steel. *Materials & Design*, 37, 48-55.
- BAREKATAIN, H., KAZEMINEZHAD, M. & KOKABI, A. 2014. Microstructure and mechanical properties in dissimilar butt friction stir welding of severely plastic deformed aluminum AA 1050 and commercially pure copper sheets. *Journal of Materials Science & Technology*, 30, 826-834.
- BERGMANN, J. P., PETZOLDT, F., SCHÜRER, R. & SCHNEIDER, S. 2013. Solid-state welding of aluminum to copper—case studies. *Welding in the World*, 57, 541-550.
- BEYGI, R., KAZEMINEZHAD, M. & KOKABI, A. 2012. Butt joining of Al–Cu bilayer sheet through friction stir welding. *Transactions of Nonferrous Metals Society of China*, 22, 2925-2929.
- BEYGI, R., KAZEMINEZHAD, M. & KOKABI, A. H. 2014. Microstructural Evolution and Fracture Behavior of Friction-Stir-Welded Al-Cu Laminated Composites. *Metallurgical and Materials Transactions A*, 45, 361-370.
- BHATTACHARYA, T., DAS, H., JANA, S. & PAL, T. 2016. Numerical and experimental investigation of thermal history, material flow and mechanical properties of friction stir welded aluminium alloy to DHP copper dissimilar joint. *The International Journal of Advanced Manufacturing Technology*, 1-15.
- BISADI, H., RASAEI, S. & FOTOOHI, Y. 2015. Studying of tool rotation speed on mechanical properties of copper–Al5083 butt joint welded by friction stir welding. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 229, 1734-1741.
- BISADI, H., TAVAKOLI, A., SANGSARAKI, M. T. & SANGSARAKI, K. T. 2013. The influences of rotational and welding speeds on microstructures and mechanical properties of friction stir welded Al5083 and commercially pure copper sheets lap joints. *Materials & Design*, 43, 80-88.
- BOZKURT, Y. 2012. The optimization of friction stir welding process parameters to achieve maximum tensile strength in polyethylene sheets. *Materials & Design*, 35, 440-445.
- CARLONE, P., ASTARITA, A., PALAZZO, G. S., PARADISO, V. & SQUILLACE, A. 2015. Microstructural aspects in Al–Cu dissimilar joining by FSW. *The International Journal of Advanced Manufacturing Technology*, 79, 1109-1116.
- CELIK, S. & CAKIR, R. 2016. Effect of Friction Stir Welding Parameters on the Mechanical and Microstructure Properties of the Al-Cu Butt Joint. *Metals*, 6, 133.
- CHAUHAN, J. 2012. *Design and development of friction stir welding for 6 mm thick AA6061-T651 material*. Master of Technology, Ganpat University, Kherva.
- ELANGOVA, K., BALASUBRAMANIAN, V. & VALLIAPPAN, M. 2008. Influences of tool pin profile and axial force on the formation of friction stir processing zone in AA6061 aluminium alloy. *The International Journal of Advanced Manufacturing Technology*, 38, 285-295.

- ELREFAEY, A., TAKAHASHI, M. & IKEUCHI, K. 2004. Microstructure of aluminum/copper lap joint by friction stir welding and its performance. *高温学会誌*, 30, 286-292.
- ELREFAEY, A., TAKAHASHI, M. & IKEUCHI, K. 2005. Preliminary investigation of friction stir welding aluminium/copper lap joints. *Welding in the World*, 49, 93-101.
- ESMAEILI, A., BESHARATI GIVI, M. & ZAREIE RAJANI, H. 2012a. Experimental investigation of material flow and welding defects in friction stir welding of aluminum to brass. *Materials and Manufacturing Processes*, 27, 1402-1408.
- ESMAEILI, A., GIVI, M. B. & RAJANI, H. Z. 2011a. A metallurgical and mechanical study on dissimilar Friction Stir welding of aluminum 1050 to brass (CuZn30). *Materials Science and Engineering: A*, 528, 7093-7102.
- ESMAEILI, A., GIVI, M. B. & RAJANI, H. Z. 2012b. Investigation of weld defects in dissimilar friction stir welding of aluminium to brass by radiography. *Science and Technology of Welding and Joining*, 17, 539-543.
- ESMAEILI, A., RAJANI, H. Z., SHARBATI, M., GIVI, M. B. & SHAMANIAN, M. 2011b. The role of rotation speed on intermetallic compounds formation and mechanical behavior of friction stir welded brass/aluminum 1050 couple. *Intermetallics*, 19, 1711-1719.
- FIROUZDOR, V. & KOU, S. 2012. Al-to-Cu friction stir lap welding. *Metallurgical and Materials Transactions A*, 43, 303-315.
- FOTOOHI, Y., RASAEI, S., BISADI, H. & ZAHEDI, M. 2013. Effect of friction stir welding parameters on the mechanical properties and microstructure of the dissimilar Al5083-copper butt joint. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials Design and Applications*, 1464420713499479.
- FOTOUHI, Y., RASAEI, S., ASKARI, A. & BISADI, H. 2014. Effect of transverse speed of the tool on microstructure and mechanical properties in dissimilar butt friction stir welding of al5083-copper sheets. *Engineering Solid Mechanics*, 2, 239-246.
- GALVAO, I., LEAL, R., LOUREIRO, A. & RODRIGUES, D. 2013. Material flow in heterogeneous friction stir welding of aluminium and copper thin sheets. *Science and Technology of Welding & Joining*.
- GALVÃO, I., LEITÃO, C., LOUREIRO, A. & RODRIGUES, D. 2012a. Study of the welding conditions during similar and dissimilar aluminium and copper welding based on torque sensitivity analysis. *Materials & Design*, 42, 259-264.
- GALVÃO, I., LOUREIRO, A. & RODRIGUES, D. 2016. Critical review on friction stir welding of aluminium to copper. *Science and Technology of Welding and Joining*, 1-24.
- GALVÃO, I., LOUREIRO, A., VERDERA, D., GESTO, D. & RODRIGUES, D. M. 2012b. Influence of tool offsetting on the structure and morphology of dissimilar aluminum to copper friction-stir welds. *Metallurgical and Materials Transactions A*, 43, 5096-5105.
- GALVAO, I., OLIVEIRA, J., LOUREIRO, A. & RODRIGUES, D. 2011. Formation and distribution of brittle structures in friction stir welding of aluminium and copper: influence of process parameters. *Science and Technology of Welding and Joining*, 16, 681-689.
- GALVAO, I., VERDERA, D., GESTO, D., LOUREIRO, A. & RODRIGUES, D. Analysing the challenge of aluminum to copper FSW. *Proceedings of 9th International Symposium on Friction Stir Welding*, 2012.
- GALVÃO, I., VERDERA, D., GESTO, D., LOUREIRO, A. & RODRIGUES, D. 2013. Influence of aluminium alloy type on dissimilar friction stir lap welding of aluminium to copper. *Journal of Materials Processing Technology*, 213, 1920-1928.

- GENEVOIS, C., GIRARD, M., HUNEAU, B., SAUVAGE, X. & RACINEUX, G. 2011. Interfacial reaction during friction stir welding of Al and Cu. *Metallurgical and Materials Transactions A*, 42, 2290-2295.
- GIRARD, M., HUNEAU, B., GENEVOIS, C., SAUVAGE, X. & RACINEUX, G. 2010. Friction stir diffusion bonding of dissimilar metals. *Science and Technology of Welding and Joining*, 15, 661-665.
- GUPTA, M. S. N., BALUNAİK, B. & MURTI, K. 2012. Finite Element Modeling And Thermo-Mechanical Analysis Of Friction Stir Welded Al/Cu Bimetallic Lap Joints. *International Journal of Mechanical Engineering and Robotics Research*, 2, 165-173.
- HEIDEMAN, R., JOHNSON, C. & KOU, S. 2010. Metallurgical analysis of Al/Cu friction stir spot welding. *Science and Technology of Welding and Joining*, 15, 597-604.
- KAHL, S. & OSIKOWICZ, W. 2013. Composite aluminum-copper sheet material by friction stir welding and cold rolling. *Journal of materials engineering and performance*, 22, 2176-2184.
- KERRAR, G., MERAH, N., SHUAIB, A. N., FADI, A.-B. & BAZOUNE, A. 2017. Experimental and Numerical Investigations of Friction Stir Welding of Aluminum to Copper. *Applied Mechanics, Behavior of Materials, and Engineering Systems*. Springer.
- KHODIR, S., AHMED, M., AHMED, E., MOHAMED, S. M. & ABDEL-ALEEM, H. 2016. Effect of Intermetallic Compound Phases on the Mechanical Properties of the Dissimilar Al/Cu Friction Stir Welded Joints. *Journal of Materials Engineering and Performance*, 25, 4637-4648.
- KUANG, B., SHEN, Y., CHEN, W., YAO, X., XU, H., GAO, J. & ZHANG, J. 2015. The dissimilar friction stir lap welding of 1A99 Al to pure Cu using Zn as filler metal with “pinless” tool configuration. *Materials & Design*, 68, 54-62.
- KUMAR, A. & RAJU, L. S. 2012. Influence of tool pin profiles on friction stir welding of copper. *Materials and Manufacturing Processes*, 27, 1414-1418.
- LI, X.-W., ZHANG, D.-T., CHENG, Q. & ZHANG, W. 2012. Microstructure and mechanical properties of dissimilar pure copper/1350 aluminum alloy butt joints by friction stir welding. *Transactions of Nonferrous Metals Society of China*, 22, 1298-1306.
- LIU, H., SHEN, J., XIE, S., HUANG, Y., CUI, F., LIU, C. & KUANG, L. 2012. Weld appearance and microstructural characteristics of friction stir butt barrier welded joints of aluminium alloy to copper. *Science and Technology of Welding and Joining*, 17, 104-110.
- LIU, H. J., SHEN, J. J., ZHOU, L., ZHAO, Y. Q., LIU, C. & KUANG, L. Y. 2011. Microstructural characterisation and mechanical properties of friction stir welded joints of aluminium alloy to copper. *Science and Technology of Welding and Joining*, 16, 92-98.
- LIU, P., SHI, Q., WANG, W., WANG, X. & ZHANG, Z. 2008. Microstructure and XRD analysis of FSW joints for copper T2/aluminium 5A06 dissimilar materials. *Materials letters*, 62, 4106-4108.
- LOHWASSER, D. & CHEN, Z. 2009. *Friction stir welding: From basics to applications*, Elsevier.
- LOUREIRO, A., MENDES, R., RIBEIRO, J., LEAL, R. & GALVÃO, I. 2016. Effect of explosive mixture on quality of explosive welds of copper to aluminium. *Materials & Design*, 95, 256-267.
- MARYA, M. & MARYA, S. 2004. Interfacial microstructures and temperatures in aluminium-copper electromagnetic pulse welds. *Science and technology of welding and joining*, 9, 541-547.
- MATHERS, G. 2002. *The welding of aluminium and its alloys*, Woodhead publishing.

- MEHTA, M., DE, A. & DEBROY, T. 2014. Material adhesion and stresses on friction stir welding tool pins. *Science and Technology of Welding and Joining*, 19, 534-540.
- MEHTA, M., REDDY, G. M., RAO, A. V. & DE, A. 2015. Numerical modeling of friction stir welding using the tools with polygonal pins. *Defence Technology*, doi:10.1016/j.dt.2015.05.001.
- MISHRA, R. S., DE, P. S. & KUMAR, N. 2014. Dissimilar Metal Friction Stir Welding. *Friction Stir Welding and Processing*. Springer.
- MISHRA, R. S. & MA, Z. 2005. Friction stir welding and processing. *Materials Science and Engineering: R: Reports*, 50, 1-78.
- MUBIAYI, M. & AKINLABI, E. Friction stir welding of dissimilar materials between aluminium alloys and copper, An overview. Proceedings of the World Congress on Engineering, 2013. 3-5.
- MUHAYAT, N., ZUBAYDI, A. & YULIADI, M. Z. Effect of tool tilt angle and tool plunge depth on mechanical properties of friction stir welded AA 5083 joints. *Applied Mechanics and Materials*, 2014. Trans Tech Publ, 709-714.
- MURR, L., FLORES, R., FLORES, O., MCCLURE, J., LIU, G. & BROWN, D. 1998a. Friction-stir welding: microstructural characterization. *Material Research Innovations*, 1, 211-223.
- MURR, L., LI, Y., FLORES, R., TRILLO, E. A. & MCCLURE, J. 1998b. Intercalation vortices and related microstructural features in the friction-stir welding of dissimilar metals. *Material Research Innovations*, 2, 150-163.
- MUTHU, M. F. X. & JAYABALAN, V. 2015. Tool travel speed effects on the microstructure of friction stir welded aluminum–copper joints. *Journal of Materials Processing Technology*, 217, 105-113.
- MUTHU, M. F. X. & JAYABALAN, V. 2016. Effect of pin profile and process parameters on microstructure and mechanical properties of friction stir welded Al–Cu joints. *Transactions of Nonferrous Metals Society of China*, 26, 984-993.
- MUTHUKUMARAN, S., KUMARAN, S. S. & KUMAR, S. 2011. Friction welding of Cu-tube to Al-tube plate using an external tool. *Transactions of the Indian Institute of Metals*, 64, 255-260.
- NANDAN, R., DEBROY, T. & BHADSHIA, H. 2008. Recent advances in friction-stir welding—process, weldment structure and properties. *Progress in Materials Science*, 53, 980-1023.
- NI, Z. & YE, F. 2016. Dissimilar Joining of Aluminum to Copper Using Ultrasonic Welding. *Materials and Manufacturing Processes*, 31, 2091-2100.
- OKAMURA, H. & AOTA, K. 2004. Joining of dissimilar materials with friction stir welding. *Welding international*, 18, 852-860.
- OUYANG, J., YARRAPAREDDY, E. & KOVACEVIC, R. 2006. Microstructural evolution in the friction stir welded 6061 aluminum alloy (T6-temper condition) to copper. *Journal of Materials Processing Technology*, 172, 110-122.
- PALANIVEL, R., MATHEWS, P. K., MURUGAN, N. & DINAHARAN, I. 2012. Effect of tool rotational speed and pin profile on microstructure and tensile strength of dissimilar friction stir welded AA5083-H111 and AA6351-T6 aluminum alloys. *Materials & Design*, 40, 7-16.
- PANDE, S. V. & BADHEKA, V. J. 2014. Effect of Tool Pin Offset on Mechanical and Metallurgical Properties of Dissimilar FSW Joints of 6061t6 AL Alloy to Copper Material. *Indian Welding Journal*, 47.
- PATEL, V. V., BADHEKA, V. & KUMAR, A. 2016. Influence of friction stir processed parameters on superplasticity of Al-Zn-Mg-Cu alloy. *Materials and Manufacturing Processes*, 31, 1573-1582.

- RAI, R., DE, A., BHADESHIA, H. & DEBROY, T. 2011. Review: friction stir welding tools. *Science and Technology of welding and Joining*, 16, 325-342.
- RAJANI, H. Z., ESMAEILI, A., MOHAMMADI, M., SHARBATI, M. & GIVI, M. 2012. The role of metal-matrix composite development during friction stir welding of aluminum to brass in weld characteristics. *Journal of materials engineering and performance*, 21, 2429-2437.
- SAEID, T., ABDOLLAH-ZADEH, A. & SAZGARI, B. 2010. Weldability and mechanical properties of dissimilar aluminum–copper lap joints made by friction stir welding. *Journal of Alloys and Compounds*, 490, 652-655.
- SAHU, P. K., KUMARI, K., PAL, S. & PAL, S. K. 2016a. Hybrid fuzzy-grey-Taguchi based multi weld quality optimization of Al/Cu dissimilar friction stir welded joints. *Advances in Manufacturing*, 4, 237-247.
- SAHU, P. K., PAL, S., PAL, S. K. & JAIN, R. 2016b. Influence of plate position, tool offset and tool rotational speed on mechanical properties and microstructures of dissimilar Al/Cu friction stir welding joints. *Journal of Materials Processing Technology*, 235, 55-67.
- SAREMI, M. L., MIRSALEHI, S. E. & SHAMSIPUR, A. Investigation on Metallurgical Structure and Mechanical Properties of Dissimilar Al 2024/Cu FSW T-joints. *Transactions of the Indian Institute of Metals*, 1-9.
- SARRAFI, R. 2011. Evaluation of microstructure and mechanical properties of aluminum to copper friction stir butt welds. *Friction stir welding and processing VI*, 253.
- SATPATHY, M. P. & SAHOO, S. K. 2016. Microstructural and mechanical performance of ultrasonic spot welded Al–Cu joints for various surface conditions. *Journal of Manufacturing Processes*, 22, 108-114.
- SAVOLAINEN, K. 2012. Friction stir welding of copper and microstructure and properties of the welds.
- SHOJAEEFARD, M. H., KHALKHALI, A., AKBARI, M. & TAHANI, M. 2013. Application of Taguchi optimization technique in determining aluminum to brass friction stir welding parameters. *Materials & Design*, 52, 587-592.
- SINGH, R. K. R., PRASAD, R. & PANDEY, S. Mechanical properties of friction stir welded dissimilar metals. *Proceedings of the National Conference on Trends and Advances in Mechanical Engineering*, 2012. 579-583.
- SINHA, V., KUNDU, S. & CHATTERJEE, S. 2016. Microstructure and mechanical properties of similar and dissimilar joints of aluminium alloy and pure copper by friction stir welding. *Perspectives in Science*, 8, 543-546.
- TAN, C., JIANG, Z., LI, L., CHEN, Y. & CHEN, X. 2013. Microstructural evolution and mechanical properties of dissimilar Al–Cu joints produced by friction stir welding. *Materials & Design*, 51, 466-473.
- WU, X. & SHANG, J. 2014. An investigation of magnetic pulse welding of Al/Cu and interface characterization. *Journal of Manufacturing Science and Engineering*, 136, 051002.
- XUE, P., NI, D., WANG, D., XIAO, B. & MA, Z. 2011a. Effect of friction stir welding parameters on the microstructure and mechanical properties of the dissimilar Al–Cu joints. *Materials science and engineering: A*, 528, 4683-4689.
- XUE, P., XIAO, B., NI, D. & MA, Z. 2010. Enhanced mechanical properties of friction stir welded dissimilar Al–Cu joint by intermetallic compounds. *Materials Science and Engineering: A*, 527, 5723-5727.
- XUE, P., XIAO, B. L., WANG, D. & MA, Z. 2011b. Achieving high property friction stir welded aluminium/copper lap joint at low heat input. *Science and Technology of Welding and Joining*, 16, 657-661.

- XUE, P. X., B.; MA, Z 2014. Microstructure and mechanical properties of friction stir welded dissimilar Al-Cu thin plate joints. *10th Friction Stir Welding Symposium*. Beijing, China.
- YADUWANSI, D., BAG, S. & PAL, S. 2016. Numerical modeling and experimental investigation on plasma-assisted hybrid friction stir welding of dissimilar materials. *Materials & Design*, 92, 166-183.
- YADUWANSI, D. K., BAG, S. & PAL, S. 2015. Hybrid Friction Stir Welding of Similar and Dissimilar Materials. *Advances in Material Forming and Joining*. Springer.
- YADUWANSI, D. K., PAL, S. & BAG, S. Effect of preheating on mechanical properties of hybrid friction stir welded dissimilar joint. Proc. 5th Int. & 26th All India Manufacturing Technology, Design and Research Conf., Assam, India, 2005.
- YANG, Y., CHEN, H. & LI, M. 2017. Dissimilar copper-aluminum joint processed by low-temperature nickel electroplating. *Journal of Materials Processing Technology*, 242, 68-76.
- ZHANG, G.-F., ZHANG, K., GUO, Y. & ZHANG, J.-X. 2014a. A comparative study of friction stir brazing and furnace brazing of dissimilar metal Al and Cu plates. *Metallography, Microstructure, and Analysis*, 3, 272-280.
- ZHANG, G., ZHANG, L., KANG, C. & ZHANG, J. 2016. Development of friction stir spot brazing (FSSB). *Materials & Design*, 94, 502-514.
- ZHANG, J., SHEN, Y., YAO, X., XU, H. & LI, B. 2014b. Investigation on dissimilar underwater friction stir lap welding of 6061-T6 aluminum alloy to pure copper. *Materials & Design*, 64, 74-80.
- ZHAO, X., DONG, F. B., SU, G. Y. & GUO, L. J. Weld quality improvement with hybrid FSW technology assisted by preheating for copper T2/aluminium 5A06 dissimilar materials. *Applied Mechanics and Materials*, 2012. Trans Tech Publ, 1707-1711.