

*Bibliography*

- Adari, H., Lowy, D.R., Willumsen, B.M., Der, C.J. and McCormick, F. 1988. Guanosine triphosphatase activating protein (GAP) interacts with the p21 Ras effector binding domain. *Science*. 240: 518-521.
2. Adessi, C., Chapel, A., Vincon, M., Rabilloud, T., Klein, G., Satre, M., and Garin, J. 1995. Identification of major proteins associated with *Dictyostelium discoideum* endocytic vesicles. *J. Cell Sci.* 108: 3331-3337.
  3. Advani, R.J., Bae, H.R., Bock, J.B., Chao, D.S., Doung, Y.C., Prekeris, R., Yoo, J.S. and Scheller, R.H. 1998. Seven novel mammalian SNARE proteins localize to distinct membrane compartments. *J. Biol. Chem.* 273: 10317-10324.
  4. Alexandrov, K., Horiuchi, H., Steele-Mortimer, O., Seabra, M.C. and Zerial M. 1994. Rab escort protein-1 is a multifunctional protein that accompanies newly prenylated Rab proteins to their target membranes. *EMBO J.* 13: 5262-5273.
  5. Anant, J.S., Desnoyers, L., Machius, M., Demeler, B., Hansen, J.C., Westover, K.D., Deisenhofer, J. and Seabra, M.C. 1998. Mechanism of Rab geranylgeranylation: formation of the catalytic ternary complex. *Biochemistry*. 37: 12559-12568.
  6. Andres, D.A., Seabra, M.C., Brown, M.S., Armstrong, S.A., Smeland, T.E., Cremers, F.P. and Goldstein, J.L. 1993. cDNA cloning of component A of Rab geranylgeranyl transferase and demonstration of its role as a Rab escort protein. *Cell*. 73: 1091-1099.
  7. Aniento, F., Emans, N., Griffiths, G. and Gruenberg, J. 1993. Cytoplasmic dynein-dependent vesicular transport from early to late endosomes. *J. Cell Biol.* 123: 1373-1387.
  8. Attal, G. and Langsley, G. 1996. A *Plasmodium falciparum* homologue of a Rab specific GDP dissociation inhibitor. *Mol. Biochem. Parasitol.* 79: 91-95.
  9. Balch, W.E., Wagner, K.R. and Keller, D.S. 1987. Reconstitution of transport of vesicular stomatitis virus G protein from the endoplasmic reticulum to the Golgi complex using a cell free system. *J. Cell Biol.* 104: 749-760.
  10. Balch, W.E. 1989. Biochemistry of interorganelle transport. A new frontier in enzymology emerges from versatile *in vitro* model systems. *J. Biol. Chem.* 264: 16965-16968.

11. Barbero, P., Bittova, L. and Pfeffer, S.R. 2002. Visualization of Rab9-mediated vesicle transport from endosomes to the trans-Golgi in living cells. *J. Cell Biol.* 156: 511-518.
12. Barbieri, M.A., Li, G., Colombo, M.I. and Stahl, P.D. 1994. Rab5, an early acting endosomal GTPase, supports *in vitro* endosome fusion without GTP hydrolysis. *J. Biol. Chem.* 269:18720-18722.
13. Bastin, P., Stephan, A., Raper, J., Saint-Remy, J.M., Opperdoes, F.R. and Courtoy, P.J. 1996. An M(r) 145,000 low-density lipoprotein (LDL)-binding protein is conserved throughout the kinetoplastida order. *Mol. Biochem. Parasitol.* 76: 43-56.
14. Bogdanovic, A., Bruckert, F., Morio, T. and Satre, M. 2000. A syntaxin 7 homologue is present in *Dictyostelium discoideum* endosomes and controls their homotypic fusion. *J. Biol. Chem.* 275: 36691-36697.
15. Braell, W.A. 1987. Fusion between endocytic vesicles in a cell free system. *Proc. Natl. Acad. Sci. USA.* 84: 1137-1141.
16. Brennwald, P. 2000. Reversal of Fortune. Do Rab GTPases act on the target membrane? *J. Cell Biol.* 149: 1-4.
17. Brickman, M.J., Cook, J.M. and Balber, A.E. 1995. Low temperature reversibly inhibits transport from tubular endosomes to a perinuclear, acidic compartment in African Trypanosomes. *J Cell Sci.* 108: 3611-3621.
18. Brodsky, F.M. 1988. Living with clathrin: its role in intracellular membrane traffic. *Science.* 242: 1396-1402.
19. Brodsky, F.M., Chen, C.Y., Kneuhl, C., Towler, M.C. and Wakeham, D.E. 2001. Biological basket weaving: Formation and function of clathrin-coated vesicles. *Annu. Rev. Cell Dev. Biol.* 17: 517-568.
20. Bucci, C., Parton, R.G., Mather, I.H., Stunnenberg, H., Simons, K., Hoflack, B. and Zerial, M. 1992. The small GTPase Rab5 functions as a regulatory factor in the early endocytic pathway. *Cell.* 70: 715-728.
21. Burd, C.G. and Emr, S.D. 1998. Phosphatidylinositol (3)-phosphate signaling mediated by specific binding to RING FYVE domains. *Mol. Cell.* 2: 157-162.

22. Callaghan, J., Simonsen, A., Gaullier, J-M., Toh, B-H. and Stenmark, H. 1999. The endosome fusion regulator early-endosome autoantigen 1 (EEA1) is a dimer. *Biochem. J.* 338: 539–543.
23. Cantalupo, G., Alifano, P., Roberti, V., Bruni, C.B. and Bucci, C. 2001. Rab-interacting lysosomal protein (RILP): the Rab7 effector required for transport to lysosomes. *EMBO J.* 20: 683-693.
24. Cappai, R., Osborn, A.H., Gleeson, P.A. and Handman, E. 1993. Cloning and characterization of a Golgi-associated GTP-binding protein homologue from *Leishmania major*. *Mol. Biochem. Parasitol.* 62: 73-82.
25. Carroll, K.S., Hanna, J., Simon, I., Krise, J., Barbero, P. and Pfeffer, S.R. 2001. Role of Rab9 GTPase in facilitating receptor recruitment by TIP47. *Science.* 292: 1373–1376.
26. Chang, K.P and Dwyer, D.M. 1976. Multiplication of a human parasite (*Leishmania donovani*) in phagolysosomes of hamster macrophages *in vitro*. *Science* 193: 678 – 680.
27. Chattopadhyay, D., Langsley, G., Carson, M., Recacha, R., DeLucas, L. and Smith, C. 2000. Structure of the nucleotide-binding domain of *Plasmodium falciparum* Rab6 in the GDP-bound form. *Acta Crystallogr.* D56: 937-944.
28. Chavrier, P., Parton, R.G., Hauri, H.P., Simons, K. and Zerial, M. 1990. Localization of low molecular weight GTP binding proteins to exocytic and endocytic compartments. *Cell.* 62: 317-329.
29. Chen, Y.A., Scales, S.J., Patel, S.M., Doung, Y.C. and Scheller, R.H. 1999. SNARE complex formation is triggered by  $Ca^{2+}$  and drives membrane fusion. *Cell.* 97: 165–174.
30. Chen, Y.A. and Scheller, R.H. 2001. SNARE-mediated membrane fusion. *Nat. Rev. Mol. Cell Biol.* 2: 98-106.
31. Christoforidis, S., McBride, H.M., Burgoyne, R.D. and Zerial, M. 1999. The Rab5 effector EEA1 is a core component of endosome docking and fusion. *Nature.* 397: 621–625.

32. Clayton, C., Hausler, T. and Blattner, J. 1995. Protein trafficking in Kinetoplast protozoa. *Microbiol. Rev.* 59: 325-344.
33. de Castro, F.A., Ward, G.E., Jambou, R., Attal, G., Mayau, V., Jaureguiberry, G., Braun-Breton, C., Chakrabarti, D. and Langsley, G. 1996. Identification of a family of Rab G-proteins in *Plasmodium falciparum* and a detailed characterization of *pfrab6*. *Mol Biochem Parasitol.* 80: 77-88.
34. Denny, P.W., Lewis, S., Tempero, J.E., Goulding, D., Ivens, A.C., Field, M.C. and Smith, D.F. 2002. *Leishmania* RAB7: Characterization of terminal endocytic stages in an intracellular parasite. *Mol. Biochem. Parasitol.* 123: 105-113.
35. Der, C.J., Pan, B.T. and Cooper, G.M. 1986. Ras H mutants deficient in GTP binding. *Mol. Cell Biol.* 6: 3291-3294.
36. Díaz, E. and Pfeffer, S.R. 1998. TIP47: a cargo selection device for mannose 6-phosphate receptor trafficking. *Cell.* 93: 433-443.
37. Diaz, R., Mayorga, L.S., Mayorga, L.E. and Stahl, P. 1989. *In vitro* clustering and multiple fusion among macrophage endosomes. *J. Biol. Chem.* 264: 13171-13180.
38. Dumas, J.J., Zhu, Z.Y., Connolly, J.L. and Lambright, D.G. 1999. Structural basis of activation and GTP hydrolysis in Rab proteins. *Structure Fold Des.* 7: 413-423.
39. Duszenko, M., Ivanov, I.E., Ferguson, M.A., Plesken, H. and Cross, G.A. 1988. Intracellular transport of a variant surface glycoprotein in *Trypanosoma brucei*. *J. Cell Biol.* 106: 77-86.
40. Engel, J.C., Doyle, P.S., Palmer, J., Hsieh, I., Bainton, D.F. and McKerrow, J.H. 1998. Cysteine protease inhibitors alter Golgi complex ultrastructure and function in *Trypanosoma cruzi*. *J. Cell Sci.* 111: 597-606.
41. Esters, H., Alexandrov, K., Constantinescu, A.T., Goody, R.S. and Scheidig, A.J. 2000. High-resolution crystal structure of *S. cerevisiae* Ypt51 (DeltaC15)-GppNHp, a small GTP-binding protein involved in the regulation of endocytosis. *J. Mol. Biol.* 298: 111-121.

42. Feig, L.A. and Cooper, G.M. 1988. Inhibition of NIH 3T3 cell proliferation by a mutant Ras protein with preferential affinity for GDP. *Mol. Cell Biol.* 8: 3235-3243.
43. Feng, Y., Press, B. and Wandinger-Ness, A. 1995. Rab 7: an important regulator of late endocytic membrane traffic. *J. Cell Biol.* 131: 1435-1452.
44. Ferro-Novick, S. and Jahn, R. 1994. Vesicle fusion from yeast to man. 1994. *Nature.* 370: 191-193.
45. Field, H., Farjah, M., Pal, A., Gull, K. and Field, M.C. 1998. Complexity of Trypanosomatid endocytosis pathways revealed by Rab4 and Rab5 isoforms in *Trypanosoma brucei*. *J. Biol. Chem.* 273: 32102-32110.
46. Figueiredo, R.C. and Soares, M.J. 1995. The Golgi complex of *Trypanosoma cruzi* epimastigote forms. *J. Submicrosc. Cytol. Pathol.* 27: 209-215.
47. Frech, M., Darden, T.A., Pedersen, L.G., Foley, C.K., Charifson, P.S., Anderson, M.W. and Wittinghofer, A. 1994. A Role of glutamine-61 in the hydrolysis of GTP by p21H-ras: an experimental and theoretical study. *Biochemistry* 33: 3237-3244.
48. Garrett, M.D., Zahner, J.E., Cheney, C.M. and Novick, P.J. 1994. GDI 1 encodes GDP dissociation inhibitor that plays an essential role in the yeast secretory pathway. *EMBO J.* 13: 1718-1728.
49. Gaullier, J.M., Simonsen, A., D'Arrigo, A., Bremnes, B. and Stenmark, H. 1998. FYVE fingers bind PtdIns(3)P. *Nature.* 394: 432-433.
50. Geuze, H.J., Slot, J.W. and Strous, G.J. 1983. Intracellular site of asialoglycoprotein receptor-ligand uncoupling: double-label immunoelectron microscopy during receptor-mediated endocytosis. *Cell.* 32: 277-287.
51. Geuze, H.J., Stoorvogel, W., Strous, G.J., Slot, J., Zijderhand-Bleekemolen, J. and Mellman I. 1989. Sorting of mannose 6-phosphate receptors and lysosomal membrane proteins in endocytic vesicles. *J. Cell Biol.* 107: 2491-2501.
52. Ghosh, R.N., Gelman, D.L. and Maxfield, F.R. 1994. Quantification of low density lipoprotein and transferrin endocytic sorting HEP2 cells using confocal microscopy. *J. Cell Sci.* 107: 2177-2189.

53. Goldstein, J.L., Brown, M.S., Anderson, R.G.W., Russell, D.W. and Schneider, W.J. 1985. Receptor-mediated Endocytosis: Concepts emerging from the LDL Receptor System. *Annu. Rev. Cell Biol.* 1: 1-39.
54. Gorvel, J.P., Chavrier, P., Zerial, M. and Gruenberg, J. 1991. Rab5 controls early endosome fusion *in vitro*. *Cell.* 64: 915-925.
55. Goud, B., Salminen, A., Walworth, N.C. and Novick, P.J. 1988. A GTP binding protein required for secretion rapidly associates with secretory vesicles and plasma membrane in Yeast. *Cell.* 53: 753-768.
56. Goud, B., Zahraoui, A., Tavitian, A. and Saraste, J. 1990. Small GTP-binding protein associated with Golgi cisternae. *Nature.* 345: 553-556.
57. Gruenberg, J. and Howell, K.E. 1989. Membrane traffic in endocytosis: insights from cell-free assays. *Annu. Rev. Cell Biol.* 5: 453-481.
58. Gruenberg, J., Griffiths, G. and Howell, K.E. 1989. Characterization of the early endosome fusion *in vitro*. *J. Cell Biol.* 108: 1301-1316.
59. Hager, K.M., Pierce, M.A., Moore, D.R., Tytler, E.M., Esko, J.D. and Hajduk, S.L. 1994. Endocytosis of a cytotoxic human high density lipoprotein results in disruption of acidic intracellular vesicles and subsequent killing of African trypanosomes. *J. Cell Biol.* 126: 155-167.
60. Hapee, S. and Weidman, P. 1998. Cell free transport to distinct Golgi cisternae is compartment specific and ARF independent. *J. Cell Biol.* 140: 511-523.
61. Harris, E., Yoshida, K., Cardelli, J. and Bush, J. 2001. Rab11-like GTPase associates with and regulates the structure and function of the contractile vacuole system in *Dictyostelium*. *J. Cell Sci.* 114: 3035-3045.
62. Helenius, A., Mellman, I., Wall, D. and Hubbard, A. 1983. Endosomes. *Trends Biochem. Sci.* 8: 245-250
63. Herwaldt, B.L. 1999. Leishmaniasis. *Lancet.* 354: 1191-1199.
64. Hoffenberg, S., Sanford, J.C., Liu, S., Daniel, D.S., Tuvin, M., Knoll, B.J., Wessling-Resnick, M. and Dickey, B.F. 1995. Biochemical and functional characterization of a recombinant GTPase, Rab5, and two of its mutants. *J. Biol Chem.* 270: 5048-5056.
65. Hofmann, K. and Stoffel, W. 1993. TMbase - A database of membrane spanning

- proteins segments. *Biol. Chem. Hoppe-Seyler* 347: 166-166.
66. Hopkins, C.R. 1983. Intracellular routing of transferrin and transferrin receptors in epidermoid carcinoma A431 cells. *Cell*. 35: 321-330.
67. Horiuchi, H., Lippe, R., McBride, H., Rubino, M., Woodman, P., Stenmark, H., Rybin, V., Wilm, M., Ashman, K., Mann, M. and Zerial, M. 1997. A novel Rab5 GDP: GTP exchange factor complexed to Rabaptin-5 links nucleotide exchange to effector recruitment and function. *Cell*. 90: 1149-1159.
68. Jahn, R. and Sudhof, T.C. 1999. Membrane fusion and exocytosis. *Ann. Rev. Biochem.* 68: 863-911.
69. Jiang, W., Swiggard, W.J., Heufler, C., Peng, M., Mirza, A., Steinman, R.M. and Nussenzweig, M.C. 1995. The receptor DEC-205 expressed by dendritic cells and thymic epithelial cells is involved in antigen processing. *Nature*. 375: 151-155.
70. Jordens, I., Fernandez-Borja, M., Marsman, M., Dusseljee, S., Janssen, L., Calafat, J., Janssen, H., Wubbolts, R. and Neefjes, J. 2001. The Rab7 effector protein RILP controls lysosomal transport by inducing the recruitment of dynein-dynactin motors. *Curr. Biol.* 11: 1680-1685.
71. Jurnak, F., Heffron, S. and Bergmann, E. 1990. Conformational changes involved in the activation of Ras p21: implications for related proteins. *Cell*. 60: 525-528.
72. Juuti-Uusitalo, K., Airene, K.J., Laukkanen, A., Punnonen, E., Olkkonen, V.M., Gruenberg, J., Kulomma, M. and Marjomaki, V. 2000. Selective targeting of avidin/mannose6-phosphate receptor chimeras to early to late endosomes. *Eur. J. Cell Biol.* 79: 458-468.
73. Killick, K.R. 1979. Biology of *Leishmania* in phlebotomine sand flies. In: Lumsden Whrae DA (ed) Biology of kinetoplastida. Vol. I. Academic Press: New York. 395 - 449
74. Kissmehl, R., Froissard, M., Plattner, H., Momayezi, M. and Cohen, J. 2002. NSF regulates membrane traffic along multiple pathways in *Paramecium*. *J. Cell Sci.* 115: 3935-3946.



75. Korinlova, E., Sorkina, T., Beguinot, L. and Sorkin, A. 1996. Lysosomal targeting of epidermal growth factor receptors via a kinase- dependent pathway is mediated by the receptor carboxy- terminal residues 1022-1023. *J. Biol. Chem.* 271: 30340-30346.
76. Kornfeld, S. and Mellman, I. 1989. The biogenesis of lysosomes. *Annu. Rev. Cell. Biol.* 5:483-525.
77. Kornfield, S. 1992. Structure and function of the mannose 6-phosphate/insulin like growth factor II receptors. *Annu. Rev. Biochem.* 61: 307-330.
78. Lamaze, C., Dujeancourt, A., Baba, T., Lo, C.G., Benmerah, A. and Dautry-Varsat, A. 2001. Interleukin-2 receptors and detergent-resistant membrane domains define a clathrin-independent endocytic pathway. *Mol. Cell.* 7: 661-671.
79. Langreth, S.G. and Balber, A.E. 1975. Protein uptake and digestion in bloodstream and culture forms of *Trypanosoma brucei*. *J. Protozool.* 22: 40-53.
80. Laurent, O., Bruckert, F., Adessi, C. and Satre, M. 1998. *In vitro* reconstituted *Dictyostelium discoideum* early endosome fusion is regulated by Rab7 but proceeds in the absence of ATP-Mg<sup>2+</sup> from the bulk solution. *J. Biol. Chem.* 273: 793-799.
81. Lenhard, J.M., Mayorga, L. and Stahl, P.D. 1992. Characterization of endosome endosome fusion in a cell free system using *Dictyostelium discoideum*. *J. Biol. Chem.* 267: 1896-1903.
82. Li, G. and Stahl, P.D. 1993. Post-translational processing and membrane association of the two early endosome-associated Rab GTP-binding proteins (Rab4 and Rab5). *Arch Biochem Biophys.* 304: 471-478.
83. Li, G., Barbieri, M.A., Colombo M.I. and Stahl, P.D. 1994. Structural features of the GTP-binding defective Rab5 mutants required for their inhibitory activity on endocytosis. *J. Biol. Chem.* 269: 14631-1463.
84. Liendo, A., Stedman, T. T., Ngo, H. M., Chaturvedi, S., Hoppe, H. C. and Joiner, K. A. 2001. *Toxoplasma gondii* ADP-ribosylation Factor 1 mediates enhanced release of constitutively secreted dense granule proteins. *J. Biol. Chem.* 276: 18272-18281.

85. Liu, J., Qiao, X., Du, D. and Lee, M.G. 2000. Receptor-mediated endocytosis in the procyclic form of *Trypanosoma brucei*. *J. Biol. Chem.* 275: 12032-12040.
86. Lombardi, D., Soldati, T., Riederer, M.A., Goda, Y., Zerial, M. and Pfeffer, S.R. 1993. Rab9 functions in transport between late endosomes and the trans Golgi network. *EMBO J.* 12: 677-682.
87. Mahnke, K., Guo, M., Lee, S., Sepulveda, H., Swain, S.L. and Nussenzweig, M. 2000. The dendritic cell receptor for endocytosis, DEC-205, can recycle and enhance antigen presentation via major histocompatibility complex class II positive lysosomal compartments. *J. Cell Biol.* 151: 673-683.
88. Mayor, S., Presley, J.F. and Maxfield, F.R. 1993. Sorting of membrane components from endosomes and subsequent recycling to the cell surface occurs by a bulk flow process. *J. Cell Biol.* 121: 1257-1269.
89. Medema, R.H., de Vries-Smits, A.M., van der Zon, G.C., Maassen, J.A. and Bos, J.L. 1993. Ras activation by insulin and epidermal growth factor through enhanced exchange of guanine nucleotides on p21ras. *Mol. Cell Biol.* 13: 155-162.
90. Mc Lauchlan, H., Newell, J., Morrice, N., Osborne, A., West, M. and Smythe, E. 1998. A novel role for Rab5-GDI in ligand sequestration into clathrin-coated pits. *Curr. Biol.* 8: 34-45.
91. McNew, J.A., Weber, T., Engelman, D.M., Sollner, T.H. and Rothman, J.E. 1999. The length of the flexible SNARE pin juxtamembrane region is a critical determinant of SNARE-dependent fusion. *Mol. Cell.* 4: 415-421.
92. Mellman, I., Fuchs, R. and Helenius, A. 1986. Acidification of the endocytic and exocytic pathways. *Annu. Rev. Biochem.* 55: 663-700.
93. Mellman, I. 1996. Endocytosis and molecular sorting *Annu. Rev. Cell Dev. Biol.* 12: 575-625.
94. Meresse, S., Gorvel, J.P. and Chavrier, P. 1995. The Rab7 GTPase resides on a vesicular compartment connected to lysosomes. *J Cell Sci.* 108: 3349-3358.
95. Merithew, E., Hatherly, S., Dumas, J.J., Lawe, D.C., Heller-Harrison, R. and Lambright, D.G. 2001. Structural plasticity of an invariant hydrophobic triad in

- the switch regions of Rab GTPases is a determinant of effector recognition. *J Biol Chem* 276: 13982-13988.
96. Milburn, M.V., Tong, L., DeVos, A.M., Brünger, A., Yamaizumi, Z., Nishimura, S. and Kim, S-H. 1990. Molecular switch for signal transduction: structural differences between active and inactive forms of protooncogenic Ras proteins. *Science*. 247: 939-945.
  97. Mills, I.G., Jones, A.T. and Clague, M. 1998. Involvement of the endosomal autoantigen EEA1 in homotypic fusion of early endosomes. *Curr. Biol.* 15: 881-884.
  98. Mohrmann, K. and van der Sluijs, P. 1999. Regulation of membrane transport through the endocytic pathway by Rab GTPases. *Mol. Memb.r. Biol.* 16: 81-87.
  99. Morgan, G.W., Allen, C.L., Jeffries, T.R., Hollinshead, M. and Field, M.C. 2001. Developmental and morphological regulation of clathrin-mediated endocytosis in *Trypanosoma brucei*. *J Cell Sci.* 114: 2605-2615.
  100. Mukherjee, K., Parashuraman, S., Raje, M. and Mukhopadhyay, A. 2001 SopE acts as a Rab5-specific nucleotide exchange factor and recruits non-prenylated Rab5 on *Salmonella*-containing phagosomes to promote fusion with early endosomes. *J. Bio Chem.* 276: 23607-23615.
  101. Mukhopadhyay, A., Barbieri, A.M., Funato, K., Roberts, R. and Stahl, P.D. 1997. Sequential actions of Rab5 and Rab7 regulate endocytosis in the *Xenopus* oocyte. *J. Cell Biol.* 136: 1227-1237.
  102. Nuoffer, C., Davidson, H.W., Matteson, J., Meinkoth J., and Balch, W.E. 1994. A GDP-bound of Rab1 inhibits protein export from the endoplasmic reticulum and transport between Golgi compartments. *J, Cell Biol.* 125:225-237.
  103. Nichols, B.J. and Pelham, H.R. 1998. SNAREs and membrane fusion in the Golgi apparatus. *Biochim. Biophys. Acta.* 1404: 9-31.
  104. Nielsen, E., Severin, F., Backer, J.M., Hyman, A.A. and Zerial, M. 1999. Rab5 regulates motility of early endosomes on microtubules. *Nat. Cell Biol.* 1: 376-382.
  105. Nielsen, E., Christoforidis, S., Uttenweiler-Joseph, S., Miaczynska, M., Dewitte, F., Wilm, M., Hoflack, B. and Zerial, M. 2000. Rabenosyn-5, a novel

- Rab5 effector, is complexed with hVPS45 and recruited to endosomes through a FYVE finger domain. *J. Cell Biol.* 151: 601-612.
106. Olkkonen, V.M and Stenmark, H. 1997. Role of Rab GTPases in membrane traffic. *Int. Rev. Cytol.* 176: 1-85.
107. Omary, M. B. and Trowbridge, I. S. 1981. Biosynthesis of the human transferrin receptor in cultured cells. *J. Biol. Chem.* 256: 12888–12892.
108. Ostermeier C. and Brunger, A.T. 1999. Structural basis of Rab effector specificity: crystal structure of the small G protein Rab3A complexed with the effector domain of Rabphilin-3A. *Cell.* 96: 363-374.
109. Overkamp, D., Mohammed-Ali, S., Cartledge, C. and Landon, J. 1988. Production of polyclonal antibodies in ascitic fluid of mice: technique and applications. *J. Immunoassay.* 9: 51-68.
110. Overath, P., York-Dieter Stierhof and Wiese, M. 1997. Endocytosis and secretion in trypanosomatid parasites - tumultuous traffic in a pocket. *Trends Cell Biol.* 7: 27-33.
111. Parlati, F., Weber, T., McNew, J.A., Westermann, B., Sollner, T.H. and Rothman, J.E. 1999. Rapid and efficient fusion of phospholipid vesicles by the alpha-helical core of a SNARE complex in the absence of an N-terminal regulatory domain. *Proc. Natl. Acad. Sci. USA.* 96: 12565–12570.
112. Patki, V., Lawe, D.C., Corvera, S., Virbasius, J.V. and Chawla, A. 1998. A functional PtdIns(3)P-binding motif. *Nature.* 394: 433–434.
113. Pearse, B.M. 1987. Clathrin and coated vesicles. *EMBO J.* 6:2507-2512.
114. Pfeffer S. R. 2001. Rab GTPases: specifying and deciphering organelle identity and function. *Trends in Cell Biol.* : 487-491.
115. Pereira-Leal, J.B. and Seabra, M.C. 2000. The mammalian Rab family of small GTPases: Definition of family and subfamily sequence motifs suggests a mechanism for functional specificity in the Ras superfamily. *J. Mol. Biol.* 301, 1077-1087.
116. Poirier, M.A., Xiao, W., Macosko, J.C., Chan, C., Shin, Y.K. and Bennett, M.K. 1998. The synaptic SNARE complex is a parallel four-stranded helical bundle. *Nat. Struct. Biol.* 5: 765–769.

117. Rabinowitz, S., Horstmann, H., Gordon, S., and Griffiths, G. 1992. Immunocytochemical characterization of the endocytic and phagolysosomal compartments in peritoneal macrophages. *J. Cell Biol.* 116: 95–112.
118. Riederer, M.A., Soldati, T., Shapiro, A.D., Lin, J. and Pfeffer, S.R. 1994. Lysosome biogenesis requires Rab9 function and receptor recycling from endosomes to the trans-Golgi network. *J Cell Biol.* 125: 573-582.
119. Robibaro, B., Stedman, T.T., Coppens, I., Ngo, H.M., Pypaert, M., Bivona, T., Nam, H.W. and Joiner KA. 2002. *Toxoplasma gondii* Rab5 enhances cholesterol acquisition from host cells. *Cell Microbiol.* 4: 139-152.
120. Robinson, M.S. and Pearse, B.M. 1986. Immunofluorescent localization of 100K coated vesicle proteins. *J Cell Biol* 102:48-54.
121. Rothman, J.E. and Sollner, T.H. 1997. Throttles and dampers: controlling the engine of membrane fusion. *Science.* 276:1212-1213.
122. Roy, J.C. 1932. Cultivation of various *Leishmania* parasites in solid medium. *Ind. J. Med. Res.* 20: 355-367.
123. Rupper, A., Grove, B. and Cardelli, J. 2001. Rab7 regulates phagosome maturation in *Dictyostelium*. *J Cell Sci.* 114: 2449-2460.
124. Rybin, V., Ullrich, O., Rubino, M., Alexandrov, K., Simon, I., Seabra, MC, Goody, R. and Zerial, M. 1996. GTPase activity of Rab5 acts as a timer for endocytic membrane-fusion. *Nature.* 383: 266–269.
125. Sah, J.F., Ito, H., Kolli, B.K., Peterson, D.A., Sassa, S. and Chang KP 2002. Genetic rescue of *Leishmania* deficiency in porphyrin biosynthesis creates mutants suitable for analysis of cellular events in uroporphyrin and for photodynamic therapy. *J. Biol. Chem.* 277: 14902-14909.
126. Salminen, A., Novick, P.J. 1987. A Ras like protein is required for a post golgi event in secretion. *Cell.* 49: 527-538.
127. Schalk, I., Zeng, K., Wu, S.K., Stura, E.A., Matteson, J., Huang, M.D., Tandon, A., Wilson, I.A. and Balch, W.E. 1996. Structure and mutational analysis of Rab GDP-dissociation inhibitor. *Nature.* 381: 42-48.
128. Schlichting, I., Almo, S.C., Rapp, G., Wilson, K., Petratos, K., Lentfer, A., Wittinghofer, A., Kabsch, W., Pai, E.F., Petsko, G.A. and Goody, R.S. 1990.

- Time-resolved X-ray crystallographic study of the conformational change in Ha-Ras p21 protein on GTP hydrolysis. *Nature*. 345: 309-315.
129. Schmid, J.A., Ellinger, I. and Kosma, P. 1998. *In vitro* fusion of tissue derived endosomes and lysosomes. *Eur. J. Cell Biol.* 77: 166-174.
130. Schmid, S. L. 1997. Clathrin-coated vesicle formation and protein sorting: An integrated process. *Annu. Rev. Biochem.* 66: 511-548.
131. Schmid, S., Fuchs, R., Male, P. and Mellman. I. 1988. Two distinct subpopulations of endosomes involved in membrane recycling and transport to lysosomes. *Cell* 52: 73-83.
132. Seabra, M.C., Goldstein, J.L., Sudhof, T.C. and Brown, M.S. 1992. Rab geranylgeranyl transferase. A multisubunit enzyme that prenylates GTP-binding proteins terminating in Cys-X-Cys or Cys-Cys. *J. Biol. Chem.* 267: 14497-503.
133. Segev, N., Mulholland, J. and Botstein, D. 1988. The Yeast GTP binding YPT1 protein and a mammalian counterpart are associated with the secretion machinery. *Cell* 52: 915-924.
134. Sengupta, S., Tripathi, J., Tandon, R., Raje, M., Roy, R.P., Basu, S.K. and Mukhopadhyay, A. 1999. Hemoglobin endocytosis in *Leishmania* is mediated through a 46-kDa protein located in the flagellar pocket. *J. Biol. Chem.* 274: 2758-2765.
135. Simonsen, A., Lippe, R., Christoforidis, S., Gaullier, J.M., Brach, A., Callaghan, J., Toh, B.H., Murphy, C., Zerial, M. and Stenmark, H. 1998. EEA1 links PI(3)K function to Rab5 regulation of endosome fusion. *Nature*. 394: 494-498.
136. Smythe, E. and Warren, G. 1991. The mechanism of receptor-mediated endocytosis. *Eur. J. Biochem.* 202: 689-699.
137. Sollner, T., Whiteheart, S.W., Brunner, M., Erdjument-Bromage, H., Geromanos, S., Tempst, P. and Rothman, J.E. 1993. SNAP receptors implicated in vesicle targeting and fusion. *Nature*. 362: 318-324.
138. Stedman, T.T., Sussmann, A.R. and Joiner, K.A. 2003. *Toxoplasma gondii* Rab6 mediates a retrograde pathway for sorting of constitutively secreted proteins to the Golgi complex. *J. Biol. Chem.* 278: 5433-5443.

139. Stein, M., Zijderhand-Bllekemolon, J. E., Geuze, H., Hasilik, A., and von Figura, K. 1987. Mr 46,000 mannose 6-phosphate specific receptor: its role in targeting of lysosomal enzymes. *EMBO J.* 6: 2677–2681
140. Stenmark, H., Parton, R.G., Steele-Mortimer, O., Lutcke, A., Gruenberg, J. and Zerial, M. 1994. Inhibition of Rab5 GTPase stimulates membrane fusion in endocytosis. *EMBO J.* 13: 1287–1296.
141. Stenmark, H., Vitale, G., Ullrich, O. and Zerial, M. 1995. Rabaptin-5 is a direct effector of the small GTPase rab5 in endocytic membrane fusion. *Cell.* 83: 423–432.
142. Stenmark, H. and Olkkonen, V.M. (2001) The Rab GTPase family. *Genome Biol.* 2: 3007.1-3007.7.
143. Steverding, D., Stierhof, Y.D., Fuchs, H., Tauber, R. and Overath, P. 1995. Transferrin-binding protein complex is the receptor for transferrin uptake in *Trypanosoma brucei*. *J. Cell Biol.* 131: 1173-1182.
144. Storrie, B., Pool, R.R. Jr., Sachdeva, M., Maurey, K.M., Oliver, C. 1984. Evidence for both prelysosomal and lysosomal intermediates in endocytic pathways. *J Cell Biol.* 98: 108-115.
145. Temesvari, L., Rodriguez-Paris, J., Bush, J., Steck, T.L. and Cardelli, J. 1994. Characterization of lysosomal membrane proteins of *Dictyostelium discoideum*. A complex population of acidic integral membrane glycoproteins, Rab GTP-binding proteins and vacuolar ATPase subunits. *J. Biol. Chem.* 269: 25719–25727.
146. Temesvari, L.A., Harris, E.N., Stanley, S.L Jr. and Cardelli, J.A 1999. Early and late endosomal compartments of *Entamoeba histolytica* are enriched in cysteine proteases, acid phosphatase and several Ras-related Rab GTPases. *Mol Biochem Parasitol.* 103: 225-241.
147. Tisdale, E.J., Bourne, J.R., Khosravi-Far, R., Der, C.J. and Balch, W.E. 1992. GTP-binding mutants of rab1 and rab2 are potent inhibitors of vesicular transport from the endoplasmic reticulum to the Golgi complex. *J. Cell Biol.* 119: 749-761.

148. Thompson, J.D., Higgins, D.G. and Gibson, T.J. (1994) CLUSTAL 2: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acid Res.* 22, 4673-4680.
149. Toker, A. and Cantley, L.C. 1997. Signalling through the lipid products of phosphoinositide-3-OH kinase. *Nature.* 387: 673-676.
150. Tong, L., Milburn, M.V., de Vos, A.M. and Kim, S.H. 1989. Structure of Ras proteins. *Science.* 245: 244.
151. Ullrich, O., Horiuchi, H., Bucci, C. and Zerial, M. 1994. Membrane association of Rab5 mediated by GDP-dissociation inhibitor and accompanied by GDP:GTP exchange. *Nature.* 368: 157-161.
152. Ullrich, O., Stenmark, H., Alexandrov, K., Huber, L.A., Kaibuchi, K., Sasaki, T., Takai, Y. and Zerial, M. 1993. Rab GDP dissociation inhibitor as a general regulator for the membrane association of Rab proteins. *J. Biol. Chem.* 268: 18143-18150.
153. Vale, R.D. 1987. Intracellular transport using microtubule-based motors. *Annu. Rev. Cell Biol.* 3: 347-378.
154. Valencia, A., Chardin, P., Wittinghofer, A. and Sander, C. (1991). The Ras protein family: Evolutionary tree and role of conserved amino acids. *Biochemistry* 30: 4639-4648.
155. van der Sluijs, P., Hull, M., Zahraoui, A., Tavitian, A., Goud, B. and Mellman, I. 1991. The small GTP-binding protein Rab4 is associated with early endosomes. *Proc. Natl. Acad. Sci. USA.* 88: 6313-6317.
156. Via, L.E., Deretic, D., Ulmer, R.J., Hibler, N.S., Huber, L.A. and Deretic, V. 1997. Arrest of Mycobacterial phagosome maturation is caused by a block in vesicle fusion between stages controlled by Rab5 and Rab7. *J. Biol. Chem.* 272: 13326-13331.
157. Vigers, G.P., Crowther, R.A. and Pearse, B.M. 1986. Location of the 100 kd-50 kd accessory proteins in clathrin coats. *EMBO J.* 5: 2079-2085.



158. Vitelli, R., Santillo, M., Lattero, D., Chaiariello, M., Bifulco, M., Bruni, C.B., and Bucci, C. 1997. Role of the small GTPase RAB7 in the late endocytic pathway. *J. Biol. Chem.* 272: 4391-4397.
159. Voyiatzaki, C.S. and Soteriadou, K.P. 1992. Identification and isolation of the *Leishmania* transferrin receptor. *J. Biol. Chem.* 267: 9112-9117.
160. Wall, D.A. and Hubbard, A.L. 1985. Receptor mediated endocytosis of asialoglycoproteins by rat liver hepatocytes: Biochemical characterization of the endosomal compartments. *J. Cell. Biol.* 101: 2104-2112.
161. Weber, T., Zemelman, B.V., McNew, J.A., Westermann, B., Gmachl, M., Parlati, F., Sollner, T.H. and Rothman, J.E. 1998. SNAREpins: minimal machinery for membrane fusion. *Cell.* 92: 759-772.
162. Webster, P. and Russell, D.G. 1993. The flagellar pocket of trypanosomatids. *Parasitol Today*;9: 201-206.
163. Weidenhaupt, M., Bruckert, F. and Satre, M. 1998. Identification of the *Dictyostelium discoideum* homologue of the N-ethylmaleimide-sensitive protein. *Gene.* 207: 53-60.
164. Weise, F., Stierhof, Y.D., Kuhn, C., Wiese, M. and Overath P. 2000. Distribution of GPI-anchored proteins in the protozoan parasite *Leishmania*, based on an improved ultrastructural description using high-pressure frozen cells. *J. Cell Sci.* 113 : 4587-603.
165. Welter, B.H., Laughlin, R.C. and Temesvari, L.A. 2002. Characterization of a Rab7-like GTPase, EhRab7: a marker for the early stages of endocytosis in *Entamoeba histolytica*. *Mol. Biochem. Parasitol.* 121: 254-264.
166. Wileman, T., Harding, C. and Stahl, P. 1985. Receptor-mediated endocytosis. *Biochem. J.* 232: 1-14.
167. Yamashiro, D.J., Tycko, B., Fluss, S.R. and Maxfield, F.R. 1984. Segregation of transferrin to a mildly acidic (pH 6.5) para-Golgi compartment in the recycling pathway. *Cell.* 37: 789-800.
168. Zerial, M. and McBride, H. 2001. Rabs as membrane organizers. *Nat. Rev. Mol. Biol.* 2: 107-117.

