

REFERENCES

Chapter-1

- [1] Dan Sheingold, Analog-Digital Conversion Handbook, Prentice Hall, 1986, ISBN-0-13-032848-0, pp. 441-471.
- [2] Dennis Fu, "Circuit Applications of the AD2S90 Resolver-to-Digital Converter," Application Note AN-230, Analog Devices.
- [3] John Gasking, "Resolver-to-Digital Conversion: A Simple and Cost Effective Alternative to Optical Shaft Encoders," Application Note AN-263, Analog Devices.
- [4] <http://www.amci.com/tutorials/tutorials-what-is-resolver.asp>
- [5] Advanced Motion Technology, "Understanding resolvers and resolver-to-digital conversion," *Catalog of Admotec*, 1998. [Online] Available: www.admotec.com/TT02.pdf
- [6] R. Hoseinnezhad, A. Bab-Hadiashar and P. Harding, "Calibration of Resolver Sensors in Electromechanical Braking Systems: A Modified Recursive Weighted Least-Squares Approach," *IEEE Transaction on Industrial Electronics*, vol. 54, no. 2, April 2007, pp. 1052-1060.
- [7] Brownan, "Synchro and Resolver Engineering handbook," Moog Component Group, 2005.
- [8] Jens Onno Krah, Heiko Schmirgel and Marcel Albers, "FPGA based resolver to digital converter using delta-sigma technology," *in proceedings of PCIM*, Europe, 2006, pp. 931-936.
- [9] G A Woolvet, "Digital transducers," *The Institute of Physics: Journal of Physics: Engineering, Science and Instrumentation*, Vol.15, 1982, pp. 1271-1280.
- [10] Reza Hoseinnezhad, "Position sensing in brake-by-wire capillers using resolvers," *IEEE Transactions on Vehicle Technology*, Vol. 55, No. 3, May 2006, pp. 924–932,.

- [11] Freescale semiconductors, “56F80x resolver driver and hardware interface,” Application note, AN1942, Rev. 1, August, 2005, pp. 1-28. [Online] Available: www.freescale.com.
- [12] Albert Mo Kim Cheng, “A survey of formal verification methods and tools for embedded and real-time systems,” *International Journal of Embedded Systems*, Vol. 2, No. 3/4, 2006, pp. 184 – 195.
- [13] Jose L. Ayala, Marisa Lopez-Vallejo, David Atienza, Praveen Raghavan, Francky Catthoor and Diederik Verkest, “Energy-aware compilation and hardware design for VLIW embedded systems,” *International Journal of Embedded Systems*, Vol. 3, No.1/2, 2007, pp. 73 – 82.
- [14] Dhananjay V.Gadre, “Programming and Customizing the AVR Microcontroller,” *Tata Mc Graw-Hill*, 2003.
- [15] Sanz, Ricardo and Karl-Erik Arzen, “Trends in software and control,” *IEEE. Control Systems Magazine*, Vol. 23, Issue 3, June 2003, pp 12 – 15.
- [16] Falk Salewski and Stefan Kowalewski, “Hardware Platform Design Decisions in Embedded Systems A Systematic Teaching Approach,” *WESE '06*, October 2006, South Korea, pp. 27 – 35.

REFERENCES

Chapter-2

- [1]. John Pezzlo and Chong-Loh Tsiang, “Resolver to pulse width converter,” Patent number: 3,803,567, April 9, 1974, USA.
- [2]. Robert M. Kay, “Phase locked loop resolver to digital converter,” Patent number: 4,010,463, March 1, 1977, USA.

- [3]. George W. Miller and Larry A. Meyer, "Resolver to digital converter," Patent number: 3,990,062, November 2, 1976, USA.
- [4]. Richard W. Cording and Daniel D. Morton, "Resolver processor with error detection," Patent number: 4,355,305, October, 19, 1982, USA.
- [5]. Edward I. Denham and Michael J. Tusso, "Compensated resolver feedback," *Patent number: 4,472,669*, September 18, 1984, USA.
- [6]. Peter G. Serev and Roger M. Bogin, "Programmable limit switch system using a resolver-to-digital angle converter," *Patent number: 4,511,884*, April 16, 1985, USA.
- [7]. Tadahiro Ono, "Resolver-type rotational positioning arrangement," *Patent number: 4,529,922*, July 16, 1985, USA.
- [8]. Ross D. Wellburn and Santa Rosa, "Self-corrected synchro/resolver," *Patent number: 4,568,865*, February 4, 1986, USA.
- [9]. James A. Blackburn, Yang Zhou-Jing, S. Vik, H.J.T. Smith And M.A.H. Nerenberg, "Experimental study of chaos in a driven pendulum," *Physica*, Vol. 26d, pp. 385-395, 1987.
- [10]. Shiregu Sakurai, Akiho Hasuo and Kazuo Tanabe, "Resolver controlling method and apparatus," *Patent number: 4,795,954*, January 3, 1989, USA.
- [11]. Peter G. Serev, "Microcontroller based resolver-to-digital converter," Patent number: 4,989,001, January 29, 1991, USA.
- [12]. Duane Hanselman, "Resolver signal requirements for high accuracy resolver-to-digital conversion," *in proceedings of IEEE International Conference, 1989*, pp. 486-493.

- [13]. Duane Hanselman, "Resolver signal requirements for high accuracy resolver-to-digital conversion," *IEEE Transactions on Industrial Electronics*, Vol. 31, No. 6, pp. 556-561, December 1990.
- [14]. Duane Hanselman, "Signal processing techniques for improved resolver-to-digital conversion accuracy," *in proceedings of IEEE International Conference*, 1990, pp. 6-10.
- [15]. Yasuhiro Ezuka, "Resolver system," *Patent number: 5,189,353*, February 23, 1993, USA.
- [16]. Duane C. Hanselman, "Techniques for Improving Resolver-to-Digital Conversion Accuracy," *IEEE Transactions on Industrial Electronics*, Vol. 38, No. 6, pp. 501-504, December 1991.
- [17]. Choong-Hyuk Yim, In-Joong Ha and Myoung-Sam KO, "A resolver-to-digital conversion method for fast tracking," *IEEE Transactions on Industrial Electronics*, Vol. 39, No. 5, pp. 369-378, 1992.
- [18]. Bruce N. Eyerly and Donald R. Cargille, "Phase compensation for electromagnetic resolvers," *Patent number: 5,134,397*, July 28, 1992.
- [19]. B.A. Murray and W.D. Li, "A digital tracking r/d converter with hardware error calculation using a TMS320C14," *The European power electronics association*, pp. 472-477, 1993.
- [20]. Donald K. Taylor, Richard J. Maczka, Russell III and Carl H, "Software controllable circuit for resolver excitation switching in a motion control system," *Patent Number: 5,198,739*, March 30, 1993.

- [21]. Dong-Il Kim and Jin-Won Lee, "Commutation of permanent magnet a.c. servo motors with incremental encoders via fuzzy reasoning," *Mechatronics*, Vol. 4, No. 5, pp. 455-469, 1994.
- [22]. Dean C. Alhorn and David E. Howard, "Multi-speed multi-phase resolver converter," *Patent number: 5,451,945*, September 19, 1995.
- [23]. David T. Robinson, "A new absolute inductive transducer for brushless servomotors," *in proceedings 95 conference in Long Beach CA*, September, 1995.
- [24]. Jacek Grochowalski, "Transducer for position determination of machine shafts," *Measurement*, Vol. 19, No. 3/4, pp. 199-205, 1996.
- [25]. L. Harnefors, "Speed estimation from noisy resolver signals," *in proceedings of IEE Power Electronics and Variable Speed Drives 1996*, publication No. 42, September 23-25, 1996, pp. 279-282.
- [26]. Saso P. Vlahu, "Direct resolver to digital converter," *Patent number: 5,912,638*, June 15, 1999, USA.
- [27]. Martin Piedl, Moe Barani and Ron Flanary, "Low cost resolver system," *Patent number: 6,084,376*, July 4, 2000, USA.
- [28]. S. Buchner, L. Tran, J. Mann, T. Turflinger, D. McMorrow, A. Campbell and C. Dozier, "Single-event effects in resolver-to-digital converters," *IEEE Transactions on Nuclear Science*, Vol. 46, No. 6, pp. 1445-1452, December, 1999.
- [29]. Sheng-Ming Yang and Shuenn-Jenn Ke, "Performance evaluation of a velocity observer for accurate velocity estimation of servo motor drives," *IEEE Transactions on Industry Applications*, Vol. 36, No. 1, pp. 98-104, January/February, 2000.

- [30]. Lennart Harnefors and Hans-Peter Nee, "A general algorithm for speed and position estimation of AC motors," *IEEE Transactions on Industrial Electronics*, Vol. 47, No. 1, pp. 77-83, February 2000.
- [31]. Martin Staebler, "TMS320F240 DSP solution for obtaining resolver angular position and speed," Texas Instruments DSP Application report, SPRA605, February 2000, pp. 1-22.
- [32]. George Ellis and Jens Ohno Kraha, "Observer-based resolver conversion in industrial servo systems," in *proceedings of PCIM 2001 International Conference*, Nuremberg, Germany, June 19-21, 2001
- [33]. Winston Sun and Wen J. Li, "A MEMS high-speed angular-position sensing system with RF wireless transmission," in *proceedings of SPIE*, Vol. 4334, 2001, pp. 244-251.
- [34]. Sung-Jun Park, Jin- Woo Ahn, Man-Hyung Lee, and T. A. Lipo, "Novel encoder for SRM drive with high resolution angle control," in *proceedings of IEEE International Conference ISIE 2001*, Pusan, KOREA, 2001, pp. 1781-1785.
- [35]. C. Attaianese, G. Tomasso and D. DeBonis, "A low cost resolver-to-digital converter," in *proceedings IEEE International Electrical Machine Drives Conference*, Cambridge, MA, June 2001, pp. 917-921.
- [36]. George Ellis and Jens Ohno Kraha, "Observer-based resolver conversion in industrial servo systems," in *proceedings of PCIM 2001 International Conference*, Nuremberg, Germany, June 19-21, 2001.

- [37]. Aengus Murray, Bruce Hare and Akihiro Hirao, "42.3: Resolver position sensing system with integrated fault detection for automotive applications," *in proceedings of IEEE International Conference*, 2002, pp. 864-869.
- [38]. Sung-Jun Park and Jin-Woo Ahn, "A novel encoder for switching angle control of SRM," *in proceedings of IEEE International Conference*, 2003, pp. 1726-1731.
- [39]. A. O. Di Tommaso and R. Miceli, "A new high accuracy software based resolver-to - digital converter," *in proceedings of IEEE International Conference*, 2003, pp. 2435-2440.
- [40]. Mohieddine Benammar, Lazhar Ben-Brahim, and Mohd A. Alhamadi, "A novel resolvers-to-360° linearized converter," *IEEE Sensors Journal*, Vol. 4, No.1, pp. 96–101, 2004.
- [41]. Andreas Bünte and Stephan Beineke, "High-performance speed measurement by suppression of systematic resolver and encoder errors," *IEEE Transactions on Industrial Electronics*, Vol. 51, No. 1, pp. 49-53, February 2004
- [42]. N. Nowlin, S. McEndree and D. Butcher, "A Radiation-Hardened High-Precision Resolver-to-Digital Converter (RDC)," *in proceedings of IEEE international conference*, 2004, pp. 96-103.
- [43]. L.Z. Sun, J.B.Zou and Y.P. Lu, "New Variable-reluctance resolver for Rotor-position sensing," *in proceedings of IEEE International Conference*, 2004, pp. 5-8.
- [44]. A. Balkovoy and E. Kallenbach, "A low cost resolver-to-digital converter," *in proceedings of 49th Internationales Wissenschaftliches Kolloquium*, Technische Universität Ilmenau, September 27-30, 2004.

- [45]. Don Payne, "Accurate measurement of angle position at high angular velocities," in *proceedings of International conference on EMSA 2004*, July 7, 2004.
- [46]. Mohd. A. Avlamadi, M. Benammar and L. Ben-brahim, "Precise method for linearizing sine and cosine signals in resolvers and quadrature encoders applications," in *proceedings of the 30th Annual Conference of the IEEE Industrial Electronics Society*, Busan, Korea, November 2-6, 2004, pp. 1935-1940.
- [47]. Victor D. Aksenenko and Sergey I. Matveyev, "Digital angle sensor self-calibration: Two approaches to accuracy increasing," in *proceedings of IEEE Instrumentation and Measurement Technology Conference*, Canada, May 2005, pp. 17-19.
- [48]. Hisashi Kameya, "Method and apparatus for correcting resolvers output," *Patent number: US6,925,401 B2*, August 2, 2005.
- [49]. Robert Herb, "Device and method for determining the rotary orientation of a motor through use of Resolver signal derived from the rotary orientation," *Patent Number: US 6,931,918 B2*, August 23, 2005.
- [50]. Freescale semiconductors, "56F80x resolver driver and hardware interface," Application note, AN1942, Rev. 1, August, 2005, pp. 1-28. [Online] Available: www.freescale.com.
- [51]. Mohieddine Benammar, Lazhar Ben-Brahim, and Mohd A. Alhamadi, "A high precision resolver-to-DC converter," *IEEE Transactions on Instrumentation and Measurement*, Vol. 54, No. 6, pp. 2289-2296, December, 2005.
- [52]. Gabriel Gross, Miquel Teixid, Antoni Sudria and Joan Bergas, "All-digital resolver-to-digital conversion," in *proceedings of International Conference on EPE 2005*, Dresden, pp. P.1-P.8.

- [53]. Masayuki Katakura, Asako Toda, Yuichi Takagi, Norihito Suzuki, Takahide Kadoyama and Hiroshi Kushihara, "A 12-bits resolver-to-digital converter using complex twin pll for accurate mechanical angle measurement," in *proceedings of Symposium on VLSI Circuits*, 2005, pp. 236-239.
- [54]. Lizhi Sun, Jing Shang, and Jibin Zou, "New absolute rotor-position sensors for inverter-driven motors," in *proceedings of IEEE*, 2005, pp. 488.
- [55]. Reza Hoseinnezhad and Peter Harding, "A novel hybrid angle tracking observer for resolver to digital conversion," in *proceedings of the 44th IEEE Conference on Decision and Control, and the European Control Conference 2005*, Seville, Spain, December 12-15, 2005.
- [56]. Reza Hoseinnezhad, "Position sensing in brake-by-wire capillers using resolvers," *IEEE Transactions on Vehicle Technology*, Vol. 55, No. 3, pp. 924–932, May 2006.
- [57]. Yoshi Ishizuka, Kazuhiro Makiuchi and Toru Miyajima, "Compensation method of resolver detected position," *Patent number: US 7, 047, 145 B2*, May 16, 2006.
- [58]. Mohieddine Benammar, Lazhar Ben-brahim, Mohd. A. Alhamadi and Mohamed El-Naimi, "A novel converter for sinusoidal encoders," in *proceedings of IEEE Sensors 2006*, Daegu, Korea, October 22-25, 2006, pp. 1415-1418.
- [59]. Armando Bellini and Stefano Bifaretti, "A digital filter for speed noise reduction in drives using an electromagnetic resolver," *International Journal of Mathematics and Computers in Simulation*, Vol. 71, pp. 476-486, 2006. [Online] Available: www.sciencedirect.com.

- [60]. Jens Onno Krah, Heiko Schmirgel and Marcel Albers, "FPGA based resolver to digital converter using delta-sigma technology," *in proceedings of PCIM*, Europe, 2006, pp. 931-936.
- [61]. Kamel Bouallaga, Lahoucine Idkhajine, Antonio Prata and Eric Monmasson, "Demodulation methods on fully FPGA-based system for resolver signals treatment," *in proceedings of EPE Conference*, Denmark, September 2007, pp. 1-6.
- [62]. V. Mayer, D. Warkentin and H. Keck, "High resolution low cost optical angular resolver," *International Journal of Multi-Material Micro Manufacture*, pp. 357-360, 2006.
- [63]. Jin-Woo Ahn, Sung-Jun Park and Dong-Hee Lee, "Novel encoder for switching angle control of SRM," *IEEE Transactions on Industrial Electronics*, Vol. 53, No. 3, pp. 848-854, June 2006
- [64]. Weera Kaewjinda and Mongkol Konghirun, "Vector control drive of Permanent Magnet Synchronous Motor using resolver sensor," *ECTI Transactions on Electrical Engineering, Electronics, and Communications*, Vol.5, No.1, pp. 134-138, February 2007.
- [65]. Konstantin Veselinov Dimitrov, "A 3-D Hall sensor for precise angular position measurements," *Turk Journal of Physics*, Vol. 31, pp. 97 - 101, 2007.
- [66]. Reza Hoseinnezhad, Alireza Bab-Hadiashar and Peter Harding, "Calibration of resolver sensors in electromechanical braking systems: a modified recursive weighted least-squares approach," *IEEE Transactions on Industrial Electronics*, Vol. 54, No. 2, pp. 1052-1060, April 2007.

- [67]. Andrzej Michalski, Jan Sienkiewicz and Zbigniew Watral, "Universal magnetic circuit for resolvers with different speed ratios," *IEEE Instrumentation & Measurement Magazine*, October 2007
- [68]. M. Benammar, "A novel amplitude-to-phase converter for sine/cosine position transducers," *International Journal of Electronics*, Vol. 94, No. 4, pp. 353–365, April 2007.
- [69]. S.K. Kaul, A.K. Tickoo, R. Koul and N. Kumar, "Improving the accuracy of low-cost resolver-based encoders using harmonic analysis," *International Journal of Nuclear Instruments and Methods in Physics Research*, A 586, pp. 345–355, 2008. [Online] Available: www.sciencedirect.com.
- [70]. Ciro Attaianese and Giuseppe Tomasso, "Position measurement in industrial drives by means of low-cost resolver-to-digital converter," *IEEE Transactions on Instrumentation and Measurement*, Vol. 56, No. 6, pp. 2155-2159, December 2007.
- [71]. Douglas W. Brown, Derek L. Edwards, George Georgoulas, Bin B. Zhang, and George J. Vachtsevanos, "Real-time fault detection and accommodation for cots resolver position sensors," in *proceedings of IEEE 2008 International Conference On Prognostics and Health Management*, 2008.
- [72]. Lizhi Sun, "Analysis and improvement on the structure of variable reluctance resolvers," *IEEE Transactions on Magnetics*, Vol. 44, No. 8, pp. 2002-2008, August 2008.
- [73]. Lazhar Ben-Brahim, Mohieddine Benammar, Mohd. Alhamadi, Nasser Al-Emadi and Mohammed Al-Hitmi, "A new angle determination method for resolvers," in *proceedings of IEEE 2008*, pp. 126-131.

- [74]. Lazhar Ben-Brahim, Mohieddine Benammar, Mohd A. Alhamadi, Nasser A. Al-Emadi and Mohammed A. Al-Hitmi, "A new low cost linear resolver converter," *IEEE Sensors Journal*, Vol. 8, No. 10, pp. 1620-1627, October 2008.
- [75]. S. Sarma, V.K. Agrawal and S. Udupa, "Software-based resolver-to-digital conversion using a DSP", *IEEE Transactions on Industrial Electronics*, Vol. 55, No. 1, pp.371-379, January 2008.
- [76]. D. Arab-Khaburi, F. Tootoonchian and Z. Nasiri-Gheidari, "Dynamic Performance Prediction of Brushless Resolver," *Iranian Journal of Electrical & Electronic Engineering*, Vol. 4, No. 3, pp. 94- 103, July 2008
- [77]. S. Sarma, V.K. Agrawal, S. Udupa and K. Parameswaran, "Instantaneous angular position and speed measurement using a DSP based resolver-to-digital converter", *Measurement*, vol.41, no.1, pp.788-796, 2008.
- [78]. R. M. Kennel and St. Basler, "New developments in capacitive encoder for servo drives," in *proceedings of IEEE International Symposium on Power Electronics Electrical Drives, Automation and Motion (SPEEDAM 2008)*, 2008, pp. 190-195.
- [79]. Analog Devices, "Variable resolution 10-bit to 16-bit R/D converter with reference oscillator," catalogue of AD2S1210, pp. 1-19, 2008. [Online] Available: www.analog.com.
- [80]. Lazhar Ben-Brahim, Mohieddine Benammar and Mohd. A. Alhamadi, "A resolver angle estimator based on its excitation signal," *IEEE Transactions on Industrial Electronics*, Vol. 56, No. 2, pp. 574-580, February 2009.

- [81]. Seon Hwan Hwang, Young Hwa Kwon, Jang Mok Kim and Jin Seok Oh, "Compensation of position error due to amplitude imbalance in resolver signals," *Journal of Power Electronics*, Vol. 9, No. 5, pp. 748-756, September 2009.
- [82]. S. H. Hwang, H. J. Kim, J. M. Kim, Hui Li and Liming Liu, "Compensation of amplitude imbalance and imperfect quadrature in resolver signals for PMSM drives," *in proceedings of IEEE 2009*, pp. 1720-1725.
- [83]. Young-Hwa Kwon, Seon-Hwan Hwang, Jang-Mok Kim and Jin-Woo Ahn, "Compensation of amplitude imbalance of resolver signal for PMSM drives," *in IEEE proceedings IPEMC2009*, 2009, pp. 1827-1831.
- [84]. Zhang Haixia and Yanlan, "Design of synchro resolver-to-digital converter based on PXI bus," *in proceedings of IEEE 2009 Pacific-Asia Conference on Knowledge Engineering and Software Engineering*, 2009, pp. 194-196.
- [85]. Zhuangzhi Han, Heng Zhang, Qiang He and Chaoxuan Shang, "Resolver-to-digital converter based on tangent algorithm," *in proceedings of IEEE International Symposium on Industrial Electronics (ISIE 2009)*, Korea, July 5-8, 2009, pp. 329-332.
- [86]. Fumitaka Kimura, Masahiko Gondo, Akio Yamamoto And Toshiro Higuchi, "Resolver compatible capacitive rotary position sensor," *in proceedings of IEEE 2009 International conference*, pp. 1923-1928.
- [87]. Mohieddine Benammar, Mohamed Bagher and Mohammed Al Kaisi, "Novel linearizer for tangent/cotangent converter," *in proceedings of IEEE 2009 International conference*, pp. 575-578.

- [88]. V.K.Dhar, A.K.Tickoo, S.K.Kaul, R.Koul and B.P.Dubey, "Artificial neural network-based error compensation procedure for low-cost encoders," November 19, 2009. [Online] Available: <http://arxiv.org/abs/0911.3717v1>.
- [89]. Ilpakurty Ravi and K. Nagabhushan Raju, "Converting resolver interface to incremental encoder interface," *International journal of Electronic Engineering research*, Vol. 1, No. 4, pp. 345-348, 2009.
- [90]. Santanu Sarma and A. Venkateswaralu, "Systematic error cancellations and fault detection of resolver angular sensors using a DSP based system," *Mechatronics*, Vol.19, pp.1303-1312, 2009.
- [91]. Mohieddine Benammar, Mohamed Bagher and Mohamed Al Kaisi, "Digitally-tuned resolver converter," in *proceedings of the Euroensors XXIII conference*, 2009, pp. 449-452. [Online] Available: www.sciencedirect.com.
- [92]. Nicolas Javahiraly, Cédric Perrotton, Ayoub Chakari and Patrick Meyrueis, "Design, study and achievement of a fiber optic amplitude modulation sensor for angular position detection: application to an automotive steering system," in *the proceeding of SPIE, IEEE*, Vol. 7314, 2009, pp. 731405-1-8.
- [93]. Anucha kaewpoonsuk, Ratchanoo Katman, Thawatchai Kamsri, Apinai Rerkratn and Vanchai Riewruja, "A simple amplitude detector-based demodulator for resolver converters," in *proceedings of International Conference on Control, Automation and Systems*, 2010, pp. 370-373, Korea
- [94]. Aeroflex datasheet catalogue, "RDC5028C 16-bit monolithic tracking rad tolerant resolver-to-digital converter," SCD5028-2 Rev D, October 22, 2010. [Online] Available: www.aeroflex.com/RDC.

- [95]. S. H. Hwang, J. H. Lee, J. M. Kim and C. Choi, "Compensation of analog rotor position errors due to non-ideal sinusoidal encoder output signals," *in proceedings of IEEE 2010 International conference*, pp. 4469-4473.
- [96]. Lazhar Ben-Brahim and Mohieddine Benammar, "A new PLL method for resolvers," *in proceedings of IEEE 2010 International Power Electronics Conference*, pp. 299-305.
- [97]. Zhu Yi and Wang Jian ming, "An approach based on AD converted resolver demodulation," *in proceedings of IEEE 2010 3rd International Conference on Advanced Computer Theory and Engineering (ICACTE)*, pp. V5-192-195.
- [98]. Ralph Kennel, "Encoderless control of synchronous machines with permanent magnets-impact of magnetic design," *in proceedings of IEEE 2010 12th International Conference on Optimization of Electrical and Electronic Equipment*, pp 19-24.
- [99]. Cheon Soo Park, "Minimizing magnet interference in a variable reluctance resolver," *Patent number: US 2011/0068960 A1*, March 24, 2011, USA.
- [100]. Joao Figueiredo, "Resolver models for manufacturing," *in proceedings of IEEE 2010 International conference*, pp. 1-8.
- [101]. Joan Bergas Jané, Coia Ferrater Simón, Gabriel Gross, Rodrigo Ramírez Pisco, Samuel Galceran Arellano and Joan Rull Duran, "High-accuracy all-digital resolver-to-digital conversion," *IEEE Transactions on Industrial Electronics*, Vol. 59, No. 1, pp. 326-333, January 2012
- [102]. Zhu Ming, Wang Jianming, Ding Ling, Zhu Yi and Dou Ruzhen, "A software based robust resolver-to-digital conversion method in designed in frequency domain," *in*

proceedings of IEEE 2011 International Symposium on Computer Science and Society, pp. 244-247.

- [103]. Jiebin Zhang, Sun Hua, Zhao Qi and Wenquan Feng, "The design and implementation of the shaft angle acquisition system used in the solar panel," *in proceedings of IEEE 2011 Fourth International Symposium on Computational Intelligence and Design*, pp. 2z87-290.
- [104]. H. Loge and L. Angerpointner, "The best way how to use resolvers," *in proceedings of IEEE 2011*, pp. 208-213.
- [105]. Prerna Gaur, Sumit Bhardwaj, Naveen Jain, Nipun Garg, Prashant A, A. P.Mittal, and Bhim Singh, "A novel method for extraction of speed from resolver output using neural network in vector control of PMSM," *in proceedings of IEEE 2011*, 2011.
- [106]. Qi-xun ZHOU, "Research on the signal process circuit and fault diagnosis of sine-cosine resolver," *in proceedings of IEEE 2011 International conference*.
- [107]. Ruijie Zhao, Xuejun Tao, Dawei Wang and Suli Tian, "Research on the decoding method of resolver," *in proceedings of IEEE 2011 International conference*, pp. 329-333.
- [108]. Anna K S Baasch, Elisabeth C Lemos, Felipe Stein, Aleksander S Paterno, José de Oliveira and Ademir Nied, "Resolver-to-digital conversion implementation—a filter approach to PMSM position measurement," *in proceedings of IEEE 2011 International Conference on Power Engineering, Energy and Electrical Drives*, May 2011, Spain.
- [109]. Kazuya Sakai, "Rotational angle sensor, motor, rotational angle detector, and electric power steering system", *Patent number: US 2011/0068780 A1*, March 24, 2011, USA.

- [110]. Davood Arab Khaburi, "Software based resolver-to-digital converter for DSP-based drives using an improved angle-tracking observer," *IEEE Transactions on Instrumentation and Measurement*, Vol. 61, No. 4, pp. 922-929, April 2012.
- [111]. L. Idkhajine, E. Monmasson, M. W. Naouar, A. Prata, and K. Bouallaga, "Fully integrated FPGA-based controller for synchronous motor drive," *IEEE Transactions on Industrial Electronics*, Vol. 56, No. 10, pp. 4006-4017, October 2009.
- [112]. L. Idkhajine, A. Prata, E. Monmasson, K. Bouallaga, and M.-W. Naouar, "System on chip controller for electrical actuator," in *proceedings of ISIE Conference*, Cambridge, U.K., July 2008, pp. 2481-2486.
- [113]. W. Kaewjinda and M. Konghirun, "A DSP-based vector control of PMSM servo drive using resolver sensor," in *proceedings of IEEE TENCON*, November 14-17, 2006, pp. 1-4.
- [114]. A. Kaewpoonsuk, W. Petchmaneeluka and A. Perkratn, "A novel resolver-to-DC converter based on OTA-based inverse sine function circuit," in *proceedings of SICE Annual Conference*, 2008, pp. 609-614.
- [115]. A. Bellini and S. Bifaretti, "Implementation of a digital filter for speed noise reduction in drives with electromagnetic resolver," in *proceedings of European Conference on Power Electronics Applications*, September 11-14, 2005, pp. P.1-P.10.
- [116]. A. Bellini, S. Bifaretti, and S. Costantini, "A PLL-based filter for speed noise reduction in drives using a resolver transducer," in *proceedings of IEEE ISIE*, July 8-11, 2002, Vol. 2, pp. 529-534.

REFERENCES

Chapter-3

- [117]. Anna K S Baasch, Elisabeth C Lemos, Felipe Stein, Aleksander S Paterno, José de Oliveira and Ademir Nied, “Resolver-to-digital conversion implementation—a filter approach to PMSM position measurement,” *in proceedings of IEEE 2011 International Conference on Power Engineering, Energy and Electrical Drives*, May 2011, Spain.
- [118]. Weera Kaewjinda and Mongkol Konghirun, “Vector Control Drive of Permanent Magnet Synchronous Motor using Resolver Sensor,” *ECTI Transactions on Electrical Engineering, Electronics, and Communications*, Vol.5, No.1, pp. 134-138, February 2007.
- [119]. Mongkol Konghirun, “A Resolver-Based Vector Control Drive of Permanent Magnet Synchronous Motor on a Fixed-Point Digital Signal Processor,” *IEEE transactions on TENCON 2004*, Vol. 4, pp. 167-170, November 2004.
- [120]. Prerna Gaur, Sumit Bhardwaj, Naveen Jain, Nipun Garg, Prashant A, A. P.Mittal, and Bhim Singh, “A novel method for extraction of speed from resolver output using neural network in vector control of PMSM,” *in proceedings of IEEE 2011*, 2011.
- [121]. Ned Mohan, “First Course on Power Electronics and Drives,” MNPERE, 2005.
- [122]. Prerna Gaur, “Intelligent Motion Control on Permanent Magnet AC Motors,” *Division of Instrumentation and Control*, NSIT, Delhi, May, 2009.
- [123]. Ciro Attaianesi and Giuseppe Tomasso, “Position measurement in industrial drives by means of low-cost resolver-to-digital converter,” *IEEE Transactions on Instrumentation and Measurement*, Vol. 56, No. 6, pp. 2155-2159, December 2007.
- [124]. Duane C. Hanselman, “Techniques for Improving Resolver-to-Digital Conversion Accuracy,” *IEEE Transactions on Industrial Electronics*, Vol. 38, No. 6, pp. 501-504, December 1991.

- [125]. Choong-Hyuk Yim, In-Joong Ha and Myoung-Sam KO, "A resolver-to-digital conversion method for fast tracking," *IEEE Transactions on Industrial Electronics*, Vol. 39, No. 5, pp. 369–378, 1992.
- [126]. C. Attaianese, G. Tomasso and D. DeBonis, "A low cost resolver-to-digital converter," in *proceedings IEEE International Electrical Machine Drives Conference*, Cambridge, MA, June 2001, pp. 917–921.
- [127]. Mohieddine Benammar, Lazhar Ben-Brahim, and Mohd A. Alhamadi, "A novel resolvers-to-360° linearized converter," *IEEE Sensors Journal*, Vol. 4, No.1, pp. 96–101, 2004.
- [128]. Mohieddine Benammar, Lazhar Ben-Brahim, and Mohd A. Alhamadi, "A high precision resolver-to-DC converter," *IEEE Transactions on Instrumentation and Measurement*, Vol. 54, No. 6, pp. 2289-2296, December, 2005.
- [129]. Angus Murray, Bruce Hare and Akihiro Hirao, "42.3: Resolver position sensing system with integrated fault detection for automotive applications," in *proceedings of IEEE International Conference*, 2002, pp. 864-869.
- [130]. A.V.Radun, and M.Seshadri, "A Programmable Logic Device Resolver Simulator [for motor control]," in *Proceedings of IEEE Southeastcon*, 1999, Vol. 1, pp. 159-164.
- [131]. Duane Hanselman, "Resolver signal requirements for high accuracy resolver-to-digital conversion," in *proceedings of IEEE International Conference*, 1989, pp. 486-493.
- [132]. S. Sarma, V.K. Agrawal and S. Udupa, "Software-based resolver-to-digital conversion using a DSP", *IEEE Transactions on Industrial Electronics*, Vol. 55, No. 1, pp.371-379, January 2008.

- [133]. S. H. Hwang, H. J. Kim, J. M. Kim, Hui Li and Liming Liu, "Compensation of amplitude imbalance and imperfect quadrature in resolver signals for PMSM drives," *in proceedings of IEEE 2009*, pp. 1720-1725.

REFERENCES

Chapter -6

- [134]. NXP Semiconductors product datasheet catalogue, "LPC2141/42/44/46/48 Single-chip 16-bit/32-bit microcontrollers," Rev. 5-12 , August, 2011.
- [135]. NXP Semiconductors product datasheet catalogue, "TL082 wide bandwidth Dual JFET Input Operational Amplifier," DS008357, April, 1998.
- [136]. Analog Devices product datasheet catalogue, "AD7366/AD7367," Rev.D, 2007-2010, pp. 1-28.
- [137]. Analog Devices product datasheet catalogue, "AD5024/AD5044/AD5064," Rev.E, 2008-2011, pp. 1-28.