

LIST OF FIGURES

	Page No.
Fig.A. Reaction cycle proposed for the cobalt-catalyzed methanol carbonylation reaction (BASF process) (45)	12
Fig. B.: Reaction cycle proposed for the rhodium-catalyzed methanol carbonylation reaction (Monsanto process) & with inorganic iodide co-promotion (Celanase process).....	13
Fig. C. Structure of <i>Saccharomyces cerevisiae</i>	33
Fig.1a) Resistance to 5.0% alcohol.....	51
Fig. 1b) Resistance to 7.5% alcohol.....	51
Fig. 1c) Resistance to 10.0% alcohol.....	51
Fig. 1. Development of alcohol resistant strains of <i>Saccharomyces cerevisiae</i> Y _B	51
Fig. 1d) SEM image of Alcohol resistant <i>Saccharomyces cerevisiae</i>	52
Fig. 2a) Resistance to 28-30°C	53
Fig. 2b) Resistance to 31-33°C	53
Fig. 2c) Resistance to 37-39°C	53
Fig. 2 Development of temperature resistant strains of <i>Saccharomyces cerevisiae</i> Y _{B23}	53
Fig. 3a) Effect of pH on Alcohol production.....	61
Fig. 3b) Effect of medium volume on Alcohol production	61
Fig. 3c) Effect of incubation time on Alcohol production.....	61
Fig. 3d) Effect of cell density on Alcohol production	62
Fig. 3e) Effect of temperature on Alcohol production.....	62
Fig. 3f) Effect of inoculums age on Alcohol production.....	62
Fig. 3. Determination of Optimum Cultural Conditions for Alcohol Production by Ethanol & Temperature resistant Strain <i>Saccharomyces cerevisiae</i> Y _{B23}	62

Fig. 4a) Resistance to 1.0% acid.....	69
Fig. 4b) Resistance to 1.5% acid.....	69
Fig. 4c) Resistance to 2.0% acid.....	69
Fig. 4d) Resistance to 2.5% acid.....	70
Fig. 4e) Resistance to 3.0% acid.....	70
Fig. 4. Development of Acetic acid resistance strains of <i>Saccharomyces cerevisiae</i> Y _{B23}	70
Fig.5a) Effect of Initial pH on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase	81
Fig.5b) Effect of volume of medium on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	81
Fig.5c) Effect of incubation time on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase	82
Fig.5d) Effect of age of inoculum on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase	82
Fig. 5e) Effect of incubation temperature on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	82
Fig. 5f) Effect of cell density on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase	83
Fig. 5. Determination of Optimum Cultural Conditions for Acetic Acid Production by Ethanol & Temperature resistant Strain <i>Saccharomyces cerevisiae</i> Y _{Bmax} in Synthetic medium.....	83
Fig. 6a) Effect of different carbon sources on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	92
Fig. 6b) Determination of optimum glucose concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	93
Fig. 6c) Effect of different nitrogen sources on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	99

Fig. 6d) Determination of optimum $(\text{NH}_4)_2\text{SO}_4$ concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	100
Fig. 7a) Determination of optimum KH_2PO_4 concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	106
Fig. 7b) Determination of optimum $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase	107
Fig. 7c) Determination of optimum K_2HPO_4 concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	107
Fig. 7d) Determination of optimum NaCl concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	108
Fig. 7e) Determination of optimum CaCl_2 concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	108
Fig. 7f) Determination of optimum Na_2HPO_4 concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	109
Fig. 7g) Determination of optimum Boric acid concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	109
Fig. 7h) Determination of optimum Fe^{++} ion concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	116
Fig. 7i) Determination of optimum Mn^{++} ion concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	116

Fig. 7j) Determination of optimum Zn^{++} ion concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	117
Fig. 7k) Determination of optimum Cu^{++} ion concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	118
Fig. 7l) Determination of optimum V^{+5} ion concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	118
Fig. 7m) Determination of optimum Mo^{+6} ion concentration on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	119
Fig.8a) Effect of different concentrations of Peptone on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	125
Fig.8b) Effect of different concentrations of Soybean Meal on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	126
Fig.8c) Effect of different concentrations of Wheat Bran Extract on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	126
Fig. 9a) Effect of different concentrations of Biotin on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	135
Fig. 9b) Effect of different concentrations of Pyridoxine-HCl on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	135
Fig. 10. Rate of Elaboration of Glucose utilization, Cellular growth & activities of Alcohol dehydrogenase & Aldehyde dehydrogenase:	165
Fig. 11. Nitrogen Balance during Acetic acid fermentation by <i>Saccharomyces cerevisiae</i> Y_{Bmax} :	168

Fig.12 Structure of alginic acid.....	172
Fig. 12a) Effect of CaCl ₂ in synthetic media for Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	175
Fig.12b) Effect of CaCl ₂ on Ca-alginate bead formation for Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	176
Fig.12c) Effect of cell: alginate ratio for Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	177
Fig.12d) Effect of storage period on Ca-alginate bead formation for Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	177
Fig.12e) Effect of Na-alginate on bead formation for Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	178
Fig.12f) Effect of bead volume for Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	179
Fig. 12g) Immobilized cells of <i>Saccharomyces cerevisiae</i> Y _{Bmax} in Ca-alginate.....	179
Fig.12h) Effect of cell:agar ratio during immobilization on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	181
Fig.12i) Effect of agar block volume during immobilization on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase.....	181
Fig.12j) Effect of storage period during immobilization on Acetic acid production and activities of Alcohol dehydrogenase and Aldehyde dehydrogenase :	182
Fig. 12k) Immobilized cells of <i>Saccharomyces cerevisiae</i> Y _{Bmax} in Agar agar	182