

LIST OF TABLES

Table No.	Title	Page No.
Table 1	Average meteorological parameters recorded at study site (1997-1998).	32
Table 2	Average soil physical and chemical characteristics at the study site.	35
Table 3	PAR availability under open and different canopy situations of <i>Acacia tortilis</i> (annual average) (in micro-einstein/m ² /s).	48
Table 4	Air temperature under open and different canopy situations of <i>Acacia tortilis</i> (annual average) (in °C).	54
Table 5	Soil temperature under open and different canopy situations of <i>Acacia tortilis</i> (annual average) (in °C).	54
Table 6	Relative humidity under open and different canopy situations of <i>Acacia tortilis</i> (annual average) (%).	57
Table 7	Mean annual soil moisture (%) under tree canopies of <i>Acacia tortilis</i> (1997-1998).	60
Table 8	List of species observed at the study site (1997-1998).	62-63
Table 9	Mean herbage composition of <i>Acacia tortilis</i> based silvopastoral system at the study site (1997-1998).	65
Table 10	Average growth characteristics of perennial grasses in different microsites of study (1997-1998).	68
Table 11	Root growth characteristics of five perennial grasses at the study site.	71
Table 12	Period of different phenophase of <i>Acacia tortilis</i> at the study site (the values are on a scale of 1-10) (average 1997-1998).	72

Contd. on next page

Table No.	Title	Page No.
Table 13	Mean annual increment in growth parameters of <i>Acacia tortilis</i> in silvopastoral systems (at 14 th year).	74
Table 14	Average growth characteristics of <i>Acacia tortilis</i> (1997-1998).	74
Table 15	Root growth characteristics of <i>Acacia tortilis</i> at the study site.	76
Table 16	Understorey biomass production (DM t/ha) at different microsites of study (1997 and 1998).	78
Table 17	Standing tree biomass (DM t/ha) from trees of <i>Acacia tortilis</i> in silvopastoral system (1997 and 1998).	84
Table 18	Lopped tree biomass (DM t/ha) from trees of <i>Acacia tortilis</i> in silvopastoral systems (1997 and 1998).	87
Table 19	Total aboveground biomass production (DM t/ha/yr) at the different microsites of study (1997-1998).	88
Table 20	Total belowground biomass production (DM t/ha/yr) at the different microsites of study (1997-1998).	92
Table 21	Total productivity (DM t/ha/yr) at the different microsites of study (1997-1998).	92
Table 22	Average forage quality (%) of different components of silvopastoral systems.	92
Table 23	Annual litter production (t/ha) from <i>Acacia tortilis</i> in silvopastoral systems (1997, 1998).	98
Table 24	Mean nutrient concentration (%) in different plant parts of <i>Acacia tortilis</i> based silvopastoral systems at the study site (N and P).	100
Table 25	Mean nutrient concentration (%) in different plant parts of <i>Acacia tortilis</i> based silvopastoral systems at the study site (K and Ca).	100

Contd. on next page

Table No.	Title	Page No.
Table 26	Mean nutrient concentration (%) in different litter parts of <i>Acacia tortilis</i> at the study site.	101
Table 27	Nutrient accumulation (kg/ha/yr) by the ground vegetation in different silvopastoral systems (1997-1998).	103
Table 28	Nutrient accumulation (kg/ha) in <i>Acacia tortilis</i> (> 13 years) at the study site (1997-1998).	104
Table 29	Potential recyclable nutrients (kg/ha) through litter of <i>Acacia tortilis</i> (> 13 years) at the study site (1997-1998).	106
Table 30	Changes in soil fertility status under <i>Acacia tortilis</i> based silvopastures (> 13 year) after two years (1997-1998).	115