

ACKNOWLEDGEMENTS

A C K N O W L E D G E M E N T S

It is with deep sense of indebtedness that I record my sincere thanks to Prof. N. S. Narasimhan for his critical supervision, frank accomodative discussions and inspiring guidance. Without his unflagging persistance and constant encouragement this project would never have reached its present conclusion.

I am grateful to all my teachers especially Prof. M. S. Wadia, Dr. K. G. Marathe, Dr. M. V. Paradkar and Dr. R. S. Mali who helped me in several ways to acquire the knowledge of chemistry. Thanks are due to my seniors - Dr. C. P. Bapat, Dr. D. D. Dhavale, Dr. A. RadhaKrishna and Dr. S. M. Gokhale for useful discussions.

It is indeed a great pleasure to acknowledge the assistance of Mr. B. M. Ghanwat and Mr. R. R. Joshi for their whole-hearted cooperation. I wish to thank many other of my colleagues at this department, A. G. College and National Chemical Laboratory who have rendered assistance in various ways.

Thanks go to C.S.I.R., New Delhi for the award of fellowship during the tenure of which this work was completed.

I am thankful to the Head, Department of Chemistry for providing with necessary facilities to carry out the work in this department.

Thanks are due to Dr. D. D. Dhavale for PMR and microanalysis, Smt. J. P. Chowdhary for IR and Mr. A. P. Gadgil for microanalysis.

Thanks go to the department (especially Dr. S. R. Gadre and his group) and Bharati Vidyapeeth's Engineering college for the usage of word processor. I would also like to thank my friend Vinayak Patwardhan for generous gift of floppy discs.

I wish to express my deep sense of gratitude towards my family members for the endurance and constant encouragement. I am grateful to my brother - Mohan who helped me a lot in the preparation of this thesis.



(PRAKASH A. PATIL)

Department of Chemistry,
University of Poona,
Pune-411 007 (India).

September 8 , 1987.