REFERENCES

Acharji,M.N. and Kripalani,M.B. (1951) Contributions to the fauna of the Manipur State, Assam. Rec. Indian Mus. 48(2), 93-100.

_____ and _____ (1951) On a collection of Reptilia and Batrachia from Kangra and Kulu Valleys, Western Himalayas. Rec.Indian Mus. 49(2), 175-184.

Acuna,M.L. (1974) The hematology of the tropical lizard, Iguana iguana L. II Seasonal Variation. Herpetologica. 30(3), 299-303.

Alder,A. and Huber,E. (1923) Untersuchungen über Blutzellen and Zellbildung bei Amphibien und Reptilien. Folia haemat., Lpz. 29, 1-22. Quoted from Duguy (1970).

Altland,P.D. and Brace,K.C. (1962) Red cell lifespan in the turtle and toad. Am.J.Physiol. 203, 1188-1190.

Altland,P.D. and Parker,M. (1955) Effects of hypoxia upon the box turtle. Am.J.Physiol. 180, 421-427.

Altland,P.D. and Thompson,E.C. (1958) Some factors affecting blood formation in turtles. Proc.Soc.exp.Biol.Med. 99, 456-459.

Altman,P.L. and Dittmer, D.S. (1961) "Blood and Other Body Fluids". Federation of American Societies for Experimental Biology, Bethesda, Maryland.

Ananthanarayanan,V. (1955) Nature and distribution of neurosecretory cells of the reptilian brain. Z.Zellforsch. 43, 8-16.

Babudieri,B. (1929) Variazioni Stagionali della formula ematica di Lacerta muralis. Natura, Amst. 20(3), 92-102. Quoted from Duguy (1970).

_____ (1930) Studi di ematologica comparata. Ricerche sui pesci, sugli anfibi e sui rettili. Haematologica. 2, 199-255. Quoted from Duguy (1970).

Banerjee,S.K. (1969) Studies on the median eminence of the garden lizard, C. versicolor, in relation to neurosecretion. Ind.J.Physiol. & Allied Sci. 23(4), 146-151.

_____ (1970) Cytological studies on the Neurosecretory cells and Neurohypophysis of the common garden lizard, Calotes versicolor (Daudin). Cytologica. 35(3), 449-454.

Banerjee,S.K. (1971) Subcommissural organ of the dehydrated garden lizard, Calotes versicolor. Proc.Ind.Sc.Cong. (Abs.). 58(3), 574-575.

Banerjee,V. (1974) Blood of some reptiles and birds. Proc.Ind.Sc.Cong.(Abs.). 61(3), 60.

Banerjee,V. and Banerjee,M. (1966) Seasonal variation in the blood content of Bufo melanostictus. Sci. and Cult. 32, 471.

Baker,E.G.S. and Kline,L.E. (1932) Comparative erythrocyte counts of representative vertebrates. Proc.Indiana Acad.Sci. 41, 417-418.

Barone,M.C. and Jacques,F.A. (1975) The effect of induced cold torpor and time of year on blood coagulation in Pseudemys scripta elegans and Chrysemys picta belli. Comp.Biochem.Physiol: Comp.Physiol. 50(4), 717-721.

B.D.H., London (1972) Biological stains and staining methods.22-24.

Basu,S.L. and Kasinathan,S. (1972) Seasonal cycle and the effect of steroid administration on the spermatogenesis of Calotes versicolor. Proc.Ind.Sc. Cong. (Abs.). 59(3), 416.

Bentz,T.W. (1962) Surgical anesthesia in reptiles, with special reference to the water snake, Natrix rhombifera. Copeia. 284-287.

Bernstein,R.E. (1938) Blood cytology of the tortoise, Testudo geometrica. S.Afr.J.Sci. 35, 327.

Bhattacharya,D.R. and Brambell,R. (1924) The Golgi body in the erythrocytes of Sauropsida. Quart.J.micr.Sci. 69, 357-359.

Binyon,E.J. and Twigg,G.I. (1965) Seasonal changes in the blood and thyroid of the grass snake, Natrix natrix. Nature, Lond. 207, 779-780.

Brace,K.C. and Altland,P.D. (1955) Red cell survival in the turtle. Am.J.Physiol. 183, 91-94.

Bradshaw,S.D. and Shoemaker,V.H. (1967) Aspects of water and electrolyte changes in a field population of Amphibolurus lizards. Comp.Biochem.Physiol. 20, 855-865.

Brecher,G. (1949) New Methylene blue as a reticulocyte stain. Am.J.Clin.Path. 19, 895.

Carmichael,E.B. and Petcher,P.W. (1945) Constituents of the blood of the hibernating & normal rattle snake, Crotalus horridus. J.Biol.Chem. 161, 693-696.

Chacko,P.T. (1955) Some abnormal features in the venus system of the garden lizard, Calotes versicolor. Curr.Sci. 24(4), 130.

Chaikoff,I.L. and Entenman,C. (1946) The lipides of blood, liver and egg yolk of the turtle. J.Biol.Chem. 166, 683-689.

Charipper,H.A. and Davis,D. (1932) Studies on the Arneth count. XX. A study of the blood cells of Pseudemys elegans with special reference to the polymorphonuclear leucocytes. Q.Jl.exp.Physiol. 21, 371-382.

Charipper,H.A. and Dawson,A.B. (1928) Direct division of erythrocytes and the occurrence of erythroplastids in the circulating blood of Nectures. Anat.Rec. 39, 301-313.

Chen,K.K. and Anderson,R.C. (1943) Environmental temperature and drug action in mice. J.Pharm. and Exp.Therp. 79, 127-132.

Chinoy,N.J. and George,J.C. (1935) Location and relative concentration of cholinesterases from pectoral muscle of C. versicolor. J.Physiol.Lond. 177, 345-354.

Chiplonkar,J.M. (1973) Effect of X-rays on the development of Calotes versicolor. Proc.Ind.Sci.Cong.(Abs.) 60(3), 456.

Choubey,B.J. (1975) Seasonal changes in the blood of Indian garden lizard, Calotes versicolor (Daudin). Zool.Anz. 194, 35-41.

Clayden,E.C. (1955) Practical section cutting and staining, 4th ed., London, Churchill.

Cline,M.J. and Waldmann,T.A. (1962) Effect of temperature on red cell survival in the alligator. Proc.Soc.exp.Biol.Med. 111, 716-718.

Cooke,W.E. and Ponder,E. (1927) The Polynuclear count. London, C.Griffin and Co.

Coulson,R.A., Hernandez,T. and Brazda,F.G. (1950) Biochemical studies on the alligator. Proc.Soc.exp.Biol.Med. 74, 866-869.

Dalton, A.J. and Selye, H. (1939) The factors involved in decreasing the number of eosinophils. Folia Haemat.Lpz. 62, 397. Quoted from Speirs and Meyer (1949).

Dantschakoff,V. (1910) Über die Entwicklung der embryonalen Blütbildung bei Reptilien. Anat.Anz. 37. Quoted from Pienaar (1962).

Dawson,A.B. (1933) Vital and supravital staining of erythrocytes. Anat.Rec. 56, 143.

Dawson,W.T. (1940) Relations between age and weight and dose of drugs. Ann. Internal.Med. 13, 1594-1615.

Deb,C. and Sarkar,C. (1963) Histochemistry of renal sex segment in Calotes versicolor. Proc.nat.Inst.Sci. 29(B), 197-202.

Deraniyagala,P.E.P. (1953) "A Coloured Atlas of Some Vertebrates from Ceylon". Ceylon National Museums Publication, Vol.2, Tetrapod Reptilia.

Derrickson,M.B. and Amberson,W.R. (1934) Blood volume of painted turtle, Chrysemys picta. Biol.Bull. 67, 329 .

DeSilva,P.H.D.H. (1956a) The heart and aortic arches in Calotes versicolor (Daudin) with notes upon the heart and aortic arches in Calotes calotes (Linne) and Calotes nigrilabris (Peters). Spolia Zeylanica. 28(1), 55-67.

_____ (1956b) The Arterial system of Calotes versicolor (Daudin) with notes upon the arterial system of Calotes calotes (Linne) and Calotes nigrilabris (Peters). Spolia Zeylanica. 28(1), 69-86.

Dessauer,H.C. (1970) Blood Chemistry of Reptiles : Physiological and Evolutionary aspects. In "Biology of Reptilia" (Gans,C. ed.), New York, Academic Press ed. Vol.3, 1-72.

Dill,D.B., Edwards,H.T., Bock,A.U. and Talbott,J.H. (1935) Properties of reptilian blood. J.Cell.Comp.Physiol. 6, 37-42.

Downey,H. (1911). The origin and structure of the plasma cells of normal vertebrates, especially the cold blooded vertebrates and the eosinophils of the lung of Amblystoma. Folia haemat. Lpz. 11, 275.

Downey,H. and Sundberg,D. (1942) Origin of plasma cell from lymphocyte. Amer.J.Anat. 70, 355.

Dubreuil,G. and Favre,M. (1921) Cellules plasmatiques. Plasmazellen à granulations specifiques. Cellules à corps de Russel (cytologie en formes evolutives). Arch.Anat.micr. 17, 303. Quoted from Pienaar (1962).

Duguy,R. (1963a) Données sur le cycle annuel du sang circulant chez Anguis fragilis L. Bull.Soc.Zool.France. 88, 99-108.

_____ (1963b) Biologie de la latence hibernale chez Vipera aspis L. Vie.Milieu. 14, 311-443.

_____ (1967) Le cycle annuel des éléments figurés du sang chez Emys orbicularis L., Lacerta muralis Laur., et Natrix maura L. Bull.Soc.Zool.France. 92, 23-37.

Duguy,R. (1970) Numbers of blood cells and their variation. In "Biology of Reptilia" (Gans,C. ed.) Academic Press ed., New York, Vol.3, 93-109.

Eberhardt,F. (1909) Über die Zellenformen des Blutes and des Bindegewebes bei der Schildkröte im normalen Zustande und bei Entzundung. Folia haemat. Lpz. 8, 228-229. Quoted from Pienaar (1962).

Efrati,P., Nir,E. and Yaari,A. (1970) Morphological and cytological observations on cells of the haemopoietic system of Agama stellio (Linnaeus). A comparative study. Israel J. Med.Sci. 6(1), 23-31.

Emmel,V.E. (1924) Studies on the non-nucleated elements of the blood. II. The occurrence and genesis of non-nucleated erythrocytes or erythroplastids in vertebrates other than mammals. Amer.J.Anat. 33, 347-405.

_____ (1925) Leucoplastids or non-nucleated leucocytic derivatives in vertebrates other than mammals. Amer.J.Anat. 35, 31.

Freidsohn,A. (1910) Zur. Morphologie des Amphibienblutes, Zugleich ein Beitrag zur Lehre von Differenzierung dur Lymphozyten. Arch.mikr.Anat. 75, 435. Quoted from Pienaar (1962).

Gabe,M. (1970) The adrenal. In "Biology of Reptilia" (Gans,C. ed) Academic Press eds., New York, Vol.3, 263-318.

Gall,E.A. and Mallory,T.B. (1942) Malignant lymphoma : a clinico-pathological survey. Amer.J.Path. 18(3), 381-421.

Ganguli, D.N. (1967) Cytology and cytochemistry of hypothalamohypophyseal neurosecretory system of Calotes versicolor. J.Exp.Med.Sci. 11, 18.

Gans,C. (1970) Biology of Reptilia. Academic Press, New York.

George,J.C. and Eapen,J. (1959) Lipase activity in adipose tissue of Calotes versicolor. J.Anim.Morph.Physiol. 6, 119-122.

George,J.C. and Shah,N. (1965) Structure of air sacs related to their evolution in Calotes versicolor. J.Anim.Morph.Physiol. 12, 255-265.

George,W.C. (1941) Comparative haematology and the functions of the leucocytes. Quart.Rev.Biol. 16, 426.

Ghosh, G.S. (1962) Hepatic portal system, pulmonary veins and a venus unit of the segmental arteries, Calotes versicolor. Curr.Sci. 31, 104.

Ghosh,G.S. (1963) On the renal portal system of Calotes versicolor (Daudin). Proc.Ind.Sc.Cong.(Abs.) 50(3), 468.

Giglio-Tos,E. (1897) La struttura e l'evoluzione die corpuscoli rossi del sange nei vertibrati. Mem.R.Accad.Torino. 47, 39. Quoted from Pienaar (1962).

Gillman,J. and Gillman,T. (1949) Lymphomata (Including Hodgkin's-like Sarcomata). Their experimental production. Clinical Proc. Capetown, 8, 222-358.

Gillman,T. and Pienaar,U. deV. (1951) The cytology of the leucocytes in the blood of albino rats. S.Afr.J.Med.Sci. 16, 61-78.

Goel,S.C. (1972) Some observation on the development and hatching of the lizard, Calotes. Proc.Ind.Sc.Cong.(Abs.) 59(3), 419.

_____ (1973) Effects of humidity and osmotic pressure on the developing egg of the garden lizard, Calotes versicolor. Proc.Ind.Sc.Cong.(Abs.). 60(3), 456-457.

Goin,C.J. and Jackson,C.G. (1965) Hemoglobin values of some amphibians and reptiles from Florida. Herpetologica. 21, 145-146.

Gordon,A.S. (1935) Effect of low pressures on the blood picture of Necturus maculosus. Proc.Soc.exp.Biol.Med. 32, 820-822.

Grünberg,C. (1901) Beiträge zur vergleichenden Morphologie der Leukozylen. Virchows Arch. 163, 303. Quoted from Pienaar (1962).

Guieyesse-Pellissier,A. (1940) Étude des leucocytes éosinophiles chez les tortues. Arch.Anat.micr. 35, 363-391. Quoted from Pienaar (1962).

Gulliver,G. (1840) On the blood corpuscles of the crocodilia. Proc.Zool.Soc.Lond. 8, 131.

_____ (1842) On the blood corpuscles of the British ophidians, reptiles and other oviparous vertebrates. Proc.Zool.Soc. Lond. 10, 108-111.

_____ (1875) Observations on the size and shape of the red blood corpuscles of the vertebrates. Proc.Zool.Soc.Lond. 43, 474-495.

Guraya,S.S. (1959) Lipids in the oogenesis of five species of reptiles. Sci. and Cult. 24, 390-391.

_____ (1960) Histochemical study of lipids in oocytes, Calotes versicolor. Res.Bull.Punjab Univ.Sc. N.S. 10, 233-245.

Guraya,S.S. (1963) Histochemical study of the yolk nucleus of oocytes, Calotes versicolor. Anat.Rec. 146, 17-21.

Hackett,E. and Hann,C. (1967) Slow clotting of reptile blood. J.Comp.path. 77, 175-180.

Haggag,G., Raheem,K.A. and Khalil,F. (1966) Hibernation in reptiles. II. Changes in blood glucose, hemoglobin, red blood cell count, protein and non-protein nitrogen. Comp.Biochem.Physiol. 17, 335-339.

Hamrick,P.E., McRee,D.I., Zinkl,J.G., Thaxton,P. and Parkhurst,C.R. (1975) Hematology of neonatal Japanese quail. Lab.Anim.Sci. 25(4), 495-499.

Hayem,G. (1879) Recherches sur l'évolution des hématies dans le sang de l'homme et des vertébrés. II. Sang des vertébrés à globules rouges nucléés. III. Historique. Arch.Physiol.Norm.Pathol. 2(6), 201-261. Quoted from Saint Girons (1970).

Heady,J.M. and Rogers,T.E. (1963) Turtle blood cell morphology. Proc.Iowa.Acad.Sci. 69, 587-590.

Hernandez,T. and Coulson,R.A. (1951) Biochemical studies on the Iguana. Proc.Soc. exp.Biol.Med. 76, 175-177.

Hintereggen,F. (1932) Über die Beziehungen der Kurloff-Körper zu den einzelnen leukozytenarten unter pathologischen Bedingungen. Folia haemat. Lpz. 46, 256. Quoted from Pienaar (1962).

Hirschfeld,W.J. and Gordon,A.S. (1961) Studies of erythropoiesis in turtles. Anat. Rec. 139, 306.

_____ and _____ (1964) Erythropoietic response of the turtle (Pseudemys scripta elegans) to bleeding. Am.Zool. 4, 305.

_____ and _____ (1965) The effect of bleeding and starvation on blood volumes and peripheral haemogram of the turtle, Pseudemys scripta elegans. Anat.Rec. 153, 317-324.

Hirschfeld-Kaszmann,H. (1908) Beitrag zur vergleichenden Morphologie der weiszen Blutkörperchen. Inaug. Quoted from Pienaar (1962).

Hirschler,J. (1928) Studien über die Plasmakomponenten (Golgi. Apparat.u.a.) an vital gefärbten männlichen Geschlechtzellen einiger Tierarten. Z.Zellforsch. 7, 62-82. Quoted from Pienaar (1962).

Hoare,C.A. (1932) On protozoal blood parasites collected in Uganda, with an account of the life cycle of the crocodile haemogregarine. Parasitology. 24, 210-223.

Holck,H.G. and Mathieson,D. (1944) Effects of age, sex, castration and interval of time after perturition upon the ability of the albino rat to build up tolerance and to detoxify pentobarbital sodium. J.Am.Pharm.Assn. 33, 174-176.

Hutchison,V.H. and Szarski,H. (1965) Number of erythrocytes in some amphibians and reptiles. Copeia. 373-375.

Hutton,K.E. (1961) Blood volume, corpuscular constants and shell weight in turtles. Am.J.Physiol. 200, 1004-1006.

Hutton,K.E. and Goodnight,C.J. (1957) Variations in the blood chemistry of turtles under active and hibernating conditions. Physiol.Zool. 30, 198-207.

Ismailov,A.K., Palchik,D.A. and Balaeva,G.U. (1974) Blood morphology of inhabitants of the Amur oblast. Probl.Gematol.Pereliv Korvi. 19(19), 53.

Iyer,N.M.M.(1943) The habits, external features and skeleton system of Calotes versicolor (Daud.) II. The Skull. J. Mysore Univ.(n.s.) 4, 115-151.

Jolly,J. (1904) Researches expérimentales sur la division indirecte des globules rouges. Arch.Anat.micr. 6, 455. Quoted from Meintz et al (1975).

Jordan,H.E. (1925) A study of the blood of the leopard frog, by the method of supra-vital staining. Amer.J.Anat. 35, 105-132.

_____ (1929) On the genetic relation between plasma cells and erythroblast in certain lymph nodes. Anat.Rec. 42, 91-108.

_____ (1932) The histology of the blood and the blood-forming tissues of the urodale, Proteus anguineus. Amer.J.Anat. 51(1), 215.

_____ (1933) The evolution of the blood-forming tissues. Quart.Rev.Biol. 8, 58.

_____ (1938) Comparative hematology (Reptilia). In "Handbook of Hematology" (Downey,H. ed.), New York Hoeber, Vol.2, 776-788.

Jordan,H.E. and Flippen,J. (1913) Haematopoiesis in Chelonia. Folia haemat. Lpz.15,1-24.

Jordan,H.E. and Looper,J.B. (1923) The histology of the thymus gland of the turtle, Terrapene carolina. Anat.Rec. 40, 46.

Jordan,H.E. and Speidel,C.C. (1923) The origin, function and fate of the lymphocytes in fishes. J.Morp. 38, 529-548.

_____ and _____ (1929) Blood-cell formation in the horned toad, Phrynosoma solare. Amer.J.Anat. 43, 77.

Kadam,K.M. (1957) The development of the vertebral column in Calotes versicolor. Proc.Ind.Sc.Cong.(Abs.) 44(3), 330.

Kanungo,M.S. (1961) Haemoglobin concentration in the blood of some vertebrates. J.Zool.Soc. India. 13, 113-115.

Kaplan,H.M. and Rueff,W. (1960) Seasonal blood changes in turtles. Proc.Anim.Care Panel. 10, 63-68.

Kaplan,H.M.and Taylor,R.(1957) Anesthesia in turtles. Herpetologica. 13, 43-45.

Karlstrom,E.L. and Cook,S.F.,Jr.(1955) Notes on snake anesthesia. Copeia. 57-58.

Kasinathan,S. and Basu,S.L. (1972) Studies on the flactuations of the adrenal weight in relation to the body weight and reproductive activity of Calotes versicolor. Proc.Ind.Sc.Cong.(Abs.) 59(3), 496.

Kelenyi,G. and Nemeth,A. (1969) Comparative histochemistry and electron microscopy of the eosinophil leucocytes in vertebrates. I. A study of avian, reptile, amphibian and fish leucocytes. Acta biol.Acad.Sci.Lung. 20(4), 405-422.

Khalil,F. and Yanni,M. (1959) Studies on carbohydrates in reptiles. I. Glucose in body fluids of Uromastyx aegyptia. Z.Vergl.Physiol. 42, 192-198.

Khamidov,D.K., Turdyev,A.A. and Nishanbaev,K.N. (1974) Ultrastructure of peripheral blood leucocytes in the steppe turtle. Arkh.Anat.Gistol.Embriol. 67(1), 39-42.

Kolmer,J.H., Spaulding,E.H. and Robinson,H.W. (1969) "Approved laboratory technic", Scientific Book Agency (Indian Edition).

Komocki,W. (1936) Nouvelles observations sur la désagrégation physiologique des leucocytes granuleux ainsi que sur les leucocytes du sang de Sphenodon punctatus, Gray (Hatteria). Bull.Histol.Tech.Micr. 13, 194-201. Quoted from Saint Girons (1970).

Levaditi,C. (1902) Contribution al'étude des Mastzellen et de la Mastzellen leucocytose. Quoted from Pienaar (1962).

Lewis,J.H. and Ferguson,E.E. (1966) Osmotic fragility of premammalian erythrocytes. Comp.Biochem.Physiol. 18, 589-595.

Lowenthal,N. (1928) Étude sur les globule blancs du sang dans la série des vertébrés. Arch.Anat.Strasbourg. 8, 225-273. Quoted from Pienaar (1962).

_____ (1930) Nouvelles observations sur les globules blancs du sang chez les animaux vertébrés. Arch.Anat.Strasbourg. Quoted from Pienaar (1962).

_____ (1931) Des varietes de globules blancs du sang chez l'Orvet (Angius fragilis) et la Hulotte (Syonium aluce). Arch.Anat.Strasbourg. 13, 225-245. Quoted from Pienaar (1962).

Lucia,S.P. and Lucia,E.L. (1928) The differential blood count of the normal guineapig. Arch.Path.Lab.Med. 5, 618.

Machanon,J.A. and Humer,A.H. (1975) Hematology of the side winder (Crotalus cerastes). Comp.Biochem.Physiol.: Comp.Physiol. 51(1), 53-58.

Maiti,A.K. and Goswami,M. (1966) Anaesthetic action of clove oil on Teleost fish. Bull.Univ.Coll.Med. Calcutta. 17-23.

Mandl,L. (1839) Note sur les globules sanguins du Protée et des Crocodiliens. Annls.Sci.nat. 1(12), 289-291. Quoted from Saint Girons (1970).

Mathur,J.K. (1973) Effect of trypan blue on the development of the garden lizard, Calotes versicolor. Proc.Ind.Sc.Cong.(Abs.) 60(3), 457.

Maximow,A.(1910) Über embryonale Entwick-lung der Blutzellen bei Selachiern und Amphibien. Anat.Anz. 37, 64. Quoted from Pienaar (1962).

_____ (1917) Sur la rapport entre les grands et les petits lymphocytes et les cellules reticulaires. C.R.Soc.Biol.Paris. 80, 237. Quoted from Pienaar (1962).

_____ (1924) Relation of blood cells to connective tissue and endothelium. Physiol.Rev. 4(4), 533-563.

_____ (1927) Development of non-granular leucocytes and monocytes into polyblasts (macrophages) and fibroflast in vitro. Proc.Soc.exp.Biol. 24, 570.

_____ (1932) The lymphocytes and plasma cell. In "Special cytology" (Cowdry,E.U. ed.) 2nd ed. New York, Hoeber, Vol.2, 601.

McCauley,M. (1953) The effects of Lowered Barometric Pressures on the blood of Chrysemys picta. Master's thesis. St.Louis University. Quoted from Taylor and Kaplan (1961).

Meinertz,J. (1903) Beiträge zur vergleichenden Morphologie der farblosen Blutzellen. Virchows. Arch. 168, 353-398. Quoted from Pienaar (1962).

Meintz,R.H., Carver,F.J., Grest,J.W. and McLaughlin,D.W.(1975) Erythropoietic activity in turtle : The influence of hemolytic anemia, hypoxia and hemorrhage on hematopoietic function. Comp.Biochem.Physiol.: Comp.Physiol. 50(2), 419-422.

Menon,K.R.(1952) Comparative study of blood volume in some vertebrates. J.Univ. Bombay. N.S. 20B(5), 47-51.

_____ (1955) A comparison of amino acid constitution of the scales of V. moniter, C.versicolor and feathers of C. livia. J.Anim.Morph.Physiol. 1, 59-60.

Merck and Co. Inc., U.S.A. (1960) The Merck Index of Chemicals and Drugs, 7th ed. 746.

Michels,N.A. (1923) The mast cell in lower vertebrates. Cellule. 23, 339. Quoted from Saint Girons (1970).

_____ (1931) The plasma cell : a critical review of its morphogenesis function and developmental capacity under normal and abnormal conditions. Arch.Path. (Lab.Med.) 11, 775.

Mline-Edwards,A. (1856) Notes sur les dimensions des globules du sang chez quelques vertébrés. Annls.Sci.nat. 5, 165-167. Quoted from Saint Girons (1970).

_____ (1857) "Lecons sur la Physiologie et l'Anatomie Comparée de l'Homme et des Animaux". Vol.I. V. Masson. Paris. Quoted from Saint Girons (1970).

Mori,K. (1940) Vergleichende Untersuchung des Zellbildes der Lymphe und des Blutes bei verschiedenen Wirbeltieren. Acta Sch.med.Univ.Kioto. 23, 285-322. Quoted from Pienaar (1962).

Mulherkar,L. and Abtavale,M.V. (1968) The nature of fluid in the egg of Calotes versicolor. Curr.Sci. 37(19), 908.

Mundy,K.A. and Blane,G.F.(1961) Cold stress of the mammal, bird and reptile. Comp. Biochem.Physiol. 2, 8-21.

Musacchia,X.J. and Sievers,M.L.(1956) Effects of induced cold torpor on blood of Chrysemys picta. Am.J.Physiol. 187, 99-102.

Naegeli,O. (1931) Blutkrankheiten und Blutdiagnostik 5 ed. Berlin. J.Springer. Quoted from Pienaar (1962).

Narasimhamurthy,C.C. and Rao,P.K. (1955) Studies on the sympathetic nervous system of reptiles. Proc.Ind.Sc.Cong.(Abs.) 42(3), 277.

Nayer,K.K. and Pandalai,K.P. (1964) Neurohypophyseal structure and the neurosecretion in the garden lizard, Calotes versicolor. Anat.Anz. 114, 270-278.

Nene,T. and George,J.C.(1965) Histochemical demonstration of glucose-6-phosphate dehydrogenase in muscle, Calotes versicolor. J.Anim.Morph.Physiol. 12, 90-99.

Nittis,S. (1930) A surface structure (?) in normal nucleated erythrocytes. Anat.Rec. 46, 365.

Pappenheim,A. (1909) Einige interessante Tatsachen und theoretische Ergebnisse der vergleichenden Leukozytenmorphologie. Folia haemat. Lpz. 8, 504-563. Quoted from Pienaar (1962).

Pandalai,K.P. (1956) Neurosecretory cells in Calotes versicolor. Curr.Sci. 25(1), 38.

_____ (1958) Morphology of the neurosecretory cells of Calotes versicolor. J.Anat.Soc.India. 8, 92-104.

Pandalai,K.P. and Nayer,K.K. (1962) Secretory activity of the intermediate lobe of the pituitary Calotes versicolor. Curr.Sci. 31(4), 193-194.

Pandha,S. and Thapliyal,J.P. (1964) Effect of male hormone on renal sex segment of castrated male Calotes. Copeia. 579-581.

Patnaik,B.K. and Jena,R.N.(1972) Ageing changes in the brain of the garden lizard, Calotes versicolor. I. Changes on brain weight and body weight ratio, water content, total lipid content and phosphate. Experimental Gerentology. 7(4),

Paul,S.P. and Hota,H.K. (1971) Effect of temperature and certain drugs on the heart of Calotes versicolor (Daudin). Proc.Ind.Sc.Cong.(Abs.). 58(3), 832.

Pena-Roche,H. (1939) Contribuciones a la morphologia comparata de la fauna Chilena. II. Estudios hematológicos en las especies Liolaemus nigromaculatus (Philippi) y Liolae mus pictus (Duméril y Bibron). Boln Soc.Biol. Concepción 13, 133-146. Quoted from Duguy (1970).

Pentimalli,F. (1909) Seasonal variations of poikilothermal animal's blood. Monatschr. Anat.Physiol. 26, 206. Quoted from Banerjee (1966).

Pickford,G.E., Srivastava,A.K., Slicher,A.M. and Pang,P.K.T. (1971) The Stress Response in the Abundance of Circulating Leucocytes in Killifish, Fundulus heteroclitus. I. The cold-shock sequence and the effects of hypophysectomy. J.Exp.Zool. 177, 89-96.

Pienaar,U.de V (1962) "Haematology of some South African Reptiles". Witwatersrand Univ.Press, Johannesburg.

Pillai,T.S.(1957) The arteria laryngo-trachealis of C. versicolor. Proc.Ind.Sc. Cong.(Abs.) 44(3), 329.

Plum,C.M. (1947) Variations in the numbers of erythroplastids in the blood of newts (Triton punctatus) during treatment with liver extract. Acta path.microbiol. Scand. 24, 362.

Prakas,R. (1958) Cardiac conduction (Calotes versicolor). Proc.Inter.Cong.Zool. 15, 1070.

_____ (1960) The heart and the conducting tissue in C. versicolor. Anat.Rec. 136, 469-475.

_____ (1970) Glycogen content in the heart of Calotes versicolor. Sci. and Cult. 36(7), 406.

Prosser,C.L. (1965) Circulation of body fluids. In "Comparative Animal Physiology". W.B.Saunders Co.Ltd. ed. 336-416.

Rabelais,R. (1938) Observations on the blood of certain reptiles, pisces, mollusca and one amphibia of the grand isle region. Proc.La.Acad.Sci. 4, 142-148.

Rajasekarasetty,M.R. (1956) Morphogenesis on the pituitary in Calotes versicolor. J.Mysore Univ. N.S. 15(6), 1.

Rall,D.P. and North,W.G. (1953) Consideration of dose weight relationships. Proc.Soc. exp.Biol.Med. 83, 825-827.

Rao,M.A. (1953) The histology and histochemistry of the thymus in C. versicolor. Proc.Ind.Sc.Cong.(Abs.) 40(3), 182.

_____ (1954) Alkaline phosphatase and periodic acid schiff reaction in the thymus of Calotes versicolor. Proc.Nat.Inst.Sci.India. 20(4), 503-507.

_____ (1955) The involution of the thymus of the lizard, Calotes versicolor. Proc.Nat.Inst.Sci.India. 21B(1), 10-17.

_____ (1956) Age changes of the thymus of Calotes versicolor as correlated with testicular changes. Proc.Ind.Sc.Cong.(Abs.) 43(4), 36.

Rapoport,S., Leva,E. and Guest,G.M. (1942) Acid and Alkaline phosphatase and nucleophosphatase in the erythrocytes of some lower vertebrates. J.Cell.Comp. Physiol. 19, 103-108.

Ray,H.N. and Sarkar,A.C. (1969) A new haemosporidean from the garden lizard (Calotes versicolor). Progress in Protozology. III Internat.Congress on Protozoology, Leningrad.

Reese,A.M. (1917) The blood of Alligator mississippiensis. Anat.Rec. 13, 37-44.

Reichert,E.T. and Brown,A.P. (1909) Blood volume data. Carnegie Instn. Washington Publ. No.116. Quoted from Prosser (1965).

Rich,A.R., Lewis,M.R. and Wintrobe,M.M. (1939). The differentiation of myeloblasts from lymphoblasts by their manner of location. Johns Hopk.Hosp.Bull. 65, 291.

Richard,S.J. and Nardone,R.M. (1957) Eosinophil level after exposure to cold and epinephrine. Am.J.Physiol. 188, 420-422.

Riddle,O. and Braucher,P.E. (1934). Hemoglobin and erythrocyte differences according to sex and season in doves and pigeons. Amer.J.Physiol. 108, 554.

Rodbard,S., Sampson,F. and Ferguson,D. (1950) Thermosensitivity of the turtle brain as manifested by blood pressure changes. Am.J.Physiol. 160, 402-408.

Rooij,N.D. (1915) The reptiles of Indo-Australian Archipelago. Lacerta, Chelonia, Emydosauria. Part I (E.J.Brill Ltd., Leiden) 124-125.

Rosenthal,N. (1928) The blood picture in purpura. J.Lab.Clin.Med. 13, 303.

Ryerson,D.L. (1943) Separation of the two acidophilic granulocytes of turtle blood with suggested phylogenetic relationships. Anat.Rec. 85, 25-48.

_____ (1949) A preliminary survey of reptilian blood. J.Ent.Zool. 41, 49.

Sabin,F.A. (1923) Studies of living human blood cells. Johns Hopk.Hosp.Bull. 34, 277-288.

Sadhukan,S.C. (1973) Effects of acute morphine administration on the adrenal of the garden lizard, Calotes versicolor. Proc.Ind.Sc.Cong.(Abs.) 60(3), 495.

Sahani,R. (1970) On the innervation of heart of garden lizard, Calotes versicolor. Sci. and Cult. 36(6), 345.

Saint Girons,M.C. (1960) Dimorphisme sexual du leucogramme chez Vipera berus adulte. C.r.Sénac.Soc.Biol. 154, 342-344. Quoted from Duguy (1970).

_____ (1961) Etude de l'Erythropoiése chez la Vipéra berus (Vipera berus) en fonction de l'activité thyroidiene et des phénoménes cycliques de la mue. Bull.Soc.Zool.Fr. 86(1), 59-67. Quoted from Saint Girons (1970).

_____ (1970) Morphology of the circulating blood cells. In "Biology of Reptilia" (Gans,C.ed.) Academic Press, New York, Vol.3.

Saint Girons,M.C. and Duguy,R. (1963) Notes de cytologie sanguine comparée sur les reptiles de France. Bull.Soc.Zool.Fr. 88(5-6), 613-624. Quoted from Saint Girons (1970).

Saint Girons,M.C. and Saint Girons,H. (1969) Contribution a la morphologie comparée des érythrocytes chez les reptiles. Br.J.Herpet. 4(4), 67-82.

Salgues,R. (1937a) Les éléments figurés du sang des reptiles de la faune francaise. Revue gén. Sci.pur.appl. 48, 491-492. Quoted from Duguy (1970).

_____ (1937b) Leucocytose nutriciale chez les reptiles en mauvaise condition de captivité. C.r. hebd.Seanc.Acad.Sci. Paris. 205, 90-92. Quoted from Duguy (1970).

Sarkar,C. and Deb,C. (1965). Alkaline acid phosphatase distribution in liver compared with other vertebrates, C. versicolor. Acta Anat. 62, 53-59.

Satyamurti,P. (1962a). Scalation, behaviour, habitat,coloration, breeding season, eggs of Calotes versicolor. Madras Govt. Museum Pub., Madras. 1, 1-45.

———— (1962b). Scalation, behaviour, habitat, coloration, breeding season, eggs of Calotes versicolor. Madras Govt. Museum Pub., Madras. 2, 1-65.

Schaffer,J. (1921). Kernlose rote Blutkorperchen bei Amphibia. Anat.Anz. 54, 196. Quoted from Pienaar (1962).

Schilling,V. (1912). Die Zelltheorie der Erythrozyten als Frundlage der Klinischen Wertung anamischer Blutbefunde. Virchows Arch. 234, 548. Quoted from Pienaar (1962).

Schridde,H. (1905). Zur Histologie des Rhinoskleroms, ein Beitrag zur Plasmazellen-frage und zur Genese der hyalinen Körperchen. Arch.Derm.Syph.,Wien. 73, 107. Quoted from Pienaar (1962).

Schultz, J. and Muller, H. (1962). Haemogram of normal and starved rats. Nature. 196, 178.

Sedgwick,A. (1906). A Students' Text-Book of Zoology. Central Book Depot. ed. India. Vol.2, 350.

Selye, H. (1947). Text book of Endocrinology. Acta Endocrinologica. Montreal University.

Semple,R.E. (1960). Blood volume in turtle. Fed.Proc. 19, 79.

Shaw,A.F.B. (1933). The leucocytes of the pigeon with special reference to a diurnal rhythm. J.Path.Bact. 37, 411-430.

Sheeler,P. and Barber,A.A. (1964). Comparative hematology of the turtle, rabbit and rat. Comp.Biochem.Physiol. 11, 139-145.

———— and ———— (1965). Reticulocytosis and iron incorporation in the rabbit and turtle: A comparative study. Comp.Biochem.Physiol. 16, 63-70.

Shinagawa,S. (1960). Morphology and cytology of erythrocytes. J.Sci.Hiroshima Univ. Ser B. Div.1 (Zool). 19, 30-32.

Singh,T. and Thapliyal,J.P. (1963). Sex and size of Calotes versicolor. J.Zool.Soc. India. 14, 21-22.

Singleton,W.B. (1960). Anesthesia in smaller animals. Small Animal Pract. 1, 2.

Slonimski,P. (1934). Sur les éléments figurés du sang chez Vipera russelli et Python regius. C.r.Ass.Anat. 1, 25-28. Quoted from Saint Girons (1970).

———— (1935a). Sur les éléments du sang chez les crocodiles, Crocodilus rhombifer. C.r.Ass.Anat. 2, 15-17. Quoted from Saint Girons (1970).

———— (1935b). Les éléments figurés du sang chez le crocodile (Crocodilus rhombifer). C.r.Seanc.Soc.Biol. 119, 1206-1208. Quoted from Saint Girons (1970).

Smith,M.A. (1935). Fauna of British India : Reptilia and Amphibia, Vol.2, 180.

———— (1951). On a collection of amphibians and reptiles from Nepal. Ann.Mag.nat.Hist. 4(12), 726-728.

Sottovia,F. and Dagoberto,S. (1974). Morphology and histochemistry of mast cell of Snakes. J.Morphol. 142(1), 109-116.

Speirs,R.S. and Meyer,R.K. (1949). The effect of stress, adrenal and adrenocorticotrophic hormones on the circulating eosinophils of mices. Endocrinology. 45, 403.

Stenroos,O.O. and Bowman,W.M. (1968). Turtle blood 1. Concentration of various constituents. Comp.Biochen.Physiol. 9, 387-403.

Subbarao,M.V. (1972). Studies of the population structure, density and sex ratio in garden lizard Calotes. Proc.Ind.Sc.Cong. 59(3), 416.

———— (1973). Behavioral studies of the garden lizard, Calotes versicolor, Daudin. Proc.Ind.Sc.Cong.(Abs.). 60(3), 520.

———— (1975). Studies on the haematology in the garden lizard, Calotes versicolor. Proc.Ind.Sc.Cong.(Abs.). 62(3), 120.

Suboski,M.D. and Colavita,F.B. (1964). Comparative osmotic hemolysis of some representative vertebrates. Life Sci. 3, 519-521.

Sugiyama,S. (1926). Origin of thrombocytes and of the different types of blood cell as seen in the living chick blastoderm. Contr.Embryol.Carnegie Instn.No.363. 18, 121.

Szarski,H. and Czopek,G. (1966). Erythrocyte diameter in some amphibians and reptiles. Bull.Acad.Pol.Sci. Cl.II Ser.Sci. biol. 14(6), 443-447.

Taylor,K. and Kaplan,H.M. (1961). Light microscopy of the blood cells of pseudymyd turtles. Herpetologica. 17, 186-196.

Tercafs,R.R. and Vassas,J.M. (1967). Comportement osmotique des erythrocytes de lezards. Archs int. Physiol. Biochim. 75, 667-674.

Tilak,P. and Rastogi,S.C. (1964). Dermal scutes as the aids to the identification upto the family and generic levels, C. versicolor. Proc.Zool.Soc. Calcutta. 17, 183-191.

U.S.National Science Foundation, New Delhi. (1968). Turtox Service Leaflets. No.12, 23, 28.

Vars,H.M. (1934). Blood studies on fish and turtles. J.biol.Chem. 105, 135-137.

Weathers,W.W. and White,F.N. (1972). Hematological observations on population of the lizard Sceloporus occidentalis from Sea Level and altitude. Herpetologica. 28(2), 172-175.

Weidenreich,F. (1906). Neue und alte Beobachtungen an roten Blutkörperchen der Säuger. Folia haemat. Lpz. 3, 186. Quoted from Pienaar (1962).

———— (1911). Die Leucocyten und verwandte Zellformen, Wiesbaden, Bergmann. Quoted from Pienaar (1962).

Wells,J.J. and Sutton,J.E. (1966). Blood counts in the frog, the turtle and twelve different species of mammals. Am.J.Physiol. 39, 31-36.

Werzberg,A. (1910). Uber Blutplättchen und Thrombozyten, ihre Beziehung zu Erythrozyten and Lymphozyten, nebst einem Anhang uber die Erythrogenese. Folia hemat. Lpz. 10(2), 301. Quoted from Pienaar (1962).

———— (1911). Studien zur vergleichenden Hamozytologie einiger poikilothermer Vertebraten. Folia haemat.Lpz. 11(1), 17-193. Quoted from Pienaar (1962).

Westermann,J. and Mills,E. (1975). Light microscopic study and identification of thrombocytes of peripheral blood of the turtle. Rev.Can.Biol. 33(4), 255-258.

Wilson,B., Hansard,S.L. and Cole,B.T. (1960). Total blood volume of the turtle and the frog. Proc.La.Acad.Sci. 23, 45-52.

Wintrobe,M.M. (1933). Variations in the size and hemoglobin content of erythrocytes in the blood of various vertebrates. Folia haemat.Lpz. 51, 32-49.

Wintrobe,M.M. (1942). Clinical Hematology. Lea and Febinger, Philadelphia.

Wood,S.F. (1935). Variations in the cytology of the blood of geckos (Tarentola mauritanica) infected with Haemogregarina platydactyli, Trypanosoma platydactyli and Pirhemocyton tarentolae. Univ.Calif.Pub.Zool. 41(2), 9-22.

Wright,A. and Jones,I.C. (1957). The adrenal gland in lizards and snakes. J.Endocr. 15, 83-99.

Zain-ul-Abedin,M. and Quzi,M.H. (1965). Blood sugar levels of some reptiles found in Pakistan. Can.J.Biochem.Physiol. 43, 831-833.

Zarafonetis,C.J.D. and Kalas,J.P. (1960). Some hematological and biochemical findings in Heloderma horridum, the Mexican bearded lizard. Copeia. 240-241.

Zylberszac,S. (1937). Sur la nature des leucocytes reticulaires et Spongieux du sang des reptiles. C.r. Seanc.Soc.Biologie. 126, 97-98.