

LIST OF FIGURES

Fig.No.	Title	Page No
II.1.	Functional monomer commonly used in the imprinting technology.....	30
II.2.	Crosslinking agents used in the imprinting technology	31
II.3.	Analytical methods for the characterization of different processing steps during the preparation of non-covalently imprinted polymers.....	36
II. 4.	Molecularly imprinted solid phase extraction.....	42
IV. 1.	Synthesis and processing steps in molecular imprinting technology.....	93
IV. 2.	Variation in fluorescence emission spectrum of Boc-L-Trp-OH on 4-VP addition	98
IV.3.	Variation of the ¹ H NMR spectrum of Boc-L-Trp-OH with increasing concentration of 4-VP	99
IV.4.	SEM images of the Boc-L-Trp-OH imprinted and non-imprinted EGDMA-crosslinked polymers	101
IV. 5.	Specificity in Boc-L-Trp-OH binding by 40 % EGDMA- and DVB-crosslinked imprinted and non-imprinted polymers with 1:4 T/FM ratio.....	105
IV. 6.	Effect of T/FM ratio on Boc-L-Trp-OH binding by 40% EGDMA- and DVB-crosslinked MIP and NIP	107
IV. 7.	Effect of the nature and extent of EGDMA and DVB crosslinking on the Boc-L-Trp-OH binding	108

IV. 8.	Effect of the concentration of the template solution on Boc-L-Trp-OH binding by 40% EGDMA-and DVB-crosslinked MIP and NIP.....	110
IV. 9.	Binding isotherms for Boc-L-Trp-OH binding by EGDMA- and DVB-crosslinked imprinted polymers	112
IV. 10.	Scatchard plot to determine the nature of binding sites of (a) EGDMA- (b) DVB-crosslinked MIPs.....	113
IV. 11.	Solvent effect on the Boc-L-Trp-OH binding by the EGDMA- and DVB-crosslinked imprinted and non-imprinted polymers	114
IV.12.	Effect of time on Boc-L-Trp-OH binding by EGDMA- and DVB-crosslinked MIP and NIP.....	116
IV. 13.	Dependence of mass of MIP and NIP on the Boc-L-Trp-OH binding by the EGDMA- and DVB-crosslinked polymers	117
IV. 14.	Selectivity of the EGDMA- and DVB-crosslinked MIPs and NIPs	119
IV.15.	Effect of EGDMA and DVB crosslinking on the enantioselectivity of the imprinted polymers	121
IV. 16.	Enantioseparation (specificity vs T/FM ratios) by the (a) EGDMA- and (b) DVB-crosslinked polymers	123
IV. 17.	Effect of the extent of DVB-crosslinking on Boc-L-Trp-OH binding by the MIP and NIP.....	127
IV.18.	Variation of Boc-L-Trp-OH binding with concentration of Boc-L-Trp-OH by the MIP and NIP	128
IV.19.	Solvent effect on the Boc-L-Trp-OH binding by the imprinted and non-imprinted polymers	129
IV.20.	Effect of time on the Boc-L-Trp-OH binding by the imprinted and non-imprinted polymer	130
IV.21.	Enantioseparation by the Boc-L-Trp-OH imprinted polymers	131

IV.22.	Molecular structures of functional monomer, crosslinking agents and the template.....	134
IV. 23.	¹ H NMR spectrum of Boc-L-Phe-OH with increasing concentration of 4-VP	137
IV. 24.	Variation of fluorescence intensity of Boc-L-Phe-OH with increasing concentration of 4-VP.....	138
IV. 25.	SEM images of the Boc-L-Phe-OH imprinted and non-imprinted EGDMA-crosslinked polymers.....	139
IV. 26.	Specificity in Boc-L-Phe-OH binding by 40% EGDMA-, DVB-, and NNMBA-crosslinked imprinted polymers	141
IV. 27.	Effect of T/FM ratio on Boc-L-Phe-OH binding by 40% EGDMA- and DVB-crosslinked imprinted and non-imprinted polymers	143
IV. 28.	Effect of extent of EGDMA and DVB crosslinking on Boc-L-Phe-OH binding by imprinted and non-imprinted polymers	144
IV. 29.	Binding isotherm for the binding of Boc-L-Phe-OH by the imprinted polymers.....	146
IV.30.	Scatchard plot to estimate the binding nature of (a) EGDMA- and (b) DVB-crosslinked Boc-L-Phe-OH imprinted polymers.....	147
IV. 31.	Solvent effect on the Boc-L-Phe-OH binding by the EGDMA- and DVB-crosslinked imprinted and non-imprinted polymers	148
IV.32.	Time dependence on the Boc-L-Phe-OH binding by the EGDMA- and DVB-crosslinked imprinted and non-imprinted polymers	150
IV. 33.	Dependence of mass of MIP and NIP on the binding of Boc-L-Phe-OH	151

IV. 34.	Cross reactivity studies of the EGDMA- and DVB-crosslinked MIP and NIP	152
IV. 35.	Enantioselectivity of the EGDMA- and DVB-crosslinked (40%) (1:4) imprinted and non-imprinted polymers	154
IV. 36.	Enantioseparation by the EGDMA-crosslinked polymers	155
IV.37.	Enantioseparation by the DVB-crosslinked polymers	156
IV. 38.	Effect of the T/FM ratio on the enantioselectivity of the EGDMA- and DVB-crosslinked (40%) imprinted polymers	159
IV. 39.	Enantioseparation by the DVB-crosslinked 1:2 polymers	159
IV. 40.	Effect of T/FM ratio on Boc-L-Phe-OH binding by 40% EGDMA-crosslinked imprinted polymers	152
IV. 41.	Effect of the extent of EGDMA crosslinking on Boc-L-Phe-OH binding	163
IV. 42.	Effect of the concentration of the template solution on Boc-L-Phe-OH binding by imprinted and non-imprinted polymers	164
IV. 43.	Solvent effect on the Boc-L-Phe-OH binding by the imprinted and non-imprinted polymers	165
IV. 44.	Effect of time on the Boc-L-Phe binding by the EGDMA-crosslinked imprinted and non-imprinted polymers	166
IV. 45.	Dependence of mass of MIP and NIP on the Boc-L-Phe-OH binding	167
IV.46.	Effect of the T/FM ratio on the enantioselectivity of the imprinted polymers	168
IV. 47.	¹ H NMR spectrum of D-mandelic acid with increasing concentration of 4-VP	172
IV. 48.	SEM images of EGDMA-crosslinked D-mandelic acid imprinted and non-imprinted polymers	173

IV.49.	Specificity in D-mandelic acid binding by EGDMA- and DVB-crosslinked imprinted and non-imprinted polymers	175
IV.50.	Dependence of the nature of the functional monomer on binding of the template by the 40% EGDMA-crosslinked imprinted and non-imprinted polymers	176
IV.51.	Effect of T/FM ratio on D-mandelic acid binding by 40% EGDMA- and DVB-crosslinked MIP and NIP	178
IV.52.	Dependence of EGDMA crosslinking on D-mandelic acid binding by imprinted and non-imprinted polymers	179
IV.53.	Binding isotherm for the binding of D-mandelic acid by 40% EGDMA-crosslinked imprinted polymer	181
IV.54.	Scatchard plot to estimate the binding nature of EGDMA--crosslinked D-mandelic acid imprinted polymer.	181
IV.55.	Solvent effect on D-mandelic acid binding by the 40% EGDMA-crosslinked imprinted and non-imprinted polymers	183
IV.56.	Dependence of time on the D-mandelic acid binding by MIP and NIP	184
IV.57.	Effect of the extent of EGDMA-crosslinking on Enantioseparation.....	185