

LIST OF TABLES

Table No.		Page No.
3.1	Distribution of sample characteristics	74
3.2	Mean Pre-test on CSI-4 Scores of sample selected in different groups and results of One-way ANOVA	78
3.3	Mean ages of sample selected in different groups and results of One-way ANOVA	78
3.4	Class-wise distribution of the sample (frequency and percent) in different groups and results of contingency coefficient test	79
3.5	Distribution of the sample by status of family (frequency and percent) in different groups and results of contingency coefficient test	79
3.6	Distribution of the sample by parent's occupation (frequency and percent) in different groups and results of contingency coefficient test	80
3.7	Distribution of the sample by school types (frequency and percent) in different groups and results of contingency coefficient test	80
3.8	Mean IQ of sample selected in different groups and results of One-way ANOVA	81
4.1	Mean Pre-Post CSI-4 scores of subjects with different age groups in control and Play Therapy groups	96
4.2	Results of repeated measure ANOVA for mean Pre and Post CSI-4 scores of subjects with different ages in control and Play Therapy groups	96
4.3	Mean Pre-Post CSI-4 Scores of subjects with different age groups in control and Yoga groups	101
4.4	Results of repeated measure ANOVA for mean Pre and Post CSI-4 scores of subjects with different ages in control and Yoga groups	101
4.5	Mean Pre-Post CSI-4 scores of subjects with different age groups in control and 'Play Therapy and Yoga' groups	106
4.6	Results of repeated measure ANOVA for mean Pre and Post CSI-4 scores of subjects with different ages in control and 'Play Therapy and Yoga' groups	107

4.7	Mean reduction in Pre-Post CSI-4 scores of subjects in control, Play Therapy Group, Yoga group, and ‘Play Therapy and Yoga’ groups	110
4.8	Results of Scheffe’s post hoc test (multiple comparisons)	111
4.9	Results of Scheffe’s post hoc test (multiple comparisons)	113
4.10	Results of repeated measure ANOVA for mean Pre and Post CSI scores for attention subscale of different groups	114
4.11	Mean Pre and Post CSI scores for hyperactivity subscale of different groups	116
4.12	Results of repeated measure ANOVA for mean Pre and Post CSI-4 scores for hyperactivity subscale of different groups	117
4.13	Mean change in the scores of Attention and hyperactivity subscales from Pre to Post test sessions for different groups	120
4.14	Results of 2-way ANOVA for mean change in the scores of inattention and hyperactivity subscales from Pre to Post test sessions for different groups	120
4.15	Mean reduction in Pre-Post CSI-4 Scores of subjects in control, Play Therapy Group, Yoga group, and ‘Play Therapy and Yoga’ groups with respect of different ages	122
4.16	Results of 2-Way ANOVA for mean Pre and Post CSI-4 scores of subjects with different ages	123

LIST OF FIGURES

Figure No.		Page No.
4.1	Mean Pre-Post CSI-4 scores of subjects in control and Play Therapy groups	97
4.2	Mean Pre-Post CSI-4 scores of subjects in control and Yoga groups	102
4.3	Mean Pre-Post CSI-4 scores of subjects in control and 'Play Therapy and Yoga' groups	108
4.4	Mean change in the CSI-4 scores for different groups	111
4.5	Mean Pre and Post CSI scores for inattention subscale of different groups	115
4.6	Mean Pre and Post CSI scores for hyperactivity subscale of different groups	118
4.7	Age-wise mean change in the CSI-4 scores for different therapy groups	124

LIST OF PICTURES

Figure No.		Page No.
1.1	ADHD children and difficulty of playing or engaging in leisure activities and interrupting others in play room	9
1.2	Lack of self control is the fundamental deficit in children with ADHD	13
1.3	ADHD children explore self-defeating patterns of behavior, and learn alternative ways to handle their emotions by Play Therapy.	17
1.4	Playing is a normal part of a child's life and development	19
1.5	When children play they can communicate about current and past events	20
1.6	Play is to the child what verbalization is to the adult	21
1.7	Play Therapy relieves the emotional distress of young children through a variety of imagination and expressive play materials	21
1.8	Client Centered Therapy, allows the child to heal from their traumas and gain insights and perspective into what they are feeling an experiencing	25
1.9	Experience and express emotion in proportion to the interaction and learn to be more empathic to the thoughts and feelings of others	28
1.10	Meditation improve the mental activity in children with a feeling of confidence in every sphere of life	30
1.11	The poses emphasize coordination, flexibility, strength and good posture, while increasing concentration and body awareness	32
1.12	Yoga promotes physical strength, encourages children to use all of their muscles in new ways, helps build energy and stamina, calms a child and reduces stress	35