

## REFERENCES

- Aasmi, M., Khawar, K.M. and Ozcan, S. (2008). *In vitro* micropropagation from shoot meristems of turkish cowpea (*Vigna unguiculata* L.) CV. Akkiz. *Bangladesh J Bot*, **37**(2): 149-154.
- Abdullal, M.A., Ali, A.M., Marziah, M., Lajis, N.H. and Apiff, A.B. (1998). Establishment of cell suspension cultures of *Morinda eliptica* for the production of anthraquinones. *Plant Cell, Tissue and organ cult*, **34**: 173-182.
- Adriani, M., Piccioni, E. and Standardi, A. (2000). Effects of different treatment on the conversion of “Hayward” kiwifruit synthetic seed following encapsulation of *in vitro* – derived buds. *N. Z. J. Crop Hort Sci*, **28**: 59-67.
- Agarwal, D.C., Pawar, S. S., Morwal, G.C. and Masacrenhas, A.F. (1991). *In vitro* micropropagation of *Delphinium malabaricum* (Huth) Munza rare species. *Ann Bot*, **68**: 243-245.
- Aggarwal, D. and Barna, K.S. (2004). Tissue culture propagation of elite plant of *Aloe vera* Linn., *J Plant Biochem & Biotech*, **13**: 77-79.
- Agostini, G. and Echeverrigaray, S. (2006). Micropropagation of *Cunila incisa* Benth., a potential source of 1,8 Cineole., *Rev Bras Plant Med Botucatu*, **8**(esp): 186-189.
- Ahmad, A., Dhia, S.H. and Fatma, U.A. (2006). *In vitro* propagation of Endangered *Iris* sp. *J Biol Sci*, **6**(6): 1035-1040.
- Ahmed, N. and Anis, M. (2005). *In vitro* mass propagation of *Cucumis sativus* L. from nodal segments. *Turk J Bot*, **29**: 237-240.
- Ahmed, S., Kabir, A.H., Ahmed, M.B., Razvy, M.A. and Ganesan, S. (2007). Development of rapid micropropagation method of *Aloe vera* L., *Sjemenarstvo*, **24**(2): 121-128.
- Akbas, F., Isikalan, Namli, S. and Ak, B.E. (2009). Effect of plant growth regulators on *in vitro* shoot multiplication of *Amygdalus communis* L. cv. Yaltsinki. *African J Biotech*, **8**(22) : 6168-6174.
- Akerele, O., Heywood, V. and Singh, H. (eds.) (1992). Conservation of medicinal plants, *Cambridge University Press*, Cambridge, UK, 38-58.
- Al-Zahim, M.A. and Ford-Lloyd B.V. and Newbury H.J. (1999). Detection of somaclonal variation in garlic (*Allium sativum* L.) using RAPD and cytological analysis. *Plant Cell Rep*, **18**: 473-477.

- Amin, M.N., Rahman, M.M. and Manik, M.S. (2003). *In vitro* clonal propagation of *Paederia foetida* L.–A medicinal plant of Bangladesh. *Plant Tissue Cult*, **13**(2): 117-123.
- Ammirato, P.V. (1987). In *Plant Tissue and Cell Culture*, (eds.) Green, C.E., Somers, D.A., Hockett, W.P. and Biesboer, D.P., Alan R., Liss Inc, New York, 57.
- Ammirato, P.V. (1991). Embriogenesis somatic esemente sintetica. In: Crocomo, O.J., Sharp, W. R. and Melo, M. (eds.) *Biotechnologia para a producao vegetal Piracicaba: Ceotec / Fealg.*, pp. 189-221.
- Amornwat, S. and Kamnoon, K. (2007). Establishment of *in vitro* culture of *Musa* AA group ‘Kluai Sa’ and *Musa* AA group ‘Kluai Leb Mue Nang’ and the analysis of ploidy stability. *Sci Asia*, **33**: 437-442.
- Amutha, R., Jawahar, M. and Ravi, P.S. (2008). Plant regeneration and *in vitro* flowering from shoot tip of *Basilicum polystachyon* (L.) Moench.-An important medicinal plants. *J Agric Tech*, **4**(2): 117-123.
- Ana, C.G.D.C. and Manuel, F.F. (1996). Somatic embryogenesis organogenesis and callus growth kinetic of flax. *Plant Cell, Tissue and Organ Culture*, **47**: 1-8.
- Andrea, M-Y., Rafael, F. D., Lilina, R., Nereida, X. de E. (2000). Mitotic aberration in coffee (*Coffea Arabia* cv. “Catimor”) leaf explants and their derived embryogenic calli. *EJB Electronic J Biotech*, **3**(2): 1-6.
- Anis, M., Faisal, M. and Singh, S.K. (2003). Micropropagation of Mulberry (*Morus alba* L.) through *in vitro* culture of shoot tip and nodal explants, **13**(1): 47-51.
- Anjana, B., Sarma, D., Sassad and Singh, R.S. (2001). *In vitro* regeneration of *Hypericum patulum* Thunb. – A medicinal plant. *Ind J Exp Biol*, **39**: 947-949.
- Anjani, K. (1992). Somatic embryogenesis and high frequency plantlet regeneration in callus of *Thevetia peruviana*. *Plant Cell, Tissue and Organ Culture*, **31**: 17-50.
- Anzidei, M., Vironal, Schiffs, S. and Bennichi, A. (1996). *In vitro* cultures of *Foeniculum vulgare* : Callus characteristics in relation to morphogenesis. *Plant Cell, Tissue and Organ Culture*, **45**: 263-268.
- Arockiasamy, D.I., Muthukumar, B., Natarajan, E. and John, B. S. (2002). Plant regeneration from node and Internode explants of *Solanum trilobatum* L., *Plant Tissue Cult*, **12**(2): 93-97.

- Asakura, I., Hirotani, I.I., Asuda Yoshishisa, M. and Furuya, T. (1995) Gensenside contents of plantlets regenerated from *Panax ginseng* embryoids. *Phytochem*, **36** (1): 61-63.
- Ayabe, M. and Sumi, S. (1998). Establishment of a novel tissue culture method. Stem disc culture and its practical application to propagation of garlic (*Allium sativum* L.). *Plant Cell Rep*, **17**: 773-779.
- Ayabe, S., Lida, K. & Furuya, T. (1986). Induction of stress metabolites in immobilized *Glycorrhiza echinato* cultured cells. *Plant Cell Rep*, **3**: 186-189.
- Baburaj, S. and Gunasekaran, K. (1994). Regeneration of Plants from leaf callus culture of *Solanum pseudocapsicum* L., *Indian J Exp Biol*, **32**: 141-143.
- Baburaj, S.R., Dhamotharan and Guru, S.K. (1987). Regeneration in leaf callus of *Euphorbia hirta* L. *Curr Sci*, **56**: 194.
- Bajaj, Y.P.S. (1972). Effect of some growth regulators on bud formation by excised leaves of *Torenia fournieri*. *Z. Pflanzen, Physiol*, **66**: 284-287.
- Bajaj, Y.P.S. and Gill, M.S. (1986). *Ind J Exp Biol*, **24**: 581-583.
- Baksha, R., Alam, R., Karim, M.Z., Paul, S.K., Hossain, M.A., Miah, M.A.S. and Rahman, A. B. M. M. (2002). *In vitro* shoot tip culture of sugar- cane (*Saccharum officinarum* ) variety ISD 28. *Biotech*, **1**(2-4): 67-72.
- Balakrishna, V., Ravindran, K.C. and Robison, J.P. (2009). *In vitro* regeneration of *Impatiens companulata* Wight—an important Grass Land. *Plant, Bot Res Inter*, **2**(2) : 123-130.
- Balzan, R. (1978). Karyotype instability in tissue cultures derived from mesocotyl of *Zea mays* seedlings. *Caryologia*, **31**:75.
- Banarjee, S., Zehra, M. and Kumar, S. (1999). *In vitro* multiplication *Centella asiatica*, a medicinal herb from leaf explant. *Curr Sci*, **76**: 147-148.
- Bapat, V.A. and Rao, P.S. (1988). Sandalwood plantlets from synthetic seeds: *Plant Cell Rep*, **7**:434-436.
- Barton, S.B. and Satish, B.K. (1993). Factors effecting adventitious shoot regeneration from leaf explants of quince (*Cydonia oblonga*). *Plant Cell, Tissue and Organ Culture*, **35**: 273-277.

- Baskaran, P. and Jayabalan, N. (2005). An efficient micropropagation system for *Eclipta alba*, a valuable medicinal plant. *J In vitro Cell Dev Biol Plant*, **41**: 532-539.
- Baskaran, P. and Jayabalan, N. (2006). *In vitro* mass propagation and diverse callus orientation on *Sesamum indicum* L.–an important oil plant. *J Agric Tech*, **2**(2): 259-269.
- Bayliss, M.W. (1975). The effect of growth *in vitro* on the chromosome complement of *Daucus carota* (L.) suspension cultures. *Chromosoma*, **51**: 401-411.
- Bayliss, M.W. (1980). Chromosomal variation in plant tissue culture. *Int Rev Cytol (Suppl)*, **11A**: 113-114.
- Beewar, M. R., Noland, T. L. and Wann, S. R. (1987). A method for quantification of the level of somatic embryogenesis among Norway spruce callus lines. *Plant Cell Rep*, **6**: 35-38.
- Ben, A.B. and Heung-Kyu, M. (1997). *In vitro* adventitious shoot production in *Paulownia*. *Plant Cell Rep*, **16**: 315-319.
- Benavides, M.P. and Caso, O.H. (1993). Plant regeneration and thiophene formation in tissue culture of *Tagetes mendocina*. *Plant Cell, Tissue and Organ Culture*, **36**: 211-215.
- Benjamin, B.D., Sipahimalani, A.T. and Heble, M.R. (2004). Tissue culture of *Artemisia pallens*: Organogenesis, terpenoid production. *Plant Cell, Tissue and Organ Culture*, **21**(2): 159-164.
- Bennici, A., Baroncelli, S. and D'Amato, F. (1971) Pub. : Israel Italian Joint meeting on Genetic and Breeding of Crop plants.
- Benzion, G., Phillips, R.L. & Rines, H.W. (1986). In cell culture and somatic cell Genetics of Plants, (ed.) Vasil, I.K. (*Academic*, New York). **3**: 435-448.
- Bera, T.K. and Roy, S.C. (1993). Micropropagation of *Tylophora indica* (Burm. F.) Merr. By multiple bud formation from mature leaf explants without callus intervention. *Bot Bull Acad Sin*, **34**: 83-87.
- Bergmann, L. (1964). Der einfluss von kinetin auf die ligninbildung und differenzierung in gewebekultur von *Nicotiana tabacum*. *Planta*, **62**: 221-254.
- Bermudez, P.P. Brisa, M.C., Cornejo, M.J. and Segura, J. (1984). *In vitro* morphogenesis from excised leaf explants of *Digitalis obscura* L., *Plant Cell Rep*, **3**: 8-9.

- Bhalsing, S.R. and Maheshwari, V.L. (1997). *In vitro* cultures and regeneration of *Solanum khasianum* and extraction of solasodine. *J Plant Biochem*, **6**: 39-44.
- Bharati, B. and Sumitra, S. (1999). Chromosomal analysis and response to *in vitro* culture of different cultivars of *Polyanthes tuberosa* L. (Agavaceae). *The nucleus*, **42**(1,2): 79-83.
- Bhat, S.R., Kelker, A. and Chandel, K.P.S. (1992). Plant regeneration from callus culture of *Piper longum* L. by organogenesis. *Plant Cell Rep*, **11**: 525-528.
- Bhojwani S.S. Razdan M.K (1990) plant tissue culture: Theory and Practice Amsterdam : Elsevier Science publishers.
- Bhojwani, S.S (1981). *Physiol Plant*, **52**: 187-190
- Bisset, N.G. (1995). Arrow poisons and their role in developing medicinal agents. In ethnobotany, evolution of a discipline (eds.) Schultes, R.E. and Reis, S., Chapman and Hall, London, 289-302.
- Bohidar, S., Thirunavoukkarasu, M. and Rao, T.V (2006). Propagation of *Ruta graveolens* L. by *in vitro* culture of nodal explants. *Indian J plant Physiol*, **13**(2): 125-129.
- Bopana, N. and Saxena, S. (2008). *In vitro* propagation of a high value medicinal plant: *Asparagus racemosus* Wild., *In vitro Cellular & Dev*, **44**(6): 525-532.
- Bostrack, J.M. & Struckmeyer, B.E. (1967). Effect of gibberellic acid on growth and anatomy of *Coleus blumei*, *Antirrhinum majus* and *Salvia splendens*. *New Phytol*, **66**: 539-544.
- Bouafia, S., Jelti, N., Lairy, G., Blanc, A., Bonned, E. and Dereuddre, J. (1996). Cryopreservation of potato shoot tips by encapsulation dehydration. *J potato Res*, **39**: 69-78.
- Braun, A. C. (1978). plant tumors *Biochim Biophys. Acta*, **516**: 167-191, Cheuinard, L. A., 1982. Ultrastructural association of the chromatin-containing lacunar spaces with the vacuolar component of the interphase nucleolus in *Allium cepa*. *Can J Bot*, **60**: 2624-2628.
- Braun, A.C. and White, P.R. (1943). Bacteriological sterility of tissues derived from secondary crown gall tumors. *Phytopathology*, **33**: 85-100.
- Browsers, M.A. and Orton, T.J. (1982). A factorial study of chromosomal variability in callus cultures of celery (*Apium graveolens*). *Plant Sci Lett*, **25**: 65-73

- Butcher, D.N. (1977). Secondary products in tissue cultures : In applied and fundamental aspects of *Plants Cells Tissue and Organ Culture*, (eds.) Reinert and Bajaj, Y.P.S., Springer– Verlag, Berlin, 668-693.
- Capuano, G., Piccioni, E. and Standardi, A. (1998). Effect of different treatments on the conservation of M.26 apple rootstock synthetic seeds obtained from encapsulated apical and axillary micropropagated buds. *J Hort Sci Biotech*, **73**: 299-305.
- Cardona, C. A. and Duncan, R. R. (1997). Callus induction and high efficiency plant regeneration via Somatic embryogenesis in *Paspalum*. *Crop Sci*, **37**: 1297-1302.
- Carlson, W.C. and Hartle, J. E. (1995). Manufactured Seeds of woody plants. In: Somatic embryogenesis of woody plants. Jain, S.M., Gupta, P.K. and Newton R.J. (eds.). *Kluwer academic publishers, Dordrecht, the Netherlands*, **1**: 253-263.
- Castellanos, H., M. Sanchez-Olate, y D. Rios, 2004. Embriogenesis somatic recurrente en rauli (*Nothofagus alpine* (Poepp. Et. Endl.) Oerst.). 36. P. in Segundo Congreso Chileno de Ciencias Forestales, Valdivia, Chile. 10-12 de noviembre. Universidad Austral de Chile, Valdivia, Chile.
- Castillo, B. and Smith, M.A.L. (1997). Direct somatic embryogenesis from *Begonia gracillis* explants. *Plant Cell Rep*, **16**: 385-388.
- Catapan, E., Otuka, M. F. and Viana, A. M. (2000). *In vitro* culture of *Phyllanthus carolinensis* (Euphorbiaceae). *Plant Cell, Tissue and Organ Culture*, **62**: 195-202.
- Chand, S. and Basu, P. (1998). Embryogenesis and plant regeneration from callus cultures derived from unpollinated ovaries of *Hyoscyamus muticus* L., *Plant cell Rep*, **17**: 302-305.
- Chand, S. and Singh, A.K. (2001). Direct somatic embryogenesis from zygotic embryo of a timber yielding leguminous tree, *Hardwickia binata* Rox., *Curr Sci*, **80**(7): 882-887.
- Chandrasekhar, T., Mohammad Hussain, T., Rama, G.G. and Srinivasa, R.J.V. (2006). Somatic embryogenesis of *Tylophora indica* (Burm. F.) Merril., an important medicinal plant. *Inter J Appl Sci and Eng*, **4**(1): 33-40.
- Chaturvedi, H.C. (1975). Propagation of *Dioscorea floribunda* from *in vitro* culture of single node system segment. *Curr Sci*, **44**: 839-841.

- Chen, L., Hu, T. and Huang, L. (1995). A protocol toward multiplication of the medicinal tree (*Eucommia ulmoides* Oliver). *In vitro Cell Dev Biol Plant*, **31**: 193-198.
- Cheng, Z.M. and Reisch, B.I. (1989). Shoot regeneration from petioles and leaves of *Vitis xlabruscana* 'Catawba'. *Plant Cell Rep*, **8**: 403-406.
- Chinch Anikar, G.S., Malpathak, N.P. and Abhyankar, G.A. (1997). Multiple shoot formation from leaf culture in *Solanum khasianum* clarke. *Indian Drugs*, **34**(6): 362-363.
- Chitra, R., Rajamani, K. and Vadivel, E. (2009). Regeneration of plantlets from leaf and internode explants of *Phyllanthus amarus* Schum. and Thonn. *African J Biotech*, **8**(10): 2209-2211.
- Choi, Y., Ko, S. and Yoon, S. (2002). Productin of plantlets of *Eleutherococcus sessiliflorus* via somatic embryogenesis and successful transfer to soil. *Plant Cell, Tissue and Organ Culture*, **69**(2): 201-204.
- Chopra, R.N., Nayar, S.L. and Chopra, I.C. (1956). Glossary of Indian Medicinal Plants. *CSIR*, New Delhi, 32.
- Christopher, D., Falokun, F. M. and Gerard, H.M. (2003). *Plant Cell, Tissue and Organ Culture*, **75**: 261-272.
- Coleman, I.C. (1950). Nuclear conditions in normal stem tissue of *Vicia faba*. *Can J Res*, **28**: 382-391.
- Collin, H.A. (1987). In advances, in botanical research vol. 13 (ed.) Callow, J.A. *Acad Press*, London, 145-187.
- Conger, B.V., Novak, F.J., Afza, R. and Erdelsky (1987). Somatic embryogenesis from cultured leaf segments of *Zea mays*. *Plants Cell Rep*, **6**: 345-347.
- Cooper, L.S., Cooper, D.C., Hiberlandt, A.C. and Ricker, A.A. (1964). Chromosome number in single cell clones of tobacco tissue. *Am J Bot* **51** : 284.
- Craig, W., Wiegand, A., O'Neill, C.M. and Mathias, R.J. (1997). Somatic embryogenesis and plant regeneration from stem explants of *Moricandia arvensis*. *Plant Cell Rep*, **17**: 27-31.
- Cresswell, R. (1995). Improvement of plants via plant cell culture. In: Gamborg, O.L. and Phillips, G.C. (eds.). *Plant Cell, Tissue and Organ Culture*, pp. 101-123. Heidelberg: springer and Verlag.
- Crouch, N.R. and Van, S.J. (1993). *In vitro* culture of *Dianthus zeyheri* sub spp. *Plant Cell, Tissue and Organ Culture*, **35**: 81-85.

- Cuenca, S.A., Marco, J.B. and Parra, R. (1999). Micropropagation from inflorescence stem of the Spanish endemic plant *Centeurea paui* loscos ex willk. (compositae). *Plant Cell Rep*, **19**: 459-463.
- Cui, M.C. and Ezura, H. (2003). Agrobacterium mediated Transformation of *Nemesia strumosa* Benth, a model plant for asymmetric floral development. *Plant Sci*, **165**: 863-870.
- Culafic, L., Budimir, S., Vajicic, R. and Neskovic, M. (1987). Somatic embryogenesis and embryo development of *Rumex acetosella* L., *Plant Cell, Tissue and Organ Culture*, **11**: 133-139.
- Cushman, J. C., Wulan, T., Kuscuoglu, N. and Spatz, M. D. (2000). Efficient plant regeneration of *Mesembryanthemum crystallinum* via somatic embryogenesis. *Plant Cell Rep*, **19**: 459-463.
- D'Amato, F. (1978). Of plant tissue culture. In: *Proc 4<sup>th</sup> Intl Cong. Plant tissue Culture Calgary Alberta Canada*, 287-295.
- D'Amato, F. (1952). Polyploidy in the differentiation and function of tissue and cells in plants. *Caryol*, **4**: 312-358.
- D'Amato, F. (1964). Endopolyploidy as a factor in plant tissue development. *Caryol*, **17**: 41-52.
- D'Amato, F. (1975). The problem of genetic stability in plant tissue and cell cultures. In: *Crop Resources for today and tomorrow*. (eds.) Frankel, O., Hawkes, J.G.J., pp. 333-348. Cambridge U.K. University Press.
- D'Amato, F. (1978). Chromosome number variation in cultured cells and regenerated plants. *Frontiers of plant tissue culture, I A P T C Calgary*. (ed.) T.A. Thorpe, 287-295.
- D'Amato, F. (1985). Cytogenetics of plant cell and their regenerates. *Crit. Rev. Plant Sci*, 373-112.
- D'Amato, F., Bennici, A., Cionini, P.G., Baroncelli Lupi, M.C. (1980). Nuclear Fragmentation followed by mitosis as mechanism for wide chromosome number variation in tissue cultures: Its implications for plant regeneration. *Plant Cell Cultures : Results and perspectives*.
- Dalessandro, G. and Roberts, L.W. (1971). Induction of xylogenesis in pith parechyma explants of *Lactuca*. *Am J Bot*, **58**: 378-385.
- Danso, K. E. and Ford – Lloyd, B.V. (2003). Encapsulation of nodal cutting and shoot tips for storage and exchange of *Cassava* germplasm, *Plant Cell Rep*, **21**: 718-725.



- Darlington, C.D. and La Cour, L.F. (1976). The handling of chromosomes. George Allen & Unwin, London.
- Das, R., Hasan, M.F., Rahman, M.S., Rashid, M.H. and Rahman, M. (2008). Study on *in vitro* propagation through multiple shoot proliferation in wood apple (*Aegle marmelos* L.). *Int J Sustain Crop Prod*, **3**(6): 16-20.
- Dathe, U. and Wersuhn, G.(1990). *Plant Cell Tiss Organ Cult*, **22**: 43-51.
- Datta, K.B., Kanjilal, B. and Sarker, D. (1999). Artificial seed technology development of protocol in *Geodorum densiflorum* (Lam) Schltr – An Endangered Orchid. *Curr Sci*, **76**: 1142-1145.
- David, J.J., Andrew, J., Passey and Suman, M.b. (1984). Faculty of medicines, Health sciences, centre, Memorial University of New foundland, St. John's New foundland, Canada AIB, 316.
- Dawson, R.F. (1942). Nicotine synthesis in excised tobacco roots. *Am J Bot*, **29**: 813-915.
- De Greef, W. and Jacobs, M. (1979). *In vitro* culture of Sugar beet: Description of a cell line with high regeneration capacity. *Plant Sci Lett*, **17**: 55-61.
- De Vries, S. C., Booy, H., Meyerink, P., Huisman, G. & Wilde, H.D. (1988). Acquisition of embryogenic potential in carrot cell suspension cultures. *Planta*, **176**: 196-200.
- Deshpande, S.R., Josekutty, P.C. and Prathapasenan (1998). Plant regeneration from axillary bud of a mature tree of *Ficus religiosa*. *Plant Cell Rep*, **17**: 571-573.
- Dev, S. (1997). Ethnotherapeutic and modern drug development, the potential of Ayurveda. *Curr Sci*, **73**: 909-928.
- Dobos, E., Danos and Laszle Bencsik, A. (1994). Callus induction and shoot regeneration in *Sempervivum tectorum*. *Plant Cell, Tissue and Organ Culture*, **36**: 141-143.
- Dobos, E., Danos, B. and Laszlo-Bencsik, A. (1994). Callus induction and shoot regeneration in *Sempervivum tectorum*. *Plant Cell, Tissue and Organ Culture*, **36**: 141-143.
- Doonan, J. and Hunt, T. (1996). Why don't plants get cancer? *Nature*, **380**: 481-482.

- Dorley, D. & Leyton, L. (1968). Effects of growth regulating substances and water potential on the development on secondary xylem in *Fraxinus*. *New Phytol*, **67**: 579-594.
- Eapen, S. and George, L. (1989). High frequency plant regeneration through somatic embryogenesis in Finger millet (*Eleusine caracana* Gaertn). *Plant Sci*, **61**: 127-130.
- Earle, E.D. (1968). Induction of xylem elements in isolated *Coleus pith*. *Am J Bot*, **55**: 302-305.
- Echeverrigaray, S., Fracaro, F., Andrade, L.B., Biasio, S. and Atti – Serafini (2000). *In vitro* shoot regeneration from leaf explants of *Roman chamomile*. *Plant Cell, Tissue and Organ Culture*, **60**: 1-4
- Eeswara, J.P., Stuchbury, T., Allan, E.T. and Mordue, A.J. (1998). A standard procedure for the micropropagation of the neem tree (*Azadirachta indica* A. Juss.). *Plant Cell Rep*, **17**: 215-219.
- Elhag, H., El-Feraly, F., Mossa, J.S. and Hafez, M. (1991). *In vitro* propagation of *Artemisia annua* L., J King sau Univ (*Agri Sci*), **3**(2): 251-259.
- Elisabeth, G., Emmanuel, G. and Ghisaline, G.D.M. (1997). Somatic embryogenesis in wild cherry (*Prunus avium*). *Plant Cell, Tissue and Organ Culture*, **48**: 83-91.
- Elizabeth, G., Grenier, E. and Ghislaine, G.D.M. (1997). Somatic embryogenesis in wild cherry (*Prunus avium*). *Plant Cell, Tissue and Organ Culture*, **48**: 83-91.
- Escalone, M., Lorenze, J. C., GonZaler, B., Daquinta, M., Gonzaler, J. L., Desjarodin, Y. and Borrota, C.G. (1999). Pineapple, (*Ananus comsus* L. Merr.) Micropropagation in temporary immersion systems. *Plant Cell Rep*, **18**: 743-748.
- Evans, D.A. (1979). Chromosome stability of plant regenerated from mesophyll protoplasts of *Nicotiana* spp. 2. *Plant Pfl Physiol*, **95**: 459-463.
- Evans, D.A., Sharp, W.R. and Medina-Filho, H.P. (1984). Somaclonal and gametoclinal variation. *Am J Bot*, **71**: 759-774.
- Ezura, H. and Oosawa, K. (1994). Ploidy of somatic embryos and the ability to regenerate plantlets in melon (*Cucumis melo* L.). *Plant Cell Rep*, **14**: 107-111.

- Fabre, J. and Dereuddre, J. (1990). Encapsulation – dehydration a new approach to cryopreservation of Solanum shoot tips. *Cryosletters*, **11**: 413-426.
- Fadia, V. P. & Mehta, A.R. (1973). Tissue culture studies on cucurbits: the effects of NAA, sucrose and kinetic on tracheal differentiation in *Cucumis* tissues cultured *in vitro*. *Phytomorphology*, **23**: 212-215.
- Farzin, M.P., Bharat, G., Kothari, I.L., Mohan, J.S.S. and Parabia, M.H.(2007). Effect of plant growth regulators on *in vitro* morphogenesis of *Leptadenia reticulata* (Retz.) W.& A. from nodal explants. *Curr Sci*, **92**(10): 1290-1293.
- Fasseas, C., Bowes, B.G. (1980). Ultrastructural observation on proliferating storage cells of matured cotyledons of *Phaseolus vulgaris* L. cultured *in vitro*. *Ann Bot*, **46**: 143-152.
- Finer, J., Kriebel, J. and Becwar, M.R. (1989). Initiation of embryogenic callus and suspension cultures of eastern white pine (*Pinus strobes* L.), *Plant Cell Rep*, **8**: 203-206.
- Fish, N. and Karp, A. (1986). Improvements in regeneration from protoplasts of potato and studies on chromosome stability The effect of initial culture media. *Theor Appl Genet*, **72**: 405-412.
- Fluminhan, A. and Kameya, T. (1996). Behaviour of chromosomes in anaphase cells in embryogenic callus cultures of maize (*Zea mays* L.). *Theoretical and Applied Genetics*, **92**: 982-990.
- Fosket, D.E. & Roberts, L.W. (1964). Induction of wound-vessel differentiation in isolated *Coleus* stem segments *in vitro*. *Am J Bot*, **51**: 19-25.
- Fosket, D.E. and Torrey, J.G. (1969). Hormonal control of cell proliferation and xylem differentiation in cultured terms of *Glycine max* var. *bioloxi*. *Plant Physiol*, **44**: 871-880.
- Fourre, J.L., Berger, P., Niquet, L. and Andre, P. (1997). Somatic embryogenesis and somaclonal variation in *Norway spruce*: morphogenetic, cytogenetic and molecular approaches. *Theor Appl Genet*, **94**: 159-169.
- Fowler, M.W. (1986). Process strategies for plant cell cultures. *Trends Biotech*, **4**:214-219.
- Francuis, J., Marousky and Shirlic, W.H. (1990). Somatic embryogenesis and plant regeneration from cultured mature caryopsis of bahiagrass (*Paspalum notatum* Flugee.). *Plant Cell, Tissue and Organ Culture*.

- Fras, A. and Maluszynska, J.(2003). Regeneration of diploid and tetraploid plants of *Arabidopsis thaliana* via callus. *Acta Biologica Cracoviensia Series Botanica*, **45**(2): 145-152.
- Freytag, A. H., Wrather, J. A., Erichsen, A.W. (1990). Salt tolerant sugar beet progeny from tissue cultures challenged with multiple salts. *Plant Cell Rep*, **8**: 647-650.
- Fuji J.A., Slade D.T., Redenbaugh, K. & Walker, K.A. (1987). Artificial seed for plant propagation. *Trends Biotech*, **5**: 335-339.
- Furuya, T., Ikuta, A. and Syono, K. (1972). Alkaloids from callus tissue of *Papaver somniferum*. *Phytochem*, **11**: 3041.
- Gadgil, M. and Rao, P.R.S. (1998). Nurturing Biodiversity. An Indian Agenda Centre for environment education, Ahmadabad, India, 50-60.
- Ganapathi, T. R., Gamborg, O. L., Miller, R. A. and Ojima, K. (1968). Nutrient requirements of suspension cultures of soybean root cells. *Exp Cell Res*, **50**: 151-158.
- Srinivas, L., Suprasanna, P. and Bapat, V. A. (2001). Regeneration of plants from alginate encapsulated somatic embryos of banana cv. Rasthali (*Musa* spp. AAB Group). *In vitro Cell Dev Biol plant*, **37**: 178-181.
- Garcia, E., and Martinez, S. (1995). Somatic embryogenesis in *Solanum tuberosum* L. cv. Desiree from stem nodal sections. *J Plant Physiol*, **145**: 526-530.
- Gaspar, T. (1998). Plants can get cancer. *Plant Physiol Biochem*, **36**: 203-204.
- Gaspar, T., Kevers, C., Bisbis, B., Franck, T., Crevecoeur, M., Greppin, H. and Dommès, J. (2000). Loss of plant organogenic totipotency in the course of in vitro neoplastic progression. *In vitro Cell Dev Biol Plant*, **36**: 171-181.
- Gauthert, R.J. (1934). Culture du tissue cambial C.R. Hebd Seances. *Acad Sci*, **198**: 2195-2196.
- Gavrilenko, T., Thieme, R., Tiemann, H. (1999). Assessment of genetic and phenotypic variation among intraspecific somatic hybrids of potato, *Solanum tuberosum* L. *Plant Breeding*, **118**: 205-213.
- Geerlings, A., Hallard, D., Martinez, C. A., Lopes, C. J., Vander, H. R., Verpoorte, R. (1999). Alkaloid production by a *Cinchona officinalis* 'Ledgeriana' hairy root culture containing constitutive expression

constructs of *Tryptophan decarboxylase* and strictosidine synthase cDNAs from *Catharanthus roseus*. *Plant Cell Rep*, **19**: 191-196.

- Geethe, N., Venkatachalam, P., Prakash, V. and Lakshmi, S. G. (1998). High frequency induction of multiple shoots and plant regeneration from seedling explants of pigeonpea (*Cajanus cajan* L.).
- Geitler, L. (1940). Die Polyploidie der Daueregewebe hoherer Pflanzen. *Berdeutsch Bot Goz*, **58**: 131-142.
- George, E.F. and Sherrington, P.D. (1984). Plant propagation by tissue culture: Handbook and Directory of Commercial Laboratories Exegetics, *Hants*.
- George, P.S., Ravishankar, G.A. and Venkataraman, L.V. (1993). *Gardenia jasmenoides* clonal multiplication by axillary bud culture. *Plant Cell Rep*, **13**(1): 59-62.
- Ghanti, K., Kaviraj, C.P., Venugopal, R.B., Jabeen, F.T.Z and Srinath, R. (2004). Rapid regeneration of *Mentha piperita* L. From shoot tip and nodal explants. *Ind J Biotech*, **3**: 594-598.
- Ghosh, B. and Sen, S. (1994). Plant regeneration from alginate encapsulated somatic embryos of *Asparagus cooperi* barker. *Plant Cell Rep*, **13**: 381-385.
- Ghosh, K.C. and Banerjee, N. (2003). Influence of plant growth regulators on *in vitro* micropropagation of *Rauwolfia tetraphylla* L., *Phytomorphology*, **53**(1): 11-19.
- Girijashankar, V., Sharma, K.K., Balakrishna, P. and Seetharama, N. (2007). Direct somatic embryogenesis and organogenesis pathway of plant regeneration can seldom occur simultaneously within the same explants of Sorghum. *SAT e J*, **3**(1):1979.
- Gonzalez, O., Silva, J. and Espinosa, Y.A., (2004). Semilla artificial: un a solucion en la biodiversidad mundial. P. 17-22. In E. Gaklante (ed.) Cuadernos de Biodiversidad (CIBIO), Universidad de Alicante. Alicante. *Espana*.
- Goodspeed, T.H. (1954). The Genus *Nicotiana*. Chronica Bolanica, Waltham Massachusetts.
- Gordon Kamm, W. J., Spencer, T. M., Mangano, M. L., Adams, T.R. and Daines, R.J. (1990). Transformation of maize cells and regeneration of fertile transgenic plants. *Plant Cell*, **2**: 603-618.

- Gould, A.R. (1982). Chromosome instability in plant tissue cultures studies with banding technique. (ed.) Afuji wara, P. In : *Proc 5<sup>th</sup> Intl Cong Plant Tissue and Cell Culture*, 431-432.
- Gray, A.T. and Purohit, A (1991). Establishing a micropropagatin system for American gingeng. *Crit. Rev. Plant Sci.* **10** : 33-61.
- Grewal, S. (1996). Induction of somatic embryogenesis and organogenesis in *Bunium persicum* Boiss callus culture. *Indian J Exp Biol*, **34**: 356-358.
- Gu, X. F., and Zhang, J.R. (2005). An efficient adventitious shoot regeneration system for Zhanhua winter jujube (*Zizyphus jujube* Mill.) using leaf explants. *Plant Cell Rep*, **23**: 775-779.
- Guerra, M. P., Pescador, R., Dal Vesco, L. L., Nodari, R.O., & Ducroquet, J. P. H. J. (1997). *In vitro* morphogenesis in *Feijoa sellowiana* : Somatic embryogenesis and plant regeneration. *Acta Hort*, **452**: 27-36.
- Guerra, M.P., Dal Vesco, L.L., Ducroquet, J.P.H., Nodari, R.O and Reis, M.S. (2001). Somatic embryogenesis in *feijoa sellowiana*: genotype response, auxinic shock and synthetic seeds. *Rev Bras Fisiol Veg.* **13**:117-128.
- Gupta, S.K., Khanuja, S.P.S. and Kumar, S. (2001). *In vitro* miropropagatin of *Lippia alba*. *Curr Sci*, **81**(2): 206-210.
- Gurav, A.M., Dhanorkar, V.M., Dhar, B.P. and Lavekar, G.S.(2008). In vitro propagation of the medicinal plant *Uraria picta* (Jacq.) Desvex Dc from cotyledonary node and nodal explants. *Pharmacognosy magazine*, **4**(16): 239-245.
- Haberlandt, G. (1902). Kulturverusche mit isolierten pflanzellen, sitzungsber Akad Wiss, Wien Math Naturwiss K, Abt, **111**: 69-92.
- Hall, R. D. (1991). The initiation and maintenance of plant cell suspension cultures. *Plant Tissue Culture Manual*, A3: 1-21. Dordrecht: Kluwer Academic publishers.
- Hall, R.D. and Yeoman, M.M. (1982). Anthocyanin production in cell cultures of *Catharanthus roseus*. In Fujiwara, A. (ed.) Proc., *Fifth Intl Cong Plant Tissue Cells Cultures*, 281-282.
- Halperin, W.. and Wetherell, D. F. (1964). Adventive embryony in tissue cultures of the wild carrot (*Daucus Carota*). *Am J Bot*, **51**(3): 274-283.

- Hanahan, D., Weingberg, R.A. (2000). The hallmarks of cancer Cell, **100**: 57-70.
- Hao, Y.J. and Deng, X. (2002). Occurrence of chromosomal variations and plant regeneration from long-term-cultured citrus callus. *In vitro Cell Dev Biol Plant*, **38**: 472-476.
- Harada, H. (1973). Differentiation of shoots, roots and somatic embryos in asparagus tissue culture. In: *Proc Fourth Eucapia Conf on asparagus breeding*, CNRA, Versailles, France, 163.
- Hariharan, M., Sebastian, D.P., Benjamin, S. and Prasly, P. (2002). Somatic embryogenesis in *Leptadenia reticulata* wight and Arn. P – A medicinal plant. *Phytomorphology*, **52**(2,3): 155-160.
- Harms, C.T. (1985). Hybridization by somatic cell fusion. In Fowke, L. and Constable, F. (eds.). *Plant protoplasts*, CRC Press, Boca Raton, Florida, 169-203.
- Harsh, P.B., Jacob, G. and Ravishankar, G.A. (2000). *In vitro* propagation of *Decalpis hamiltonii* wight and Arn., an endangered shrub, through axillary bud cultures. *Curr Sci*, **79**(4): 408-410.
- Hasan, M.F., Das, R., Rahman, M.S., Rashid, M.H., Hossain, M.S. and Rahman, M. (2008). Callus induction and plant regeneration from shoot tips of Chakunda (*Cassia obtusifolia* L.). *Int J Sustain Crop Prod*, **3**(6): 6-10.
- Hasan, S. M. Z. and H., Takagi (1995). Alginate – coated nodal segments of yam (*Dioscorea* sp.) For germplasm exchange and distribution. *Plant Genet Resource Newsl*, **103**: 32-35.
- Hashemabadi, D., Kaviani, B. (2008). Rapid Micro-propagation of *Aloe vera* L. via shoot multiplication. *African J Biotech*, **7**(12): 1899-1902.
- Hashimoto, I., Yakimune, Y. and Yamada, Y. (1986). Tropane alkaloid production in *Hyocyanus* root cultures. *J Plant Physiol*, **124**: 61-75.
- Havranck and Novak (1973). The bud formation in the callus cultures of *Allium sativum* L. *Zpflanzenphysiol*, **68**: 308-318.
- Hayashi, H., Fukui, H. and Tabata, M. (1988). Examination of triterpenoids produced by callus and cell suspension cultures of *Glycorrhiza glabra*. *Plant Cell Rep*, **7**: 508-511.
- Hippolyte, I., Marin, B., Baccou, J.C. and Jonard, R. (1992). Growth and rosmarinic acid productin in cell suspension cultures of *Salvia officinalis* L., *Plant Cell Rep*, **11**: 109-112.

- Hiraoka, N. and Oyangi, M. (1988). *In vitro* propagation of *Glehnia littoralis* from shoot tips. *Plant Cell Rep*, **7**: 39-42.
- Hohn, B. and Puchta, H. (2003). Some like it sticky: Targeting of the rice gene waxy. *Trends in Plant Science*, **8**(2): 51-53, doi: 10.1016/S 1360-1385 (03) 00004-9.
- Homes, J.L.A. (1968). In les cultures de tissus de plantes, *Pair CNRS*. pp. 49-60.
- Hoque, A. and Arima, S. (2003). Effect of nutrient media on *in vitro* shoot production in cotyledonary node explants of *Trapa japonica*, **53**(2): 105-111.
- Hossain, M., Rahman, S.M., Islam, R. and Joarder, O.I. (1993). High efficiency of plant regeneration from petiole explants of *Carica papaya* through organogenesis, **13**: 99-102.
- Hu, H., Zeng, J.Z. (1984). Development of new varieties via anther culture. In: Ammirato, P.V., Evans, D.A., Sharp, W.R., *et al.* (eds.). Handbook of plant cell culture New York: Macmillan, **3**: 65-90.
- Hunter, C.S., Kilby, N.J. (1990). Betanin production and release *in vitro* from suspension cultures of *Beta vulgaris*. In ; Pollard, J.W., Walker, J.M. (eds.) methods in molecular biology. *Plant Cell, Tissue and Organ Culture*, **6**: 545-554. New jersey : Humana Press.
- Hussain, M. A. and Batra, A. (1998). *In vitro* embryogenesis of cumin hypocotyls segments. *Adv, Plant Sci*, **11**: 125-132.
- Hussey, G. and Stracy, N.J. (1981). *Ann Bot*, **48**: 787-796.
- Ibanez, A., Valero, M. and Morte, A. (2003). In fluence of cytokinins and subculturing on proliferating capacity of single-axillary-bud microcuttings of *Vitis vinifera* L. cv. Napoleon. *Anales de Biologia*, **25**:81-90.
- Ignacimuthu, S., Arockiasamy, S., Antonysamy, M. and Ravichandran, P. (1999). Plant regeneration through somatic embryogenesis from mature leaf explants of *Eryngium foetidum*, a condiment. *Plant Cell, Tissue and Organ Culture*, **56**: 131-137.
- Ilan, A., Zliv, M. and Halevy, A. H. (1995). Propagation and development of *Brodiaea* in liquid culture. *Sci Hort*, **63**: 101-112.
- Ishikawa, K., Harata, K., Mii, M., Sakai, A., Yoshimatsu, K. and Shimomura, K. (1997). Cryopreservation of zygotic embryos of a Japanese terrestrial orchid *Bletilla striata* by vitrification. *Plant Cell Rep*, **16**: 754-757.



- Ishimaru, K., Hirose, M., Takahashi, K., Koyama, K. and Shimomura, K. (1990). Tannin production in root cultures of *Sanguisorba officinalis*. *Phytochem*, **29**(12): 3827- 3830.
- Iyer, P.V. and Pai, J.S. (2000). *In vitro* regeneration of *Majorana hortensis* Moench from callus and nodal stem segments. *J Spices Arom Crops*, **9**(1) : 47-50.
- Jacob, G., Harsh, P.B. and Ravishankar, G.V. (2000). Optimization of media constituents for shoot regeneration from leaf callus culture of *Declepis hamiltonii* weight and Arn. *Hort Sci*, **35**: 296-299.
- Jacobs, W.P. (1952). The role of auxin in differentiation of xylem around a wound. *Am J Bot*, **39**: 301-309.
- Jadhav, S.Y. and Hegde, B.A. (2001). Somatic embryogenesis and plant regeneration in *Glorisa* L. *Indian J Exp Biol*, **39**: 943-946.
- Jadhav, S.Y. and Hedge, B.A. (2001). Somatic embryogenesis and plant regeneration in *Gloriosa* L. *Ind J Exp Biol*, **39**: 943-946.
- Jahn, G. (1947). Endomitotische polyploidie in sukkulenten Laubblättern chromosoma, **3**: 48-51.
- Jamison, J.A. and Ronfroe, M.H. (1998). Micropropagation of *Betula uber* (Ashe) Fernald. *In vitro Cell Dev Biol plant*, **34**: 147-151.
- Janick, J., Kim, Y.H., Kitto, S. and Saranga, Y. (1993). In Syn Seeds (ed. Redenbaugh, K.), CRC Press, Boca Raton, pp. 12-34.
- Jarge, M., Canhoto, Maria, L. L. and Gil, C.S. (1999). Somatic embryogenesis and plant regenerations in Myrtle (*Myrtus communis* L.). *Plant Cell, Tissue and Organ Culture*, **57**: 13-21.
- Jaskani, M.J., Abbas, H., Sultana, R., Khan, M.M., Gasim, M. and Khan, I.A. (2008). Effect of growth hormones on micropropagation of *Vitis vinifera* L. cv. Perlette. *Pak J Bot*, **40**(1): 105-109.
- Jawahar, M., Amalan, R. and Jeyaseelan, M. (2004). Rapid Proliferation of multiple shoots in *Solanum trilobatum* L., *Plant Tissue Cult*, **14**(2): 107-112.
- Jayanti, S.G., Mitra, G.C. and Sharma, A.K. (1986). Chromosomal behavior in cultured cells of *Dioscorea floribunda*. *Cytol*, **51**: 219-224.
- Jayashree, T., Pavan, U., Ramesh, M., Rao, A.V., Jagan, M.R.K. and Sadanadam (2001). Somatic embryogenesis from leaf cultures of potato. *Plant Cell, Tissue and Organ Culture*, **63**: 13-17.

- Jazdzewska, E., Sadoch, Z., Niklas, A. and Majewska-Sowka A. (2000). Plant regeneration from sugar beet leaf protoplasts: analysis of shoots by DNA fingerprinting and restriction fragment length polymorphism. *Can J Bot*, **78**: 10-18.
- Jeffs, R.A. & Northcote, D.H. (1967). The influence of indol-3-yl-acetic acid and sugar in the pattern of induced differentiation in plant tissue cultures. *J Cell Sci*, **2**: 77-88.
- Jehan, H., Courtois, D., Ehreck, C. and Petiord, V. (1994). Plant regeneration of *Iris pallid* Lam and *Iris germanica* L. Via Somatic embryogenesis from leaf apices and young flowers. *Plant Cell Rep*, **13**(12): 671-675.
- Jha, T.B. and Roy, S.C. (1982). Chromosomal behaviour in cultures of *Vicia faba*.
- Joachimiak, A., Ilnicki, T., Kowalska, A. and Pzywara, L. (1995). Chromosome alterations in tissue culture cells in *Allium fistulosum*. *Genetica*, **96**: 191-198.
- Jobanovic, V., Grubisic, D., Giba, Z., Menkovid, N. and Risticl, M. (1991). Alkaloids from hairy root cultures of *Aniisodus luridus* (scopolia lurida Dunal solanaceae Tropane alkaloids). *Planta Med*, **2**: 102.
- Johansen, D. A. (1940). Plant microtechnique. McGraw-Hill, New York.
- Jones, L.H. (1974). Factors influencing embryogenesis in Carrot culture (*Daucus carota* L.). *Ann Bot*, **38**: 1077-1088.
- Jusaitis, M. (1995). *In vitro* propagation of *Phebalium equestre* and *Phebalium hillebrandii* (Rutaceae). *In vitro Cell Dev Biol Plant*, **31**: 140-143.
- Kabir, A.H., Sarker, K.K., Sharmin, S.A., Islam, M.S. and Alam, M.F. (2008). Callus induction and plantlet regeneration in *Abelmoschus esculentus* (L.) Moench. *J Agric Tech*, **4**(1): 193-204.
- Kaeppler, S.M., Kaeppler, H.E. and Rhee, Y. (2000). Epigenetic aspects of somaclonal variation in plants. *Plant Mol Biol*, **43**: 179-188.
- Kageyama, Y., Yasuki Honda and Yukio Sugimura (1995). Plant regeneration from patchouli protoplasts encapsulated in alginate beads. *Plant Tiss Organ Cult*, **41**: 65-70.
- Kallak, H. and Yarveklg, L. (1977). Nuclear behavior in callus cells morphology and division. *Biol Plantarum*, **19**:48-52.

- Kamada, H., Okamura, N., Satake, M., Harada, H. and Shimomura, K. (1986). Alkaloid production by hairy root cultures of *Atropa belladonna* *Plant Cell Rep*, **5**: 239-242.
- Kamboj, V. P. (2000). Herbal Medicine, *Curr Sci*, **78**(1): 35-39.
- Kannan, V.R. and Jasrai, Y.T. (1998). Micropropagation of medicinal plants *Vitex negundo*. *J Med Arom Plant Sci*, **20**: 693-696.
- Karp, A. and Bright, S.W. J. (1985). On the causes and origins of somaclonal variation. *Oxford Surveys of Plant Molecular and Cell Biology*, **2**: 199-234.
- Karp, A., Nelson, R.S., Thomas, E., Bright, S. W. J.(1982). *Theor Appl Genet*, **66**: 265-276.
- Katam, R. and Padhya, M.A. (1990). *In vitro* propagation of Neem, *Azadiarchta indica* (A. Juss) from leaf discs. *Indian J Exp Biol*, **28**: 932-395.
- Kato, Y. (1974). Bud formation on excised Helonipsis leaf fragments: Effects of leaf age and midrib. *Plant Cell Physiol*, **15**: 363-372.
- Kato, M. (1996). Somatic embryogenesis from immature leaves of *in vitro* grown tea shoots. *Plant Cell Rep*, **15**: 920-923.
- Kaur, K., Verma, B. and Kant, U. (1998). Plants obtained from the Khair tree (*Accacis catechu* Wild.) using mature nodal segments. *Plant Cell Rep*, **17**: 427-429.
- Kavitha, P., Ramaswamy, N.M., Punitha, D., Devasena, N. and Yamini, K.N. (2001). *In vitro* callus induction and plantlets regeneration from young inflorescence and leaf explants of *Pearl millet*. *Plant Cell Biotech and Mol Boil*, **2**(1&2) :33-40.
- Kavyashree, R., Gayathri, M.C. and Revanasiddaiah, H.M. (2004). Regeneration of encapsulated apical bus of mulberry variety – S54 (*Morus indica* L.). *Serologia*, **44**(1): 83-89.
- Kawahara, R. and Komamine, A. (1995). Molecular basis of somatic embryogenesis. In: Bajaj, Y.P.S. (ed.) *Biotechnology in agriculture and Forestly*. Somatic embryogenesis and synthetic seed I., Springer Verlag, Berlin, **30**: 30-40.
- Kelkar, S.M., Deboo, G.B. and Krishnamurthy, K.V. (1996). *In vitro* plant regeneration from leaf callus in *Piper colubrinum* Link. *Plant Cell Rep*, **16**: 215-218.

- Khalil, S., Cheah, K., Perez, E., Gaskill, D. and Hu, J. (2002). Regeneration of banana (*Musa* spp. AAB cv. Dwarf Brazilian) via secondary somatic embryogenesis. *Plant Cell Rep*, **20**(12): 1128-1134.
- Khanam, N., Khoo, C., Close, R. and Khan, A. (2001). Tropane alkaloid production by Shoot culture of *Dubasia myoporoides* RBr. *Phytochem*, **56**: 59-65.
- Khanna, P., Uddin, A. and Sogani, M. (1976). Pseudo ephedrine from *in vivo* and *in vitro* tissue cultures of *Ephedra foliata* Bioss. *Indian J Pharmacol*, **38**: 140-141.
- Khar, A., Bhutani, R.D., Yadav, N. and Chowdhury, V.K. (2005). Effect of explants and genotype of callus culture and regeneration in Onion (*Allium cepa* L.). *Akdeniz Univ Ziraat Fakultesi Dergisi*, **18**(3): 397-404.
- Kim, S.W., Kim, T. J. and Lin, J. R. (2003). High frequency somatic embryogenesis and plant regeneration in petiole and leaf explants cultures and petiole derived embryogenic cell suspension cultures of *Hylomecon vernalis*. *Plant Cell, Tissue and Organ Cult*, **74**: 163-167.
- Kim, S.W., Min, B. W. and Liu, J.R. (1999). High frequency plant regenerations from immature Ovule-derived embryogenic cell suspension cultures of *Chelidonium majus* var asiaticum. *Plant Cell Tiss Org Cult*, **56**: 125-129.
- Kiritkar, K.R. and Basu, B.D. (1935). "Indian Medicinal Plants" 2<sup>nd</sup> Edition Vol II, International book distributors.
- Klein, R.M. (1960). Plant tissue cultures – a possible source of plant constituents. *Econ Bot*, **14**: 286-289.
- Komalavalli and Rao (1997). *In vitro* micropropagation of *Gymnema elegans* W. & A., a rare medicinal plant. *Indian J Exp Biol*, **35**: 1088-1092.
- Komamine, A., Murata, N., Nomura, K. (2005). Mechanisms of somatic embryogenesis in carrot suspension cultures – morphology, physiology biochemistry and molecular biology. *In vitro Cell Dev Biol, Plant*, **41**: 6-10.
- Kosir, P., Skof, S. and Luthar, Z. (2004). Direct shoot regeneration from nodes of *Phalaenopsis orchids*. *Acta Agric Slovenica*, **83**(2): 233-242.
- Kostoff, D. (1943). Cytogenetics of the genus *Nicotiana*. Karyosystematics, Genetics. Cytology, Cytogenetics and Phylaxis of Tobaccos. State Printing House, Sofia.

- Kothari, S.L. and Chandra, N. (1986). Histology of rhizogenesis and shoot bud formation in cultures of *Tagetes erecta* L. *Curr Sci*, **55**(7): 354-356.
- Kozai, T. (1991). Micropropagation under Photoautotrophic conditions. In: Micropropagation: Technology and applications. Deberg, P.C. and Zimmerman, R.H. (eds.). *Kluwer Acad Publishers*, Dordrecht, 447-469.
- Kumar, R.M., Jaiswal, V.S. and Jaiswal, U. (2009). Shoot multiplication and plant regeneration of Guava (*Psidium guajava* L.) from nodal explants of *in vitro* raised plantlets. *J Fruit and ornamental plant Res*, **17**(1): 29-38.
- Kumar, S., Singh, M., Singh, A.K., Srivastava, K. and Banerjee, M.K. (2003). *In vitro* propagation of pointed Gourd (*Trichosanthes dioica* Roxb). *Cucurbit Genetics cooperative Rep*, **26**: 74-75.
- Kunakh, V.A.(1996).Somaclonal variation in *Rauwolfia*. In: Biotechnology in Agriculture and forestry. Somalonal variation in crop Improvement II. Y.P.S. Bajaj. Berlin, *Heidel berg, Springer-Verlag*, **36**: 315-332.
- Kuo, H., Chen, J. and Chang, W. (2005). Efficient plant regeneration through direct somatic embryogenesis from leaf explants of *Phalaenopsis* “Little Steve”. *In vitro Cellular Dev Biol Plant*, **41**(4): 453-456.
- Laine, E. and David, A. (1994). Regeneration of plantlets from leaf explants of micropropogated clonal *Eucalyptus grandis*. *Plants Cell Rep*, **13**: 315-318.
- Lakshman, R. and Deepesh, N.D.E. (1987). Tissue culture propagation of tree legume *Albiza lebbek* L. Benth. *Plant Sci*, **51**: 263-267.
- Lakshmana Rao, P.V. and Singh, B. (1991). *Plant Cell Rep*, **10**:7-11.
- Lakshmi, S. G., Chattopadhyay, S. and Tejavathi, D.H. (1986). Plant regeneration from shoot of rose wood (*Dalbergia latifolia* Roxb.). *Plant Cell Rep*, **5**: 266-268.
- Lameira, O.A. and Pinto, J.E.B.P. (2006). *In vitro* propagation of *Cordial verbenacea* L. (Boraginaceae). *Rev Bras Plant Med Botucatu*, **8** (esp): 102-104.
- Larkin, P.J. and Scowcroft, W.R. (1981). Somaclonal variation a novel source of variability from cell cultures of plant improvement. *Theor Appl Genet*, **60**: 197-214.

- Latha, K.S. and Prem, L.B. (2001). *In vitro* propagation of *Pondoreas*. *Hort Sci*, **36**(2): 348-350.
- Lauzer, D., Laublin, G., Vincent and Cappaocia, M. (1992). *In vitro* propagation and cytology of wild yams, *Dioscorea abyssinica* Hoch. and *D. mangenotiana* Miede. *Plant Cell, Tiss and Org Cult*, **28**: 215-223.
- Lavania, U.C. and Srivastava, S. (1990). Evolutionary genomic change paralleled by differential responses of 2x and 4x calli cultures. *Expermentia*, p.46.
- Lech, M., Cooke, T.J. and Cohen, J.D. (1992). Auxin level at different stages of carrot somatic embryogenesis. *Phytochem*, **31**(4) : 1097-1103.
- Lee, M. and Phillips, R.L. (1987). Genomic rearrangement in maize induced by tissue culture Genome, **29**: 122-128.
- Lee, M. and Phillips, R.L. (1988). The chromosomal basis of somaclonal variation. *Ann Rev Plant Physiol Plant Mole Boil*, **39**: 413-437.
- Libbenga, K.R. and Torrey, J.G.(1973). Hormone-induced endoreduplication prior to mitosis in cultured pea root cortex cells. *Am J Bot*, **60**: 293-299.
- Lin, R. and Chen (1990). Cytological studies of interspecific somatic hybrids in *Nicotiana*, *Bot Bull Acad Sinica*, **31**: 179-187.
- Loc, N.H., Duc, D.T., Kwen, T.H. & Yang, M.S. (2005). Micropropagation of Zedoary (*Curcuma zedoaria* Roscoe) a valuable medicinal plant. *Plant Cell, Tissue and Organ Culture*, **81**: 119-122,
- Loo, S.W. (1945). Cultivation of excised stem tips of *Asparagus in vitro*. *Am J Bot*, **32**: 13-17.
- Luckner, M. (1984). Secondary metabolism in micro- organisms plants and animals, Jena and berlin: Fisher and springer.
- Luo, J.P., Jia, J. F., Gu, Y. H. and Liu, J. (1999). High Frequency somatic embryogenesis and plant regeneration in callus culture of *Astragalus adsurgens* Pall. *Plant Sci*, **143**: 93-99.
- Madhuri, S. and Shailja, S. (2000). Plant regeneration from cotyledonary node of *Punica granatum* L., *Ind J Plant Physiol*, **5**(4) (NS): 344-348.
- Makunga, N.P., Jagar, A.K. and Staden, J.I.V. (2003). Micropropogation of *Thapsia gargonica* – A medicinal plant. *Plant Cell Rep*, **21**: 967-973.

- Malabadi, R. B., Nataraj, K. (2004). Cryopreservation and plant regeneration via somatic embryogenesis in *Clitoria ternatea* L., *Phytomorphology*, **54**(182): 7-17.
- Mandal, A.K.A. and Gupta, S.D. (2003). Somatic embryogenesis of Safflower : Influence of auxin and antogeny of somatic embryos. *Plant Cell Tiss Org Cult*, **72**: 27-32.
- Mandal, A.K.A., Chatterji, A.K. and Gupta, S.D. (1995). Direct somatic embryogenesis and plantlet regeneration from cotyledonary leave of Sunflower. *Plant Cell, Tissue and Organ Culture*, **43**: 287-289.
- Manickovasagam, M. and Ganapathi, A. (1998). Direct somatic embryogenesis and plant regeneration from leaf explants of sugarcane. *Indian J Exp Biol*, **36**: 832-835.
- Manikavasagam, M. and Ganapathy, A. (1998). Direct somatic embryogenesis and plant regeneration from leaf explants of sugarcane. *Indian J Exp Biol*, **36**: 832-835.
- Manisha, M. S. V., Bhardwaj, D.r., Sharma, R.K. and Mangal, A.K. (2002). Use of Meristem tip culture eliminate carnation latent virus from carnation plants. *Ind J Exp Biol*, **40**: 199-122.
- Manjkhola, S., Dhar, U. and Joshi, M. (2007). Organogenesis, embryogenesis and synthetic seed production in *Arnebia euchroma* – A critically endangered medicinal plant of the Himalaya. *In vitro Cell Dev Biol Plant*, **41**: 244-248.
- Manju, M. and Roy, P.J. (2001). *In vitro* organgenesis and somatic embryogenesis in *Datura metel* L. *Plant Cell Biotech and Mol Boil*, **2** (3&4): 125-132.
- Manjula, S., Anju, J., Daniel, B. and Nair, G.M. (1997). *In vitro* plant regeneration of *Aristolochia indica* through axillary shoot multiplication and organogenesis. *Plant Cell, Tissue and Organ Cult*, **51**: 145-148.
- Marcelo, C.D. and Maria, L.C.V. (1994). Tissue culture studies on species of *Passiflora*. *Plant Cell, Tissue and Organ Culture*, **36**: 211-217.
- Marey, M. K., Rao, Y.S., Pradip, K. R., Sally, K.J., Lakshman, R. and Madhusoodanan, K.J. (1999). Micropropagation of Curry leaf (*Murraya koengii* L.). *J Species Arom Crops*, **8**(1) : 77-79.
- Maria, L.A., Oswaldo, S. and Robert, V. (1997). Micropropagation of *Isoplexis canariensis* L. G. don. *Plant Cell, Tissue and Organ Culture*, **49**: 117-119.

- Mark, H.B. and Yiqin, R. (2000). Response of *Rhododendron* ‘Montego with tissue “Proliferation” to cytokinin and Auxin *in vitro*. *Hort Sci*, **35**(1) : 136-140.
- Martinelli, L., Candioli, E., Costa, D. and Poletti, V. (2001). Morphogenic competence of *Vitis yupestri* S. Secondary somatic embryos with a long culture history. *Plant Cell Rep*, **20**(4): 279-284.
- Mary, M. K., Rao, Y.S., George, G., Lakshman, P. and Madhusoodanan, K.J. (2000). *In vitro* propagation of *Vanilla tahitensis* Moore. *J Species Arom Crops*, **9**(2): 171-173.
- Mary, M.K., Rao, Y.S., Pradip, K.R., Sally, K.J., Lakshman, R. and Madhusoodanan, K.J. (1999). Micropropagation of curry leaf (*Murraya koengii* L.). *J Species Arom Crops*, **8**(1): 77-79.
- Masood, H.R.S. and Rana, S.P. (2000). *In vitro* plant regeneration from immature leaflet derived callus culture of *Cicer arietinum* via organogenesis. *Plant Cell Bio and Mol Biol*, **1**(3&4): 109-114.
- Mathew, M.M., Rita, M. and Phillip (2000). Callus regeneration and somatic embryogenesis in *Ensete superbn* (Boxb chersman). *Indian J Exp Biol*, **5**: 392-396.
- Matt, A. and Jehle, J.A. (2005). *In vitro* plant regeneration from leaves and internode section of sweet cherry cultivars (*Prunus avium* L. ). *Plant Cell Rep*, **24**: 468-476.
- McClintock, B. (1939). A method for making acetocarmin smears permanent. *Stain Technol*, **4**(2).
- McCoy, T.J., Phillips, R.L. and Rines, H.R. (1982). Cytogenetic analysis of plants regenerated from oat (*Avena sativa*) tissue cultures, High Frequency of chromosomal loss. *Can J Genet Cytol*, **24**: 37-50.
- Mehra A, and PN Mehra (1974) Organogenesis and plantlet formation in vitro in almond *Prunus amygdalus*. *Bot Gaz* 135: 61-73.
- Merkle, S. A. and Dean, J. F. D. (2000). Forest biotechnology. *Curr Opin Biotech*, **11**: 298-302.
- Merkle, S.A., Parrot, W.A. and Flinn, B.S. (1995). Morphogenic aspects of somatic embryogenesis. In: Thorpe, T. A. (ed.) *In vitro embryogenesis in plants*. *Kluwer Acade Publisher Dordrecht*, Boston, London, **11**: 354-415.
- Michiyokata (1985). Regeneration of plantlets from tea stem callus. *Japan J Breed*, **35**: 317-322.



- Milivojevic, S., Mitrovic, A. and Culafic, L. (2005). Somatic embryogenesis in *Chenopodium rubrum* and *Chenopodium murale* in vitro. *Biologia Plantarum*, **49**(1): 35-39.
- Millan, B., Jozef, S. and Karol, E. (1989). Polymorphism of nuclei and nucleoli in organogenic callus cultures of *Papaver somniferum* L. *The nucleus*, **32**(1,2): 1-4.
- Missaleva, N., Petri, G. and Soke, E. (1993). Some morphological and biological peculiarities of *Datura innoxia* callus and regeneration cultures. *Plant Cell, Tissue and Organ Culture*, **35**: 87-92.
- Mitra, J. and Steward, F.C. (1961). Growth induction in cultures of *Haplopappus gracilis* II The behaviour of nucleus. *Am J Bot*, **48**:358-368.
- Mitra, J., Mapes, M.O. and Steward, F.C. (1960). Growth and organized development of cultured cells IV. The behavior of the nucleus. *Am J Bot*, **47**(5) : 357-368.
- Monacelli, B., Pasqua, G., Cuteri, A., Varusio, A., Botta, B. and Monache, G.D.(1995). Histological study of callus formation and optimization of cell growth in *Taxus baccata*. *159 Cytobios*, **81**: 159-170.
- Moniter (1991). Biotechnology and development. Screening of plant for new drugs, **9**: 4-6.
- Moraes-Fernandes, M.I.B. de: obtencao de plantas haploides atraves da culture da anteras. In: Torres, A.C., Caldas, L.S. (eds.). *Technicas eaplicacoes da culture detecids de plantas*. Brasilia : EMBRAPA Centro Nacional de pesquisas de Hortalics, 473-497.
- Morel, G. (1965). The effect of growth regulators on nitrogen metabolism of plant tissue. pp. 93-101, In: *Proc, Intern Conf Plant Tissue Culture*. Penn State Univ,1963, eds. P.R., White & A.R., Grove. *McCutchan Publ Crop*, Berkeley, California.
- Mroginski, L.A. and Kartha, K.K. (1981). Regeneration of plants from callus tisse of forage Legume *Stylosanthes quinesis*. *Plant Sci lett*, **23**: 245-251.
- Mujib, A. (2004). *In vitro* regeneration of sandal (*Santalum album* L.) from leaves. *Turk J Bot*, **26**: 63-67.
- Mukherjee, A. and Roychowdhury, B. (2008). The *in vitro* propagation of *Aloe vera* sp., *TIG Res J*, **1**(2) : 116-119.

- Mukhopadhyay Madhunita, J., Ray, T. and Mukhopadhyay, S. (2000). Ploidy level variation in callus cultures of *Pisum sativum* L., *The nucleus*, **43**(1,2): 28-30.
- Mukhtar, R., Mumtaz khan, M., Fatima, B., Abbas, M. and Shahid, A. (2005). *In vitro* regeneration and multiple shoots induction in *Citrus reticulata* (Blanco). *Inter J Agric & Bot*, **7**(3): 414-416.
- Mullins, M.G. and Srinivasan, C. (1976). Somatic embryos and plantlets from an ancient clone of the grapevine (cv. *Cabernet sauvignon*) by apomixes. *Indian J Exp Bot*, **27**: 1022-1030.
- Murashige, T. and Nakano, R. (1967). Chromosome complement as a determinant of the morphogenetic potential of tobacco cells. *Am J Bot*, **54**(8): 963-970.
- Murashige, T. and Skoog, F. (1962). A revised medium of rapid growth and bioassays with tobacco tissue cultures. *Physiol Plant*, **15**: 473-497.
- Murthy, S.R.K., Kondamudi, R. and Vijayalakshmi, V. (2010). Micropropagation of an endangered medicinal plant *Ceropegia spiralis* L., *J Agric Tech*, **6**(1): 179-191.
- Musa, H., Abdul Ghani, Abdul Karim and Pierre, D. (1997). Somatic embryogenesis and plant regeneration in *Anthurium scherzerianum*. *Plant Cell, Tissue and Organ Culture*, **48**: 189-193.
- Mythili, P.K., Subba Rao, M.V. and Manga, V.(1995). Cytology of explants, calli and regenerations in five inbred lines of Pearl Millet, *Pennisetum glaucum* (L.). *Rr Br Cytologia*, **60**: 23-29.
- Nakano, M. and Mii, M. (1993). Antibiotic stimulates somatic embryogenesis without plant growth regulators in several *Dianthus* cultivars. *J Plant Physiol*, **14**: 721-725.
- Nakano, M., Nagai, M., Tanaka, S., Nakata, M. and Gado, T. (2005). Adventitious shoot regeneratin and micropropagation of the Japanese endangered *Hylotelephium sieboldii* (Sweet ex Hook.) *H. ohba* and *H. sieboldii* var. *ettyuense* (Tomida) *H. ohba*. *Plant Biotech*, **22**(3): 221-224.
- Namli, S., Akbas, F., Isikalan, C., Tilkat, E.A. and Basaran, D. (2010). The effect of different plant hormones (PGRs) on multiple shoots of *Hypercium retusum* Aucher. *Omics J*, **3**(1): 12-17.
- Nand, L. and Paramvir, S.A. (1993). Assessment of liquid culture procedure for *in vitro* propagation of *Rheum emodi*. *Plant Cell, Tissue and Organ Culture*, **34**: 223-226.

- Naranjo, P. (1995). The urgent need for study of medicinal plants. In *Ethnobotany: Evolution of discipline* (eds.) Schultes, R.E. and Reis S.V. Chapman and Hall, London, 362-368.
- Nataraj, K. and Patil, J.S. (1980). Induction of organogenesis in culture of Sida and Abutilon proceedings of National symposium held at BARC, Bombay, India, 319-327.
- Neuenschwander, B., Baumann, T.W. (1992). A novel type of somatic embryogenesis in *Coffea arabica*. *Plant Cell Rep*, **10**: 608-612.
- Newman, P.O., Krishnaraj, S., Saxena, P.K. (1966). Regeneration of Tomato (*Lycopersicon esculentum* Hill): Somatic embryogenesis and shoot organogenesis from hypocotyls explants induced with B.A. *Int J Plant sci*, **157**: 554-560.
- Niamh, A., Dowd, O., David, H.S. and Richardson (1993). *In vitro* organogenesis of *Ephedra*. *Phytomorphology*, **43**(1&2): 19-24.
- Nieves, N., Lorenzo, J.C., Blanco, M. A., Gonzales, J., Peralta, H., Hernandez, M., Santos, R., Concepcion, O., Borrot, C.G., Borroto, E., Tapia, R., Martinez, M. F. and Fundora Gonzales, A. (1998). Artificial endosperm of *Cleopatra* embryo encapsulation. *Plant Cell, Tissue and Org Cult*, **4**: 77-83.
- Nikam, T.D. and Savant, R.S. (2007). Callus culture and micropropagation of *Ceropegia sahyadrica* Ans. and Kulk., An edible starchy tuberous rare asclepiad. *Indian J Plant Physiol*, **12**(2): 108-114.
- Nikbakht, A., Kafi, M., Mirmasoud, M. and Babalar, M. (2005). Micropropagation of Damask Rose (*Rosa damascene* Mill.) cvs Azaran and Ghamsar. *Inter J Agric & Bio*, **7**(4): 535-538.
- Nin, S., Morosi, E., Schiff, S. and Bennici, A. (2004). Callus cultures of *Artemisia absinthium* L. : Initiation, growth optimization and organogenesis. *Plant Cell, Tissue and Organ Culture*, **45**(1) : 67-72.
- Nirmalbolu. K., Anu, A., Remashree, A.B. and Praveen, K. (2000). Micropropagation of curry leaf tea. *Plant Cell, Tissue and Organ Culture*, **61**: 199-203.
- Nobecourt, P. (1937). Cultures en serie de tissues vegetaur sur milieu artificiel. CR, Hebd Seances. *Acad Sci*, **200**: 521-523.
- Nomura, K. and Komamine, A. (1985). Identificatin and isolation of single cells that produce somatic embryos at a high frequency in a carrot suspension culture. *Plant Physiol*, **79**: 988-991.

- Novak, F.J. (1980). Phenotype and cytological status of *Allium sativus* L. *Z. Pflanzl. Zuchtg*, **84**: 250-260.
- Novak, F.J. (1981). Chromosomal characteristics of long-term callus cultures of *Allium sativum* L. *Cytol*, **46**: 371-379.
- Nurhidayah, T., Horn, R., Rocher, T., *et al.* (1996). High regeneration rates in anther culture of interspecific sunflower hybrids. *Plant Cell Reports*, Berlin, **16**: 167-173.
- Nuti Ronchi, V., Bennici, A. and Martini, G. (1973). Nuclear Fragmentation in differentiating cells of *Nicotiana glauca* with pith tissue grown *in vitro*. *Cell Differ*, **2**: 77-85.
- Oliver-Bever B.E.P. (1986). Medicinal plants of tropical West Africa, Cambridge University Press, *Cambridge*.
- Onay, A., Jeffree, C.E., Yeoman, M.M. (1996). Plant regeneration from encapsulated embryoids and embryogenic mass of pistachio (*Pistachia vera* L.). *Plant Cell Rep*, **15**: 723-728.
- Onishi, N., Sakamoto, Y. & Hirosawa, T. (1994). Synthetic seed as an application of mass production of somatic embryos. *Plant Cell, Tissue and Organ Culture*, **39**: 137-145.
- Onishi, N., Sakamoto, Y. & Hirosawa, T. (1994). Synthetic seed as an application of mass production of somatic embryos. *Plant Cell, Tissue and Organ Culture*, **39**: 137-145.
- Ono, Y., Takahata, Y. and Kaizuma, N. (1994). Effect of genotype on shoot regeneration from cotyledonary explants of rapeseed (*Brassica napus*). *Plant Cell Rep*, **14**: 13-17.
- Osuga, K. and Komamine, A. (1994). Synchronization of somatic embryogenesis from carrot cells at high frequency as basis for mass production of embryos. *Plant Cell, Tissue and Organ Culture*, **39**: 125-135.
- Ouma, J.P., Young, M. M. and Reichert, N. A. (2004). Optimization of *in vitro* regeneration of multiple shoots from hypocotyls sections of cotton (*Gossypium hirsutum* L.). *African J Biotech*, **3**(3): 169-173.
- Ozcan, S., Barghchi, M., Firek, S. and Draper, J. (1993). Efficient adventitious shoot regeneration and somatic embryogenesis in pea. *Plant Cell, Tissue and Organ Culture*, **34**: 271-277.
- Padmanabhan, K., Cantliffe, D.J., Harrell, R.C. and McConnel, D.B. (1998). A comparison of shoot forming and non-shoot forming somatic

embryos of *Lycopersicon esculantum* (Sweet potato using computer vision and histological analysis. *Plant Cell Rep*, **17**: 685-692.

- Pant, B. and Manandhar, S. (2007). *In vitro* propagation of carrot (*Daucus carota* L.). *Sci World*, **5**(5): 51-53.
- Pant, K.K. and Joshi, S.D. (2000). *In vitro* multiplication of Wild Nepalese (*Asparagus racemosus*) through shoots and shoot induced callus cultures. *Bot Res Inter*, **2**(2) 88-93.
- Papes, D., Garaj-Vrhovac, V., Jelaska, S., Kolevska-Pletić-Kapic (1983). Chromosome behavior in cultured cell population of higher plants. In: *Kew Chromosome Conference II*, P.E. Brandham, M.D. Bennett (Eds.), George Allen Unwin, London, 155-163.
- Pareek, A., Kantia, A. and Kothari, S.L. (2004). *In vitro* cloning of ornamental species of *Dianthus*. *Ind J Biotech*, **3**: 263-266.
- Park, S.V. and Facchini, P.J. (1999). High efficiency somatic embryogenesis and plant regeneration in *California poppy*, *Eschscholzia californica* cham. *Plant Cell Rep*, **19**: 421-426.
- Partanen, C.R. (1959). Quantitative chromosome changes and differentiation in plants. In: *Developmental Cytology* (Ed D Rudnick) *Ronald Press*. New York, 21-45.
- Patena, L. F., Carlos – Refuerzo, L. R. and Barba, R.C. (2002). Somatic embryogenesis and plantlet regeneration in Mango (*Mangifera indica* L.). *In vitro Cell Dev Biol Plant*, **38**: 173-177.
- Patnaik, I. and Debata, B.K. (1996). Micropropagation of *Hemidesmus indicus* (L.) R. Br. Through axillary bud culture. *Plant Cell Rep*, **15**: 427-430.
- Perez, C., Rodriguez, R. and Sanchez, R. T. (1986). Regulation of a sexual Embryogenesis in filbert cotyledonary nodes. Morphological Variability. *Plant Sci*, **45**: 59-64.
- Phillips, G.C., Hubstenberger, J.F., Hansen, E.E. (1995). Plant regeneration by organogenesis from callus and cell suspension cultures. In : Gamborg O. L., Phillip, G.C. (eds.). *Plant Cell, Tissue and Organ Culture*. pp. 67-78 Heidelberg: Springer and Verlag.
- Piatczak, E. and Wysokinska, H. (2003). *In vitro* Regeneration of *Centaureum erythraea* Rafn. From shoot tips and other seedling explants. *Acta Societatis Bot Poloniae*, **72**(4): 283-288.

- Poeaim, A., Matsuda, Y. and Murata, T. (2005). Callus formation and plant regeneration from shoot tips of *Zoysia* sp., *Proc Sch Agric Kyushu Tokai Univ*, **24**: 29-36.
- Pone, J. M., Marfa, V., Mele, E. and Messguer, J. (2000). Regeneration and genetic transformation of spanish rice cultivars using mature embryos. *Euphytica*, **114**(2): 117-122.
- Pontaroli, A.C. and Camadro, E.L. (2005). Somaclonal variation in *Asparagus officinalis* Plants regenerated by organogenesis from long-term callus cultures. *Genet and Mol Biol*, **28**: 423-430.
- Purohit, S.D., Kukda, G. and Sukhwal, R. (1992). Plant regeneration in *Apluda mutica* L. through somatic embryogenesis. *Indian J Exp Biol*, **30**: 1154-1157.
- Raghuvanshi, S.S. and Srivastava, A. (1995). Plant regeneration of *Mangifera indica* using liquid shaker culture to reduce phenolic exudation. *Plant Cell, Tissue and Organ Culture*, **41**: 83-85.
- Raimondi, J. P., Masuelli, R.W. and Camadro, E.L. (2001). Assessment of somaclonal variation in asparagus by RAPD Fingerprinting and cytogenetic analyses. *Sci Hort*, **90**: 19-29.
- Rajashekar, R.A., Bavaji, M. and Rao, J.V.S. (2006). Micropropagation of *Azadirachta indica* A. Juss, via cotyledonary nodes, *Indian J Biotech*, 309-311.
- Rama Rao, S., Ruchira, P. and Chandel, K. P. S. (1992). Genetic stability studies in regenerated plants of *Allium tuberosum* Rottl. Ex. Spreng. *A Cytological Approach Cytologia*, **57**: 339-347.
- Ramakrishna, N. and Dutta, G. (2006). High frequency plant generation through cyclic secondary somatic embryogenesis in black pepper (*Pepper nigrum* L.). *Plant Cell Rep*, **24**(12): 699-707.
- Ramulu, G.S., Bokelmann and Groot, B. de (1986). Variation in phenotype and chromosome number of plants regenerated from protoplasts of dihaploid and tetraploid potato. *Plant Breeding*, **97**: 199-128.
- Rao, C.D., Goh, C.J. and Kumar, P.P. (1996). High Frequency adventitious shoot regeneration from excised leaves of *Paulownia* sp. cultured *in vitro*. *Plant Cell Rep*, **16**: 204-209.
- Rao, P.S. and Bapat, V. A. (1993). Micropropagation of sandal wood (*Santalum album* L.) and mulberry (*Morus indica* L.). In: Ahija, M.R. (ed.) Micropropagation of woody plants. *Kluwer Academic Publishers*, Dordrecht, 317-345.

- Rau, D. and Forkmann (1986). Anthocyanin synthesis in tissue cultures of *Callistephus chinensis* (China aster). *Plant Cell Rep*, **5** : 435-438.
- Raymond, P.C. and Canteliffe, D.J. (1988). Selective enhancement of *Ipomoea batatas* Poir. Embryogenic and non-embryogenic callus growth and production of embryos liquid culture. *Florida Agric Exp Station J Series*, **8795**: 150-159.
- Redenbaugh, K. and Walker, K. (1990). In plant culture : Applications and Limitations (ed. Bhojwani, S.). Elsevier, Amsterdam, pp. 102-135.
- Redenbaugh, K., Fuki, J. A. and Slade, D. (1991). Synthetic seed technology. In : Vasil, I.K. (ed.). Cell culture and somatic cell genetics of plants. *Acad Press*, **8**(NY): 35-74.
- Redenbaugh, K., Paash, B., Nichel, J., Kossler, M. E., Viss, P. & Walker, K. A. (1986). Synthetic seeds: encapsulation of asexual plant embryos. *Biotechnology*, **4**: 797-801.
- Redenbaugh, K., Slade, D., Viss, P. and Fuji, J. (1987). Encapsulation of somatic embryos in synthetic seed coats. *Hort Sci*, **22**: 803-809.
- Redenbowgh, K, Slade, D., Viss, P. and Fuji, J.A. (1993). Encapsulation of somatic embryos in synthetic seed coats. *Hort Sci*, **22**:803-809.
- Redengaugh, K., Fujii, J.A. and Slade (1993). In Syn seeds (ed. Redenbaugh, K.), CRC Press, *Boca Raton*, pp. 38-46.
- Reinert, J. (1958). *Naturwissenschaften*, **45**: 244-245.
- Reinert, J. (1959). Uber die Kontrolle de morphogenesis and die Induktion von adventives emryonen and Gewebekturen aus karotten. *Plants*, **53**: 318-333.
- Reinert, J. (1968). Morphogenese in *Gewebeund zellkulturen*, *Naturwiss*, **55**: 170-175.
- Reinert, J. and Kuster, H.J. (1966). Diploide, Chlorophyllhaltige Gewebekulturen aus Blattern von *Crepis capillaries* (L.) Waller. *Z. Pflanzen Physiol*, **54**: 222-231.
- Remashree, A.B., Hariharan, M. and Unnikrishnan, K. (1997). *In vitro* organonesis in *Aristolochia indica* L., *Phytomorph*, **47**(2): 161-165.
- Reynold, T.L. (1986). Adventive organogenesis from somantic tissue culture of *Solanum carolinens* origin and development of regeneration. *Am J Bot*, **76**: 609-613.
- Rijute, K. and Sharon, M. (1996). Direct and indirect somatic embryogenesis in teak (*Tectona grandis* L.). *Curr Sci*, **71**(9): 712-715.

- Rina, A. S., Dutta, G. and Deepesh, D.N. (1996). Somatic embryogenesis and plant regeneration from leaf derived calus of winged bean *Psophocarpus tetragonolobus* (L.) D. C. *Plant Cell Rep*, **15**: 531-535.
- Roberts, L.W. (1969). The initiation of xylem differentiation. *Bot Rev*, **35**: 201-250.
- Roberts, L.W. (1976). Cytodifferentiation in Plants. *Cambridge University Press*, Cambridge, England.
- Rodriguez-Garcia, M.I., Olmedilla, A. and Alche, J.D. (2000). The contributions and limitations of microscopy in studying the mechanisms of pollen embryogenesis. In : Bohanec, B. (ed.), *Biotechnological approaches for utilization of gametic cells*. 253- 259, Office for official publications of the European communities, Luxembourg.
- Rout, G.R., Debata, B.K. and Das, P. (1992). In vitro regeneration of shoots from callus cultures of *Rosa hybrid* L. cv. Landora. *Indian J Exp Biol*, **30**: 15-18.
- Rubulo, A., Kartha, K.K., Morginski, L.A. and Dyck, J. (1984). Plant regeneration from pea leaflets cultured *in vitro* and genetic stability of regenerants. *J Plant Physiol*, **117**: 119-130.
- Sacristan, M. D. (1971). Karyotypic changes in callus cultures of haploid and diploid plants of *Crepis capillaries* (L.) Wallr. *Chromosoma*, **33**: 273-283.
- Samantaray, S., Rout, G.R. and Das, P. (1997). Regeneration of plant via somatic embryogenesis from leaf base and leaf tip segments of *Echinochloa colona*. *Plant Cell Tiss Org Cult*, **47**: 119-125.
- Samkironphukan, U. and Kalita, M.C. (1999). *In vitro* studies on punnornova (*Boerhaavia diffusa* L.) – A medicinal herb. *Indian J Plant Physiol*, **4**(2): (NS) 108-110.
- Sanatombi, K. and Sharma, G.J. (2007). Micropropagation of *Capsicum annum* L., *Not Bot Hort Agrobot Cluj*, **35**(1) : 57-64.
- Sangwan, R.S. and Harada (1975). Chemical regulation of callus growth organogenesis, plant regeneration of somatic embryogenesis in *Antirrhinum majus* tissue and cell culture. *Indian J Exp Bot*, **26**: 868-881.
- Sankhla, D., Vavis, T. D., Shankla, N. and Upadaya, A. (1995). *In vitro* regeneration of heat tolerant “German Red” carnation carnation through organogenesis and somatic embryogenesis. *Gartenboutwissenschaft*, **6**: 227-233.



- Sarasan, V., Sonia, E.V. and Nair, G.M. (1994). Regeneration of Indian Sarsaparilla (*Hemidemuss indicus*) through organogenesis and somatic embryogenesis. *Indian J Exp Biol*, **32**: 284-287.
- Sarkar, D. and Naik, P.S. (1997). Synseeds in potato: an investigation using nutrient encapsulated *in vitro* nodal cutting segments. *Sci Hort*, **73**: 179- 184.
- Sarkar, D. and Naik, P.S. (1997). Synseeds in potato: an investigation using nutrient encapsulated *in vitro* nodal segments. *Sci Hort*, **73**: 179-184.
- Sarwar, S., Zia, M., Rehman, R., Fatima, Z., Sial, R.A. and Choudhary, M. F. (2009). *In vitro* direct regeneration in mint from different explants on half strength MS medium. *African J Biotech*, **8**(18): 4667-4671.
- Sasaki, K., Udagawa, A., Ishimaru, H., Hayashi, T., Alfermann, A.W., Nakanishi, F. and Shimomura, K. (1998). High Forskolin productin in hairy roots of *Coleus forskohlii*. *Plant Cell Rep*, **17**: 457-459.
- Sathyanarayana, N., Rajesha, R., Vikas, P.B. and Bharath, K.T.N. (2008). Somatic embryogenesis and plant regeneration from stem expalnts of *Leptadenia reticulata* (Retz) wight & Arn. *Indian J Biotech*, **7**: 250-254.
- Satish, M., Nalawade, Abhay, P., Sagare, Chen-yuelee, Chao – linkao and Hsin-shang, T. (2003). Studies on tissue culture of chinese medicinal plant resources in Taiwan and their sustainable utilization. *Bot Bull Accd Sin*, **44**: 79-98.
- Saunder, J.W., Hosfield, G.L. and Levi, A. (1987). Morphogenetic effect of 2,4-D on pinto bean *Phaseolus vulgaris* L. Leaf explants *in vitro*. *Plant Cell Rep*, **6**: 46-49.
- Saunders, J.W., Acquaah, G., Renner, K.A. and Doley, W.P. (1992). Monogenic dominant sulfonylurea resistance in Sugar beet from somatic cell selection. *Crop Sci*, **32**: 1357-1360.
- Saunders, J.W., Hosfield, G. L. and Levi, A. (1987). Morphogenetic effect of 2,4-D on pinto bean *Paseolus vulgaris* L. Leaf explants *in vitro*. *Plant Cell Rep*, **6**: 46-49.
- Savary, B.J. and Flores, H.E. (1994). Biosynthetis of defence related proteins in transformed root cultures of *Tricosanthes kurilowii* maxim var. japonicum (Kitam). *Plant Physiol*, **106**: 1195-1204.
- Saylor, L.G. and Smith, B.N.(1996). Meiotic irregularities in species of interspecific hybrids in *Pinus*. *American J Bot*, **5**: 453-468.

- Schmidt, E.D.L., Guzzo, F., Toonen, M. A. J., De Vries, S.C. (1997). A leucine – rich report containing receptor like Kinase marks somatic plant cells component to form embryos. *Development*, **124**: 2049-2062.
- Scorza, R. (1982). In vitro flowering. In: J., Janick (ed.). *Hort Rev*, **4**: 106-127.
- Seelye, J.F., Maddocks, D.J., Burge, G.K. and Morgan, E.R. (1994). Shoot regeneratin from leaf discs of *Limonium perigrinum* using thidiazuron. *New Zealand J Crop and Hort Sci*, **22**: 23-29.
- Shah, S.T., Zamir, R., Muhammad, T. and Ali, H. (2006). Mass propagation of *Bargainvillea speactabilis* through shoot tip culture. *Pak J Bot*, **38**(4): 953-959.
- Shahidul, H. M., Wada, T. and Hattori, K. (2003). Shoot regeneration and bulbet formation from shoot and root meristem of garlic cv. Bangladesh Local. *Asian J Plant Sci*, **2**(1): 23-27.
- Shahzad, A. and Siddiqui, S.A. (2000). *In vitro* organogenesis in *Ocimum sanctum* L.–a multipurpose herb. *Phytomorph*, **50**(1): 27-35.
- Shaji, J., Soniya, E.V., Valasal, K. and Nair, G.M. (1997). *In vitro* adventitious shoot formation from mature leaves and leaf derived calli of *Naregamia alata* W. & A. *Indian J Exp Biol*, **35**: 1249-1251.
- Shameer, M.C., Saeeda, V.P., Madhusoodanan, P.V. and Benjamin, S. (2009). Direct organogenesis and somatic embryogenesis in *Beloperone plmbaginifolia* (Jacq.) Nees. *Ind J Biotech*, **8**: 132-135.
- Sharma, K.K. and Thrope, T.A. (1990). *In vitro* propagation of mulberry (*Morus alba* L.) through nodal segment. *Sci Hort*, **42**: 302-307.
- Sharma, N., Satsangi, R., Pandey, R. and Vimala, D.S. (2007). *In vitro* clonal propagation and medium Term Conservation of Brahmi [*Bacopa monnieri* (L.) Wettst]. *J Plant Biochem & Biotech*, **16**(2): 139-143.
- Sharma, S. D. (2005). Cryopreservation of Somatic embryos – An overview. *Ind J Biotech*, **4** : 47-55.
- Sharma, T.R., Singh, B.M. and Chauhan, R.S. (1994). Production of disease free encapsulated buds of *Zingiber officinale* Rosc. *Plant Cell Rep*, **13**: 300-302.
- Shavalli Khan, P.S., Prakash, E. and Rao, K.R. (1997). *In vitro* micropropagation of an endemic fruit tree *Syzygium alternifolium* (wight) Walp. *Plant Cell Rep*, **16**: 325-328.
- Sheeba, R. and Padmaja, G. (1999). Mechanism of cyanogen reduction in Cassava roots during cooing. *J Sci Food Agric*, **75**: 427-432.

- Shibata, W., Murai, F., Akiyama, T., Siriphol, M., Matsunaga, E. and Morimoto, H. (1996). Micropropagation of *Croton sublyratus* Kurz—a tropical tree of medicinal importance. *Plant Cell Rep*, **16**: 147-152.
- Shimada, T. (1971). Chromosomal constitution of tobacco and wheat callus cells. *Jap J Genet*, **46**: 235-247.
- Siddiqui, S.A., Ansari, M.Y.K., Ahmad, R. (1982). Effect of 2,4-D on meiotic chromosomes of *Helianthus annuus*. L. cv. Peredovick. Bull. Soc Bot Fr 129. *Letters Bot*, **2**: 91-94.
- Singh, B.D. (1984). Variation in chromosome number and structure in plant cells during in vitro culture. In: Proc. Intl. Sym. *Plant Tissue and Cell culture Application to Crop Improvement* (Eds Novak FJ, L Havel, J Dolezel). *Czechoslovakia*, 305-314.
- Singh, A. K. and Chand, S. (2003). Somatic embryogenesis and efficient plant regeneration from cotyledon explants of a Timber Yielding leguminous tree- *Dalbergia sissoo* Roxb. *J Plant Physiol*, **160**: 415-421.
- Sinha, R.K., Majumdar and Sinha, S. (2000). Somatic embryogenesis and plantlet regeneration from leaf explants of *Sapindus mukhorossi* Gaertn : A Soapnt. *Curr Sci*, **78**: 620-623.
- Sinha, S.S.N. and Godward, M.B.E.(1972). Rdiation studies in *Len culinaris*. *Indian J Genetics*, **32**: 331-339.
- Sinniott, E.W. & Bloch, R. (1940). Cytoplasmic behaviour during division of vacuolate plant cells. *Proc Natn Acad Sci U.S.A.*, **26**: 223-227.
- Siril, E.A. and Dhar, U. (1996). A highly efficient in vitro regeneration methodology for mature Chinese fallow tree (*Sapium sebiferum* Roxb). *Plant Cell Rep*, **16**: 83-87.
- Sivasubramania, S., Vailinayagam, S., Raja, D., Patric and Manickam, V.S. (2002). Micropropagation of *Plectranthus vetiveroides* (Jacob) Singh and Sharma . A medicinal plant. *Phytomorphology*, **52**(1) : 55-59.
- Skirvin, R. M., Norton, M., Mcpheeters, K. D. (1993). Somaclonal variation: has it proved useful for plant improvement. *Acta Hort*, **336**: 333-340.
- Skirvin, R.M. (1978). Natural and induced variation in tissue culture *Euphytica*, **27**: 241-266.
- Skoog, F. and Miller, O.C. (1957). Chemical regulation of growth and organ formation in tissues cultured *in vitro*. *Symp Soc Exp Biol, The biological action of growth substances*, **11**:118-131.

- Slay, R. M., Grimes, H. D. & Hodges, T. K. (1989). Plasma membrane proteins associated with undifferentiated and embryonic *Daucus carota* tissue. *Protoplasma*, **150**: 139-149.
- Smith, R.H., Duncan, R.R., Bhaskaran, S.(1993). Proceeding of the first International Crop Science Congress. D.V. Buxton(Ed.), *Crop Sci Soc America, medison*, 629-632.
- Snczana, B. and Radmila, V. (1992). Benzyldenine induction of buds and somatic embryogenesis in *Picea omorika* (Panic) Purk. *Plant Cell, Tissue and Organ Culture*, **31**: 89-94.
- Snezana, B. and Radmila, V. (1992). Benzyldenine induction of buds and somatic embryogenesis is *Picea omarika* (Panic) Purk. *Plant Cell, Tissue and Organ Culture*, **59**: 89-93.
- Soltis, E. and Soltis, P.S. (1999). Polyploidy: recurrent formation and genome evolution tree, **14**: 348-352.
- Smantaray, S., Rout, G.R. and Das, P. (1997). Regeneration of plants via somatic embryogenesis from leaf base and leaf tip segments of *Echinochloa colona*. *Plant Cell, Tissue and Organ Culture*, **47**: 119-125.
- Sood, N., Gupta, P.K., Srivastava, R.K. and Gosal, S.S. (2006). Comparative studies on field performance of micropropagated sugarcane plants. *Plant Tissue Cult Biotech*, **16**(1): 25-29.
- Sree Ramulu, G., Bokelmann and Groot de, B.(1986). Variation in phenotype and chromose number of plants regenerated from protoplasts of dihaploid and tetraploid potato. *Plant Breeding*, **97**: 119-128.
- Sree Ramulu, K., Dijkhuis, P. and Roset, S.(1983). *Theor Appl Genet*, **65**: 329-339.
- Sree Ramulu, K., Dijkhuis, P., Hanish Ten Cate, Ch. H. and Groot, B. (1985). Patterns of DNA and chromosome variation during *in vitro* growth in various genotypes in potato. *Plant Sci*, **41**: 69-78.
- Srivastava, P.S., Steinhauer, A. and Glock, H. (1985). Plantlet differentiation in leaf and root culture of Brich (*Betula pendula* Rottl.). *Plant Sci*, **42**: 209-214.
- Staba, E.J. (1963). The biosynthetic potential of tissue cultures. *Dev Ind Microbiol*, **4**: 193-198.
- Stafford, A. (1996). Natural products and metabolities from plants and plant tissue cultures. In : Stafford, A., Warren, G. (eds.). *Plant Cell and Tissue Culture* pp. 124-162. Chichester : John Wiley and Sons.

- Standardi, A. and Piccioni, E. (1998). Recent perspective on synthetic seed technology using nonembryogenic *in vitro* – derived explants. *Intl J Plant Sci*, **159**: 968-978.
- Stasolla, C. and Yeung, E.C. (2003). Recent advances in conifer somatic embryogenesis: improving somatic embryo quality. *Plant Cell, Tissue and Organ Cult*, **74**: 15-35.
- Steward, F.C. (1959). The chemical regulation of growth: Some substances and extracts which induce growth and morphogenesis. *Ann Rev Pl Physio*, **10**: 379-404.
- Steward, F.C., Mapes, M.O. & Smith, J. (1958). Growth and organized development of cultured cells. I. Growth and division of freely suspended cells. *Am J Bot*, **45**: 693-703.
- Stolz, L.P. (1979). *In vitro* propagation of *Acalypha wilkesiana*. *Hort Sci*, **14**(6): 702-703.
- Strauss J (1954) Maize endosperm tissue grown in vitro II Morphology and Cytology. *Am. J Bot.* 41: 833-839.
- Struckmeyer, B.E., Hildebrandt, A.C. & Riker, A.J. (1949). Histological effects of growth – regulating substances on sunflower tissue of crown-gall origin grown *in vitro*. *Am J Bot*, **36**: 491-495.
- Sudarshana, M.S. and Shanthamma, C. (1991). *In vitro* regeneration from excised leaves of *Flaveria trinervia* (Spreng) C. Mohr. *Plant Cell, Tissue and Organ Cult*, **27**: 297-302.
- Sudha, C.G. and Seeni, S. (1996). *In vitro* propagation of *Rauwolfia micrantha* – a rare medicinal plant. *Plant Cell, Tissue and Organ Culture*, **44**: 243-248.
- Sudharsan, C. (1998). Shoot bud regeneration from leaf explants of medicinal plant: *Enicostemma axillare*. *Curr Sci*, **78**: 1099-1100.
- Suk, K.W., Seung, O.C., Dong, I.S. and Jang, L.R. (2000). High Frequency somatic embryogenesis and plant regeneration in zygotic embryo cultures of *Liriope platyphylla* Wang et Tang. *Plant Cell, Tissue and Organ Culture*, **63**: 227-229.
- Sulaiman, I.M. and Balu, C.R. (1993). *In vitro* regeneration through organogenesis of *Meconopsis simplicifolia* – An endangered ornamental species. *Plant Cell, Tissue and Organ Cultures*, **34**: 295-298.
- Sumana, K. R. and Kaveriappa, K. M. (2000). Micropropagation of *Lagerstroemia reginae* Roxb. Through shoot bud culture. *Indian J Plant Physiol*, **5**: 232-235.

- Sumana, K.R. and Kaveriappa, K.M. (1996). *In vitro* micropropagation of *Asystasia dalzelliana* Santapau. and endemic species of western ghats. *Curr Sci*, **70**: 777-779.
- Sumana, K.R. and Kaveriappa, K.M. (2000). Micropropagation of *Lagerstroemia reginae* Roxb. through shoot bud culture. *Ind J Plant Physiol*, **5**: 232-235.
- Sumana, K.R., Kaveriappa, K.M. and Krishna, B.H. (1999). *In vitro* micropropagation of *Holarrhena pubescens*. *J Med & Arom Plant Sci*, **21**: 299-303.
- Sunderland, N. (1977). Anther and Pollen cultures In: *Plant Tissue and Cell Culture* (ed. HE Street) Blackwell scient Pub Oxford London, pp. 223.
- Suresh, C. and Ajay Kumar, S. (2001). Direct somatic embryogenesis from zygotic embryos of a timber yielding leguminous tree *Hardwickia binata* Roxb. *Curr Sci*, **180** (7) : 882-887.
- Suresh, C. and Roy, S.C. (1980). Cytological abnormalities during culture of *Nigella sativa*. *Protoplasma*, **104**: 353-357.
- Susarshana, M.S., Shanthamma, C. and Murthy (1992). *In vitro* culture from leaf segments of *Delonix elata* – A tree species. *J Mysore Univ*, **32**: 499-501.
- Sussex, I.M. (1972). Somatic embryos in long term Carrot Tissue Culture: Histology, cytology and development. *Phytomorphology*, **22**: 50-59.
- Suzuki, S., Oota, M. and Nakano, M. (2002). Embryogenic callus induction from leaf of the *Liliaceous ornamental* plant *Agapanthus praecox* spp. orientalis leighton histological study and response to selective agents. *Sci Hort*, **95**: 123-132.
- Szabados, L., Hoyos, R., and Roca, W. (1987). *In vitro* somatic embryogenesis and plant regeneration of Cassava. *Plant Cell Rep*, **6** : 248-251.
- Tabata, M., Yamamoto, H., Hiraoka, N. and Konoshima, M. (1972). Organization and alkaloid production in tissue cultures of *Scopalia parvifolia*. *Phytochem*, **11**: 949-955.
- Tang, K., Sun, X., An, D., Power, J. B., cocking, E. C. and Davey, M.R. (2001). A simple and rapid procedure to establish embryogenic cell suspension as a source of protoplasts for efficient plant regeneration from two Chinese commercial rice cultivars. *Plant Cell, Tissue and Organ Cult*, **66**(2): 149-153.

- Tanimoto, S. and Harada, H. (1982). Physiological and Hormonal factors influencing organogenesis in *Rudbeckia bicolor* explants cultured *in vitro*. *Plant and Cell Physiol*, **23**(1) : 107-113.
- Tanimoto, S. and Harada, H. (1982). Studies on the initial process of adventitious bud differentiation in *Torenia* stem segments cultured *in vitro*. I Effects of cytokinin. *Biochem Physiol Pflanzen*, **177**: 222-228.
- Tanimoto, S. and Harada, H. (1980). Hormonal control of *Perilla frutescens* Britton. Var. *Crispa* Decaisne and *Viridi-Crispa* Makino. *Ann Bot*, **45**: 321-327.
- Tarar, J.L. and Dhansagar, V.R.(1980). Effect of gamma rays and EMS on growth and branching in *Turneria ulmifolia* L. *J Cytology Genetics*, **14**: 118-124.
- Tejavathi, D.H., Gayathamma, K. and Sowmya, R. (2006). Production of plantlets from encapsulated *in vitro* shoot buds & somatic embryos of *Agave vera* – Cruz mill. *Plant Cell Biotech Mole Biol*, **7** (3&4): 183-186.
- Testillano, P.S., Coronado, M.J., Segui, J.M., Gonzales-Melendi, P., Ahmadian, P., Domenech, J., Fadon, B. and Risueno, M.C. (2000). Early microspore embryogenesis: Ultrastructure and in Situ localization studies. In: Bohanec, B. (ed.). *Biotechnological approaches for utilization of gametic cells*, 229-235. Office for official publications of the European communities, Luxembourg.
- Thakur, R., Rao, P.S. and Bapat, V.A. (1998). *In vitro* plant regeneration in *Melia azedarach* L., *Plant Cell Rep*, **18**: 127-131.
- Tharasaraswathi, K.J., Shanthamma, C. and Jagadishchandra, K.S. (1998). Studies on *in vitro* regenerants and their essential oil composition compared to natural plants in *Pogostemon heyneanus*. *J Swamy Bot Cl*, **15**: 35-40.
- Thulaseedharan, A. and Vaidyanathan (1990). Induction of callus and plant regeneration in *Vicoa indica*. *Plant Cell, Tissue and Organ Culture*, **23**: 45-48.
- Thyagarajan, S.P. and Subramanian, S. (1987). Indian Medicinal plants in jaundice-A scientific evolution: In medical herbs in Indian life (ed.). Vivekanada Kendra Patrika, Madras, India, **16**(1): 110-113. .
- Tiwari, S.K., Kashyap, M.K., Ujjaini, M.M. and Agarwal, A.P. (2002). *In vitro* propagation of *Lagerstromia parviflora* Roxb. from adult tree. *Ind J Exp Biol*, **40**: 212-215.

- Tiwari, V., Singh, B.D. and Tiwari, K.N. (1998). Shoot regeneration and somatic embryogenesis from different explants of Brahmi (*Bacopa monniera* (L.) Wettst). *Plant Cell Rep*, **17**: 538- 543.
- Torrey JG (1959) Differential mitotic response of diploid and polyploid nuclei to auxin and kinetin in treatment *Sci*. 128: 1148.
- Torrey, J.G. (1961). Kinetin as trigger for mitosis in mature endomitotic. *Plant Cells. Exp Cell Res*, **23**: 281-299.
- Touraev, A., Taspulatov, A., Indrianto, A., Barinova, I., Katholnigg, H., Akimcheva, S., Ribartis, A., Voronin, V., Zhexsembekova, M. and Heberle-Bors, E.(2000).Fundamental aspects of microscope embryogenesis. In: Behanec, B. (ed.). *Biotechnological approaches for utilization of gametic cells*, 205-214. Office for official publications of the European communities, Luxembourg.
- Trinh, T.V.K. (1984). Tissue culture and plant science. (ed.) Street, H.E. *Acad Press*, London.
- Tremblay, F.M.(1990). Somatic embryogenesis and plantlet regeneration from embryos isolated from stored seeds of *Picea glauca*. *Can J Bot*, **68**: 236-242.
- Tulecke, W. and Nickell, L.G. (1960). Methods, problems and results of growing plant cells under submerged conditions. *Trans New York. Acad Sci*, **22**: 196-206.
- Usman, M., Muhammad, S. and Fathima, B. (2005). *In vitro* multiple shoot induction from nodal explants of *Citrus* cv., *J Central European Agric*, **6**(4): 435-442.
- Van Den Bulk, R.W., Loffler, H. J. M., Lindhout, W. H. and Koorneef, M. (1990). Somaclonal variation in tomato: effect of explants source and a comparison with chemical mutagenesis. *Theor Appl Genet*, **80**: 817-825.
- Van Geyt, J.P.C. and Jacob, M. (1985).Suspension culture of Sugar Beet : induction and habituation of dedifferentiated and self regeneration cell lines. *Plant Cell Rep*, **4**: 66-69.
- Vasil, I.K. (1983). Regeneration of plants from single cells of cereals and grasses. In “*Genetic Engineering in Eukaryotes*” (eds.) Lurquin, P.E. and Kleinhots, A. *Plenum Publishing Corp.*, New York, 233-252.
- Vasil, I.K. (1984). Cell culture and somatic cell genetics of plants. *Acad Press*, Odando, Florida.



- Vasil, V. and Hildebrandt, A. C. (1966). Differentiation of tobacco plants from single, isolated cells in microculture. *Science*, **150**: 889-892.
- Ven den Bulk, R.W., Loffler, H.J.M., Lindhout, W.H. and Koorn Neef, M.(1990). Somaclonal variation in tomato: Effect of explant source and comparison with chemical mutagenesis. *Theoretical and Applied genetics*, **80**: 817-825.
- Venkatachalam, P., Geetha, N., Khandelwal, A., Shaila, M.S., Sita, G.L. (1999). Induction of direct somatic embryogenesis and plant regeneration from mature cotyledons explants of *Arachis hypogea* L., *Curr Sci*, **77**: 269-273.
- Venkataswaralu, B., Mukhopadhyay, J., Sreenivasan, E. and Moseskumar, V. (2001). Micropropagation of *Paulownia fortunei* through *in vitro* axillary shoot proliferation. *Indian J Exp Biol*, **39**: 594-599.
- Venkatesawaran, S. (1962). Tissue cultures studies on *Vicia Faba* II Cytology. *Caryol*, **16**: 91-100.
- Verleysen, H., Fernandes, P., Pinto, I., Buckstaele, E. and Debergh, P. (2005). Cryopreservation of *Robinia pseudoacacia*. *Plant Cell, Tissue and Organ Culture*., **81**(2): 193-202.
- Vieitez, A.M., Sun-Jose, M.C., Vietiez, P.J. and Ballester, A. (1991). Somatic embryogenesis from roots of *Fagus sylvatica* Plantlets cultured *in vitro*. *J Am Soc Hort Sci*, **116**: 753-757.
- Vieitz, A. M. (1995). Somatic embryogenesis in *Camellia* sp., In: Jain, S., Gupta, P. and Newton, R. (eds.) *Somatic embryogenesis in woody plants: Vol 2- Angiosperm*, *Kluwer Academic publishers*: Dordrecht, **2**: 235-276.
- Waseem, K., Jilani, M.S. and Khan, M. S.(2009). Rapid plant regeneration of chrysanthemum (*Chrysanthemum morifolium* L.) through shoot tip culture. *African J Biotech*, **8**(9): 1871-1877.
- Wawrosh, C., Maskay, N. and Kopp, B. (1999). Micropropagation of the threatened Nepalese medicinal plant *Swertia chirata* Buch Ham ex Wall. *Plant Cell Rep*, **18**: 997-1000.
- Webb, J.K. and Emmanuel, O. (1983). Shoot regeneration from leaflet discs of six cultivars of potato (*Solanum tuberosum* ). *Plant Sci Helt*, **30**: 1-80.
- Wetherell, D.F. and Halperin, W. (1963). *Nature* (London), **200**: 1336-1337.

- Wetmore, R. H. & Rier, J.P.(1963).Experimental induction of vascular tissues in callus of angiosperms. *Am J Bot*, **50**: 418-430.
- Wetmore, R. H. & Sorokin, S.(1955). On the differentiation of xylein. *J Arnold Arboretum* (Harvard univ), **36**: 305-317.
- White, P.R. (1934). Potentially unlimited growth of excised tomato root tips in liquid medium. *Plant Physiol*, **9**: 585-600.
- Widholm, J.M. (1972). The use of Flurescein diacetate and phenosafranine for determining viability of cultured plant cells. *Stain Tech*, **128** (1) : 89-94.
- Won, J.J., Sung, R.M. and Jorg, R.H. (1995). Somatic embryogenesis and plant regeneratin in tissue culture of radish (*Radish sativus* L.). *Plant Cell Rep*, **14**: 648-651.
- Woong, Y. S., and Woo, Y. Y. (1993). Effect of plant growth regulators on mitotic chromosomes is *Allium cepa* L. *The nucleus*, **36**(3): 109-113.
- Xena de Enrech, N., Menendez-Yuffa, A. and Huerfano, A.A. (1996). Estabilidad en el numero cromosomico en cultivares y embriones somaticos de café (*Coffea* sp.). *Acta Botanica Venezuelana*, **19**: 5-15.
- Xiao, D.C. (1981). Traditional experience of Chinese herb medicine its application in drug research and new drug searching. In natural products as medicinal agents (eds.) Beal J. L. and Reinhard E. *Suppl Planta Mod*, 351- 394.
- Xiao, X.G. and Branchard, M. (1993). Embryogenesis and plant regeneration of spinach (*Spinach oleraceae* L.) From hypocotyl segments. *Plant Cell Rep*, **13**: 69-71.
- Yabuya, T., Goto, M., Monamitani, Y. and Shizmizu, K. (1997). Variaiton in the nucleolar organizing region in regenerated plants of Japanese garden (*Iris ensata* Thumb.). *Cytologia*, **62**: 249-252.
- Yamamoto, O. and Yamada, Y. (1986). Production of reserpine and its optimization in cultured *Rauwolfia serpentina* Benth. *Plant Cell Rep*, **5**:50-53.
- Yantcheva, A., Vlahova, M. and Antanassov, A. (1998). Direct somatic embryogenesis and plant regeneration of arnation (*Dianthus caryophyllus* L.). *Plant Cell Rep*, **18**: 148-153.
- Yeung, E.C. (1995). Structural and development patterns in somatic embryogenesis. In: Thorpe T.A. (ed.) *In vitro* embryogenesis in plants Dordrecht, *Kluwer Academic Pub*, 205-247.

- Youmbi, E., Ella, B. and Tomekpe, K. (2006). Effect of Thidiazuron on in vitro proliferation capacities of some Banana (*Musa* spp.) Cultivars with weak multiplication potential, *Akdeniz Univ Ziraat Fakultesi Dergisi*, **19**(2): 255-259.
- Young–Eui, C., Deok, C.Y. and Eui, S.Y. (1999). Rapid propagation of *Eleutherococcus senticosus* via direct somatic embryogenesis from explant of seedlings. *Plant Cell, Tissue and Organ Culture*, **58**: 93-97.
- Zafar Mohammad Ahmad, S.K. and Mohammad, F. (1999). An *in vitro* antibacterial activity of four essential oils and their major constituents. *Indian perfumer*, **43**(3) : 164-171.
- Zhang, J.J., Konstantinov, K.B. and Toshida, T. (1994). Computeraided on line monitoring of physiology variables in suspended cell cultures of a *Perilla frutescens* in a bioreactor. *J Ferment Bioeng*, **77**: 445-447.
- Zia, M., Rehman, R. and Chaudhary, F. (2007). Hormonal regulation for callogenesis and organogenesis of *Artemisia absinthium* L. *African J Biotech*, **6**(16) : 1874-1878.
- Zimmerman, J.L. (1993). Somatic embryogenesis : a model for early development in higher plants. *Plant Cell*, **5**: 1411-1423
- Zwar, R. and Brown (1968). Distribution of labelled plant growth regulators within cells. *Nature*, **220**: 500-501.