

CHAPTER 7

References

1. Aiken, G. R., Macnight, D. M., Wershaw, R. L, MacCarthy, P(Eds.), Humic substances in soil, sediment and water: Geochemistry isolation and characterization, Wiley, New York, 1985, p.691.
2. Allen, H.E.; Hall, R.H. and Brisbin, T.D. (1980). Metal speciation. Effects on aquatic toxicity, Environ. Sci. Technol., 14, 441.
3. Ali, I, Rathore, H. S and Singh, K.K.(2000) Studies on adsorption of carbaryl as influenced by soil organic matter (SOM) and other soil characteristics, J. Indian Chem. Soc., Vol.77, 17- 19.
4. Amiard, J.C., Amiard-Triquet, C., Berthet, B. and Metayer,C.(1987) Comparative study of the patterns of bioaccumulation of essential(Cu, Zn) and non-essential(Cd, Pb) trace metals in various estuarine and coastal organisms. Journal of experimental Marine Biology and Ecology, 106, 73-89.
5. Amina. L. R.; Sekaly; Mandal R. (1999). Effect of metal/fulvic acid mole ratios on the binding of Ni (II), Pb(II), Cu(II),Cd(II)and Al(III) by two well characterized fulvic acids in aqueous method solutions, Analytica Chimica Acta, 402; 1-2; p-211 221.
6. APHA – AWWA – SPCF (1981). In : Standard Methods for the Examination of Water and Waste Water, 16th edn. (APHA, AWWAm – WWCf, USA).
7. Aston. S.R.; (1980). In Chemistry and Biogeochemistry of estuaries, edited by Eric Olausson and Ingemar cato (John Wiley and Sons, New York) 1980, 233.
8. Aston, S. R. and Chester, R (1976). Estuarine Sedimentary Process In: J.D. Burton and P. S. Liss Ed. Estuarine Chemistry, Academic Press, London, pp 37-52.
9. Berbel, F.; Jose, M.; Arino, C.; Esteban, M.; Mas, F.; Garces, J.; Puy, J.; (2001). Voltammetric Analysis of Heterogeneity in metal Ion Binding by Humics. Environ. Sci. Technol. 2001, 35, 1097-1102.

10. Bell, J. E. 1981. Spectroscopy in Biochemistry, Vol.1. C. R. C Press, London.
11. Benjamin, M M and Leckie, J O (1981). Multiple site adsorption of Cd, Cu, Zn and Pb on amorphous iron oxyhydroxide. J. Coll. Inter. Sci. 79 : 209-221.
12. Bhat G.A.; Weber, J.H.; Tuschall, J.R. and Brezonok, P.L. 1982. Exchange of comments on evaluation of the copper anodic stripping voltammetry complexometric titration for complexing capacities and conditional stability constants. Analytical chemistry, 1982, 54, 2116-2117.
13. Boisson, F.; Mark,G. J. Hartl, S. W. Fowler and C. A. Triquet (1998). Influence of chronic Exposure to silver and Mercury in the field on the Bioaccumulation Potential of the Bivalve *Macoma balthica*. Marine Environmental Research, vol. 45. No 4/5 pp 325-340,.
14. Bordovasky, O. K., 1965a. Accumulation and transformation of organic substance in marine sediments-3: Accumulation of organic matter in bottom sediments. Mar. Geol. Vol.3 p-33-82.
15. Bordin, G., Cordeiro Raposo, F., McCourt, J and Rodisiguez, A. R.(1994) Occurrence of metallothionein-like binding proteins in the marine bivalve *Macoma balthica*. Comptes Rendus de l' Academie des Sciences de Paris 317, 1057- 1064.
16. Bowen, H. J. M. Environmental chemistry of the Elements. Academic Press, London, 1979 PP 138-141.
17. Breault, R. F., Colman, J. A., Aiken, G. R and Mcknight, D (1996) Copper speciation and binding by organic matter in copper contaminated stream water, Environ. Sci. Technol. 30, 3477-3486.
18. Brown, G.K; Mac Carthy, P and Leen Cheer, J.A. 1999. Simultaneous determination of Ca, Cu, Ni, Zn and Cd binding strengths with fulvic acid fraction by Schuberts' method. Analytica chimica Acta 402 (1-2) 169-181.

19. Bryan, G. W. and Gibbs, P.E. (1980). Metals in nereid polychaetes; the contribution of metals in the jaws to the total body burden. *J. Mar. Biol. Ass. U.K.*, 60, 641-654.
20. Bryan, G. W.(1980). Recent trends in research on heavy-metal contamination in the sea. *Helgoländer Meeresunters.*, 33, 6-25.
21. Bryan, G. W.(1984). Pollution due to heavy metals and their compounds. *Marine Ecology* 5, 1290-1431.
22. Bryan, G. W. and Langston, W. J. (1992). Bioavailability, accumulation and effects of heavy metals in sediments with special reference to United Kingdom estuaries: a review. *Environmental Pollution* 76, 89-131.
23. Bruland, K. W.(1983). Trace elements in sea water. In *chemical Oceanography*, eds J. P. Riley and R. Chester. Academic Press, London.
24. Buchter, B.; Davidoft, B.; Amacher, M.C.; Hinz, C.; Iskandar, I, K.; Selim, H.M. *Soil Sci.* 1989, 148; 370-379.
25. Buffle, J.(1988). *Complexation reactions in natural systems; An analytical approach*, Ellis Horwood, Chichester.
26. Cain, D. J. and Luoma, S. N.(1985) Copper and silver accumulation in transplanted and resident clams (*Macoma balthica*) in South San Francisco Bay. *Marine Environmental Research* 15, 115- 135.
27. Cain, D. J. and Luoma, S. N.(1990)Influence of seasonal growth, age and environmental exposure on Cu and Ag in a bivalve indicator *Macoma balthica*, in San Francisco Bay. *Marine Ecology Progress Series* 60, 45-55.
28. Campbell, P.G.C.; Lewis, A.G.; Chapman, P.M.; Crowder, A.A.; Fletcher, W.K; Imber, B; Luoma, S.M.; Stokes, P.M.; and Winfrey, M. (1988). *Biologically available metals in sediments*, Rep. No. 27694, National Research council of Canada, Ottawa.
29. Campbell, P.G.C, and Tessier. A, (1989). *Geochemistry and bioavailability of trace metals in sediments*, in *Aquatic Ecotoxicology; Fundamental concepts and Methodologies*,vol.1. ed Boudou, A and Ribeyre, F. CRC Press, Boca Raton, FL, ch.7.

30. Cheam, V. 1973. Chelation study of copper(II):fulvic acid system. *Can. J. Soil Sci.* 53. 377-382.
31. Christl, I S O; Ruben Kretzschmar (2001a). Relating Ion Binding by Fulvic and Humic Acids to chemical composition and Molecular Size.1. Proton Binding. *Environ. Sci. Technol.*, 35, 2505-2511.
32. Christl, I S O; Chris J. Milne; David G. Kinniburgh; Ruben Kretzschmar(2001b). Relating Ion Binding by Fulvic and Humic Acids to chemical composition and Molecular Size.2. Metal Binding. *Environ. Sci. Technol.*, 35, 2512-2517.
33. Culkin, F. and Cox, R.A. (1966). Sodium, potassium, magnesium, Calcium and strontium in seawater, *Deep Sea Res.*, 13, 789...
34. Davies, J.A. and Leckie, J.O. (1978). Effect of adsorbed complexing ligands on trace metal uptake by hydrous oxides. *Environ. Sci. Technol.* 12, 1309-1315.
35. Davies J.A; James R.O., Leckie J.O. (1978). Surface ionization and complexation at the oxide-water interface. 1. Computation of electrical double layer properties in simple electrolytes. *J. colloid Interface Sci.* 63 : 480-499.
36. Davies J.A; Kent D.B. (1990). Surface complexation modelling in aqueous geochemistry. In : Hochella MF, White AF (eds), *Mineral water interface geochemistry*. Mineralogical Society of America, Washington D.C. vol XXIII, PP 177-248.
37. De, T.K.; Ghosh, S.K.; Jana, T.K. and Chowdhury, A. 1991. Phytoplankton bloom in the Hooghly estuary. *Ind. J. Mar. Sci.*, 20, 134-137.
38. De, T.K.; Ghosh, S.K.; Jana, T.K. and Chowdhury, A. Size-Fractionated primary productivity in Hooghly Estuary. *Mahasagar*. Vol. 24, No-2(Dec), 1991, pp-127-131.
39. De Wit, J.C.M., van Riemsdijk W.H., Nederlof M.M., Kinniburgh D.G., Koopal L.K. (1990). Analysis of ion binding on humic substances and the

- determination of instrict affinity distributions. *Anal. Chim. Acta.* 232 : 189-207.
40. De Wit J.C.M., van Riemsdijk W.H., Koopal L.K. (1993a). Proton binding to humic substances. 1. Electrostatic effects. *Environ. Sci. Technol.* 27; 2005-2014.
 41. De Wit J.C.M., van Riemsdijk W.H., Koopal L.K. (1993b). Proton binding to humic substances. 2. Chemical heterogeneity and adsorption models. *Environ.Sc. Technol.* 27 : 2015-2022.
 42. de Vooy, C.G.N. (1976). The influence of temperature and time of year on the oxygen uptake of the sea mussel *M.edulis*, *Mar. Biol.*, 36, 25-30.
 43. Detenbeck N.E., Brezonic P.L. (1991). Phosphorus sorption by sediments from a softwater seepage lake. 1. An evaluation of kinetic and equilibrium models. *Environ. Sci. Technol.* 25 : 395-402.
 44. Donat. J. R., Bruland, K. W. 1995. Trace elements in the oceans. In: Salbu, B., Steinnes, E.(Eds.), *Trace Metals in Natural Waters*.CRC Press, Boca Raton, FL. Pp 247-281.
 45. Dowson. R.; Liebezeit. G.; Josefsson B.; (1983). Determination of amino acids and carbohydrates. In : K. Grasshoff, M. Ehrhardt and K. Kremling (eds), *Methods of seawater analysis*, Verlag Chemie. pp 341-342.
 46. Duinker, J.C. and C.J.M. Kramer, (1977). An experimental study on the speciation of dissolved Zn, Cd, Pb and Cu in Rhine River and North Sea Water, by differential pulsed anodic stripping voltammetry. *Mar. Chem.* 5, 207-228.
 47. Duinker, J.C.; Wollart, R. and Billen, G. (1979). Behaviour of manganese in the Rine and Scheldt estuaries. II. Geochemical cycling. *Estuar. Coastal Shelf Sci.* 9, 727-738.
 48. Dyer, R. J. (1997). *Application of absorption spectroscopy of organic compounds*. Prentice Hall of India Pvt. Ltd. New Delhi.
 49. Dzombak, D. A. and Morel, F. M. M. *Surface complexation modeling*, Wiley-Inter Science, New York, 1990.

50. El Wakeel, S.K. and Riley, J.P. (1956). The determination of organic carbon in Marine muds, *J. du Conseil* 22, 188.
51. Elderfield, H.; Hepworth, A.; Edwards, P.N., and Holliday, L.M. (1979). Zn in the conwy river and estuary. *Estuar. Coast. Mar. Sci.* 9, 403-422.
52. Engebretson, R.; Amos, R.;(1996). Quantitative Approach to Humic acid Associations. *Environ. Sci. Technol.* 1996, 30, 990-997.
53. Ephraim J, and Marinsky J.A. (1986). A unified physicochemical description of the protonation and metal ion complexation equilibria of natural organic acids (humic and fulvic acids), 3. Influence of polyelectrolyte properties and functional heterogeneity on the copper ion binding equilibria in an Armadale Horizons Bh fulvic acid sample. *Environ Sci. Technol.* 20 : 367-376.
54. Esteves da Silva, J.C.G and Machado, A.A.S.C and Garcia, T. M. O. (1995a). Beryllium(II) as a probe for study of the interactions of metals and Fulvic acid by Synchronous fluorescence spectroscopy. *Applied Spectroscopy* 49 (10) : 1500-1506.
55. Esteves da Silva, J.C.G. and Machado, A.A.S.C. (1996a). characterization of binding sites for Al(III) and Be (II) in a simple marine fulvic acid,. *Marine chemistry* 54 : 293-302.
56. Farley K. J., Dzombak D. A., Morel F. M. M., (1985). A surface precipitation model for the sorption of cations on metal oxides. *J. coll. Inter. Sci.* 106 : 226-242.
57. Fisher N. S., and Wentz M. (1993), The release of trace elements by dying marine phytoplankton, *Deep- Sea Res.*, 40) 671-677.
58. George, M. D. (1993). Speciation and behaviour of Cd, Pd and Cu in Zuari Estuary, West Coast of India. *Indian J. Mar. Sci.* 22(3) : 216-220.
59. George, M.D., K. Sawnar and C.V.G. Reddy, (1984). Determination of Cd, Pb and Cu in Mandovi estuary by differential pulse anodic stripping voltametry. *Indian. J. Mar. Sci.* 13(2) : 64-68.

60. GESAMP (1987). Land / Sea boundary flux of contaminants from rivers. Paris : Unesco.
61. Ghosh, P. B.; Singh, B. N; Chakraborty, C.; Saha, A.; Das, R. L and Choudhury, A. 1990, Mangrove litter production in a tidal creek of Lothian island of sundarbans, India, vol.19,pp 292-293.
62. Ghosh , P. B.; Chakraborty , C.; Saha, A; Singh ,B. N. and Choudhury, A. 1991. Productivity of grass *Porteresia Coarctata* in mangrove forest of Sundarbans, Indian Journal of Marine Sciences,Vol.20, pp 280-282.
63. Ghosh, S.K.; Mahapatra, B.; De, T.K.; Choudhury, A. and Jana, T.K. (1992). Calcite and aragonite saturation in the Hugli estuary (Bay of Bengal), Ind. J. Mar. Sci., 21, 207-209.
64. Gibbs, R.J. 1977. Transport phases of transition metals in the Amazon and Yukon rivers. Bull. Geol. Soc. Am. 88, 829-843.
65. Goldberg, E.D.; Bowen, V.T.; Farrington., J.W.; Harvey, G.; Martin, J.H.; Parker, P.L; Riseborough, R.W.; Robertson, W.; Schneider, E.; and Gamble, E. (1978a). Mussel watch. Environ. Conserv., 5, 101-125.
66. Goldberg, E.D.; Hodge, V.; Koide, M.; Griffin, J.; Gamble, E.; Bricker, O.P.; Matisoff, G.; Holdren, G.R.; and Braun, R. (1978b). A pollution history of Chesapeake Bay. Geochim. Cosmochim Acta, 42, 1413-1425.
67. Grasshoff, K. (1983). Determination of nitrate In: Methods of Seawater Analysis, edited by K. Grasshoff, M. Ehrhardt, K. Kremling 2nd Edition, Verlag Chemie, pp 143-150.
68. Gregor, H. P.; Luttinger, L. B and Loebel, E. M, (1955). Metal polyelectrolyte complexes. 1. The polyacrylic acid copper complexes. Journal of physical chemistry 59, pp 34-39.
69. Handel, E. V. (1965). Estimation of glycogen in small amounts of tissue, Anal. Biochem., 11, 256-265.

70. Hayase, K and Tsubota, H, 1983, Sedimentary humic acid and fulvic acid as surface active substances, *Geochimica and Cosmochimica acta* vol .47.pp 947-952.
71. Hayes, M.H.B.; Mac Carthy, P.; Malcolm, R.L, and Swift, R.S. eds. (1989). *Humic substances II. In search of structure*, Wiley, Chichester.
72. Helz, G. R.(1976). Trace element inventory for the northern Chesapeake Bay with emphasis on the influence of Mar. *Geochim. Cosmochim. Acta*, 40, 573-580.
73. Holmes, C.W.; Slade, E. A. and McLerran, C.J. (1974). Migration and redistribution of Zn and Cd in marine estuarine system. *Environ. Sci. Technol.*, 8, 255-259.
74. Holeman J. N., (1968). The sediment yield of major rivers of the world, *Water Resour. Res.*, 4, 737-747.
75. Jayabal, R. and Kalyani, M. (1986). Biochemical studies in the hard clam *Meretrix meretrix* (L) from Vellar estuary, East coast of India, *Ind. J. Mar.Sci.*, 15, 63-64.
76. Jenne, E. A. (1968). Controls on Mn, Fe, Co, Ni, Cu and Zn concentrations in soils and water:the significant role of hydrous Mn and Fe-oxids. In: *Trace inorganics in water* (R. A. Baker,ed), pp. 337- 388. *Adv. Chem. Ser. No. 73*, American Chemical Society, Washington,D. C.
77. Joaquim C. G.; Esteves da Silva; Adelio A. S. C. Machado (1996a). Characterization of the bindings sites for Al (III) and Be (II) in a sample of marine fulvic acids. *Marine Chemistry* 54.p. 293-302.
78. Joaquim C. G.; Esteves da Silva; (1996b). Quantitative study of Be(II) complexation by soil fulvic acids by molecular fluorescence spectroscopy. *Environ. Sci.Technol.* 30, 3155- 3160.
79. Johanson, C.; Cain, D.J.; and Luoma, S.N. (1986). Variability in the fractionation of Cu, As and Zn among Cytosolic proteins in the Bivalve *Macoma Balthica*, *Mar. Ecol. Prog. Ser.* 28, 87.

80. Klerks, P. L., and Weis, J. S. (1987). Genetic adaptation of heavy metals in aquatic organisms: A review, *Environ. Pollut.*, 45, 173.
81. Kononova, 1966. Soil Organic matter; Its nature , its role in soil formation and in soil fertility. Pergamon, London pp -544.
82. Koroleff. F. 1983. Determination of silicon. In Grasshoff, M. Ehrhardt. and Kremling, K (eds), *Methods of seawater analysis*, Verlag Chemil. pp 174-183.
83. Kozelka, P. B., Bruland, K. W., 1998. Chemical speciation of dissolved Cu, Zn, Cd, Pb in Narragansett Bay, Rhode Island. *Mar. Chem.* 60, 267-282.
84. Langston, W. J. and Mingjiang Zhou, X. (1987). Cadmium accumulation, distribution and elimination in the bivalve *Macoma balthica*: neither metallothionein or nonmetallothionein like proteins are involved. *Marine environmental Research* 21, 225- 237.
85. Lead, J. R., Hamilton – Taylor, J., Hesketh, N., Jones M. N., Wilkinson A. E., Tipping, E., (1994). A comparative study of proton and alkaline earth metal binding by humic substances. *Anal Chim Acta* 294 : 319-327.
86. Lead, J. R.; Wilkinson, K. J.; Starchev, K.; Canonica, S.; Buffle, J.(2000) Determination of diffusion coefficients of Humic Substances by Fluorescence Correlation spectroscopy: Role of Solution conditions. *Environ. Sci. Technol.* 2000, 34, 1365-1369.
87. Leatherland, T.M; (1985). *Practical Estuarine Chemistry* edited by P.C. Head (Cambridge University Press, Cambridge, London), 70.
88. Lee, S. Z; Allen, H. E; Huang, C. P; Sparks, D. L; Sanders, P. F; Peijnenburg, W. G. M., (1996). Predicting Soil-water partition coefficients for cadmium. *Environ. Sci. Technol.* 30, 3418-3424.
89. Lerman, A. (1979). *Geochemical processes : Water and sediment environment*. John Wiley and Sons, USA p-481.

90. Li, Y. H., Burkhardt, M and Terakoa, H.(1984). Desorption and coagulation of trace elements during estuarine mixing. *Geochimica and Cosmochimica, Acta* 48, 2011-2025.
91. Liefer, A. 1988. *The kinetics of environmental Aquatic Photochemistry*. 304 pp. American Chemical Society. Washington, DC.
92. Lion WL, Altman RS, Leckie, JO (1982). Trace metal adsorption characteristics of estuarine particulate matter : Evaluation of contribution of Fe/Mn oxide and organic surface coating. *Environ. Sci. Technol.* 16 : 660-666.
93. Lowry, O.H.; Rosebrough, N.J.; Farr, A. L. and Randall, R.J. (1951). Protein measurement with the folin-phenol reagent, *J.Biol.Chem.*, 193, 265-275.
94. Luoma, S. N., and Bryan, G. W., (1981). A Statistical assessment of the form of trace metals in oxidized sediments employing chemical extractants, *Sci. Total. Environ.*, 17, p-165.
95. Luoma, S. N. and Davies J. A., (1983). Requirements for modeling trace metal partitioning in oxidized estuarine sediments *Mar. Chem.* 12 : 159-181.
96. Luoma, S. N., (1989). Can we determine the biological availability of sediment bound trace element? *Hydrobiologia*, 176/177, 379.
97. MacCarthy J. F.; Bioavailability and toxicity of metals and hydrophobic organic contaminants, in: *Humic substances-Influence on fate and treatment of pollutants*, edited by 1H Suffet & Mc.Carthy,(American Chemical Society, Washinton D. C.) 1989, pp, 263-277.
98. Mantoura, R. F. C.(1981) Organo-metallic interactions in natural waters In: *Marine organic chemistry* (eds. E. K. Duursma and R. Dawson) Elsevier Oceanography Series Elsevier Scientific Publishing Company, Amsterdam, pp 179-223.
99. Martin, J.M. and M. Whitfield 1983. The significance of the river input of chemical elements to the ocean. In : *Trace metals in sea water*, C.S.

- Wong; E, Boyle; K.W. Bruland; J.D. Burton and E.D. Goldberg (eds) 265-296, New York : Plenum.
100. Martin, J.M.; Nierel, P; Thomas. A.J.; (1987). Sequential extraction techniques : Promises and problems. *Mar. Chem.* 22 : 313-341.
 101. Masini J C (1993). Evaluation of neglecting electrostatic interactions on the determination and characterization of the ionizable sites in humic substances. *Anal chim Acta* 283; 803-810.
 102. Melcer. M. E.; Zalewski. M. S; et. al. 1989. In: Suffet H and MacCarthy, P. (eds). *Aquatic humic substances*, pp173-183. American chemical society, Washington.
 103. Moore, R.M.; Burton, J.D.; Williams, P.J. Le B.; and Young, M.L. (1979). The behaviour of dissolved organic material, iron and manganese in estuarine mixing. *Geochim, Cosmo-Chim. Acta.*, 43, 919-926.
 104. Monrozier, J.; Benijoly, M.; Pillion, P.; Andreux, F.; Souchier, B & Pelet R, in *Advances in organic geochemistry*, 1983, p323 (John Wiley, Chichester)
 105. Morel, F. M.M, and Hering J. G.; 1993a. Principles and applications of aquatic chemistry. p. 371; Jhon Wiley and INC, New York.
 106. Morel F. M. M.; and Hering J. G.; (1993b). Principles and applications of aquatic chemistry. John Wiley and Sons, New York, PP 319-420.
 107. Mukhopadhyay, S. K.; Biswas, H.; De, T. K.; Sen, B. K.; Jana, T. K. Impact of Sundarban mangrove biosphere on the carbondioxide and methane mixing ratios at the NE coast of Bay of Bengal, India. *Atmospheric Environment* 36(2002) 629-638.
 108. Muller, F. L. L.,1999. Evaluation of the effects of natural dissolved and colloidal organic ligands on the electrochemical lability of Cu, Pb and Cd in the Arran Deep, Scotland, *Mar. hem.* 67, 43-60.
 109. Murly, P. S. N. and Veerayya M.(1981), Studies on the sediments of Vembanad estuary, Kerala State: Part IV – Distribution of trace elements.*Indian J. Mar. Sci.* 10, 1981, 165-172.

110. NIO, (1986); A study of estuarine environments of major Indian rivers-Ganga and Mahanadi Estuaries, (National Institute of Oceanography, Technical report No.4), 39.
111. Odum, P.E.; (1971). Fundamentals of ecology (Third editin) W.B. Saunders company philadelphia, P 368.
112. Otto, W. H.; Carper W. R.; Larive C. K.(2001) Measurement of Cadmium(II) complexation by fulvic acids using ^{113}Cd NMR. Environ. Sci. Technol. 2001, 35, 1463-1468.
113. Padmalal, D and Seralathan, P. 1993. Heavy metal content in suspended particulates and bed sediments of a tropical perennial river and estuary, Central Kerala, India, J. Geol. Soc. India, 42(4). 349- 355.
114. Perdue E. M., 1978. Solution thermo chemistry of humic substances-I. Acid base equilibria of humic acid. Geochim. Et Cosmochimica. Acta, 42, pp 1351-1358.
115. Piper, C.S. (1950). Soil and plant analysis. Inter Science publishers, New York, p-67.
116. Plummer, D.T. (1979). An introduction to practical biochemistry, second edition, Tata Mc Graw Hill Publishing company Ltd., New-Delhi.
117. Poutanen, E. L., Morris R.J., 1985. Humic substances in an arabian shelf sediment and the S_1 sapropel from the eastern mediterranean. Chemical Geology, 51 (1985) 135-145.
118. Puls R.W., Powell R. M., Clark D, Eldred C. J. (1991). Effects of pH, Solid/solution ration, ionic strength and organic acids on Pb and Cd sorption on Kaolinik. Wat. Air Soil Poll 57-58. 423-430.
119. Rashid, M. A. and Leonard, J. D. 1973. Modification in the solubility and precipitation behaviour of various metals as a result of their interaction with sedimentary humic acids. Chemical Geology II (1973) 89-97.

120. Rashid, M. A., 1985. Geochemistry of Marine humic compounds, Springer-Verlag, Berlin, p-300.
121. Reeder, S.W.; B. Hitchon and H.A. Levinson 1972. Hydrogeo-Chemistry of the surface waters of the Mackenzie River drainage basin, Canada-1. Factors controlling inorganic composition. *Geochim. Cosmochim. Acta.* 36, 825-865.
122. Reimer, D. N and Toth, S. J (1970). Adsorption of Cu by clay minerals, humic acids and bottom muds. *J. Amer. Water Works Ass.* 62, 195-197.
123. Rice, A. J and MacCarthy, P. 1989. Characterization of a stream sediment Humin. In : Suffet, H. and Mac Carthy, P. (des). *Aquatic Humic substances* pp. 41-54. American Chemical Society, Washington.
124. Rohatgi-Mukherjee, K. K. 1997. *Fundamentals of photochemistry* (Revised ed). New Age International Publication, New Delhi. 144pp.
125. RSAM (Remote sensing Application Mission), 1992. Coastal Environment space application centre (ISRO), Ahmadabad.
126. Sardessai , S. 1995. Characteristics of humic and fulvic acids in Arabian sea sediments. *Indian Journal of marine sciences* Vol 24, pp 119-127.
127. Sarkar B.; Das U; Bhattacharya S and Bose S; 1994. The quenching of lumichrome fluorescence by β -cyclodextrin. Evidence for inclusion complex. *Bulletin chemical society of Japan* 68 : 1807-1809.
128. Sathyamurthy, K.; Purushothaman, A and Ramaiyan, V. 1992. Heavy metal and drug resistant bacteria in the vellar estuary, South east coast of India. *Mahasagar*, 25 (2):119-122.
129. Sauve S., Hendershot, W and Allen, He (2000). Solid solution partitioning of metals in contaminated soils : Dependence on pH, Total metal burden and organic matter, *Environ. Sci. Technol.* 34 (7) : 1125-1130.

130. Schindler P (1981). Surface complexes at oxide water interfaces. In : Anderson MA, Rubin AJ (eds). Adsorption of inorganics at solid-liquid interfaces. Ann Arbor Science Publishers, Ann Arbor, PP 1-49.
131. Schlesinger, W. H. 1990. Evidence from chronosequence studies for a low carbon storage potential of soils, *Nature*, 348, pp 232-234.
132. Schulman, S.G.; "Molecular Luminescence spectroscopy method and application", part-1, John Wiley and Sons, N.Y. *Chemical Analysis* 1985, 77, p-12.
133. Shanmukhappa, H. Banerjee, D. K. and Krishnamurthy, K. 1987. Humic acids in coastal aquatic biotopes of Proto Novo, India (ed.) G. Becher, *Advances in humic substances Research*, 62: 469-476.
134. Shanmukhappa, H and Neelankantan, K, 1989. Concentration of humic acids in mangrove habitat of Karwar, West Coast of India. *Indian J. Mar. Sci.* 18(4): 284-285.
135. Shiller, A.M. and E. Boyle 1985. Dissolved Zn in rivers, *Nature* 317, 49-51.
136. Sholkovitz, E.R. and D. Copland 1981. The Coagulation, solubility and adsorption properties of Fe, Mn, Cu, Ni, Cd, Co and humic acids in a river water. *Geochim. Cosmochim. Acta.* 45, 181.
137. Sholkovitz, E.R. (1978). The flocculation of dissolved Fe, Mn, Al, Cu, Ni, Co and Cd during estuarine mixing. *Earth planet. Sci. Lett.* 41, 77-86.
138. Shuman, M.S.; Brezonik, P.L. and Tuschall, J.R. 1982. Exchange of comments on evaluation of the copper anodic stripping voltammetry complexometric titration for complexing capacities and conditioning stability constants. *Analytical chemistry*, 1982, 54 : 998-1001.
139. Silva, C.S.P.C.O.; Esteves da Silva, J. C. G and Machado, A. A. S. C. 1994. Evolving factor analysis of synchronous fluorescence spectra of fulvic acid in the presence of Aluminium, *Applied Spectroscopy* 48: 363-372.

140. Stevenson, F. J.; Krastanov S. J.; Ardakani M. S., 1973. Formation Constants of Cu^{+2} -complexs with humic and fulvic acids. *Geoderma*. 9 (1973) P 129- 141.
141. Stevenson, F. J. 1976. Stability constants of Cu (II), Pd(II) and Cd(II) complexes with humic acids, *Soil science* 40 : 665-672.
142. Stokinger, H. E., 1963. In "Industrial Hygiene and Toxicology" (F. A. Patty, ed.), vol.2, 2nd edn, pp. 1022-1033. Interscience, New York.
143. Stumm W, Hohl H, Dalang F (1976). Interaction of metal ions with hydrous oxide surfaces. *Croat chem. Acta* 48 :491-499.
144. Stumm W, Kummert R., Sigg L (1980). A ligand exchange model for the adsorption of inorganic and organic ligands at hydrous oxide interfaces. *Croat chem Acta* 53 :291-312.
145. Stumm W (1992). Chemistry of the solid-water interface. Processes at the mineral-water and particle-water interface in natural systems. John Wiley and Sons, New York.
146. Stumm, W. 1995. The inner sphere surface complex. In : C.P. Huang, O.; Melia, C.R.and Morgan, J.J. (eds); *Aquatic Chemistry*. pp.1-32. American Chemical Society, Washington, D.C.
147. Stumm W (1998). The solid-water interface in natural systems. In : Macalady DL (ed). *Perspectives in environmental chemistry*. Oxford University Press, Oxford, PP 3-24.
148. Subramanian, V; Ramanathan, A and Vaithyanatham, P,1989. Distribution and fractionation of heavy metals in the Cauvery estuary, India. *Mar. Pollut. Bult.* 20(6): 286-290.
149. Sunda, W.G and Guillard, RRL (1976). The relationship between cupric ion activity and the toxicity of copper to phytoplankton, *J.Mar. Res.* 34, 511.
150. Tang, D., Warnken, K. W., Santschi, P. H., 2001. Organic complexation of copper in Galveston Bay water. *Limnol. Oceanogr.* 46, 321-330.

151. Tang, D., Warnken, K. W., Santschi, P. H., 2002. Distribution and partitioning of trace metals (Cd, Cu, Ni, Pb, Zn) in Galveston Bay waters. *Marine Chemistry*, 78, 29-45.
152. Tessier, A. (1992). Sorption of trace elements on natural particles in oxic environments. In : Environmental particles, ed. Buffle, J., and Van Leeuwen, H.P.; Lewis Publishers, Boca Raton, FL; P. 425.
153. Tessier, A.; Campbell, P.G.C.; Auclair, J.C., and Bisson, M. (1984). Relationships between the partitioning of trace metals in sediments and their accumulation in the tissues of the freshwater mollusc *Elliptio complanata* in a mining area. *Can.J. Fish Aquat. Sci*, 41, 1463.
154. Tessier A; Campbell PGC (1988). Partitioning of trace metal in sediments. In : Kramer JR, Allen HE (eds) Metal speciation. Theory, analysis and application . Lewis, Chelseu Michigan, USA, pp 183-184.
155. Tessier, A.; Couillard, Y.; Campbell, P.G.C. and Auclair, J.C. (1993). Modelling Cd concentrations in the fresh water bivalve *Anodonata grandis*, *Limnol. Oceanogr*, 38, 1.
156. Tipping. E., Reddy. M.M, Hurley. M.A. (1990). Modelling electrostatic heterogeneity effects on proton dissociation from humic substances. *Environ. Sci. Technol* 24 : 1700-1705.
157. Tissot, B.P. and D.H. Welte, 1984. Petroleum formation and occurrence, Berlin : Springer – Verlag.
158. Trefry, J.H. and B.J. Presely (1976). Heavy metal transport form the Mississippi River to the Gulf of Mexico. In : Marine Pollutant transport, H.L. Windom and R.A. Duce (eds), 39-76. Lexington, Mass; Lexington Books.
159. Trivedi, P.; Lisa Axe (2001). Predicting Divalent Metal Sorption to Hydrous Al, Fe and Mn oxides. *Environ. Sci. Technol.* 2001, 35, 1779-1784.
160. Turekian, K.K. (1977). The fate of metals in the oceans. *Geochim. Cosmochim. Acta*, 41, 1139-1144.

161. Turner, D.R; Varney, M.S ; Whitfield, M. Mantoura, R.F.C. and Riley, J.P. 1986. Electrochemical studies of copper and lead complexation by fulvic acid.1. photometric measurements and critical comparison of metal binding models. *Geochimica et Cosmochimica Acta* 50. 289-295.
162. Van den Berg, C. M. G., Merks, A. G., Duursma, E. K., 1987. Organic complexation and its control of the dissolved concentrations of copper and zinc in the Scheldt estuary. *Estuarine Coastal Shelf Sci.*24, 785-797.
163. Van den Berg, C. M. G., Khan, S.H., Daly, P. J., Riley, J. P., Turner, D. R., 1991. An electrochemical study of Ni, Sb, Se, Sn, U and V in the estuary of the Tamar. *Estuarine Coastal Shelf Sci.* 33, 309-322.
164. Vogel, A.I. (1978). A textbook of quantitative inorganic analysis, ELBS and Longman, London, 4th edition .
165. Wilson, D. E. and Kinney, P. 1977. Effects of polymeric change variations on the proton metal ion equilibria of humic materials. *Limnology and oceanography* 22(2) : 281-289.
166. Windom, H. L.; G. Wallace; R. Smith; N.Dudek; M. Maeda; R. Dulmage and F. Storli 1983. Behaviour of Cu in Southeastern United states estuaries, *Mar. Chem.* 12, 183-194.
167. Windom, H. L. and Smith, R., 1985. Factors influencing the concentration and distribution of trace metals in the South Atlantic Bight. In : *Oceanography of the Southeastern U.S. continental Shelf*. L.P. Alkinson, D. W. Menzel and K.A. Bush (eds), 141-152. Washington, D.C. : AGU.
168. Winner, R. W. and Gauss, J. D. (1984). *Aquat. Toxicol.*, 5, 267. The toxicity and bioaccumulation of Cd and Cu as affected by humic acid.
169. Yadav, D. N., 1996. Manganese mobilisation from the Western cotinental margin of India. *Current Science* vol. 71. no-11.
170. Yeats, P. A. and Bowers, J. M., (1982). Discharge of metals from the St. Lawrence River. *Can. J. Earth Sci.* 19, 982-992.

171. Young K. D., Leboeuf, E. J., 2000. Glass Transition behaviour in a Peat Humic Acid and an Aquatic Fulvic Acid. *Environ. Sci. Technol.* 34, 4549-4553.
172. Young, R. S, Cobalt in biology and biochemistry,(Academic Press, London) 1979, pp.340.
173. Zelano, V and Gulmini, M. (2000) Potentiometry for the study of Acid-Base properties of sediments. In : Antonio Gianguzza, Ezio Pelizzetti, Silvio Sammartano (Eds). *Chemical processes in marine environments*. Springer, Berlin, PP 371-385.
174. Zwolsman, J. J. G, Van Eck G. T. M and Burger, G. 1996. Spatial and temporal distribution of trace metals in sediments from the Scheldt estuary, South West Netherland, *Estuaries, Coastal and Shelf Science*. 43 : 55-79.
175. Zwolsman J. J. G and Van Eck, G. T. M, 1993, Dissolved and particulate trace metal geochemistry in the Scheldt estuary, S.W. Netherlands (water column and sediments). *Netherland Journal of Aquatic Ecology*, 27, 287-300.