

REFERENCES

Andharia P. I., Gupta J. L. and Deheri G. M., 1999, “Effect of transverse surface roughness on the behaviour of squeeze film in a spherical bearing”, Applied Mechanical. Engineering, Vol. 4, P.19 - 24

Andharia P.I., Gupta J.L. and Deheri G.M., 2000, “On the shape of the lubricant film for the optimum performance of a longitudinal rough slider bearing”, Industrial Lubrication. Tribology, Vol. 52(6), P.273 - 276

Andharia P.I., Gupta J.L. and Deheri G.M., 2001, “Effect of surface roughness on hydrodynamic lubrication of slider bearings”, Tribology Transactions. Vol. 44(2), P. 291.

Archibald, F.R., 1956, “Load capacity and time relations for squeeze films”, Transactions of the ASME, Vol.78, P.29-35.

Agarwal V.K., Ganju K.L., and Jethi S.C., 1972, “Squeeze film and externally pressurised bearings micropolar fluids lubricant”. Wear, Vol.19, P.259 - 265

Ariman, T., Turk, M. A., and Sylvester, N.D., 1974, “Application of micro continuum fluid mechanics”, International Journal of Engineering Science, Vol.12, P.273-287.

Auloge, J. Y., Bourgin, P. and Gay, B. 1983, “The optimum design of one dimensional bearings with non newtonian lubricants”, Journal of Lubrication Technology, Vol. 105, P. 391–395.

Bagci, C. and Singh, A.P. 1983, “Hydrodynamic lubrication of finite slider bearing: Effect of one dimensional film shape and their computer aided optimum designs”, ASLE Transactions Journal of Lubrication Technology, 105, P. 48-66.

Bujurke N.M. and Jayaraman G., 1982, “The influence of couple stresses in squeeze films”, *International Journal of Mechanical. Science.*, Vol. 24(6), P. 369-376.

Bourging, P. and Gay, B., 1984, “Determination of the load capacity of finite width journal bearing by finite element method in case of non-Newtonian lubricant”, *Journal of Tribology* Vol.106, P. 285-290.

Bujurke, N.M., Bhavi, S.G., Hiremath, P.S., 1987. “Squeeze film lubricated with micropolar fluids”, *Proceedings of Indian national Science Academy.*, Vol, 53(3), P.391- 398.

Bujurke, N. M., Jagadeeshwar, M., and Mulimani, B. G., 1987, “Rayleigh step bearing with second-order fluid”, *Japanese Journal of Applied Physics*, Vol.26, No.12, P.2121-2126.

Bujurke, N. M. and Naduvinamani, N. B., 1990, “The lubrication of lightly loaded cylinders in combined rolling, sliding and normal motion with couple stress fluid,” *International Journal of Mechanical Sciences*, Vol. 32(12), P. 969–979,

Bujurke, N.M., Patil, H.P., Bhavi, S.G.,1990, “Porous slider bearing with couple stress fluid”, *Acta Mechanica*. Vol.85, P.99-113.

Bujurke,N.M., Naduvinamani,N.B. and Jagadeeshwar, M., 1990, “Porous Rayleigh step bearing with second-order fluid”, *Journal of Applied Mathematics and Mechanics*, Vol.70, No.11, P. 517–526.

Bujurke, N.M., Naduvinamani N. B., 1991, “Theoretical modelling of poro-elastic slider bearings lubricated by couple stress fluid with special reference to synovial joints”, *Applied Mathematical Modelling*, Vol. 15(6), P. 319-324.

Bourging, P. and Gay, B., 1994, “Determination of load capacity of finite width journal bearing by finite element method in the case of a Non-Newtonian lubricant”, ASME- journal of Tribology Vol.116, P. 303-309.

Bujurke,N.M., Achar,P.K.,Pai, N.P., 1995, “Computer extended series for squeezing flow between plates”, Fluid dynamics Research, Vol.16(2-3), P.173 – 187.

Bujurke N. M. and Naduvinamani N. B., 1998. “A note on squeeze film between rough anisotropic porous rectangular plates”, Wear, Vol. 217(2), P. 225 -230

Bujurke, N.M. and Basti, D.P. 2008, “Surface roughness effects on squeeze film behaviour in porous circular disks with couple stress fluid”, Transactions of Porous Media, Vol.71, P. 185-197.

Bujurke, N.M., Naduvinamani N. B. and Basti, D.P., 2011,“Effect of surface roughness on magneto hydrodynamic squeeze film characteristics between finite rectangular plates”, Vol. 44(7), P. 916-921.

Christensen. H. and Tonder. K., 1969a, “Tribology of rough surfaces; stochastic models of hydrodynamic lubrication”, SINTEF, Section for Machine Dynamic in Tribology, Technical University of Norway, Vol. 10, P.69-18.

Christensen. H. and Tonder. K.,1969b, “Tribology of rough surfaces; parametric study and comparison of lubrication models”, SINTEF, Section for Machine Dynamic in Tribology, Technical University of Norway, Trondheim Vol. 22, P. 69-18.

Christensen, H. 1969-70, “Stochastic models for hydrodynamic lubrication of rough surface”, Proceedings of Institution of Mechanical Engineering. Part –J. Journal of Engineering and Tribology. Vol.184 (55), P.1013-1026.

Christensen, H. and Tonder, K., 1972, “Waviness and roughness in hydrodynamic lubrication”, Proceedings of institution of Mechanical Engineering Vol.186, No.72, P.807-812.

Christensen, H., Tonder, K., 1971, “The hydrodynamic lubrication of rough bearing surfaces of finite width”, Transactions of the ASME-Journal of Lubrication Technology. Vol. 93, P. 324–330.

Christensen, H. and Tonder, K., 1973, “The hydrodynamic lubrication of rough journal bearings”, ASME journal of Lubrication and Technology, Vol.95, P.166-171.

Chow P.L. and Saibel E.A., 1978, “On the roughness effect in hydrodynamic lubrication”, Journal of Lubrication and Technology”, Vol. 100(2), P.176-179.

Cameron, A., 1972, “Basic Theory of Lubrication”, Ellis Harwood Limited, Halsted Press, John Willy and Sons, New-York, Second-Edition, P. 42-46.

Chowdhury, S.J. Ahmadi, G., 1986, “Thermodynamic analysis of wide thrust bearings operating in laminar inertial flow regimes”, ASME Journal of Lubrication. Technology. Vol.19, P.281-288.

Cusano, C. 1972, “Lubrication of porous journal bearings. ASME Transactions journal of Lubrication Technology”, Vol.94, P. 69-73

Dowson D. and Whomes T.L., 1971, “The effect of surface roughness upon the lubrication of rigid cylindrical rollers”, Wear, Vol. 18(2), P.141 - 151.

Dow, T. A., Kannel J. W. and Bupara S. S. 1975, “A Hydrodynamic Lubrication Theory for Strip Rolling Including Thermal Effects”. Journal. of Lubrication Technology, Vol. 97(1), P. 4-12

- Dowson**, 1979. "History of tribology", Longman Group Limited.
- Deheri, G.M.** 1991, "Squeeze film behaviour in porous annular disks lubricated with magnetic fluid", *Wear*, Vol.151, P. 123-128.
- Das N. C.**, 1998, "A study of optimum load-bearing capacity for slider bearings lubricated with couple stress fluids in magnetic field", *Tribology International*, Vol. 31, No.7 P. 393–400.
- Dobrica, M.B., Fillon,M., Pascovici, M.D. Cicone, T.**, 2010, "Optimizing surface texture for hydrodynamic lubricated contacts using a mass- conserving numerical approach", *Journal of Mechanical Engineering. Part J: J. Engineering Tribology* , P. 737 -750.
- Elrod, H.G.**, 1977, "A general theory for laminar lubrication with Reynolds roughness", *Journal of Lubrication and Technology*. Vol. 101, P. 8-14.
- Etsion I. and Burstein, I.A.**, 1996, "A Model for Mechanical Seals with regular micro surface structure", *STLE Tribology Transactions*, Vol.39 (3), P. 677- 683.
- Etsion I.**, 2004, "Improving tribological performance of mechanical components by laser surface texturing". *Tribology Letters*, Vol.17 (4), P. 733-740.
- Fillon, M. and Khonsari, M. M.**, 1996,"Thermo hydrodynamic design charts for tilting-pad journal bearings", *Journal of Tribology*, Vol.118, P. 232–238.
- Gupta, P.S., Gupta, A. S.**, 1977, Squeezing flow between parallel plates, *Wear*, Vol. 45(2), P.177-185.
- Gupta, R. S. and Kavita, P.**, 1986, Analysis of rotation in the lubrication of a porous slider bearing: small rotation, *Wear*, Vol. 111, No. 3, P. 245–258.

Gupta J. L. and Deheri G.M., 1996, Effect of roughness on the behaviour of squeeze film in a spherical bearing. Tribology Transactions., Vol. 39(1), P. 99 - 102

Guha, S.K., 2000, “Analysis of steady state characteristics of misaligned hydrodynamic journal bearing with isotropic roughness effect”, Tribology International. Vol.22. P.1-12.

Gururajan, K. and Prakash, J., 2003, “Effects of velocity slip in narrow rough porous journal bearings”, Journal of. Engineering Tribology. Vol. 217, P. 59-69.

Hsu, Y.C. and Saibel, E., 1965, “Slider bearings with a non-Newtonian lubricant”, ASLE Transactions., Vol. 8, P. 191-194.

Hsu,Y.C., 1967, “Non-Newtonian flow in finite-length full journal bearing”, ASME- Journal of Lubrication Technology Vol.89, P. 329-33.

Hamrock, B.J., 1994, “Fundamentals of fluid film lubrication”, McGraw-Hill Inc., New York. P.286-287.

Hashimoto, H. 1994, The effects of fluid inertia force in parallel circular squeeze film bearing lubricated with pseudoplastic fluids”, ASME- Journal of Tribology. Vol.108, P. 282-287.

Hashimoto, H., 1994, “Non-Newtonian effects on the static characteristics of one dimensional slider bearings in the inertial flow regime”, ASME- Journal of Tribology. Vol.9, Vo.116 (2), P.303-309.

Hashimoto H. and Mongkolwongrojn M., 1995, “Static characteristics of high-speed slider bearings lubricated with non-Newtonian fluids: In the case of infinitely long bearings”, JSME International Journal, Vol. 38(4), P. 765-771.

- He, J.H.**, 2004, “Variational principle for non-Newtonian lubrication; Rabinowitsch fluid model”, *Applied Mathematics and computation*, Vol. 157, P. 281-286.
- Hsu C.H., Lin J.R. and Chiang H.L.**, 2003, “Combined effects of couple stresses and surface roughness on the lubrication of short journal bearings”, *Industrial Lubrication and Tribology*, Vol. 55(5), P.233-242.
- Hsu. C.H, Lai. C, and Lu R.F, Lin. R.**, 2009, “Combined effects of surface roughness and rotating Inertia on the squeeze film characteristics of parallel circular disks”, *Journal of Marine Science and Technology*. P. 1760–1766.
- Hung, C. R.**, 2009, Effects of non-Newtonian cubic stress flow on the characteristics of squeeze film between parallel plates, *Education specialization*, Vol.97, P.87-97.
- Hung,J. R., Chu.L.M., Liaw. W.L., Lee, P.H. and Lin. J.R.** 2013, “Effect of non-Newtonian Rabinowitsch fluids in wide parallel rectangular squeeze- film plates”, *Industrial lubrication and Tribology*, Vol. 65, P. 328-332.
- Jackson, J. D.**, 1963, “A study of squeezing flow”, *Applied Science Research*, section A, Vol. 11, P. 148-152.
- Jones, A.F. and Wilson, S.D.R.** 1975, “On the failure of lubrication theory in squeezing flows”. *ASME Transactions Journal of Lubrication Technology*, Vol. 97, P-101-104.
- Jaw-Ren Lin, Li-Ming Chu, Tzu-Chen Hung, Pin-Yu Wang.**, 2016, “Derivation of two-dimensional non-Newtonian Reynolds equation and application to power-law film slider bearings: Rabinowitsch fluid model”, *Applied Mathematical Modelling*, Elsevier, Vol. 40, P. 8832 – 8841.

Jianming, W. and Gaobing, J. 1989, “The optimum design of the Rayleigh slider bearing with a power law fluid”, *Wear*, Vol.129, P. 1–11.

King, K. F. and Taylor, C.M., 1997, “An estimation of the effect fluid inertia on the performance of the plane inclined slider thrust bearing with particular regard to turbulent lubrication”, *ASME Journal of Lubrication Technology.*, Vol.99, P. 129-135.

Kashinath, B., 2012, “Squeeze film lubrication between parallel stepped plates with couple stress fluids”, *International Journal of Statistika and Matematika*, Vol. 3(2), P. 65-69.

Lauder, B.E. and Leschziner, M.L., 1987, “Flow in finite-width, thrust bearings including inertia effects”, *ASME Journal of Lubrication Technology*, Vol.100, P.330-338.

Lin J. R., 1966, “Hydrodynamic lubrication of journal bearings including micropolar lubricants and three dimensional irregularities”, *Wear*, Vol.192, P. 21-28.

Lin J.R., 1997, “Effects of couple stresses on the lubrication of finite journal bearings”, *Wear*, Vol. 206, P. 171-178.

Lin J. R., 1997, “Squeeze film characteristics of long partial journal bearings lubricated with couple stress fluids. *Tribology International*”, Vol.30 (1), P.53-58.

Lin, J. R., 1998, “Squeeze film characteristics of finite journal bearings: couple stress fluid model”, *Tribology International*, Vol.31, No.4, P.201-207.

Lin, J. R., 2000, “Surface roughness effect on the dynamic stiffness and damping characteristics of compensated hydrostatic thrust bearings”, *International Journal of Machine Tools and Manufacture* Vol.40, P. 1671-1689.

Lin, J.R., 2001, “Non-Newtonian effects on the dynamic characteristics of one dimensional slider bearings: Rabinowitsch fluid model”, *Tribology Letters*.Vol.10(4) P.237- 243.

Lin, J.R., Lu, R.F., and Yang, C.B., 2001, “Linear stability analysis of a wide inclined plane slider bearing”, *Journal of Marine Science Technology.*, Vol.10, P.349-354.

Letalleur, N., 2002, “Plough surface lubrication”, *ASME Journal of Tribology*, Vol. 124, P.539-545.

Lin, J. R., Hsu, C.H. and Lai. C., 2002, “Surface roughness effects on the oscillating squeeze film behaviour of partial journal bearing”, *Computer and Structures*, Vol.80, P.297-303.

Lu. R.F., Ho., M.H., and Lin, J.R., 2005, “A study of steady-state performance and dynamic characteristics for wide Rayleigh step slider bearings”, *Journal of Science and Technology*, Vol.14, P.205-211.

Lin, J. R., Liang, L. J. and Chu, L. M., 2010, “Effects of non-Newtonian micropolar fluids on the squeeze-film characteristics between a sphere and a plate surface”, *Proceedings, Institution of Mechanical Engineers J*, Vol. 224, no. 8, P. 825–832.

Lin, J.R., 2011, “Non-Newtonian squeeze film characteristics between parallel annular disks: Rabinowitsch fluid model”, *Tribology International*, Vol.54, P. 723-729.

Lin,J. R., 2012, “Non-Newtonian Squeeze film characteristics between parallel annular disks: Rabinowitsch fluid model”, *Tribology international*, Vol. 52, P. 190-194.

Lin, J.R., Hung, T.C., Chou, T.L. and Liang, L.J., 2013, “Effects of surface roughness and non-Newtonian micropolar fluids on dynamic characteristics of wide plane slider bearings”, *Tribology International*, Vol. 66, P.150-156.

Lin, J.R., Hung, C. R. Chu, L.M., Liaw, W.L., Lee, P.H., 2013, “Effect of Non-Newtonian Rabinowitsch fluids in wide parallel rectangular squeeze-film plates”, *Industrial Lubrication and Tribology*, Vol.65 (5), P.328-332.

Lin, J. R., 2013, “Inertia force effects in the non-Newtonian couple stress squeeze film between a sphere and a flat plate”, *Tribology International*, Vol. 67, P.81–89,

Moore. D. F., 1968, *WEAR* Vol.8, P.245.

Maiti, G., 1973, “Composite and step slider bearings in micro polar fluid, *Japanese Journal of Applied Physics*”, Vol. 12, No. 7, P. 1058-1064.

Naduvanamani.N.B., Hiremath,P.S. and Gurubasavaraj,G. 2001(a), “Squeeze film lubrication of a short porous journal bearing with couple stress fluids”, *Tribology International*, Vol.34, P.739-749.

Naduvanamani N. B., Hiremath P. S. and Gurubasavaraj G., 2001(b). “Static and dynamic behaviour of squeeze film lubrication of narrow porous journal bearings with couple stress fluids”, *Proceedings of Institution of Mechanical. Engineering. (Part-J),J. Engineering Tribology*. Vol. 215 P. 45-61.

Naduvanamani N. B., Hiremath P. S. and Gurubasavaraj G., 2002, “Surface roughness effects in short porous journal bearings with couple stresses”, *Fluid Dynamic. Research*, Vol. 31, P. 333-354.

Naduvnamani, N.B., Hiremath P.S. and Gurubasavaraj G., 2002, “Effect of surface roughness on the static Characteristics of rotor bearings with couple stress fluids, Components and Structure”, Vol.80, P.1243-1253.

Naduvnamani, N.B., Fatima, S.T. and Hiremath P.S., 2003, Hydrodynamic lubrication of rough slider bearing with couple stress fluids, Tribology International, Vol.36, P.949 -959.

Naduvnamani, N. B., Gurubasavaraj G., 2004, “Surface roughness effects on squeeze films in curved circular plates”, Industrial Lubrication and Tribology Vol.56(6), P.346 – 352.

Naduvnamani, N.B., Hiremath P.S. and Gurubasavaraj G., 2005, “Effect of surface roughness on the couple-stress squeeze film between a sphere and a flat plate”, Tribology International, Vol.38 (5), P. 451–458.

Naduvnamani, N.B., Syeda, T.F., Hiremath, P.S., 2005, “On the squeeze film lubrication of long porous journal bearings with couple stress fluids”, Industrial Lubrication and Tribology. Vol. 57(1), P. 12-20.

Naduvnamani, N.B., Biradar K., 2006, Surface roughness effects on curved pivoted slider bearings with couple stress fluid. Lubrication Science Vol.18, P. 293–307.

Naduvnamani, N.B., Siddangouda A., 2007(a), “Combined effects of surface roughness and couple stresses on squeeze film lubrication between porous circular stepped plates”, Journal of Engineering Tribology., Vol. 221, P. 525-534.

Naduvnamani, N.B. and Siddangouda, A., 2007(b), “Effects of surface roughness on the hydrodynamic lubrication of porous step slider bearings”, Tribology International, Vol.40, P.780-793.

Naduvnamani, N.B. and Marali, G. B., 2008, “Dynamic Reynolds equation for micropolar fluid lubrication of porous slider bearings”, *Journal of Marine science and technology* Vol.16, No 3, P.182-190.

Naduvnamani, N.B. and Biradar K., 2008, “Surface roughness effect on the static and dynamic behaviour of squeeze film lubrication of short journal bearings with micropolar fluid”, *Proceedings of International Mechanical Engineering. Journal Engineering. Tribology.* Vol.222, P. 121 – 131.

Naduvnamani, N.B., Siddangouda, A., 2009, “Squeeze film lubrication between circular stepped plates of couple stress fluids”, *Journal of Brazilian Society of Mechanical Science and Engineering*, Vol.31, No-1 P.21-26

Naduvnamani N. B. and Huggi S. S., 2009, “Micro polar fluid squeeze film lubrication of short partial porous journal bearings”, *Proceedings of Industrial Mechanical Engineering Part J: Journal of Engineering Tribology*, Vol. 223, P. 1179-1185.

Naduvnamani N. B., Fatima S. T. and Salma Jamal, 2010. “Effect of roughness on hydromagnetic squeeze films between porous rectangular plates”, *Tribology International.* Vol.43 (11), P.2145 – 2151.

Naduvnamani, N.B., Siddangouda, A., 2010, “On the performance of rough inclined stepped composite bearings with micropolar fluid”, *Journal of Marine Science and Technology Taiwan*, Vol.18, P. 233-242.

Naduvnamani N. B., Hanumagowda B. N. and Fathima S. T., 2012. “Combined effects of MHD and surface roughness on couple-stress squeeze film lubrication between porous circular stepped plates”, *Tribology International* Vol. 56, P. 19-29.

Naduvanamani N. B., Hanumagowda B. N. and Siddangouda A., 2012. “Effect of surface roughness on magneto-hydrodynamic couple-stress squeeze film lubrication between circular stepped plates”, *Lubrication Science*. Vol. 24(2), P. 61-74.

Naduvanamani, N.B. and Rajashekhar, M., 2013, “Non-Newtonian effects of Rabinowitsch fluid on the performance of inclined stepped composite bearings”, *Tribology Online*, Vol.8, No. 3, P. 241-248.

Naduvanamani, N.B., Rajshekhar, M. and Kadadi, A.K., 2014, “Squeeze film lubrication between circular stepped plates: Rabinowitsch fluid model”, *Tribology international*. Vol, 73, P. 78-82.

Naduvanamani, N. B. and Savitramma G., 2013, “Squeeze film lubrication between rough poroelastic rectangular plates with micro polar fluid: a special reference to the study of synovial joint lubrication”, *Journal of ISRN Tribology*, Vol. 2013, P. 1-9.

Naduvanamani N. B. and Savitramma. G. K., 2014, “Micropolar fluid poro-elastic squeeze film lubrication between a cylinder and a rough flat plate- a special reference to synovial joint lubrication”, *Tribology Online*, Vol. 9, P. 21-30.

Naduvanamani. N.B., Siddangouda. A., Siddapur. S.S. 2015, “On the non-Newtonian effects of Rabinowitsch fluid on the squeeze film characteristics between parallel stepped plates”, *International Journal of Mathematical Archive-* Vol. 6(7), P.228-235.

Morgan, V. T., and Cameron, A., 1957, “Mechanism of lubrication in porous metal bearings”, *Proceeding of Conference on Lubrication & Wear*, Institute of Mechanical Engineering London, P. 151-157.

Maiti G., 1973, “Composite and stepped slider bearings in micropolar fluid”, Japanese Journal of Applied Physics. Vol.12 (7), P.1058-1064.

Oliver. D.R. 1988, “Load enhancement effects due to polymer thickening in a short journal bearings”, Journal of Non-Newtonian Fluid Mechanics., Vol. 30, P. 185–196.

Ozalp, A. A. and Umur, H., 2006, Optimum surface profile design and performance evaluation of inclined slider bearings”, Current Science, Vol.90, Issue 11, P 1480 - 1491.

Pinkus, O. And Sternlicht, B., 1961, “Theory of hydrodynamic lubrication”, McGraw-Hill Inc., New York.

Patir N. and Cheng H.S., 1978, “An average flow model for determining effects of three-dimensional roughness on partial hydrodynamic lubrication”, Journal Tribology., Vol. 100(1), P.12-17.

Pascovici, M. D., Predescu, A., Cicone, T and Popescu, C.S., 2011, Experimental evidence of cavitation effects in a Rayleigh step slider bearing”, Proceedings of the Institute of Mechanical Engineers, Part J, Vol. 225, No. 6, P. 527–537.

Qvale, E.B. and Wiltshire, F.R., 1972, “The performance of hydrodynamic lubrication films with viscosity variations perpendicular to the direction of motion”, ASME Lubrication Technology, Vol. 94, P. 44-48.

Reynolds, O., 1886, On the theory of lubrication and its application to Mr Beauchamp Tower experiments, including an experimental determination of the viscosity of olive oil Phil. Trans. R. Soc. Lond. Vol. 177, P. 157–234

Rayleigh, L., 1918, “Notes on the theory of lubrication, philosophical magazine”, Vol.35, P.1–12.

Robinowitsch B. 1929, "Über die Viskosität und Elastizität von Solen", Z. Physik. Chem., Vol. A 145, P.1.

Rodkiewicz, C.M. and Anwar, M.I., 1971, "Inertia and convective effect in hydrodynamic lubrication of slider bearing", ASME Journal of Lubrication Technology, Vol. 93, P. 313-315.

Richard W. Hanks, Bharat H. Dadia., 1971, "Theoretical analysis of the turbulent flow of non-Newtonian slurries in pipes". Journal of American Institute of Chemical Engineers, Vol. 17 (3), P. 554-557

Rodkiewicz, C.M., Hinds, J. C. and Dyson, C., 1975, "Inertia, convective effective, and dissipation effects in the thermally boosted oil lubricated slider thrust bearing", ASME J. Lubrication Technology, Vol. 97, P. 121-129.

Ramanaiah, G., Dubey, J.N., 1975, "Micro polar fluid lubricated squeeze films and thrust bearings", Wear, Vol. 32, P. 343-350.

Ramanaiah, G., Dubey J. N., 1977. "Optimum slider profile of a slider bearing lubricated with a micropolar fluid", Wear Vol. 42, P. 1-7.

Ramanaiah, G., Sarkar, P. 1978. "Optimum load capacity of slider bearing lubricated by a fluid with couple stress", Wear, Vol. 49, P. 61 – 66.

Ramanaiah, G. and Sarkar, P. 1978, "Squeeze films and thrust bearings lubricated by fluids with couple stresses", Wear, Vol. 48, P. 309-316.

Ramanaiah, G., Sarkar P. 1979. "Slider bearings lubricated by couple stress fluids", Wear Vol. 52, P. 27-36.

Ramanaish. G., 1979, Squeeze films between finite plates lubricated by fluids with couple stress, *Wear*, Vol.54, P.315-320.

Rhow S. K. and Elrod H. G., 1974, “The effects on bearing load-carrying capacity of two-sided striated roughness”, *Journal of . Tribology*. Vol. 96(4), P.554.

Synder, W.T., 1963, “The nonlinear hydrodynamic slider bearing”, *ASME Journal Basic Engineering*. Vol.85, P.429-434.

Stokes, V. K., 1966. “Couple stresses in fluids”, *Physics of fluids*. Vol. 9, P. 1709-1715.

Stokes, V. K., 1971, “Effects of couple stresses in fluids on the creeping flow past a sphere”, *Physics of fluids*, Vol.14, P.1580-1588.

Safar, Z. S., 1980, “Thermal and inertial effects in turbulent flow thrust bearing”, *Proc.I.Mech.E.*, Vol. 22, P.43-45.

Scott, W. and Sunti, Wattana, P., 1995, “Effects of oil additives on the performance of wet friction clutch material”, *Wear*, Vol.181, P.850-855.

Sinhsan, R., and Sha, P.L.,1996, “Static and dynamic performance characteristics of an orifice compensated hydrostatic journal bearing with non-Newtonian lubricant”, *Tribology International.*, Vol. 29, P. 515-526.

Sharma, S.C., Jain, S. C. and Sah, P. L., 2000, “Effect of non-Newtonian behaviour of lubricants and bearing flexibility on the performance of slot-entry”, *Journal. of bearing Tribology International*. Vol. 33, P.507-517.

Sharma, R. K. and Pandey, R. K., 2009, “Experimental studies of pressure distributions in finite slider bearing with single continuous surface profiles on the pads”, *Tribology International*, Vol. 42, No. 7, P. 1040–1045.

Singh, U. P. and Gupta, R. S. 2011, “On the performance of pivoted curved slider bearings: Rabinowitsch fluid model”, in *Proceedings of the National Tribology Conference (NTC 11)*, P. 24, IIT Roorkee,

Singh, U. P., Gupta, R. S., Kapur, V. K., 2011, “On the study performance hydrostatic thrust bearing; Rabinowitsch Fluid model”, *Tribology Transactions*, Vol, 54, P. 723 -729.

Singh, U. P., Gupta, R. S., 2012, “Non-Newtonian effects on the Squeeze film characteristics between a sphere and a flat plate: Rabinowitsch Fluid model”, *Advances in Tribology*, Article ID 571036, P.1-7 .

Shimpi ,M. E. and Deheri ,G. M., 2012, “A study on the performance of a magnetic fluid based squeeze film in curved porous rotating rough annular plates and deformation effect”, *Tribology International*, Vol. 47, p. 90–99.

Siddangouda A., 2012, “Surface roughness effects in porous inclined stepped composite bearings lubricated with micropolar fluid”, *Lubrication Science*, Vol.8, P.339-359.

Singh, U. P., Gupta, R. S., Kapur, V. K., 2012, “On the performance of pivoted curved slider bearings: Rabinowitsch Fluid model”, *Tribology in Industry*, Vol.34 (3), P. 127-136.

Singh, U. P., Gupta, R. S., Kapur, V. K. 2013, On the Squeeze film characteristics between a long cylinder and a flat plate; Rabinowitsch fluid model”, Proceedings of the Institution of Mechanical Engineering, Tribology, Vol.227(1), P.34-42.

Singh, U. P., Gupta, R. S., Kapur, V. K., 2013, “On the application of Rabinowitsch Fluid model on an annular ring hydrostatic thrust bearing”, Tribology international, Vol.58, P. 65- 70.

Taylor, C.M. and Dowson, D., 1974, “Turbulent Lubrication Theory-Application to Design, ASME J. Lubrication. Technology”. Vol.96, P. 36-46.

Tala-Ighil, N., Fillon, M.,and Mspeyrot., P., 2011, “Effects of textured area on the performance of a hydrodynamic journal bearing”, Tribology International.,Vol.44(3), P. 211- 219.

Tello, J. I. 2003, “Regularity of Solutions to a Lubrication Problem with Discontinuous Separation Data”, Nonlinear Analysis, Vol. 53, P. 1167–1177.

Tichy, J.A. and Winer, W.O. 1970, “Inertial Considerations in Parallel Circular Squeeze Film Bearings”, ASME Transactions Journal of Lubrication Technology, Vol. 92, P.588-592.

Turga R. Sekhar, A.S. and Majumdar, B.C., 1999, “The effect of roughness parameter on the performance of hydrodynamic journal bearings with roughness effects”, Tribology International Vol.32, P.231-236.

Tzen, S.T. and Saibel, E., 1967, “Surface roughness effects on slider bearing lubrication”, ASLE Transactions, Vol. 10, P.334-338.

Usha, R. and Vimala, P., 2000, “Fluid inertia effects in a non- Newtonian squeeze film between two plane annuli”, Transaction of ASME, Vol.122, P.872-875.

Verma, P.D.S., Agrawal, V.K., Bhat, S.B., 1979. “Porous inclined slider bearing lubricated with micropolar fluid”, *Wear* Vol.53, P.101-106

Venkateswarlu, K. and Rodkiewicz, C. M., 1981, “Thrust bearing characteristics when the slider is approaching terminal speed”, *Wear*, Vol. 67, No. 3, P. 341–350.

Wilkinson, W. L., 1960, “Non-Newtonian fluids, fluid mechanics, mixing and heat transfer”, Pergamon Press.

Wu, H. 1970, Squeeze film behaviour for porous annular disks. *ASME Transactions Journal of Lubrication Technology*, Vol. 92, P.593-596.

Wu H., 1972, “Analysis of the squeeze film between porous rectangular plates”, *Journal of Lubrication and Technology*., Vol.94, P. 64-78

Wada S, Hayashi H. 1971 “Hydrodynamic lubrication of journal bearings by pseudoplastic lubricants”, *Bulletin of JSME* – 14; 69; P.279-286.

Williams, P. D. and Symmons, G.R., 1987, “Analysis of hydrodynamic slider thrust bearings lubricated with non-Newtonian fluids”, *Wear*, Vol. 117, No. 1, P. 91-102.

Zaheeruddin K. H. and Isa M., 1978, “Micropolar fluid lubrication of one dimensional journal bearing”, *Wear* Vol. 50, P. 211-220.