

## REFERENCES

1. Abido, M. A. "Power system stability enhancement using FACTS controllers: a review", *The Arabian Journal for Science and Engineering*, Vol.34, No.1B, pp.163-172, 2009.
2. Ahmed, R. and Wafa, A. "A new heuristic approach for optimal reconfiguration in distribution systems", *Electric Power Systems Research*, Vol. 81, No. 2, pp. 282-289, 2011.
3. Amjady, N. and Rezai, H. "Soleymanpour Daily hydrothermal generation scheduling by a new modified adaptive particle swarm optimisation technique", *Electric Power Systems Research*, Vol.80, pp.723-732, 2010.
4. Antônio C. De Souza, Z. Leonardo, M. Honório, Geraldo, L. Torres, and Lambert-Torres, G. "Increasing the Loadability of Power Systems Through Optimal-Local-Control Actions", *IEEE Trans. on power systems*, Vol.19, No.1, 2004.
5. Ara, A.L., Kazemi, A. and Nabavi Niaki, S.A. "Multiobjective Optimal Location of FACTS Shunt-Series Controllers for Power System Operation Planning". *IEEE Trans. on Power Delivery*, Vol.27, No. 2, pp. 481-490, 2012.
6. Armenta, S. Claudio, R. Esquivel, F. and Becerril, R. "A numerical study of the effect of degenerate Hopf bifurcations on the voltage stability in power systems", *Electric Power Systems Research*, Vol. 101, pp.102-109,2013.
7. Arnborg, S., Hill, D.J. and Hiskens, I.A. "On under voltage load shedding in power systems", *Electrical Power & Energy Systems*, Vol. 19, No. 2, pp. 141-149, 1997.
8. Arya, L.D., Pande, V.S. and Kothari, D.P. "A technique for load-shedding based on voltage stability consideration", *Electrical Power & Energy Systems*, Vol. 27, No.7, pp. 506-517, 2005.

9. Asian Development Bank, "Power systems efficiency through loss reduction and load management", Proc. of the Regional Conference on Power Systems Efficiency through Loss Reduction and Load Management, 1985.
10. Basa, A. and Crow, M.A. "Large scale implementation of a steady-state voltage security margin indicator", 28th North American Power Symposium, MIT Press, PP. 335-341, 1996.
11. Bedoya, D.B., Castro, C.A. and Da Silva, L.C.P. "A method for computing minimum voltage stability margins of power systems", IET Gener. Transm. Distrib, Vol. 2, No.5, pp. 676-689, 2008.
12. Berizzi, A., Bovo, C., Crio, D., Delfanti, M., Merlo, M. and Pozzi, M. "Online fuzzy voltage collapse risk quantification", Electric Power System Research, Vol. 79, No.5, pp.740-749, 2009.
13. Besharat, H. and Taher, S.A. "Congestion management by determining optimal location of TCSC in deregulated power systems". Electrical Power & Energy Systems, Vol. 30, No. 10, pp. 563-568, 2008.
14. Bhattachary, A. and Chattopadhyay, P.K. "Biogeography –base optimization for different economic load dispatch problems", IEEE Trans.on power systems, Vol. 25, No.2, pp.1064-1077, 2010.
15. Bhattachary, A. and Chattopadhyay, P.K. "Solution of optimal reactive power flow using Biogeography-based optimization", International Journal of Energy & Power Engineering, Vol. 3, No. 4, pp. 269-277, 2010.
16. Bhattacharya, S.K. and Goswami, S.K. "A new fuzzy based solution of the capacitor placement problem in radial distribution system", Expert Systems with Applications, Vol. 36, No. 3, pp. 4207-4212, 2009.
17. Blanco, G., Olsina, F., Garces, F. and Rehtanz, C. "Real Option Valuation of FACTS Investments Based on the Least Square Monte Carlo Method", IEEE Trans. on Power Systems, Vol. 26, No.3, pp.1389 – 1398, 2011.
18. Canizares, C.A., De Souza, AC.Z. and Quintana, VH. "Comparison of performance indices for detection of proximity to voltage collapse", IEEE Trans. on Power Systems, Vol. 11, No. 3, pp. 1441-1450, 1996.

19. Chakrabarti, S. "Voltage stability monitoring by artificial neural network using regression-based feature selection method", *Expert Systems with Applications*, Vol. 35, No. 4, pp. 1802-08, 2008.
20. Chakravorty, M. and Das, D. "Voltage stability analysis of radial distribution networks", *International Journal of Electrical Power & Energy Systems*, Vol. 23, No. 2, pp.129-135, 2001.
21. Chang, Y. "Multi-Objective Optimal SVC Installation for Power System Loading Margin Improvement", *IEEE Trans. on Power Systems*, Vol. 27, No. 2, pp. 984 – 992, 2012.
22. Chatterjee, D. and Ghosh, A. "Improvement of transient stability of power systems with STATCOM-controller using trajectory sensitivity", *International Journal of Electrical Power & Energy Systems*, Vol. 33, No. 3, pp. 531-539, 2011.
23. Chiou, J.P., Chang, C.F. and Su, C.T. "Capacitor placement in large-scale distribution systems using variable scaling hybrid differential evolution", *Electrical Power & Energy Systems*, Vol. 28, No. 10, pp. 739-745, 2006.
24. Chuvychin, V.N., Gurov, N.S., Venkata, S.S. and Brown, R.E. "An adoptive approach to load shedding and spinning reserve control during underfrequency conditions", *IEEE Trans. on Power Systems*, Vol. 11, No. 4, pp.1805-1810, 1996.
25. Da Costa, V.M., Guedes, M.R., Rosa, D.A.L. and Cantarino, M. "A new modeling of loading margin and its sensitivities using rectangular voltage coordinates in voltage stability analysis", *Electrical Power & Energy Systems*, Vol. 32, No. 4, pp. 290-98, 2010.
26. Darwin, C. "The Origin of Species", Gramercy, 1995.
27. Das, D. "Optimal placement of capacitors in radial distribution system using a Fuzzy-GA method", *Electrical Power & Energy Systems*, Vol. 30, No. 6-7, pp.361-367, 2008.
28. De Souza, Z.A.C. "Discussion on some voltage collapse indices", *Electric Power System Research*, Vol. 53, No.1, pp.53-58, 2000.
29. De Souza, Z.A.C., Canizares, C.A. and Quintana, V.H. "New techniques to speed up voltage collapse computations using tangent vectors", *IEEE Trans. on Power Systems*, Vol. 12, No. 3, pp.1380-1387, 1997.

30. Dobson, I. "Observations on the geometry saddle-node bifurcation and voltage collapse in electrical power systems", IEEE Trans. on Circuits Systems - I: Fundamental Theory. Applications, Vol. 39, No. 3, pp. 240-243, 1992.
31. Echavarren, F.M., Lobato, E. and Rouco, L. "A corrective load shedding scheme to mitigate voltage collaps", Electrical Power & Energy Systems, Vol. 28, No. 1, pp. 58-64, 2006.
32. El Arini, M. "Optimal capacitor placement incorporating voltage stability and system security", ETEP, Vol.10, No. 5, pp. 319-325, 2000.
33. EL-Dib, K.M., Youssef, M.M., EL-Metwally, and Osman, Z. "Optimum VAR sizing and allocation using particle swarm optimisation", Electric Power System Research, Vol. 77, No. 8, pp. 965-972, 2008.
34. El-Sadek, M.Z., Mahmoud, G.A., Dessouky, M.M. and Rashed, W.I. "Optimum load shedding for avoiding steady state voltage instability", Electric Power System Research, Vol. 50, No. 2, pp. 119-123, 1999.
35. Feng, Z., Ajarapu, V. and Maratukulam, D.J. "A practical minimum load shedding strategy to mitigate voltage collapse". IEEE Trans. on Power Systems, Vol. 13, No. 4, pp.1285-1290, 1998.
36. Ginarsa, I.M. Soeprijanto,A. and Purnomo, M.H. "Controlling chaos and voltage collapse using an ANFIS-based composite controller-static var compensator in power systems", International Journal of Electrical Power & Energy Systems, Vol.46,pp. 79-88, 2013.
37. Gitizadeh, M., Khalilnezhad, H. and Hedayatzadeh, R."TCSC allocation in power systems considering switching loss using MOABC algorithm", Electrical Engineering, Springer, Vol. 10, No. 1007/s00202-012-0242-x, 2012.
38. Goldberg, D.E. "Genetic algorithms in search, optimisation & machine learning", Pearson Education, Asia, 2000.
39. Gotham, D.J. and Heydt, G.T. "Power flow control and power flow studies for systems with FACTS devices", IEEE Trans. on Power Systems, Vol. 13, No. 1, pp.60-65, 1988.

40. Grbex, S., Cherkaoui, R. and Germond, A.J. "Optimal location of multi-type FACTS devices in a power system by means of genetic algorithms". IEEE Trans. on Power Systems, Vol.16, No.3, pp.537-544, 2001.
41. Haghifam, M.R. and Malik, O.P. "Genetic algorithm-based approach for fixed and switchable capacitors placement in distribution systems with uncertainty and time varying loads". IET Gener. Transm. Distrib, Vol. 1, No. 2, pp. 244-252, 2007.
42. Haque, M.H. "A linear static voltage stability margin for radial distribution systems", Proc. IEEE PES General Meeting, Montreal, Canada, pp. 1-6, 2006.
43. Hassan, M.O. and Cheng, S.J. "Steady-State Modeling of SVC and TCSC for Power Flow Analysis", Proceedings of the International Multi Conference of Engineers and Computer Scientists, Vol.2, 2009.
44. Hingorani, N.G. and Gyugyi, L. "Understanding FACTS: Concepts and Technology of Flexible AC Transmission Systems", IEEE Press, pp. 1-29, 2000.
45. Holland. JH. "Adaptation in nature and artificial systems", The University of Michigan Press, Ann Arbor 1975.
46. Hsu, C.T., Chuang, H.J. and Chen, C.S. "Artificial neural network based adaptive load shedding for an industrial cogeneration facility", Industry Applications Society Annual Meeting-IAS'08, pp.1-8, 2008.
47. Huang, S.J. and Huang, C.C. "An adoptive load shedding method with time-based design for isolated power systems", Electrical Power & Energy Systems, Vol. 22, No.1, pp.51-58, 2000.
48. Huang, T.L., Hsiao, Y.T. Chang, C.H. and Jiang, J.A. "Optimal placement of capacitors in distribution systems using an immune multi-objective algorithm", Electrical Power & Energy Systems, Vol. 30, No. 3, pp. 184-192, 2008.
49. Ishimaru, M., Yokoyama, R., Shirai, G. and Nimura, T. "Robust thyristor-controlled series capacitor controller design based on linear matrix inequality for a multi-machine power system", International Journal of Electrical Power & Energy Systems, Vol. 24, No. 8, pp. 621-629, 2002.

50. Jasmon, B. and Lee, L.H.C.C. "Maximising voltage stability in distribution networks via loss minimisation", *Journal of Electrical Power & Energy Systems*, Vol. 13, No. 3, pp.148-152, 1991.
51. Jeyasurya, A. "Power system loading margin estimation using neural network. 28th North American Power Symposium", MIT Press, pp. 509-518, 1994.
52. Jiang, S., Gole, A.M., Annakkage, U.D. and Jacobson, D.A. "Damping Performance Analysis of IPFC and UPFC Controllers Using Validated Small-Signal Models", *IEEE Trans. on Power Delivery*, Vol. 26, No.1, pp.446 – 454, 2011.
53. Jiang, X., Chow, H., Edris, A., Fardanesh, B. and Uzunovic, E. "Transfer Path Stability Enhancement by voltage-sourced converter-based FACTS controllers", *IEEE Trans. on Power Delivery*, Vol. 25, No. 2, pp. 1019-1025, 2010.
54. Kamalasan, S., Thukaram, and Srivastava, A.K. "A new intelligent algorithm for online voltage stability assessment and monitoring", *Electrical Power & Energy Systems*. Vol. 31, No.2-3, pp. 100-110, 2009.
55. Kashem, M. A. and Moghaavvemi, M. "Maximising radial voltage stability and load balancing via loss minimisation in distribution networks", *Proceedings of Energy Management and Power Delivery*, Vol.1, pp. 91-96, 1998.
56. Kessel, P. and Glavitsch, H. "Estimating the voltage stability of a power system", *IEEE Trans. on Power Deliver*, Vol. 1, No. 3, pp. 346-54, 1986.
57. Khederzadeh, M. and Ghorbani, A. "Impact of VSC-Based Multiline FACTS Controllers on Distance Protection of Transmission Lines". *IEEE Trans. on Power Delivery*, Vol. 27, No. 1, pp.32-39, 2012.
58. Khodr, H.M., Olsina, F.G., De Jesus, D.P.M. and Yusta, J.M. "Maximum savings approach for location and sizing of capacitors in distribution systems". *Electric Power System Research*, Vol. 78, No. 4, pp.1192-1203, 2008.
59. Kottick, D. "Neural-networks for predicting the operation of an under-frequency load shedding system", *IEEE Trans. on Power Systems*, Vol. 11, No. 3, pp.1350-1358, 1996.

60. Kumar, N.M.G. Venkatesh, P. and Sangamewara Raju, P. "Modeling and Analysis of SVC, TCSC, TCPAR in Power Flow Studies", International Journal of Emerging Technology and Advanced Engineering, Vol.3, No.1, 2013.
61. Kundur, P. "Power system stability and control", McGraw-Hill, Inc. 1993.
62. Lakdja, F. Gherbi, F.Z. Berber, R. and Boudjella, h. "Optimal TCSC Placement for Optimal Power Flow", Journal of Electrical Engineering, Vol. 63, No. 5, pp.316-321 2012.
63. Lee, C.Y., Tsai, S.H. and Wu, Y.K. "A new approach to the assessment of steady-state voltage stability margins using the P-Q-V curve", Electrical Power & Energy Systems, Vol. 32, No. 10, pp.1091-98, 2010.
64. Lof, PA., Smed, T., Anderson, G. and Hill, DJ. "Fast calculation of a voltage stability index", IEEE Trans. on Power Systems, Vol. 7, No. 1, pp. 54-64, 1992.
65. Magaj, N. and Mustafa, M.W. "Optimal location and signal selection of UPFC device for damping oscillation", International Journal of Electrical Power & Energy Systems, Vol. 3, No.4, pp.1031-1042, 2011.
66. Malihe, M., Nezamabadi-pour, F.H., Song, Y.H. and Lee, K.Y. "Placement of SVCs and Selection of Stabilizing Signals in Power Systems". IEEE Trans. on Power Systems, Vol. 22, No. 3, pp. 1061-1071, 2007.
67. Mingchui, D., Chinwang, L. and Chikong, W. "Adaptive under-frequency load shedding", Tsinghua Science and Technology, Vol. 13, No. 6, pp. 823-828, 2008.
68. Minguez, R., Milano, F., Minano, R.Z. and Antonio J. "Optimal network placement of SVC devices", IEEE Trans. on Power Systems, Vol. 22, No.4, pp.1851-1860, 2007.
69. Modi, P.K., Singh, S.P. and Sharma, J.D. "Fuzzy neural network based voltage stability evaluation of power systems with SVC", Applied Soft Computing, Vol. 8, No. 1, pp. 657-665, 2008.

70. Mousavi, O.A. Bozorg, M. and Cherkaoui, “Preventive reactive power management for improving voltage stability margin”, *Electric Power Systems Research*, Vol. 96, pp.36-46, 2013.
71. Mubeen, S.E. Nema, R.K. and Agnihotri, G. “Power Flow Control with UPFC in Power Transmission System”, *World Academy of Science, Engineering and Technology*, pp.338-342.
72. Nagesh, H.B. and Puttaswamy, P.S. “Power Flow Model of Static VAR Compensator and Enhancement of Voltage Stability”, *International Journal of Advances in Engineering & Technology*, Vol.3, No.2, pp.499-507.
73. Niknam, T. “An efficient multi-objective HBMO algorithm for distribution feeder reconfiguration”, *Expert Systems with Applications*, Vol. 38, No. 3, pp. 2878-2887, 2011.
74. Otomega, B., Glavic, M. and Custem, T.V. “Distributed under voltage load shedding”. *IEEE Trans. on Power Systems*, Vol. 22, No. 4, pp.2283-2285, 2007.
75. Phadke, A.R., Fozdar, M. and Niazi, K.R. “A new multi-objective fuzzy-GA formulation for optimal placement and sizing of shunt FACTS controller”, *International Journal of Electrical Power & Energy Systems*, Vol. 40, No.1, pp. 46-53, 2012.
76. Prasad, P.V., Sivanagaraju, S. and Sreenivasalu. N. “A fuzzy-genetic algorithm for optimal capacitor placement in radial distribution systems”, *ARPN Journal of Engineering and Applied Sciences*, Vol 2, No. 3, pp.28-32, 2007.
77. Rao, R.S. and Narasimham, S. V. L. “Optimal capacitor placement in a radial distribution system using plant growth simulation algorithm”. *International Journal of Electrical Power & Energy Systems Engineering*, Vol. 1, No. 2, pp. 123-130, 2008.
78. Rarick, R., Simon, D., Villaseca, E.F. and Vakaranam, B. “Biogeography-based optimization and the solution of the power flow problem”, *Proceedings of the 2009 IEEE International Conference on Systems, Man and Cybernetics, San Antonio TX, USA*. pp. 1029-1034. 2009.



79. Roy, N.K. Pota, H.R. and Hossain, M.J. “Reactive power management of distribution networks with wind generation for improving voltage stability”, *Renewable Energy*, Vol. 58, pp.85-94, 2013.
80. Sadati, N., Amraee, T. and Ranjbar, A.M. “A global particle swarm based simulated annealing optimization technique for under-voltage load shedding problem”. *Applied Soft Computing*, Vol. 9, No.2, pp.652-657, 2009.
81. Sahoo, N.C. and Prasad, K. “A fuzzy genetic approach for network reconfiguration to enhance voltage stability in radial distribution systems”, *Energy Conversion and Management*, Vol. 47, No. 18, pp.3288-306, 2006.
82. Sajjadi, S.M. Haghifam, M.R, and Salehi,” Simultaneous placement of distributed generation and capacitors in distribution networks considering voltage stability index”, *International Journal of Electrical Power & Energy Systems*, Vol. 46, pp.366-375, 2013.
83. Saraswat, A.and Saini,A. “Multi-objective optimal reactive power dispatch considering voltage stability in power systems using HFMOEA”, *Engineering Applications of Artificial Intelligence*, Vol.26, No. 1, pp.390-404, 2013.
84. Saravanan, M., Salochanal, M.R., Venkatesh, P., Stephen, P. and Abraham, J. “Application of particle swarm optimization technique for optimal location of FACTS devices considering cost of installation and system loadability”. *Electric Power Systems Research*, Vol. 77, No. 3-4, pp. 276-283, 2007.
85. Sasikala, J. and Ramaswamy, M. “Fuzzy based load shedding strategies for avoiding voltage collapse”, *Applied Soft Computing*, Vol. 11, No. 3, pp.3179-3185, 2011.
86. Satpathy, P.K., Das, D. and Gupta, D.P.B. “Critical switching of capacitors to prevent voltage collapse”, *Electric Power Systems Research*, Vol. 71, No. 1, pp.11-20, 2004.
87. Senthil Kumar, N. and Gokulakrishnan, J. “Impact of FACTS controllers on the stability of power systems connected with doubly fed induction generators”. *International Journal of Electrical Power & Energy Systems*, Vol. 33, No. 5, pp. 1172–1184, 2011.

88. ShanmukhaSundar, K. and Ravikumar, H.M. "Selection of TCSC location for secured optimal power flow under normal and network contingencies", International Journal of Electrical Power & Energy Systems, Vol. 34, No.1, pp. 29-3, 2012.
89. Shao, W. and Vittal, V. "LP-based OPF for corrective FACTS control to relieve overloads and voltage violations", IEEE Trans. on Power Systems, Vol. 21, No. 4, pp. 1832-1839, 2006.
90. Simon, D. "Biogeography-based optimization", IEEE Trans. on evolutionary computation, Vol. 12, No. 6, pp. 702-713, 2008.
91. Singh, J. G., Singh, S. N. and Srivastava, S. C. "An Approach for Optimal Placement of Static VAR Compensators Based on Reactive Power Spot Price". IEEE Trans. on Power Systems, Vol. 22, No.4, pp. 2021-2029, 2007.
92. Singh, S. "The Unified Power Flow Controller Optimal Power Flow Model", International Journal of Scientific and Research Publications, Vol.2, No.8, pp.1-3,2012.
93. Sinha, A.K. and Hazarika, D.A. "A comparative study of voltage stability indices in a power system", International Journal of Electrical Power & Energy Systems, Vol. 22, No.1, pp. 589-596, 2000.
94. Sivanagaraju, S., Visali, N., Sankar, V. and Ramana, T. "Enhancing voltage stability of radial distribution systems by network reconfiguration", Electric power components and systems, Vol. 33, No. 5, pp.539-550, 2005.
95. Stagg, GW.and El-Abiad, AH. "Computer methods in power system analysis", Mc-Graw-Hill, 1968.
96. Swasti, R. Khuntia, and Panda, S. "ANFIS approach for SSSC controller design for the Improvement of transient stability performance",Mathematical and Computer Modelling, Vol. 57, No. 1–2, pp. 289-300, 2013.
97. Szuvovivski, I., Fernandes, T.S.P. and Aoki, A.R. "Simultaneous allocation of capacitors and voltage regulators at distribution networks using Genetic Algorithms and Optimal Power Flow", International Journal of Electrical Power & Energy Systems, Vol. 40, No. 1, pp.62-69, 2012.

98. Tabatabaei, S.M. and Vahidi, B. "Bacterial foraging solution based fuzzy logic decision for optimal capacitor placement allocation in radial distribution system", *Electric Power System Research*, Vol. 81, No. 4, pp.1045-1050, 2011.
99. Taghi, M., Baghmisheh, V. and Razmi, H. "Dynamic voltage stability assessment of power transmission systems using neural networks", *Energy Conversion and Management*, Vol. 49, No. 1, pp. 1-7, 2008.
100. Taylor, C.W. "Power System Voltage Stability", McGraw-Hill, Inc. 1994.
101. Test Systems Archive, Available at <http://www.ee.washington.edu/research/pstca/> (Accessed February 2012).
102. Tuan, Q.T., Fandino, J., Hadjsaid, N., Sabonnadiere, J.C. and Vu, H. "Emergency load shedding to avoid risks of voltage instability using indicators". *IEEE Trans. on Power Systems*, Vol. 9, No.1, pp.341-351, 1994.
103. Venkatesh, B. and Ranjan, B. "Fuzzy EP algorithm and dynamic data structure for optimal capacitor allocation in radial distribution systems", *IEE Proc. Gen. Trans and Dist*, Vol. 153, No. 5, pp. 80-88, 2006.
104. Venkatesh, B. and Ranjan, R. "Optimal radial distribution system reconfiguration using fuzzy adaptation of evolutionary programming", *Journal of Electrical Power & Energy Systems*, Vol. 25, No.10, pp.775-780, 2003.
105. Vilmaier E., Thelma, W.S.P., Fernandes, and Tortelli, O.L. "TCPST allocation using optimal power flow and Genetic Algorithms", *International Journal of Electrical Power & Energy Systems*, Vol. 33, No. 4, pp.880-886, 2011.
106. Wallace, A. "The Geographical Distribution of Animals", Adamant Media Corporation, 2005.
107. Wang, Y., and Lu, W.L.J. "A new node voltage stability index based on local voltage phasors", *Electric Power System Research*, Vol. 79, No.1, pp.265-271, 2009.

108. Wibowo, R.S., Yorino, N., Eghbal, M., Zoka, Y. and Sasaki, Y. "FACTS Devices Allocation with Control Coordination Considering Congestion Relief and Voltage Stability", IEEE Trans. on Power Systems, Vol. 26. No. 4, pp.2302 – 2310, 2011.
109. Yabe, K., Koda, J., Yoshida, K., Chiang, K.H., Khedkar, P.S., Leonard, D.J. and Miller, N. W. "Conceptual Designs of AI-based systems for local predictions of voltage collapse". IEEE Trans. on Power Systems, Vol. 11, No. 1, pp.137-145, 1996.
110. You, H. "Self-healing in power systems: an approach using islanding and rate of frequency decline-based load shedding", IEEE Trans. on Power Systems, Vol. 18, No. 1, pp.174-181, 2003.
111. Yousefi, T.T., Nguyen, H., Zareipour, and Malik, O.P. "FACTS device". International Journal of Electrical Power & Energy Systems, Vol.37.No.1, pp.78-85, 2012.
112. Yu, B., Yuan, X. and Wang, J. "Short-term hydro-thermal scheduling using particle swarm optimisation method", Energy Conversion and Management, Vol.48, No.7, pp. 1902-1908, 2007.
113. Zhang, J., Wen, Y., Cheng, S. J. and Jia Ma. "A novel SVC allocation method for power system voltage stability enhancement by normal forms of diffeomorphism", IEEE Trans. on Power Systems, Vol. 22, No. 4, pp.1819-1825, 2007.
114. Zhang, X.P., Rehtanz, C. and Pal, B. "Flexible AC Transmission Systems-Modelling and Control", Springer. 2006.
115. Zhu, J., Cheung, K., Hwang, D. and Sadjadpour, A. "Operation strategy for improving voltage profile and reducing system loss". IEEE Trans. on Power Delivery, Vol. 25, No. 1, pp. 390-397, 2010.