

BIBLIOGRAPHY

- Abdel-Hafez, S. I. I. 1981. Phyllosphere and phylloplane fungi of wheat cultivated in Saudi Arabia. *Mycopathologia* **75** : 33-38.
- Abdel-Hafez, S. I. I. 1984a. Survey of airborne fungus spores at Taife, Saudi Arabia. *Mycopathologia* **88** : 39-44.
- Abdel-Hafez, S. I. I. 1984b. Rhizosphere and phyllosphere fungi of four fern plants growing in Saudi Arabia. *Mycopathologia* **85** : 45-52.
- Abdel-Wahab, A.M. 1975. Phyllosphere microflora of some Egyptian plants. *Folia Microbiol.* **20** : 236-245.
- Abou-Donia, M.B. 1992. [Neurotoxic agents] Pesticides, In : Neurotoxicology, CRC : Boca Raton, Fla Editor Abou Donia, M.B. pp. 437-478.
- Abraham, T.A. and Balasundaran, M. 1977. Physiological activities of the actinomycetes from the phyllosphere of *Capsicum annum* (L.) Watt, E.D. *Indian J. Microbiol.* **17** : 1-3.
- Adams, P.B. and Wong, J. A.-L. 1991. The effect of chemical pesticides on the infection of sclerotia of *Sclerotinia minor* by the biocontrol agent *Sporidesmium sclerotivorum*. *Phytopathology* **81** : 1340-1343.
- Agarwal, M.K., Shivpuri, D.N. and Mukherjee, K.G. 1969. Studies on the allergenic fungal spores of the Delhi, India, metropolitan area. *J. Allergy* **44** : 193-203.
- Agashe, S.N., Nagalakshamma, K.V., Chatterjee, M. and Anand, P. 1983. Aeromycoflora of Bangalore (A preliminary study). *Asp. Allergy Appl. Immunol.* **16** : 49-52.
- Agashe, S.N., Philip, E. and Meundi, M. 1992. Intramural aerobiological studies in relation to allergy. *Indian J. Aerobiol.* Special Volume, 153-160.
- Ahmed, G.U. and Baruah, H.K. 1978. Seasonal incidence of conidia of *Colletotrichum falcatum* W. and other airborne spores over a sugarcane plantation. *Indian J. Mycol. Res.* **16** : 29-33.
- Al-Doory, Y. 1967a. The fungal flora of the air near the ground in San Antonio, Texas. *Mycopath. Mycol. appl.* **32** : 313-318.
- Al-Doory, Y. 1967b. Further studies of the fungal flora of the air in San Antonio, Texas. *J. Allergy* **40** : 145.
- Al-Doory, Y. 1970. Application of Anderson sampler in studying airborne fungi in San Antonio, Texas. *Mycopath. Mycol. Appl.* **42** : 293-298.
- Ali, S. 1992. Crop protection with Chemicals. Govt. Reports Announcements & Index (GRA & I), Issue 15, 1993, Edmonton.
- Appaiah, K.A.A., Pasha, M.M and Karanth, N.G.K. 1993. Thiram residue estimation by fungal bioassay and its evaluation in paddy and its milled products. *Tropical Agriculture* **70** : 235-239.

- Ashour, S.A., Moustafa, L.Y., El-Zawahry, Y.A. and Sarhan, M.M. 1993. Antifungal potentiality of the insecticide "Nuvacron". *Egyptian J. Microbiol.* 25 : 359-377.
- Atluri, J.B., Varma, K.V. and Subba Reddi, C. 1988a. Effect of harvesting operations on the incidence of fungal spores over a rice field. *Grana* 27 : 149-151.
- Atluri, J.B., Varma, K.V. and Subba Reddi, C. 1988b. Circadian periodicity in some airborne fungi over a rice crop. *Grana* 27 : 71-76.
- Atluri, J.B., Varma, K.V. and Subba Reddi, C. 1988c. Distribution of fungal spores within and above a crop of rice. *Proc. Indian Acad. Sci. (Plant Science)* 98 : 25-30.
- Attapattu, M.C. 1991. Allergic bronchopulmonary aspergillosis among asthmatics. *Ceylon Medical J.* 36 : 45-51.
- Babadoost, M., Gabrielson, R.L., Olson, S.A. and Mulanax, M.W. 1993. Control of *Alternaria* diseases of *Brassica* seed crops caused by *Alternaria brassicae* and *Alternaria brassicicola* with ground and aerial fungicide applications. *Seed Sci. and Technology* 21: 1-7.
- Bainbridge, A. and Legg, B.J. 1976. Release of barley-mildew conidia from shaken leaves. *Trans. Br. Mycol. Soc.* 66 : 495-498.
- Ballerio, M., Gioannis, N.D., Goretti, G., Lombardini, S. and Frenguelli, G. 1992. Comparative study about airborne spores in Cagliari and Perugia. *Aerobiologia* 8 : 141-147.
- Bandyopadhyay, R., Mughogho, L.K., Satyanarayana, M.V. and Kalisz, M.E. 1991. Occurrence of airborne spores of fungi causing grain mould over a sorghum crop. *Mycol. Res.* 95 : 1315-1320.
- Banerjee, S., Mukherjee, B. and Sen, C. 1982. Fungistasis and germination patterns of sclerotia of *Macrophomina phaseolina* (Tassi.) Goid in different soils. *Indian J. Microbiol.* 22 : 190-193.
- Banerjee, M.R. and Dey, B.K. 1992. Effects of different pesticides on microbial populations, nitrogen mineralization and thiosulfate oxidation in the rhizosphere of jute (*Corchorus capsularis* L.). *Biol. Fertil. Soils* 14 : 213-218.
- Barat, R. and Das, A.C. 1963. Fungi of allergic significance in air over Calcutta. *Ann. Biochem. Exp. Med.* XXIII : 461-466.
- Baruah, H.K. and Chetia, M. 1966. Aero-spora and allergic human diseases. A study of certain fungal spores and pollen grains of Gauhati. *Indian J. Exp. Biol.* 4 : 236-238.
- Bashan, Y., Levanony, H. and Reuven, O.R. 1991. Wind dispersal of *Alternaria alternata*, a cause of leaf blight of cotton. *J. Phytopathol. (BERL.)* 133 : 225-238.
- Bhargava, R.K., Kasliwal, R.M., Sethi, J.P. and Sogani, I.C. 1961. Prevalence of respiratory allergy to moulds in Jaipur. *Indian J. Chest Dis.* 2 : 81.
- Bhaskara Rao, P. and Mallaiah, K.V. 1988. Effect of phylloplane fungi on the leaf spot pathogen *Cercospora canescens*. *Indian J. Microbiol.* 28 : 103-107.

- Bilgrami, K.S. and Choudhary, A.K. 1990. Incidence of *Aspergillus flavus* in the atmosphere of maize fields at Bhagalpur. *Indian Phytopath.* **43** : 38-42.
- Biswal, G. and Narain. A. 1991. Seed borne fungi of jute, mustard and ragi, and their characteristics. *Crop Res. (Hissar)* **4** : 331-339.
- Blackley, C.H. 1873. Hay fever : Its causes, treatment and effective prevention : experimental researches (London).
- Blatt, H. 1962. Microbial allergy. A critical review-1950-May 1960. Mold allergy, Part V. *Ann. Allergy* **16** : 285.
- Boff, P., Ribeiro, F.X. D.V., Zambolim, L. and Fontes, P.C.R. 1991. Comparative epidemiology of the gray-leaf-spot (*Stemphylium solani*) and early blight (*Alternaria solani*) on two tomato conduction methods. *Fitopatol Bras.* **16** : 104-109.
- Bopaiah, B.M. 1982. Phylloplane microflora of cacao. (*Theobroma cacao* L.) *Indian J. Microbiol.* **22** : 194-197.
- Bora, K.N. 1982. Diurnal periodicity in the fungal airspora of Guwahati. *Indian J. Mycol. Res.* **20** : 87-92.
- Bora, L.C., Gangopadhyay, S. and Chand, J.N. 1992. Effect of pesticides on non-target phylloplane microflora on green gram (*Phaseolus radiatus*) leaves. *Indian J. Agric. Sci.* **62** : 418-420.
- Bowen, K.L., Hagan, A.K. and Weeks, R. 1992. Seven years of *Sclerotium rolfsii* in Peanut fields : yield losses and means of minimization. *Plant Dis.* **76** : 982-985.
- Brown, G.T. 1932. Sensitization to fungi. *Ann. Int. Med.* **6** : 655.
- Bugiani, R., Govoni, P., Bottazzi, R., Giannico, P., Montini, B. and Pozza, M. 1995. Monitoring airborne concentrations of sporangia of *Phytophthora infestans* in relation to tomato late blight in Emilia Romagna, Italy. *Aerobiologia* **11** : 41-46.
- Buller, A.H.R. 1915. Micheil and the discovery of reproduction in fungi. *Trans. Roy. Soc. Can.* **9** : 1-25.
- Burge, H.A. 1992. Monitoring for airborne allergens. *Ann. Allergy* **69** : 9-18.
- Burge, H.P., Boise, J.R., Rutherford, J.A. and Solomon, W.R. 1977. Comparative recoveries of airborne fungus spores by viable and non-viable models of volumetric collection. *Mycopathologia* **61** : 27-33.
- Burge, H.P., Boise, J.R., Solomon, W.R. and Bandera, E. 1978. Fungi in libraries : An aerometric survey. *Mycopathologia* **64** : 67-72.
- Buttner, M.P. and Stetzenbach, L.D. 1993. Monitoring airborne fungal spores in an experimental indoor environment to evaluate sampling methods and the effects of human activity on air sampling. *Appl. Environ. Microbiol.* **59** : 219-226.
- Cadham. F.T. 1924. Asthma due to grain rusts. *J. A. M. A.* **83** : 27.

- Calvo, M.A., Guarro, J., Suarez, G. and Ramirez, C. 1979. Air-borne fungi in the air of Barcelona (Spain). II. The genus *Alternaria*. *Mycopathologia* 69 : 137-142.
- Calvo, M.A., Guarro, J., Suarez, G. and Ramirez, C. 1980a. Air-borne fungi in the air of Barcelona (Spain). III. The genus *Aspergillus* Link. *Mycopathologia* 71 : 41-43.
- Calvo, M.A., Guarro, J., Suarez, G. and Ramirez, C. 1980b. Air-borne fungi in the air of Barcelona city (Spain). I. A two year study (1976-1978). *Mycopathologia* 71 : 89-93.
- Chaffe, F.H. and Settipane, G.A. 1964. Atmospheric pollen and mould survey. *J. Allergy* 35 : 193.
- Chakraverty, R. 1976. Aeromycology of the Indian Botanic Garden (Calcutta). *Asp. Allergy Appl. Immunol.* 9 : 151-157.
- Chakraverty, R. 1980/81. Atmospheric fungal spores in and out of doors in Calcutta. *Asp. Allergy and Appl. Immunol.* 13/14 : 61-66.
- Chakraverty, R. 1981. The air-spora of storage environments. *Proc. Nat. Conf. Env. Biol.* : 183-186.
- Chakraverty, R. and Nandi, P. 1972. The seasonal periodicity of *Cladosporium*, a common allergen in air over Calcutta and suburbs. *Trans. Bose Res. Inst.* 35 : 45-50.
- Chanda, S. 1992. Aerobiology : an inter- and multidisciplinary approach. *Indian J. Aerobiol. Spl. Vol.* : 1-10.
- Chandel, D.S. and Chandel, U. 1993. Comparative incidence of aero-phylo-mycoflora over soybean (*Glycine max* (L.) Merr.) in polluted and un-polluted localities. *Indian J. Aerobiol.* 6 : 26-32.
- Chandwani, G.H., Balakrishnan, M.S. and Padmanabhan, S.Y. 1963. Helminthosporium disease of rice. V. A study of the spore population of *Helminthosporium oryzae* over rice fields. *J. Indian bot. Soc.* 42 : 1-14.
- Chaubal, P.D. and Deodikar, G.B. 1964. Air-borne spores around Poona. *J. Univ. Poona Sci. Technol.* 26 : 123-136.
- Cosentino, S., Minelli, R., Atzori, C., Montaldo, C., Corrias, A. and Palmas, F. 1990. Fungal spores in the respiratory tract and in the homes of children with positive skin test for fungi. *Follia Allergol. Immunol. Clin.* 37 : 215-222.
- Costa, J.L. Da S. 1991. *Alternaria padwickii* and *Curvularia lunata* : Pathogenesis and transmission by seeds of irrigated rice. *Fitopatol. Bras.* 16 : 15-18.
- Crook, B. 1994. Aerobiological investigation of occupational respiratory allergy in agriculture in the U.K. *Grana* 33 : 81-84.
- Crook, B. and Lacey, J. 1991. Airborne allergenic microorganisms associated with mushroom cultivation. *Grana* 30 : 446-449.
- Cunningham, D.D. 1873. Microscopic Examination of Air. Government Printers, Calcutta.

- Dames, J.F. and Cadman, A. 1994. Airspora of Durban : a sub-tropical, coastal South African city. II. Fungal spore component. *Grana* **33** : 346-348.
- Datta, T.R. and Jain, A.K. 1991. Aerobiological studies at Gwalior : Fungal spores in textile mill area. *Bionature* **11** : 77-82.
- Della Franca, P. and Caretta, G. 1984. Keratinophilic fungi isolated from the air at Pavia. *Mycopathologia* **85** : 65-68.
- Dhingra, O.D. and Khara, M.N. 1973. Biological control of *Rhizoctonia bataticola* on Urad bean. *Phytopath. Z.* **76** : 23-29.
- Dhorranintra, B., Limsuvan, S., Kanchanarak, C. and Kangsakawin, S. 1991. Aeroallergens in northern and southern provinces of Thailand. *Grana* **30** : 493-496.
- Dickinson, C.H. 1965. The mycoflora associated with *Halimione portulacoides*. III. Fungi on green and moribund leaves. *Trans. Br. Mycol. Soc.* **48** : 603-610.
- Dickinson, C.H. 1967. Fungal colonisation of *Pisum* leaves. *Can. J. Bot.* **45** : 915-927.
- Dik, A.J. and Van Pelt, J.A. 1992. Interaction between phyllosphere yeasts, aphid honeydew and fungicide effectiveness in wheat under field conditions. *Plant Pathology* **41** : 661-675.
- Dixit, R.B. and Gupta, J.S. 1982. A comparative study of phylloplane and air-spores of barley. *Indian Phytopathol.* **33** : 311-312.
- Dobell, C. 1932. Antony van Leeuwenhoek and his "Little Animals". Bale and Danielsson, London.
- Dransfield, M. 1966. The fungal air-spores at Samaru, Northern Nigeria. *Trans. Br. Mycol. Soc.* **49** : 121-132.
- D'Silva, A.M. and Freitas, Y.M. 1982. A survey of the aerial mycoflora of Bombay. *Indian J. Microbiol.* **22** : 27-33.
- Ebner, M.R. and Haselwandter, K. 1992. Indoor and outdoor incidence of airborne fungal allergens at low- and high-altitude alpine environments. *Mycol. Res.* **96** : 117-124.
- El-Ghazaly, G., Yousef, H., Ahmed, M. and El-Ghazaly, P.K. 1991. Study of aerobiology of Alexandria, Egypt. *Qatar Univ. Sci. Bull.* **11** : 161-182.
- Edmonds, R.L. 1979. Introduction. In : *Aerobiology : the ecological systems approach* pp. 1-10, Dowden, Hutchinson and Ross, Stroudsburg.
- Fadda, M.E., Cosentino, S., Atzori, C., Deplano, M., Cardia, P. and Palmas, F. 1990. Mold allergy : Fungal airborne spores in the homes of allergic and non-allergic subjects. *Folia Allergol. Immunol. Clin.* **37** : 335-342.
- Fakhri, Z.I. 1992. Causes of hypersensitivity reactions in flour mill workers in Sudan. *Occup. Med. Oxf.* **42** : 149-154.

- Fengxiang, C., Qingxuang, H., Zhensheng, C., Lingyin, M. and Shigang, Y. 1991. Factors of influence on microbial pollution in the atmosphere over Beijing area. *Aerobiologia* 7 : 136-143.
- Frankland, A.W. 1991. Aerobiology in Medicine. *Grana* 30 : 19-23.
- Frey, D. and Durie, E.B. 1960. The incidence of air-borne fungi in Sydney. *Mycopath. Mycol. appl.* 13 : 93-99.
- Fromtling, R.A. and Shadomy, H.J. 1986. An overview of macrophage-fungal interactions. *Mycopathologia* 93 : 77-93.
- Ghani, T. 1994. Incidence of airborne fungi inside different scientific laboratories at Bhagalpur. *Indian J. Aerobiol.* 7 (1 & 2) : 8-12.
- Ghosh, S.K., Mehta, P.K., Patel, J.G., Kashyap, S.K. and Chatterjee, S.K. 1977. Isolation of aflatoxin positive *Aspergillus flavus* strain from rice mill atmosphere. *Indian J. Microbiol.* 17 : 138-140.
- Golubev, V.I. 1992. Yeasts from the phyllosphere of the Far-Eastern wildlife reserve "Kedrovaya Pad". *Sibirskii Biologicheskii Zhurnal* 0(2) : 37-42.
- Gonzalez, G.M.F.J., Candau, P., Gonzalez, G.R.M.L. and Romero, F. 1992. A study of the aeromycoflora of Cadiz : Relationship to anthropogenic activity. *J. Investigational Allergol. and Clinical Immunol.* 2 : 211-215.
- Govi, G. 1992. Aerial diffusion of phytopathogenic fungi. *Aerobiologia* 8 : 84-93.
- Green, G.J. 1967. Air-borne (wheat) rust inoculum over Western Canada in 1966. *Can. Plant Dis. Surv.* 47 : 1.
- Gregory, P.H. 1973. The microbiology of the atmosphere (2nd Ed.). Leonard Hill, London.
- Gupta Bhattacharya, S., Bhattacharya, K. and Chanda, S. 1994. Pollen grains of *Cocos nucifera* L., a dominant aeroallergen from India : A clinical approach. *Ann. Agric. Environ. Med.* 1 : 28-32.
- Gupta, K.D., Sogani, I.C. and Kasliwal, R.M. 1960. Survey of the allergenic aerial mould spores at Jaipur. *Indian J. Chest Dis.* 2 : 237.
- Gupta, S.K., Pereira, B.M.J. and Singh, A.B. 1993. Survey of airborne culturable and non-culturable fungi at different sites in Delhi metropolis. *Asian Pacific J. Allergy and Immunol.* 11 : 19-28.
- Hammett, K.R.W. and Manners, J.G. 1971. Conidium liberation in *Erysiphe graminis* L. Visual and Statistical analysis of spore trap records. *Trans. Br. Mycol. Soc.* 56 : 387-401.
- Harvey, R. 1967. Air-spora studies at Cardiff. I. Cladosporium. *Trans. Br. Mycol. Soc.* 50 : 479-495.
- Harvey, R. 1970. Spore productivity in *Cladosporium*. *Mycopathol. Mycol. Appl.* 41 : 251-256.

- Hasnain, S.M. 1993. Allergenic implications of airborne *Leptosphaeria* ascospores. *Grana* 32 : 315-318.
- Hasnain, S.M., Al-Frayh, A., Thorogood, R., Harfi, H.A. and Wilson, J.D. 1989. Seasonal periodicities of fungal allergens in the atmosphere of Riyadh. *Ann. Saudi Med.* 9 : 337-343.
- Haware, M.P. 1971. Assessment of losses due to early blight (*Alternaria solani*) of potato. *Mycopathol. Mycol. Appl.* 43 : 341-342.
- Hirst, J.M. 1991. Aerobiology in plant pathology. *Grana* 30 : 25-29.
- Hogg, B. and Hudson, H.J. 1966. Microfungi of the leaves of *Fagus sylvatica*. I. The microfungus succession. *Trans. Br. Mycol. Soc.* 49 : 185-192.
- Hopkins, J.G., Benham, R.W. and Kesten, B.M. 1930. Asthma due to a fungus-*Alternaria*. *J.A.M.A.* 94 : 6.
- Hurtado, I. and Riegler-Goihman, M. 1986. Air-sampling studies in a tropical area II. Fungus spores. *Grana* 25 : 69-73.
- Iyengar, L. and Rao, A.V.S.P. 1974. Effect of insecticides on the induction of pyrocatechase in *Aspergillus niger*. *Indian J. Microbiol.* 14 : 201-202.
- Janaki Bai, A., Reddi, E.U.B. and Subba Reddi, C. 1981. Vertical profiles of spore concentrations near the ground. *Proc. Indian natn. Sci. Acad.* B47 : 65-77.
- Jayaprakash, K.B. and Ramalingam, A. 1981. *Aspergillus fumigatus* in the air of working environments at Mysore. *Indian J. Bot.* 4 : 17-23.
- Jeng, K.C.G., Hsiao, S.H., Liu, M.T. and Wang, J.S. 1991. The relationship of Ig E, skin-test, eosinophilia, eosinophil cationic protein and tumour necrosis factor production in allergic rhinitis. *Chinese J. Microbiol. and Immunol. (TAIPEI)* 24 (4) : 345-354.
- Johansen, S. 1992. Aerobiological studies in subalpine birch forest at Dovrefjell, Central Norway, 1982-1984. *Grana* 31 : 131-142.
- Joy Royes, V.I. 1987. Some components of the air spora in Jamaica and their possible medical application. *Grana* 26 : 151-157.
- Kalkar, S.A. and Patil, G.V. 1994. Airborne biocomponents in the air of Nagpur. *Indian J. Aerobiol.* 7 (1 & 2) : 1-7.
- Kannaiyan, S. and Prasad, N.N. 1973. Effect of certain fungicides on survival of *Fusarium oxysporum* f. *melonis* in soil. *Indian J. Microbiol.* 13 : 133-135.
- Kapoor, I.J. and Kumar, B. 1991. Relative efficacy of systemic and non-systemic fungicides against *Fusarium oxysporum* and *F. solani* affecting tomato. *Indian Phytopath.* 44 : 87-93.
- Karnik, C.R. 1962. A contribution to the rainwater forms and aerospora of Jalgaon district. *Sci. & Cult.* 28 : 475-476.

- Kataria, H.R. and Dodan, D.S. 1981. Pathogenesis of *Pythium butleri* as influenced by two herbicides. *Z. Pflkrankh. Pflschutz* **88** : 734-743.
- Kerling, L.C.P. 1958. De microflora op het blad van *Beta vulgaris* L. *Tijdschr Plantenziekten* **64** : 402-410.
- Kolte, S.J., Awasthi, R.P. and Viswanath 1987. Assessment of yield losses due to *Alternaria* blight in rapeseed and mustard. *Indian Phytopath.* **40** : 209-211.
- Kotimaa, M., Karenlampi, L., Terho, E.O. and Husman, K. 1978. Exposure to spore dust in agricultural working environments. In : Proc. 1st International Conf. Aerobiol., Munich pp. 158-164. E. Schmidt Verlag, Berlin.
- Kramer, C.L., Pady, S.M. and Rogerson, C.T. 1960. Kansas aeromycology. V : *Penicillium* and *Aspergillus*. *Mycologia* **52** : 545-551.
- Kramer, C.L., Pady, S.M. and Wiley, B.J. 1963. Kansas aeromycology XIII : Diurnal studies 1959-60. *Mycologia* **55** : 380-401.
- Krishnamurthy, S. and Lalitha Kumari, D. 1981. Enhanced activity of benomyl and carbendazim on the conidial germination of *Helminthosporium oryzae*. *Indian J. Microbiol.* **21** : 140-150.
- Kumar, R. 1982. Aerospora in a pine forest in India. *Grana* **21** : 179-181.
- Kuter, G.A. 1986. Microfungal populations associated with the decomposition of sugar maple leaf litter. *Mycologia* **78** : 114-126.
- Lacey, J. 1973. Actinomycete and fungus spores in farm air. *J. agric. Labour Sci.* **1** (2) : 61-78.
- Lacey, J. and Lacey, M.E. 1964. Spore concentrations in the air of farm buildings. *Trans. Br. Mycol. Soc.* **47** : 547-552.
- Lara, J.-M.T.D., Tessier, J.-F., Lafond-Grellety, J., Domblides, P., Mary, J., Faugere, J.-G. and Taytard, A. 1990. Indoor moulds in asthmatic patients homes. *Aerobiologia* **6** : 98-101.
- Levetin, E., Shaughnessy, R., Fisher, E., Ligman, B., Harrison, J. and Brennan, T. 1995. Indoor air quality in schools : exposure to fungal allergens. *Aerobiologia* **11** : 27-34.
- Li, C.S., Kuo, Y.M. and Hsu, L.Y. 1994. Significance of concentration variations of microbial aerosols within domestic dwellings. *Environment International* **20** : 179-189.
- Liebeskind, A. 1965. Mold allergy in Haifa. *Ann. Allergy* **23** : 158.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the Folin-phenol reagent. *J. Biol. Chem.* **193** : 265-275.
- Lyon, F.L., Kramer, C.L. and Eversmeyer, M.G. 1985. Horizontal variation of airspora concentration in the atmosphere. *Trans. Kansas Acad. Sci.* **88** : 29-36.

- Masirevic, S., Petrov, M. and Ceranic, P. 1993. *Alternaria ricini* a new castor bean parasite in Yugoslavia. *Zastita Bilja* **44** (3) : 183-188.
- Mazen, M.B., Abdel-Hafez, S.I.I. and Shaban, G.M.M. 1984. Survey on the mycoflora on Egyptian wheat grains and their lemmae and paleae. *Mycopathologia* **85** : 155-159.
- Mc Cartney, H.A. 1991. Airborne dissemination of plant fungal pathogens. *J. Appl. Bacteriol. Symposium Supplement* **70** : 39S-48S.
- Mc Cartney, H.A. 1994. Fungal pathogen spore concentrations in oilseed rape crops. *Indian J. Aerobiol.* (Selected Abstracts from 5th Int. Conf. Aerobiology, Bangalore) **7** : 34.
- Mc Kemy, J.M. and Morgan-Jones, G. 1991. Studies in the genus *Cladosporium* sensu lato : V. Concerning the type species, *Cladosporium herbarum*. *Mycotaxon* **42** (0) : 307-318.
- McLean, M.A. and Sutton, J.C. 1992. Mycoflora of strawberry in Ontario. *Can. J. Bot.* **70** : 846-852.
- Mehta, K.C. 1952. Further studies on cereal rust in India. *Indian Council of Agricultural Research Science Monographs* **18** : 1-368.
- Meredith, D.S. 1962. Some components of the air-spores in Jamaican banana plantations. *Ann. Appl. Biol.* **50** : 577-594.
- Meredith, D.S. 1966. Air-borne conidia of *Helminthosporium turcicum* in Nebraska. *Phytopathol.* **56** : 949.
- Mishra, A.B. and Singh, S.P. 1971. Studies on Alternaria blight of wheat in Madhya Pradesh. *Mycopath. Mycol. Appl.* **44** : 369-371.
- Mishra, R.R. 1972. Aeromycology of Gorakhpur IV. Periodical fluctuation of aerospora. *Mycopath. Mycol. Appl.* **48** : 213-222.
- Mishra, R.R. and Kamal 1971. Aeromycology of Gorakhpur III. Seasonal variation in air fungal spora. *Mycopath. Mycol. Appl.* **45** : 301-310.
- Mishra, R.R. and Srivastava, V.B. 1971. Aeromycology of Gorakhpur II. Spore content over a paddy field. *Mycopath. Mycol. Appl.* **44** : 283-288.
- Mishra, R.R. and Srivastava, V.B. 1972. Aeromycology of Gorakhpur V. Air spora over wheat and barley field. *Mycopath. Mycol. Appl.* **47** : 349-355.
- Mishra, S.K. and Sandhu, R.S. 1972. Deep mycoses in India. *Mycopath. Mycol. Appl.* **48** : 339-365.
- Morgan-Jones, G. and Mc Kemy, J.M. 1992. Studies in the genus *Cladosporium* sensu lato. VI. Concerning *Cladosporium vignae* causal organism of leaf and pod spot of cowpea (*Vigna unguiculata*) and leaf blight of *Lespedeza bicolor*. *Mycotaxon* **43** : 9-20.

- Moustafa, A.F. and Kamel, S.M. 1976. A study of fungal spore populations in the atmosphere of Kuwait. *Mycopathologia* 59 : 29-35.
- Moyenuddin, M., Crow, S.A., Noble, J.A., Simmons, R.B. and Ahearn, D.G. 1994. Fungi in indoor air in the Southern U.S.A. *Abstracts of the General Meeting of the American Society for Microbiology* 94 (0) : 431.
- Mukherjee, B., Chakraverty, R. and Sen, K. 1988. Airspora over some vegetable crop fields in West Bengal. *Indian J. Plant Pathol.* 6 : 22-25.
- Mukhopadhyay, D. and Nandi, B. 1978. Degradation of lignin in jute fibres infected with *Macrophomina phaseolina*. *Indian J. Mycol. Res.* 16 : 63-65.
- Mullins, J., Harvey, R. and Seaton, A. 1976. Sources and incidence of airborne *Aspergillus fumigatus* (Fres). *Clinical Allergy* 6 : 209-217.
- Nayar, J. 1993. Aeromycological survey of a semi-urban area in Secundrabad. *Indian J. Aerobiol.* 6 : 33-35.
- Niemeijer, N.R. and de Monchy, J.G.R. 1992. Age dependency of sensitization to aeroallergens in asthmatics. *Allergy (Copenhagen)* 47 (4 Part 2) : 431-435.
- Nussbaum, F. 1991. Variation in the airborne fungal spore population of the Tuscarawas Valley II : A comparison of arboreal and non-arboreal microenvironments. *Mycopathologia*. 116 : 181-198.
- Okudaira, M., Kurata, H. and Sakabe, F. 1977. Studies on the fungal flora in the lung of human necropsy cases. A critical survey in connection with the pathogenesis of opportunistic fungus infections. *Mycopathologia* 61 : 3-18.
- Oren, J. and Baker, G.E. 1970. Molds in Manoa : a study of prevalent fungi in Hawaiian homes. *Ann. Allergy* 28 : 472-481.
- Pady, S.M., Kramer, C.L. and Wiley, B.J. 1962. Kansas aerobiology XII : Materials, methods and general results of diurnal studies 1959-1960. *Mycologia* 54 : 168-180.
- Pady, S.M. and Subbayya, J. 1970. Spore release in *Uncinula necator*. *Phytopathology* 60 : 1702-1703.
- Pandey, M. and Tewari, R.P. 1989. Air and substrate mycoflora associated at various stages of Oyster mushroom cultivation. *Indian Phytopath.* 42 : 173-177.
- Pandit, T. and Singh, A.B. 1992. Prevalence of airborne fungi in a sugar factory environment. *Indian J. Aerobiol. Special Volume* : 145-152.
- Pandit, T. and Singh, A.B. 1994. *Saccharomyces cerevisiae* (yeast) : A potential aeroallergen for workers of sugar industry. *Indian J. Aerobiol.* 7 (1 & 2) : 13-19.
- Papavassiliou, J.T. and Bartzokas, C.A. 1975. The atmospheric fungal flora of the Athens Metropolitan area. *Mycopathologia* 57 : 31-34.
- Papavizas, G.C. 1985. In : *Trichoderma and Gliocladium* : Biology, ecology and potential for biocontrol (Ed. R.J. Cook, G.A. Zentmyer and E.B. Cowling), Annual reviews of

Phytopathology, Vol 23. Palo Alto : Annual Reviews, pp 23-54.

- Paris, S., Debeaupuis, J.P., Prevost, M.C., Casotto, M. and Latge, J.-P. 1991. The 31 kd major allergen, ALTal₁₅₆₃, of *Alternaria alternata*. *J. Allergy Clin. Immunol.* **88** : 902-908.
- Pasanen, A.-L. 1992. Airborne mesophilic fungal spores in various residential environments. *Atmospheric Environment* **26A** : 2861-2868.
- Pasanen, A.-L., Heinonen-Tauski, H., Kalliokoski, P. and Jantunen, M.J. 1992a. Fungal microcolonies on indoor surfaces - An explanation for the base-level fungal spore counts in indoor air. *Atmospheric Environment* **26B** : 117-120.
- Pasanen, A.-L., Niininen, M., Kalliokoski, P., Nevalainen, A. and Jantunen, M.J. 1992b. Air-borne *Cladosporium* and other fungi in damp versus reference residences. *Atmospheric Environment* **26B** : 121-124.
- Pasanen, J. and Fritze, H. 1992. Response of epiphytic microflora from *Pinus sylvestris* needles to alkaline deposition. *Bull. Environ. Contam. Toxicol.* **48** : 253-258.
- Pasteur, L. 1861. Memoire sur las corpuscles organises qui existent dans l'atmosphere. Examen de la doctrine des generations spontanees. *Ann. Sci. Nat. (Zool.)* **16** : 5-98.
- Pathak, V.K. and Pady, S.M. 1965. Numbers and viability of certain airborne fungus spores. *Mycologia* **57** : 301-310.
- Pawsey, R.G. 1964. An investigation of the spore population of the air at Nottingham. II. The results obtained with a Hirst spore trap June-July 1956. *Trans. Br. Mycol. Soc.* **47** : 357-363.
- Pawsey, R.G. and Heath, L.A.F. 1964. An investigation of the spore population of the air at Nottingham. *Trans. Br. Mycol. Soc.* **47** : 351-355.
- Peat, J.K. and Woolcock, A.J. 1991. Sensitivity to common allergens : Relation to respiratory symptoms and bronchial hypersensitiveness in children from three different climatic areas of Australia. *Clin. Exp. Allergy.* **21** (5) : 573-582.
- Platt, S.D., Martin, C.J., Hunt, S.M. and Lewis, C.W. 1989. Damp housing, mould growth, and symptomatic health state. *Br. Med. J.* **298** : 1673-1678.
- Ponnayya, J.H.S. 1978. Department of Agriculture publication, pp. 1-25, India.
- Ponti, I. and Cavani, P. 1992. Aerobiology in plant protection. *Aerobiologia* **8** : 94-101.
- Pouchet, F. 1860. Micrographie atmospherique-moyen de rassembler dans un espace infiniment petit tous les corpuscules normalement invisibles contenus dans un volume d'air determine. *C.R. Acad. Sci. Paris* **50** : 748-750.
- Prahl, P. 1992. Reduction of indoor airborne mould spores. *Allergy* **47** : 362-365.
- Prasada, R. and Prabhu, A.S. 1962. Leaf blight of wheat caused by a new species of *Alternaria*. *Indian Phytopathol.* **15** : 292-293.

- Prince, H.E., Morrow, M.B. and Meyer, G.H. 1964. Molds in occupational environments as causative factors in inhalant allergic diseases : A report of two cases. *Ann. Allergy* **22** : 688.
- Pugh, G.J.F. and Mulder, J. 1971. Mycoflora associated with *Typha latifolia*. *Trans. Br. Mycol. Soc.* **57** : 273-282.
- Rachu, S. and Vittal, B.P.R. 1992. A survey of allergenic molds in house dust and home environment. *Indian J. Aerobiol. Special Volume* : 161-165.
- Raha, S. and Bhattacharya, K.N. 1992. Studies on indoor and outdoor aeromycoflora of Santiniketan with reference to respiratory allergy. *Indian J. Aerobiol. Special Volume* : 171-178.
- Raj, S.K. 1981. Effect of fungicides on germination of conidia of *Alternaria solani* (Ell & Mart) Jones and Grout. *Indian J. Mycol. Res.* **18** : 103-106.
- Raj, S.K. and Chattopadhyay, S.B. 1981. Histochemical studies on pathogenesis in seedling blight of jute incited by *Macrophomina phaseolina* (Tossi) Goid. *Indian J. Mycol. Res.* **19** : 61-66.
- Rajasab, A.H. and Vasanthi Rao, C. 1992. *Aspergillus niger* Van Tiegh. The causal organism of black mold of onion. *Indian J. Aerobiol. Spl. Volume* : 127-132.
- Ramachander Rao, K.S. 1993a. *Alternaria* leaf spot of sunflower. I. Epidemiology and airborne conidia. *Indian J. Aerobiol.* **6** : 45-48.
- Ramachander Rao, K.S. 1993b. *Alternaria* leaf spot of sunflower. II. Meteorological factors associated with disease incidence and atmospheric spore load. *Indian J. Aerobiol.* **6** : 49-52.
- Rantio-Lehtimäki, A. 1988. Yeasts in rural and urban air in Southern Finland. *Grana* **27** : 313-319.
- Rao, M.N. and Lalitha Kumari, D. 1987. Effect of systemic fungicides on *Drechslera oryzae* - the brown spot pathogen of rice. *Indian Phytopath.* **40** : 168-173.
- Rati, E., Jayaprakash, K.B. and Ramalingam, A. 1980. Air-spora of a poultry shed at Mysore. *Indian J. Microbiol.* **22** : 6-12.
- Raut, B.T. and Somani, R.B. 1990. Efficacy of different fungicides : I. Field trials on pod blight of gram. *PKV (Punjab Rao Krishi Vidyapeeth) Res. J.* **14** : 31-34.
- Reenen-Hoekstra, E.S. van, Samson, R.A., Verhoeff, A.P., Wijnen, J.H. van and Brunekreef, B. 1991. Detection and identification of moulds in dutch houses and non-industrial working environments. *Grana* **30** : 418-423.
- Rees, R.G. 1964. The air spora of Brisbane. *Aust. J. Bot.* **12** : 185.
- Requejo, V.H. 1975. Micoflora atmosférica de la ciudad de Trujillo (Peru) III.- Generos aislados durante el año de 1971. *Mycopathologia* **57** : 31-34.

- Rizvi, N., Ahmedunnisa and Ahmed, S.I. 1968. A preliminary survey of air-borne fungus flora in the vicinity of Central Laboratories, Pakistan Council of Scientific and Industrial Research, Karachi. *Pakist. J. Scient. Ind. Res.* 11 : 52-56.
- Roses-Codinachs, M., Suarez-Cervera, M., Marquez, J. and Torres, J. 1992. An aerobiological study of pollen grains and fungal spores of Barcelona (Spain). *Aerobiologia* 8 : 255-265.
- Roth, A. 1966. Allergy in Hawaii. Evaluation of 500 atopic children from the island of Oahu. *Ann. Allergy* 24 : 73.
- Ruscoe, Q.W. 1971. Mycoflora of living and dead leaves of *Nothofagus truncata*. *Trans. Br. Mycol. Soc.* 56 : 463-474.
- Sadoun, K. Al-Tikriti, Muna, Al-Salihi and Gaillard, G.E. 1980. Pollen and mold survey of Baghdad, Iraq. *Ann. Allergy* 45 : 97-99.
- Salisbury, J.H. 1866. On the causes of intermittent and remittent fevers, with investigations which tend to prove that these affections are caused by certain species of *Palmella*. *Am. J. Med. Sci.* 51 : 51-75.
- Sanderlin, R.S. and Shelton, R.R. 1992. Effect of pecan scab disease caused by *Cladosporium caryigenum* on nut parameters of three cultivars. *Phytopathology* 82 (10) : 1133.
- Sandhu, D.K. and Sandhu, R.S. 1973. Survey of *Aspergillus* species associated with human respiratory tract. *Mycopath. Mycol. Appl.* 49 : 77-87.
- Sandhu, D.K., Shivpuri, D.N. and Sandhu, R.S. 1964. Studies on the airborne fungal spores in Delhi. Their role in respiratory allergy. *Ann. Allergy* 22 : 374-384.
- Sandhu, D.K., Sidhu, M.S., Waraich, M.K. and Singh, S. 1983. Association of *Aspergillus fumigatus* with sugarcane bagasse-I. Ecological studies. *Indian J. Microbiol.* 23 : 243-247.
- Sarma, G.C. and Sarma, R. 1993. Incidence of airborne fungal spores in Guwahati. *Indian J. Aerobiol.* 6 : 36-40.
- Satheesh, R., Rao, G.R. and Nair, P.K. K. 1993. Incidence of airborne pollen and spores in the atmosphere of Tiruchirapalli. *Indian J. Aerobiol.* 6 : 1-9.
- Satheesh, R.P. and Rao, G.R. 1994. Fungal spore concentrations in the air at Tiruchirapalli (India) 1987-1988. *Aerobiologia* 10 : 71-75.
- Satpute, M., Dutta, B.K. and Rao, R.R. 1985. Circadian periodicity of pollen and fungal spores of Shillong (Meghalaya). *Indian Phytopath.* 38 : 60-65.
- Savino, E. and Caretta, G. 1992. Airborne fungi in an Italian rice mill. *Aerobiologia* 8 : 267-275.
- Schaffer, N., Molomut, N. and Center, J.G. 1959. Studies on allergenic extracts I. A new method for the preparation of mold extracts using a synthetic medium. *Ann. Allergy* 17 : 380-384.

- Schenck, N.C. 1968. Incidence of airborne fungus spores over watermelon fields in Florida. *Phytopathol.* 58 : 91-94.
- Schwartz, D.A. 1992. Epidemiology of vegetable dust-induced airway disease. Crisp Data Base National Institute of Health, U.S. Dept. of Health & Human Services, U.S.A.
- Sen, C. and Maity, S.S. 1971. Effect of temperature and metal ions on the germination of conidia of *H. oryzae* Breda de Haan. *Sci. & Cult.* 37 : 32-33.
- Sen, K., Banerjee, T., Chakraverty, R. and Roychoudhury, A.K. 1991. Incidence of airborne fungi in different areas of Calcutta. *Indian J. Allergy Appl. Immunol.* 5 : 1-9.
- Sengupta, C. and Chattopadhyay, S.B. 1963. Study of prevalence of airborne conidia of *Helminthosporium oryzae* in relation to weather conditions. *Proc. Indian Sci. Congress.* Abstract No. 78.
- Seshavataram, V. 1965. Spore content of the air over paddy fields during threshing of paddy. *Sci. and Cult.* 31 : 484-485.
- Shaikh, S.T. and Talde, U.K. 1994. Airborne fungal spora observed over *Vitis vinifera* Linn. *Indian J. Aerobiol.* 7 : 28-31.
- Shanmuganathan, N. and Arulpragasam, P.V. 1966. Epidemiology of tea blister blight (*Exobasidium vexans*) II. The diurnal and seasonal periodicity of spores in the air over a tea estate. *Trans. Br. Mycol. Soc.* 49 : 219-226.
- Sharma, A.K. and Gupta, J.S. 1985. A comparative study of airspora and phylloplane mycoflora of yellow sarson and taramira. *Indian Phytopathol.* 38 : 170-171.
- Sharma, P.D., Sainger, D.K. and Niwas, S. 1988. Antagonism between phylloplane and *Alternaria solani* on agar plate. *Acta Bot. Indica* 16 : 236-238.
- Shenoi, M.M. and Ramalingam, A. 1976. Air-spores of a Sorghum field at Mysore. *J. Palynol.* 12 : 43-54.
- Shivpuri, D.N. and Agarwal, M.K. 1969. Studies on the allergenic fungal spores of Delhi, India, metropolitan area. Clinical aspects. *J. Allergy* 44 : 204-213.
- Shivpuri, D.N. and Dua, K.L. 1964. Hyposensitization treatment of 250 patients with bronchial asthma in India against local allergens. A seven year follow up. *Ann. Allergy* 22 : 632.
- Shtienberg, D., Bergeron, S.N., Nicholson, A.G., Fry, W.E. and Ewing, E.E. 1990. Development and evaluation of a general model for yield loss assessment in potatoes. *Phytopathology* 80 : 466-472.
- Shtienberg, D. and Dreishpoun, J. 1991. Suppression of *Alternaria* leaf spot in Pima cotton by systemic fungicides. *Crop Prot.* 10 : 381-385.
- Shukla, P. and Misra, J.K. 1984. Fungi in occupational environs : I. Cobbler shop. *Biol. Mem.* 9 : 95-97.

- Siddiqi, M.A. 1964. Fungus flora of *Coffea arabica* in Nyasaland. *Trans. Br. Mycol. Soc.* **47** : 281.
- Singh, A., Gangal, S.V. and Singh, A.B. 1994. Airborne fungi in the hospitals of metropolitan Delhi. *Aerobiologia* **10** : 11-21.
- Singh, N.I. 1989. Aerobiology and crop diseases in Manipur. *Frontier Botanist II & III* : 1-37.
- Singh, N.I. and Dorycanta, H. 1992. Aerobiology and crop diseases in Manipur VIII. Fungal airspora over a maize field in Senapati District. *Indian J. Aerobiol. Special Volume* 141-144.
- Singh, N.I., Singh, S.B. and Devi, G.A. 1992b. Aerobiology and crop diseases in Manipur. IV. Fungal airspora over a sugarcane field in Imphal district. *Indian J. Aerobiol. Special Volume* : 137-140.
- Singh, R. and Pal, M. 1992. Effect of some insecticides and their compatibility with fungicides on the growth of *Ascochyta rabiei* causing chickpea blight. *Indian Phytopath.* **45** : 66-70.
- Singh, R.K. and Dwivedi, R.S. 1987. Effect of different chemicals on morphological changes in *Sclerotium rolfsii* causing foot rot of barley. *Indian Phytopath.* **40** : 112-113.
- Singh, R.S. 1985. Use of *Epicoccum purpurascens* as an antagonist against *Macrophomina phaseolina* and *Colletotrichum capsicii*. *Indian Phytopath.* **38** : 258-262.
- Singh, S.R. and Singh, N.I. 1992. Aerobiology and epidemiology of rust of broad bean (*Vicia faba* L.) II. Role of interculture practices in the release of uredospores of *Uromyces fabae*. *Indian J. Aerobiol. Spl. Vol.* : 133-136.
- Singh, S., Singh, M., Sandhu, M.S. and Harchand, R.K. 1992a. Exposure of workers to airborne thermophilic Actinomycetes in six agro-environments of Punjab. *Indian J. Aerobiol. Special Volume* : 167-170.
- Sinha, S. 1971. In : Ecology of leaf surface Micro-organisms (Ed. T.F. Preece and C.H. Dickinson), Academic Press, London, pp. 175-189.
- Sinha, S., Chakraverty, R. and Mishra, A.K. 1984. Aspergilli in air over Calcutta. *Indian J. Microbiol.* **24** : 35-38.
- Sinha, S. and Mishra, A.K. 1984. Aerial fungal flora inside the city market. *Indian J. Mycol. Res.* **22** : 137-142.
- Sreenivasulu, S. and Rangaswami, G. 1973. Studies on the effect of three granular organophosphorus insecticides on soil microflora. *Indian J. Microbiol.* **13** : 89-95.
- Sreeramulu, T. 1959. The diurnal and seasonal periodicity of spores of certain plant pathogens in the air. *Trans. Br. Mycol. Soc.* **42** : 177-184.
- Sreeramulu, T. 1961. Concentrations of fungus spores in the air inside a cattle shed. *Acta Allergol. Kbh.* **16** : 337-346.

- Sreeramulu, T. 1962. Aerial dissemination of barley loose smut (*Ustilago nuda*). *Trans. Br. Mycol. Soc.* **45** : 373-384.
- Sreeramulu, T. 1963. Observations on the periodicity in the airborne spores of *Ganoderma applanatum*. *Mycologia* **55** : 371-379.
- Sreeramulu, T. 1964. Incidence of conidia of *Erysiphe graminis* in the air over a mildew-infected barley field. *Trans. Br. Mycol. Soc.* **47** : 31-38.
- Sreeramulu, T. and Ramalingam, A. 1963. Spore content of air over paddy fields. II. Changes in a field near Visakhapatnam from November 3, 1959, to January 9, 1960. *Proc. natn. Acad. Sci. India* **33** : 423-428.
- Sreeramulu, T. and Ramalingam, A. 1964. Some short-period changes in the atmospheric spore content associated with changes in weather and other conditions. *Proc. Indian Acad. Sci.* **59B** : 154-172.
- Sreeramulu, T. and Ramalingam, A. 1966. A two-year study of the airspora of a paddy field near Visakhapatnam. *Indian J. Agric. Sci.* **36** : 111-132.
- Sreeramulu, T. and Seshavataram, V. 1962. Spore content of air over paddy fields. I. Changes in a field near Pentapadu from 21 September to 31 December, 1957. *Indian Phytopath.* **15** : 61-74.
- Srivastava, A.K. and Wadhvani, K. 1992. Dispersion and allergenic manifestation of *Alternaria* airspora. *Grana* **31** : 61-66.
- Stedman, O.J. 1978. A seven-day volumetric spore trap for use within buildings. *Mycopathologia* **66** : 37-40.
- Strachan, D.P., Flannigan, B., McCabe, E.M. and McGarry, F. 1990. Quantification of airborne moulds in the homes of children with and without wheeze. *Thorax* **45** : 382-387.
- Su, H.J., Rotnitzky, A., Burge, H.A. and Spengler, J.D. 1992. Examination of fungi in domestic interiors by using factor analysis : Correlations and associations with home factors. *Appl. Environ. Microbiol.* **58** : 181-186.
- Subba Reddi, C. and Ramakrishna, V. 1978. Vertical profiles of spore concentrations within and above a *Sorghum* crop. *Phytopath. Z.* **93** : 35-40.
- Subba Reddi, C., Ramakrishna, V. and Sreeramulu, T. 1978. Vertical profiles of spores concentrations within and above a sugarcane crop. *Proc. Indian Acad. Sci.* **87B** : 309-317.
- Sumbali, G. and Badyal, K. 1991. Relationship between fungal airspora of fruit shops and incidence of fruit rots. *Indian Phytopath.* **44** : 214-218.
- Szánthó, A., Osváth, P., Horváth, Zs., Novák, E.K. and Kujalek, E. 1992. Study of mold allergy in asthmatic children in Hungary. *J. Invest. Allergol. Clin. Immunol.* **2(2)** : 84-90.

- Tilak, S.T. 1982. Aerobiology. Vaijayanti Prakashan, Aurangabad, India.
- Tilak, S.T. 1987. Air Monitoring (Practical Manual). Vaijayanti Prakashan, Aurangabad, India, pp. 80-87.
- Tilak, S.T. and Srinivasulu, B.V. 1967. Air-spora of Aurangabad. *Indian J. Microbiol.* 7 : 167-170.
- Tiwari, K.L. and Sahu, S.K. 1994. Survey of airborne fungi at Raipur. *Indian J. Aerobiol.* 7 : 20-27.
- Troshina, N.B., Isaev, R.F. and Yamaleev, A.M. 1992. Effect of baytan on the development of the fungi *Helminthosporium sativum* P.K. and B. and *Fusarium graminearum* Schwabe parasitizing wheat plants. *Izvestiya Rossiiskoi Akademii Nauk Seriya Biologicheskaya* 0(1) : 148-152.
- Turner, P.D. 1966. The fungal air spora of Hong Kong as determined by the agar plate method. *Trans. Br. Mycol. Soc.* 49 : 255-267.
- Tyndall, J. 1881. Essays on the floating matter of the air in relation to putrefaction and Infection, Longman S., London pp. 338.
- Uddin, N. and Chakraverty, R. 1994. Airborne fungal load in agricultural environment during threshing operations. *Mycopathologia* 127 : 145-149.
- Uddin, N. and Chakraverty, R. 1995. Airspora measured in a paddy field in West Bengal, India. *Grana* 34 : 345-349.
- Uddin, N. and Chakraverty, R. 1996. Pathogenic and non-pathogenic mycoflora in the air and phylloplane of *Triticum aestivum* L. *Aerobiologia* 12 : 257-268.
- Vardavakis, E. 1988. Seasonal fluctuation of non-parasitic mycoflora associated with living leaves of *Cistus incanus*, *Arbutus unedo* and *Quercus coccifera*. *Mycologia* 80 : 200-210.
- Verma, K.S. and Pandey, M. 1992. Air-borne fungal spores in a hospital ward at Jabalpur. *Proc. Natn. Acad. Sci. India Section B (Biological Sciences)* 62 : 425-427.
- Vidhyasekaran, P. and Ramadoss, N. 1973. Quantitative and qualitative losses in paddy due to helminthosporiose epidemic. *Indian Phytopath.* 26 : 479-484.
- Vijayalakshmi, M. and Rao, A.S. 1993. Effects of six insecticides and one fungicide on the development of VAM fungi in peanut (*Arachis hypogaea* L.). *Zentralbl. Mikrobiol.* 148 : 60-65.
- Vittal, B.P.R. and Krishnamoorthi, K. 1981. Airspora of an agricultural farm in Madras, India. *Grana.* 20 : 61-64.
- Vittal, B.P.R. and Ponnusamy, P. 1982. Species composition of the atmospheric fungal flora of Madras. *Indian J. Microbiol.* 22 : 79-81.
- Wadhvani, K. 1979. Airborne fungal flora of Lucknow (University area). *J. Palynol.* 15 : 105-110.

- Wahl, P.-G. von and Kersten, W. 1991. *Fusarium* and *Didymella*-neglected spores in the air. *Aerobiologia* 7 : 111-117.
- Walkington, D.L. 1960. A survey of the hay fever plants and important atmospheric allergens in the Phoenix, Arizona, metropolitan area. *J. Allergy*. 31 : 25.
- Wickman, M., Gravesen, S., Nordvall, S.L., Pershagen, G. and Sundell, J. 1992. Indoor viable dust-bound microfungi in relation to residential characteristics, living habits and symptoms in atopic and control children. *J. Allergy Clin. Immunol.* 89 : 752-759.
- Xia, F.Y. 1992. Observations on the airborne fungi and their relationship to asthmatic patients in Shenyang Maluwan area. *Chinese J. Preventive Med.* 26 : 353-356.
- Youssef, Y. A. and Karam El-Din, A. 1988. Airborne spores of opportunistic fungi in the atmosphere of Cairo, Egypt. II. Yeast fungi. *Grana* 27 : 247-250.