

ACKNOWLEDGEMENTS

I must convey, at the very beginning, my deep sense of gratitude to my reverend teacher and research adviser, Dr. H. S. Maiti, Head, Electroceramics Division, Central Glass and Ceramic Research Institute, Calcutta for his invaluable guidance, proper planning and untiring help especially during difficult moments, during this research work.

I am highly indebted to Prof. N. K. Mitra, Head, Ceramic Engineering Division, Calcutta University, for his constant encouragement, constructive criticism and valuable suggestion with keen interest regarding this investigation.

Financial support from Extra-Mural Research Division, CSIR, Department of Bio-technology, Govt. Of India in the form of a research fellowship is thankfully acknowledged.

Thanks are also due to Dr. B. K. Sarkar, and Dr. C. Ganguly, former Directors of the Institute.

I owe a great deal to Dr. S. Bandyopadhyay and Mr. D. Chattopadhyay, of Electroceramics Division whose names deserve special mention. Without their kind assistance my thesis would not have come to the present status.

I would like to specially thank Dr. A. Kumar, former scientist of Refractory Division of this Institute for his interest in this work and many useful suggestions.

My senior scientist colleagues at Electroceramics Division, Dr. A. Sen, Mr. N. Halder, Late Dr. A. P. Chatterjee, Dr. M. K. Paria, Dr. S. N. Roy, Dr. R. N. Basu, Dr. (Mrs.) M. Saha, Dr. P. Choudhury, Dr. (Mrs.) S. Majumdar, Dr. A. Das Sharma, Mr. A. K. chatterjee, and a host of other scientists and technical staffs, have always stretched their helping hands whenever necessary. I spent countless good moments with them all.

My friends, fellow research scholars, Dr. D. Bhattacharya, Mr. R. Mukherjee, Dr. D. Saha, Dr. A. Mukherjee, Dr. A. Chakraborty, Mr. P. Mitra, Mr. S. Pratihar, Mr. A. K. Halder, Dr. B. Maiti. Dr. A. Maiti and numerous others, who joined the Institute a little earlier than me, or were contemporary of me, or joined a little latter than me, have all taught me, in their own ways.

I specially wish to thank Mr. S. K. Khan for analysing particle size and Dr. P. S. Devi, and Mrs. M. Raut in studing TGA/ DTA for powder samples used in this work.

I am also grateful to Dr. A. K. Chakraborty, Dr. S. Sen and Mrs. A.Laskar, Scientists and technical staff of this Institute for extending their helping hand in obtaining XRD and SEM work during the course of this work.

I am grateful to Dr. G. Banerjee, Mr. P. Mandal of Refractoty Division of this institute for their undeserved assistance and cooperation in getting the pore size of of the samples.

I am also grateful to Dr. S. Sengupta, Head, Applied Bio-chemistry Department, IICB for micro-biological analysis.

Neat drawing by Mr. T. P. Bhattacharya of Jadavpur University has given a personal touch to the thesis.

I drew inspiration from the healthy and lively academic environment extended to me by all senior scientists, colleagues and especially research fellows of this Institute. I am indebted to all of them.

Before I end, I must walk down to my academic lane to pay tribute to all the teachers in my life who enlightened me with their knowledge to carry me to the door step of this work.

My parents, sisters, son and other close relatives and well wisher have contributed in shaping me to able to tackle the

brighter and darker aspect of life with equal ease. With all of them I grow up slowly and slowly to step into the real big world of scientific research.

Nandini Das

Nandini Das

December, 1998

Electroceramics Laboratory
Central Glass and Ceramic Research Institute