

Ali, S.S., Study of the Eruptive Solar Events: Flares, Eruptive Prominences and Associated CMEs, Ph.D. Thesis, Kumaun University, Nainital, (2007)

Alejandro Lara, Rogelio Caballero, and Eduard Mendoza, Coronal Mass Ejections and Active Prominences Relationship During Solar Cycle 23, AIP Conf. Proc. **895**, 153 (2007).

Ali S.S., Wahab Uddin & Ramesh Chandra : Study of a Large Helical Eruptive Prominence Associated With Double CME on 21 April 2001, J. Astrophys. Astr. **27**, 347–352 (2006).

Ali, S.S. et al.: Study of a Large Helical Eruptive Prominence Associated With Double CME on 21 April 2001, J. Astrophys. Astr. **27**, 347 (2006).

Ali, S.S., Uddin, W., Chandra, R.: Mary, D.L., Vrsnak, B., Helical Eruptive Prominence Associated With a Pair of Overlapping CMEs on 21 April 2001, Sol. Phys., **240**, 89-105 (2007).

Allen, C. W.; Aller, Lawrence, Astrophysics. (Book Reviews: Astrophysical Quantities), Sci., **142**, 569 (1963).

Aly, J. J., How much energy can be stored in a three-dimensional force-free magnetic field? Astrophys. J. Lett., **375**, L61–L64 (1991).

Amari, T. and Luciani, J.F., Confined Disruption of a Three-dimensional Twisted Magnetic Flux Tube, ApJ, **515**, L81, (1999).

Amari, T., Luciani, J.F., Aly, J.J., Mikić, Z., and Linker, J., Coronal Mass Ejection: Initiation, Magnetic Helicity, and Flux Ropes. I. Boundary Motion-Driven Evolution, ApJ, **585**, 1073, (2003a).

Amari, T., Luciani, J.F., Aly, J.J., Mikić, Z., and Linker, J., Coronal Mass Ejection: Initiation, Magnetic Helicity, and Flux Ropes. II. Turbulent Diffusion-driven Evolution, ApJ, **595**, 1231, (2003b).

Amari, T., Luciani, J.F., Aly, J.J., Tagger, M., Very Fast Opening of a Three-dimensional Twisted Magnetic Flux Tube, ApJ, **466**, L39, (1996).

Amari, T., Luciani, J.F., Mikic, Z. and Linker, J., A Twisted Flux Rope Model for Coronal Mass Ejections and Two-Ribbon Flares, *ApJ.*, **529**, L49, (2000).

Ananthakrishnan, R., Distribution of Heights of Prominences. *ApJ*, **133**, 969 (1961).

Antiochos, S.K., Dahlburg, R.B. and Klimchuk, J.A., The magnetic field of solar prominences, *ApJ.*, **420**, L41, (1994).

Antiochos, S.K., DeVore, C.R. and Klimchuk, J.A., A Model for Solar Coronal Mass Ejections, *ApJ.*, **510**, 485, (1999).

Antiochos, S.K., The Magnetic Topology of Solar Eruptions, *ApJ.*, **502**, L181, (1998).

Anzer, U., A Method to Calculate Electric Currents in Quiescent Prominences, *Solar Phys.*, **24**, 324 (1972).

Anzer, U., Structure and equilibrium of prominences, in *Dynamics and Structure Of Quiescent Solar Prominences*, edited by E.R. Priest, p. **143**, Kluwer Academic, Boston (1989).

Aschwanden, M., & Terradas, J., The Effect of Radiative Cooling on Coronal Loop Oscillations, *ApJ*, **686**, L127 (2008).

Aschwanden, M.J., Burlaga, L. E, Kaiser, M. L., et al., The Localization of Particle Acceleration Sites in Solar Flares and CMEs *Space Science Reviews*, **124**, 361 (2006).

Aschwanden, M.J., *Physics of the Solar Corona: An Introduction*, (Springer-Praxis, 2004), p. **703**, (2004).

Athay, R.G. et al.: Vector magnetic fields in prominences. III - HeI D3 Stokes profile analysis for quiescent and eruptive prominences, *Solar Phys.* **89**, 3 (1983).

Ballester, J. L., & Priest, E. R. Model for the fibril structure of solar prominences, *A &A*, **225**, 213 (1989).

Berger et al. Hinode SOT Observations of Solar Quiescent Prominence Dynamics, *ApJ*, **676**, L89 (2008).

Bhatnager, P.L., Krook, M., and Menzel, D.H.: , 'Dynamics of Ionized Media', Rep. Conf. on Dynamics of Ionized Media, Univ. College, London (1951).

Blackman, E.G. and Brandenburg, A., Doubly Helical Coronal Ejections from Dynamos and Their Role in Sustaining the Solar Cycle, *ApJ*, **584**, L99, (2003).

Boischot, A., Caracteres d'un type demission hertzienne associe a certaines Eruptions chromospheriques, *Comptes Rendus Acad. Sci., Paris*, **244**, 1326, (1957).

Bothmer, V., and R. Schwenn, Eruptive prominence as sources of magnetic clouds in the solar wind, *Space sci, Rev.*, **70**, 215, 1994.

Brueckner, G.E., et al., The large angle spectroscopic coronagraph (LASCO), *Sol.Phys.*, **162**, 357, (1995).

Bruzek, A.: , in C. de Jager and Z. Svestka (eds.), *Solar Flares and Space research*, North- Holland, Amsterdam, p.61 (1969b).

Burlaga, L.; Fitzenreiter, R.; Lepping, R. et al.: A magnetic cloud containing prominence material - January 1997, *JGR*, **103**, 277 (1998).

Carrington, R. C., Description of a Singular Appearance seen in the Sun on September 1, 1859, *MNRAS*, **20**, 13, (1859).

Cane, H. V., Kahler, S. W., and Sheeley, N. R., Interplanetary shocks preceded by Solar filament eruptions, *J. Geophys. Res.* **91**, 13321 (1986).

Chae, J., Ahn, K., Lim, E.-K., Choe, G. S., & Sakurai, T., Persistent Horizontal Flows and Magnetic Support of Vertical Threads in a Quiescent Prominence, *ApJ.*, **689**, L73 (2008).

Chandra, R., Study of the Solar Flares and Associated Phenomena, Ph.D. Thesis, Kumaun University, Nainital (2006).

Chen, J., Effects of toroidal forces in current loops embedded in a background plasma. *Astrophys. J.*, **338**, 453 (1989).

Chen, J., Theory of prominence eruption and propagation: Interplanetary consequences, *J. Geophys. Res.*, 101, A12, 27499 (1996).

Chen, P.F. and Shibata, K., An Emerging Flux Trigger Mechanism for Coronal Mass Ejections, *ApJ*, **545**, 524, (2000).

Chen, J., Howard, R.A., Brueckner, G.E., Santoro, R., Krall, J., Paswaters, S.E., St. Cyr, O.C., Schwenn, R., Lamy, P. and Simnett, G.M., Evidence of an Erupting Magnetic Flux Rope: LASCO Coronal Mass Ejection of 1997 April 13, *ApJ*, **490**, L191, (1997).

Chen, P. F., Coronal Mass Ejections: Models and Their Observational Basis, *Living Rev. Solar Phys.*, **8**, 1(2011).

Chifor, C. et al.: The early phases of a solar prominence eruption and associated flare: a multi-wavelength analysis, *Astron. Astrophys.* **458**, 965 (2007).

Chou, Yung-Ping; Charbonneau, Paul, A Numerical Study of the Pre-Ejection, Magnetically-Sheared Corona as a Free Boundary Problem, *SoPh*, **166**, 333 (1996).

Cliver, E. W. & Ling, A. G., 22 Year Patterns in the Relationship of Sunspot Number and Tilt Angle to Cosmic-Ray Intensity , *ApJ*, **551**, L189( 2001).

Davidson, C. R. and Stratton, F. J.M., *Mem. Roy. Astron. Soc.* 64, part 4, Sec. 4, 105 (1927).

De Jager, C.: *Handbuch der Physik* **52**, 80 (1959).

Demoulin, P., Filament formation,, *Advance in Space Research*, **13**, 95 (1993).

Demoulin, P., Solar prominences., *Symposium on Geophysical and Astrophysical MHD as Part of the British Theoretical Mechanics Colloquium: Advances in solar system magnetohydrodynamics*, p. **281** – 305.

Dere, K. P., Brueckner, G. E., Howard, R. A., Michels, D. J. and Delaboudiniere, J. P., LASCO and EIT Observations of Helical Structure in Coronal Mass Ejections, *ApJ*, **516**, 465, (1999).

Deslandres, H.: , *Ann. Obs. Paris-Meudon* **4(1)**, 1 (1910).

DeVore, C. R.; Antiochos, S. K., The Energetics of Breakout Coronal Mass Ejections,

American Astronomical Society, SPD meeting ; Vol. **35**, p.817 (2003).

DeVore, C.R. and Antiochos, S.K., Homologous Confined Filament Eruptions via Magnetic Breakout, *ApJ*, **680**, 740, (2008).

Dungey, J.W.: , A family of solutions of the magneto-hydrostatic problem in a conducting atmosphere in a gravitational field, *Monthly Notices Roy. Astron.Soc.* **113**, 180 (1953).

Eddy, J. A., A Nineteenth-century Coronal Transient, *A&A.*, **34**, 235 (1974).

EINAR TANDBERG-HANSEN and A. GORDON EMSLIE: The Physics of Solar Flares. Cambridge Astrophysics Series. Cambridge University Press, Cambridge-New York-New Rochelle-Melbourne-Sydney, Vol. **14**, 379 (1988).

Engvold, O., Prominence environment., *dssp. Conf.*, **51**(1988).

Feynman, J. and Martin, S.F., The initiation of coronal mass ejections by newly emerging magnetic flux, *JGR*, **100**, 3355, (1995).

Filippov, B. P. , in *New Perspectives on Solar Prominences (IAU Colloquium 167)*, ed.D. Rust, D. F. Webb, and B. Schmieder, Vol. **150**, p. 342 (1998).

Filippov, B.,Koutchmy, S., *Ann. Geophys.*, Causal relationships between eruptive prominences and coronal mass ejections, **26**, 3025-3031, (2008).

Fong, B.; Low, B. C.; Fan, Y., Quiescent Solar Prominences and Magnetic-Energy Storage, *ApJ*, **571**, 987 (2002).

Forbes, T. G., Linker, J. A., Chen, J., Cid, C., Kota, J., Lee, M. A., Mann, G., Mikic, Z.,Potgieter, M. S., Schmidt, J. M., Siscoe, G. L., Vainio, R., Antiochos, S. K., &Riley, P., *CME Theory and Models.*, *Space Sci. Rev.*, **123**, 251–302 (2006).

Forbes, T. G., Linker, J. A., Chen, J., et al., *CME Theory and Models*, *Space. Sc. Rev.*, **123**, 251–302 (2006).

Forbes, T. G.,Fast-shock formation in line-tied magnetic reconnection models of solar flares , *Astrophys. J.*, **305**, 553 (1986).

Forbes, T.G. and Lin, J., What can we learn about reconnection from coronal

mass ejections?, JASTP, **62**, 1499, (2000).

Forbes, T.G., A review on the genesis of coronal mass ejections, JGR, **105**, 23153, (2000).

Forbes, T.G.: ,A review on the genesis of coronal mass ejections J. Geophys. Res. **105**, 23153 (2000).

Forbes, T. G.; Malherbe, J. M.; Priest, E. R., The formation flare loops by magnetic reconnection and chromospheric ablation, , Sol. Phys., **120**, 285 (1989).

Forbush, S.E., Three Unusual Cosmic-Ray Increases Possibly Due to Charged Particles from the Sun, Physical Review, **70** (9-10), 771, (1946).

Foukal, P., Solar Astrophysics, 2nd, Revised Edition Wiley-VCH, pp.**480** (2004).

Foukal, P.: .Morphological Relationships in the Chromospheric H $\alpha$  Fine Structure, Solar phys., **19**, 59 (1971).

Garczyska, I. N., Propagation of sprays with deceleration, Sol. Phy., **131**, 129 (1991).

Gilbert, H.R., Serex, E.C., Holzer, T.E., MacQueen R.M., and McIntosh, P.S., Narrow Coronal Mass Ejections, ApJ., **550**, 1093, (2001).

Gilbert, H.R., Holzer, T.E., Burkepile, J.T. and Hundhausen, A.J., Active and Eruptive Prominences and Their Relationship to Coronal Mass Ejections, ApJ., **537**, 503, (2000).

Giovanelli, R.G and McCabe, M.: The Flare-surge Event ,Australian J. Phys, **11**, 191 (1958).

Gopalswamy, N. and Hanaoka, Y., Coronal Dimming Associated with a Giant Prominence Eruption, ApJ., **498**, L179, (1998).

Gopalswamy, N., Coronal Mass Ejections of cycle 23, J. Astrophys. Astron., **27**, 243, (2006).

Gopalswamy, N., Lara, A., Yashiro, S., Nunes, S. and Howard, R.A., Coronal mass ejection activity during solar cycle 23, In: Solar Variability as an Input to the Earth's Environment, Ed. A. Wilson, ESA SP-535, Nooedwijk: ESA, Publ-

ication division, p. **403-414**, (2003a).

Gopalswamy, N., Shimojo, M., Lu, W., Yashiro, S., Shibasaki, K. and Howard, R.A., Prominence Eruptions and Coronal Mass Ejection: A Statistical Study Using Microwave Observations, *ApJ.*, **586**, 562, (2003b).

Gopalswamy, N., White, S. M., and Kundu, M.R, Large-scale features of the sun at 20 centimeter wavelength, *Astrophysics J.*, **379**, 366-380 (1991).

Gopalswamy, N., X-ray and Microwave Signatures of Coronal Mass Ejections, in *Proceeding of the Nobeyama Symposium.*, ed. T. S. Bastin & K. Shibasaki, NRO Rep. **479**, 141 (1999).

Gopalswamy, N., Coronal mass ejections: Initiation and detection, *Adv. Space Res.*, **31(4)**, 869, (2003).

Gopalswamy, N., Yashiro, S., Makela, P., Michalek, G., Shibasaki, K., Hathaway, D.H., Behavior of Solar Cycles 23 and 24 Revealed by Microwave Observations, *ApJ.*, **750**, L42 (6pp) (2012).

Gosling, J. G. , in *Coronal Mass Ejections*, ed. N. Crooker, J. A. Joselyn, and J. Feynman (Washington, D. C.: AGU Geophysical Monograph 90), **17** (1997).

Gosling, J. T., The solar flare myth, *JGR*, **98 (11)**, 18937 (1993).

Gosling, J.T., E. Hildner, R.M. MacQueen, R.H. Munro, A. I. Poland, and C. L. Ross, Mass ejections from the Sun: A view from Skylab, *J. Geophys. Res.*, **79**, 4581 (1974).

Gosling et al., Geomagnetic activity associated with earth passage of interplanetary shock disturbances and coronal mass ejection, *J. Geophys. Res.*, **96**, 7831 (1991).

Grant, R., *History of Physical Astronomy*, Robert Baldwin: London (1855).

Grechnev, V.V. et al., Observations of Prominence Eruptions with Two Radioheliographs, SSRT, and NoRH, *PASJ* **58**, 69 (2006).

Grotian, W., *Z. Ergebnisse der Potsdamer Expedition zur Beobachtung der Sonnenfinsternis am 9. Mai 1929 in Takengon (Nordsumatra). I. Mitteilung:*

Spektroskopische Untersuchungen an Korona und Protuberanzen. Mit 8 Abbildungen., *Astrophys.* **2**, 106 (1931).

Gupta, P., Sharma, R., Yadav, R., Narain, U., A statistical study of prominence eruptions associated with coronal mass ejections during 2002-2008, *International journal of astronomy*, Vol.**3**, No.1 (2014).

Hagyard, M. J.; Teuber, D.; West, E. A.; Smith, J. B, A quantitative study relating observed shear in photospheric magnetic fields to repeated flaring, , *Sol. Phys.*, **91**, 115 (1984).

Hale, G.E., Ellerman, F.: , *The Rumford spectroheliograph of the Yerkes Observatory Publ. Yerkes Obs.* **3(1)**, 3 (1903).

Hale, G.E., *The Spectrohelioscope and its Work. Part III. Solar Eruptions and Their Apparent Terrestrial Effects*, *ApJ.*, **73**, 379, (1931).

Hansen, R. T., Garcia, C. J., et al., A coronal disturbance observed simultaneously with a white-light corona-meter and the 80 MHz Culgoora radioheliograph, *Proc. Astron. Soc. Australia* **2**, 57 (1971).

Hansen, Richard T.; Hansen, Shirley F.; Garcia, Charles J., *Mauna Loa Coronagraph Observations around the 7 March 1970 Eclipse*, *Sol. Phys.*, **15**, 387 (1970).

Heyvaerts, J., *Coronal electric currents produced by photospheric motions*. *Solar Phys.*, **38**, 419–437 (1974).

Hirayama T., *Sol. Phys.*, **100**, 415 (1985).

Hodgson, R., *On a curious Appearance seen in the Sun*, *MNRAS*, **20**, 15 (1859).

Hood, A. W., & Anzer, U., *A model for quiescent solar prominences with normal polarity*, *Sol. Phys.*, **126**, 117 (1990).

Hood, A., *Stability and eruption of prominences*, in *Dynamics and Structure of Quiescent Solar Prominences*, edited by E.R. Priest, p. **167**, Kluwer Academic, Boston (1989).

Hood, A.W. and Priest, E.R., *Critical conditions for magnetic instabilities in force-free coronal loops*, *Geophysical and Astrophysical Fluid Dynamics*, **17**



(3-4), 297 (1981).

Hori, K. & Culhane, J. L., Trajectories of microwave prominence eruptions, *A&A.*, **382**, 666-677 (2002).

House, L. L., and Smart, R. N.: Vector magnetic fields in prominences. I – Preliminary discussion of polarimeter observations in He I D<sub>3</sub>, *Solar Phys.* **80**, 53 (1982).

House, L. L., Wagner, W. J., Hildner, E., Sawyer, C., & Schmidt, H. U., Studies of the corona with the Solar Maximum Mission coronagraph/ polarimeter. *Astrophys. J. Lett.*, **244**, L117–L121 (1981).

House, L.L., Berger, M.A., *Astrophysics.J.*, **323**, 406 (1987).

Howard, R. A., A Historical Perspective on Coronal Mass Ejections. Washington DC American Geophysical Union Geophysical Monograph Series, **165**, 7 (2006).

Howard, R. A., Brueckner, G. E., St. Cyr, O. C. et al. , in Coronal Mass Ejections, ed. N. Crooker, J. A. Joselyn, and J. Feynman (Washington, D. C.: AGU Geophysical Monograph 90), **17** (1997).

Howard, R.A., Sheeley, N.R., Jr., Michels, D.J. and Koomen, M.J., Coronal mass ejections- 1979-1981, *J. Geophys. Res.*, **90**, 8173, (1985).

Hudson, H.S., Acton, L.W. and Freeland, S.L., A Long-Duration Solar Flare with Mass Ejection and Global Consequences, *ApJ.*, **470**, 629, (1996).

Huggins, W.; Note on a Method of Viewing the Solar Prominences without an Eclipse *Proc. Roy. Soc. (London)* **17**, 302 (1869).

Hundhausen, A. J., Burkepile, J. T., & St. Cyr, O. C., Speeds of coronal mass ejections: SMM observations from 1980 and 1984-1989, *J. Geophys. Res.*, **99**, 6543-6552 (1994).

Hundhausen, A. J., Many Faces of the Sun, ed. K. T. Strong, J. L. R. Saba, and B. M. Haisch, Springer-Verlag, New York, p. **143** (1999).

Hundhausen, A. J., Sawyer, C. B., House, L., Illing, R. M. E., & Wagner, W. J., Coronal mass ejections observed during the solar maximum mission – Latitude Distribution and rate of occurrence. *J. Geophys. Res.*, **89**, 2639–2646 (1984).

- Hundhausen, A.J., Coronal Mass Ejections, In: The many faces of the Sun : a summary of the results from NASA's Solar Maximum Mission, eds., K.T. Strong, J.L.R. Saba, B.M. Haisch, and J.T. Schmelz, (New York: Springer-Verlag, 1999), p.143, (1999).
- Hundhausen, A.J., Sizes and locations of coronal mass ejections - SMM observations from 1980 and 1984-1989, J. Geophys. Res., **98**, 13,177 (1993).
- Hyder, Charles L., The Polarization of Emission Lines in Astronomy. II. Prominence Emission-Line Polarization and Prominence Magnetic Fields, ApJ., **141**.1374 (1965).
- Illing, R. & Hundhausen, A., Observation of a coronal transient from 1.2 to 6 solar radii J. Geophys. Res., **90(A1)**, 275 (1985).
- Illing, R. M. E. and Hundhausen, A J., J. Geophys. Res. **91**, 1095 (1986).
- Ioshpa, B. A., Measurement of Magnetic Fields in Solar Prominences, Geomag. Aeron. **2**, 149 (1962).
- Ioshpa, B. A., Solar Corpuscular Streams and Families of Geomagnetic Storms at the Time of the Flight of the Mariner 2, Geomag. Aeron., **3**, 903 (1963).
- Jackson, B. V.; Hick, P. P.; Buffington, A., Halo CME's - Will They Hit or Miss Earth, American Geophysical Union, Fall Meeting, **SH21A-0474** (2002).
- Janssen, P. J., Compt. Rend. Acad. Sci. **67**, 838 (1868).
- Joselyn, J. A., and P. S. McIntosh, Disappearing solar filaments: A useful predictor of geomagnetic activity, J. Geophys. Res., **86**, 4555 (1981).
- Kahler, S. W. et al., Solar filament eruptions and energetic particle event, Astrophys. J. **302**, 504 (1986).
- Kliem, B. and Torok, T., Torus Instability, Phys. Rev. Lett., **96**, 255002, (2006).
- Klimchuk, J. A., On solving the coronal heating problem, Sol. Phys., **234**, 41 – 77 (2006).
- Klimchuk, J. A., Theory of Coronal Mass Ejections, in Geophys. Monograph Series,

Space Weather, ed. P. Song, H. J. Singer, & G. L. Siscoe (AGU), Vol. **125**, 143 ,(2001).

Klien, L. W., and L. F. Burlaga, Interplanetary magnetic clouds at 1AU, *J. Geophys.*, **87**, 613 (1982).

Kong, D. F.; Yan, X. L.; Xue, Z. K., The interaction and eruption of two adjacent filaments, *Ap&SS.*, **348**, 303 (2013).

Kovacs, Agnes; Dezso, L. ,An analysis of surges triggered by a small flare, *Sol.Phys.*, **129**, 313-324 (1990).

Krall, J., Chen, J., Duffin, R.T., Howard, R.A. and Thompson, B.J., Erupting Solar Magnetic Flux Ropes: Theory and Observation, *ApJ.*, **562**, 1045, (2001).

Krall, J., Chen, J. and Santoro, R., Drive Mechanisms of Erupting Solar Magnetic Flux Ropes, *ApJ.*, **539**, 964, (2000).

Kundu, M. R.; McCullough, T. P, Polarization Structure of a Solar Flare Region at 9 .5 mm Wavelength, *Sol. Phys.*, **27**, 182 (1972).

Kuperus, M. & Raadu, M. A., The support of prominences formed in neutral sheets, *A&A.*, **31**, 189.193 (1974).

Labrosse, N., Heinzel, P., Vial, J.-C., Kucera, T., Parenti, S., Gun'ar, S., Schmieder, B., & Kilper, G.Physics of Solar Prominences: I-Spectral Diagnostics and Non-LTE Modelling, *Space Sci. Rev.*, **151**. 243 (2010).

Lang, Cornelia C.; Morris, Mark; Echevarria, Luis, A Radio Polarimetric Study of the Galactic Center Threads, *ApJ.*, **526**,727 (1999).

Leory, J.L., Bommier, V., and Sahal- Brechot, S.: The magnetic field in the prominences of the polar crown, *Solar Phys.*, **83**, 135 (1983).

Leroy, J. L., Dynamics and Structures of Quiescent Prominences, ed. E. R. Priest (Dordrecht: Kluwer), **77** (1989).

Leroy, J.L., Bommier, V., Sahal-Brechot, S.: New data on the magnetic structure of quiescent prominences, *Astron. Astrophys.*, **131**, 33 (1984).

Lin, J., *Astrophys. J.*, **559**, 1180 (2004).

Lin, J., Cme-flare association deduced from catastrophic model of cmes. *Solar Phys.*, **219**, 169–196 (2004).

Lin, J., Soon, W., & Baliunas, S. L. Theories of solar eruptions: a review. *New Astron. Rev.*, **47**, 53–84 (2003).

Lin, Jinquang; Chen, Bo; Cao, Jianlin, Cryogenic target for low-debris soft x-ray generation, *SPIE.*, **154**, 3443, (1998).

Lin, Y., Engvold, O., & Wiik, J. E., Counterstreaming in a Large Polar Crown Filament, *Sol. Phys.*, **216**, 109 (2003).

Lin, Y., Engvold, O., Rouppe van der Voort, L. H. M., & van Noort, M. Evidence of Traveling Waves in Filament Threads, *Sol. Phys.*, **246**, 65 (2007).

Lin, Y., Engvold, O., Rouppe van der Voort, L. H. M., Wiik, J. E., & Berger, T. E., Thin Threads of Solar Filaments, *Sol. Phys.*, **226**, 239 (2005).

Lin, Y., Martin, S. F., & Engvold, O., in *ASP Conf. Ser. 383, Subsurface and Atmospheric Influences on Solar Activity*, ed. R. Howe, R. W. Komm, K. S. Balasubramaniam, & G. J. D. Petrie(San Francisco: ASP), **235** (2008).

Lin, Y., PhD Thesis, University of Oslo, Norway (2004).

Lin, Y., Soler, R., Engvold, O., Ballester, J. L., Langangen., Oliver, R., & Rouppe van der Voort, L.H. M., *ApJ.*, **704**, 870 (2009).

Linker, J.A., Lionello, R., Mikić, Z. and Amari, T., Magnetohydrodynamic modeling of prominence formation within a helmet streamer, *J. Geophys. Res.*, **106**, 25165, (2001)

Lockyer, J. N., *Compt. Rend. Acad. Sci.* **67**, 949 (1868b).

Lockyer, J. N.,*Compt. Rend. Acad. Sci.* **67**, 836 (1868a).

Loden, K., An investigation of bright and dark surges observed on the sun, *Arkiv. Astron.* 2, **153** (1958).

- Low, B. C., Coronal mass ejections, magnetic flux ropes, and solar magnetism, *J. Geophys. Res.*, **106**, 25141–25163 (2001).
- Low, B. C.; Smith, D. F., The free energies of partially open coronal magnetic fields, *ApJ.*, **410**, 412 (1993).
- Low, B.C. and Hundhausen, A.J., Magnetostatic structures of the solar corona. 2: The magnetic topology of quiescent prominences, *Astrophys.J.*, **443**, 818 (1995).
- Low, B.C., Coronal Mass Ejections, flares and prominences, In: Proceedings of the Ninth International Solar Wind Conference, Eds: S.R. Habbal, R. Esser, J.V. Hollweg, and P. A. Isenberg., *AIP Conf. Proc.*, **471**, 109, (1999).
- Low, B.C., Coronal mass ejections, magnetic flux ropes, and solar magnetism, *JGR*, **106**, 25141, (2001).
- Low, B.C., Solar Activity and the Corona, *Solar Phys.*, **167**, 217, (1996).
- Low, B.C., Force-free magnetic fields with singular current-density surfaces, *AstroPhys. J.* **409**, 798 (1993).
- Low, B.C., Solar Activity and the Corona, *Sol. Phys.*, **167**, 217 (1996).
- Low, B. C. , Fong, B. and Fan, Y., The mass of a solar quiescent prominence, *The Astrophysical Journal*, **594**, 1060–1067 (2003).
- Luna, M.; Karpen, J. T.; DeVore, C. R., Formation and Evolution of a Multi-threaded Solar Prominence, *ApJ.*, **746**, 30 (2012).
- Lynch, B.J.; Antiochos, S.K.; DeVore, C.R.; Luhmann, J.G.; Zurbuchen, T.H., Topological Evolution of a Fast Magnetic Breakout CME in Three Dimensions, *ApJ*, **683**, 1192, (2008).
- Lynch, B.J.; Antiochos, S.K.; MacNeice, P.J.; Zurbuchen, T.H.; Fisk, L.A., Observable Properties of the Breakout Model for Coronal Mass Ejections, *ApJ.*, **617**, 589, (2004).
- Lyot, B., *C. R. Acad. Sci.* **202**, 392 (1936).

Lyot, B.: Quelques Observations de la Couronne Solaire et des Protuberances en 1935, *Bull. Soc. Astron. France.*, **51**, 203 (1937).

Mackay, D. H., Karpen, J. T., Ballester, J. L., Schmieder, B., & Aulanier, G., Physics of Solar Prominences: II—Magnetic Structure and Dynamics, *Space Sci. Rev.*, **151**, 333 (2010)

MacNeice, P.; Antiochos, S. K.; Phillips, A.; Spicer, D. S.; DeVore, C. R.; Olson, K., A Numerical Study of the Breakout Model for Coronal Mass Ejection Initiation, *ApJ.*, **614**, 1028, (2004).

Malherbe, J. M. The formation of solar prominences, *ASSL*. **150**, 115 (1989).

Maricic, D., Vrsnak, B., Stanger, A. L., and Veronig, Coronal Mass Ejection of 15 May 2001: I. Evolution of Morphological Features of the Eruption, *Sol. Phys.*, **225**, 337- 353 (2004).

Marque, C., Radio Metric Observations of Quiescent Filament Cavities, *ApJ.*, **60**, 1037 (2004).

Marque, Ch.; Lantos, P., Quiescent and eruptive filaments in the metric radio range, *Semaine de l'Astrophysique Francaise, conf*, **109** (2002).

Martens, P.C.H and Van Ballegooijen, A.A.: , in *Physics of Magnetic Flux Ropes (A92-31201 12-75)*. Washington, DC, American Geophysical Union, p. **337-342** (1990).

Martin, S.F., Billimoria, R., and Tracadas, P. W.:, in R.J. Rutten and C.J. Schrijver (eds.), *Solar surface Magnetism*, Kluwer Academic Publishers, Dordrecht, Holland. **P. 303** (1993).

Martin, S.F.:, in 'Dynamics of Quiescent Prominences', *Proc. ,IAU, Colloq. 117, Lecture notes in Physics*, **363**, 1 (1990).

Martin, S.F.:, The Evolution of Prominences and Their Relationship to Active Centers (A Review), *Solar Phys.*, **31**, 3 (1973).

- Martin, S. F. and McAllister, A.H., Coronal mass ejections, AGU Monograph **99**, eds., N. Crooker, J. Joselyn and J. Feynman (Washington DC: Amer. Geophys. Union, 1997), **p. 127**, (1997).
- Martin, S. F., Conditions for the Formation and Maintenance of Filaments, *Solar Phys.*, **182**, 107, (1998).
- Marubashi, K., Structure of the interplanetary magnetic clouds and their solar origins, *AdSpR.*, **6**, 335 (1986).
- McCabe, M., Mass Motions in a Flare Spray, *Solar Phys.*, **19**, 451 (1971).
- McComas, D. J., Elliott, H. A., Schwadron, N. A., et al., The three-dimensional solar wind around solar maximum, *Geophys. Res. Lett.*, **30**, 1517 (2003).
- McMath, R. R. & Pettit, E., Prominence Studies. *Astrophys. J.*, **88**, 244 (1938).  
McMath, R. R. & Pettit, E., Prominences of the Active and Sun-Spot Types Compared, *Astrophys. J.*, **85**, 279 (1937).
- Menzel, D.H. and Evans, J.W., *Accad. Naz. Lincei. Convegno Volta* **11**, 119 (1953).
- Mikic, Z. and Lee, M. A., An Introduction to Theory and Models of CMEs, Shocks, and Solar Energetic Particles, *Space Sci. Rev.*, **123**, 57, (2006).
- Mitchell, S. A., *Eclipses of the Sun*, Columbia Univ. Press, New York (1935).
- Mittal, N. & Narain, U., Initiation of CMEs: A review. *J. Atmos. Sol.-Terr. Phys.*, **72**, 643–652 (2010).
- Mittal, N. & Narain, U., On some properties of coronal mass ejections in solar cycle 23, *New Astronomy*, **14**, 341-346 (2009).
- Moon, Y. J., et al.: Low Atmosphere Reconnections Associated with an Eruptive Solar Flare, *JKoAS* **37**, 41 (2004).
- Moore, R. L. & Sterling, A. C., Initiation of Coronal Mass Ejections, in AGU Monograph Series, *Solar Eruptions and Energetic Particles*, ed. N. Gopalswamy, R. Mewaldt, & J. Torsti, **Vol. 165**, 43 (2006).

- Moore, R. L., A. C. Sterling, H. S. Hudson, and J. R. Lemen, Onset of the Magnetic Explosion in Solar Flares and Coronal Mass Ejections, *ApJ.*, **552**, 833, (2001).
- Moore, R. L.; Labonte, B. J., The filament eruption in the 3B flare of July 29, 1973 - Onset and magnetic field configuration, *IAUS.*, **91**, 207 (1980).
- Moore, R. L.; Roumeliotis, G., Triggering of Eruptive Flares - Destabilization of the Preflare Magnetic Field Configuration, *LNP*, **399**, 69 (1992).
- Moore, R.; Rabin, D., Sunspots, *A&A.*, **23**, 239 (1985).
- Moore, R.L.: , *Astrophys. J.*, **324**, 1132 (1998).
- Mouradian, Z.; Soru-Escout, I., A new analysis of the butterfly diagram for solar filaments, *A&A.*, **290**, 279 (1994).
- Munro, R.H.; Gosling, J.T.; Hildner, E.; MacQueen, R.M.; Poland, A.I.; Ross, C. L., The association of coronal mass ejection transients with other forms of solar activity, *Solar Phys.*, **61**, 201, (1979).
- Nakajima, H, Nishio, M., Enome, S, et al., New Nobeyama Radio Heliograph, *Jrnl. Astrophysics & Astron.*, **16**, 437, (1995).
- Newton, H.W.: , Note on two allied types of chromospheric eruption, *Monthly Notices Roy. Astron.Soc.*, **95**, 650 (1935).
- Newton, H.W.: , The distribution of radial velocities of dark Ha markings near sunspots, *Monthly Notices Roy. Astron.Soc.*, **94**, 472 (1934).
- Ning, Z., Cao, W., Okamoto, T. J., Ichimoto, K., & Qu, Z. Q ,Small-scale oscillations in a quiescent prominence observed by HINODE/SOT. *Prominence oscillations, A&A.*, **499**, 595 (2009).
- Nishant Mittal, some properties of prominence eruption associated with CMEs during 1996-2009, *Proceeding IAU Symposium No. 274*, Advances in plasma Astrophysics (2010).
- Okamoto, T. J, et al. ,“Coronal Transverse Magnetohydrodynamic Waves in a Solar Prominence” *Science*, **318**, 1557 (2007).



Pannekoek, A. and Doorn, N.W.: , Verh. Akad. Wetensch. (Amsterdam) **14**, No.2 (1930).

Parker, E. N., Dynamics of the interplanetary gas and magnetic fields, ApJ, **128**, 664-676 (1958).

Patsourakos, S., & Vial, J.-C. ,“SOHO Contribution to Prominence Science” Sol. Phys., **208**, 253 (2002).

Payne-Scott, R., Yabsley, D. E. and Bolton, J. G., Nature, **160**, 256, (1947).

Petit, E., The evidence for tornado prominences, PASP., **62**, 144 (1950)

Pettit, E., Astrophys. J., **50**, 206 (1919).

Pettit, E., Astrophys. J., **84**, 39 (1936)

Pettit, E., Forms and motions of solar prominence, Pub. Yerkes Obs. 3, IV, **205** (1925).

Pettit, E., The properties of solar prominences as related to type, Astrophys. J., **986** (1943).

Pettit, E.: Characteristic features of solar prominence, Astrophys. J., **76**, 9 (1932).

Phillips, K., Guide to the Sun. Cambridge University Press (1995).

Plunkett, S. P., Vourlidas, A., Šimberová, S., Karlický, M., Kotrč, P., Heinzel, P., Kupryakov, Yu. A., Guo, W. P. and Wu, S. T., Simultaneous SOHO and Ground-Based Observations of a Large Eruptive Prominence and Coronal Mass Ejection, Solar Phys., **194**, 371, (2000).

Pneuman, G.W., Solar Phys., **88**, 219 (1983).

Poland, A., & Anzer, U. Energy Balance in Cool Quiescent Prominences, Sol. Phys., **19**, 401(1971).

Priest, E. R.; Forbes, T. G., Magnetic field evolution during prominence eruptions and two-ribbon flares, Sol.Phys.,**126**, 319 (1990).

Priest, E.R. and Forbes, T.G.: “The magnetic nature of solar flares”, *A&Arv.*, **10**, 313 (2002).

Priest, E.R., Hood, A.W., and Anzer, U.: ,A twisted flux-tube model for solar prominences-I. General properties , *Astrophys. J.*, **344**, 1010 (1989).

Priest, E.R., Introduction to quiescent solar prominences, in *Dynamics and Structure of Quiescent Solar Prominences*, edited by E.R. Priest, **p. 1**, Kluwer Academic, Boston, 1989.

Priest, E. R., Book-Review - *Solar Flare Magnetohydrodynamics* ,**Vol.214**, P. 356 (1981).

Rempel, M., Schmitt, D., & Glatzel, W. Stability of a flux tube model for prominences, *A&A.*, **343**, 615 (1999).

Rompolt, B., Small Scale Structure and Dynamics of Prominences, *Hvar Obs. Bull.* **14** (1), 37 (1990).

Roussev, I. I. & Sokolov, I. V., Models of solar eruptions: Recent advances from theory and simulations, in *AGU Monograph Series, Solar Eruptions and Energetic Particles*, ed. N. Gopalswamy, R. Mewaldt, & J. Torsti, **Vol. 165**, 89–102 (2006).

Roy, J-Rene, The Dynamic of Solar Surges, *Solar Phys.*, **32**, 139 (1973).

Rusin, V.; Rybansky, M., Absolute photometry of the corona during the solar eclipse of 1980 February 16, *BAICz.*, **34**, 265 (1983).

Rust, D. M., Magnetic Fields in Quiescent Solar Prominences. I. Observations, *APJ.*, **150**, 313 (1967).

Rust, D.M. and Kumar, P.: , Helical magnetic fields in filaments, *Solar Phys.*, **155**, 69 (1994).

Rust, D.M., Spawning and shedding helical magnetic fields in the solar atmosphere, *Geophys. Res. Lett.*, **21**, 241 (1994).

Saito, K. and Tandberg-Hanssen, E., The Arch Systems, Cavities, and Prominences in the Helmet Streamer Observed at the Solar Eclipse, November 12, 1966, *Solar Phys.*, **31**, 105, (1973)

- Schmieder, B. et al., Relationships between CME's and prominences, *Adv. Space Res.*, **29**, 1451 (2002).
- Schmieder, B., Chandra, R., Berlicki, A., & Mein, P., Velocity vectors of a quiescent prominence observed by Hinode/SOT and the MSDP (Meudon) , *A&A*, **514A**, 68 (2010).
- Schmieder, B., Mein, P., Vial, J.-C., & Tandberg-Hanssen, E., Dynamics of a surge observed in the C IV and H alpha lines , *A&A.*, **127**, 337-344 (1983).
- Schonfelder, A.O. and Hood, A.: Current sheet model for inverse polarity prominences in twisted flux tubes, *Solar Phys.*, **157**, 223 (1995).
- Schwabe, M., Die Sonne. Von Herrn Hofrath Schwabe, *AN.*, **20**, 283 (1843).
- Schwarzschild, K.: , Ueber die totale Sonnenfinsternis vom 30. August 1905, *Astron. Mitt. Sternwarte Göttingen*, **13**, 1 (1906).
- Schwenn, R., An essay on terminology, myths and known facts: solar transient – are - CME - driver gas - piston - BDE - magnetic cloud - shock wave - geomagnetic storm, *Astrophys. Space Sci.*, **243**, 187 (1996).
- Secchi, A., *Compt. Rend. Acad. Sci.*, **66**, 396 (1868).
- Secchi, A., *Le Soleil*, Gauthier-Villars, Paris, **Vols.1 and 2** (1875).
- Severny, A.B., Khoklova, V.L.: , *Izv. Krym. Astrofiz. Obs.*, **10**, 9 (1953).
- Severny, A.B., *Solar Physics* (transl. by G. Yankovsky), Foreign Languages Pub. House, Moscow (1959).
- Sheeley, N.R., Walters, J.H., Wang, Y.M., and Howard, R.A.: , Continuous tracking of coronal outflows: Two kinds of coronal mass ejections, *J. Geophys. Res.* **104**, 24739 (1999).
- Sheeley, N.R., Jr., R. A. Howard, M. J. Koomen, and D. J. Michels, Association between coronal mass ejections and soft X-ray events, *Astrophys. J.*, **272**, 349 ( 1983).

Shibata, K.: Evidence of Magnetic Reconnection in Solar Flares and a Unified Model of Flares, *Ap&SS.*, **264**, 129 (1999).

Shimojo, M., Yokoyama, T. Asai, A., Nakajima, H. and Shibasaki, K., *PASJ*, 58, 85-92, (2005).

Shimojo, Masumi, Unusual Migration of Prominence Activities in the Southern Hemisphere during Cycles 23-24, *Publications of the Astronomical Society of Japan*, **65S**, 16 (2013).

Smith, D.F., Hildner, E., Quin, N.P.M.: Martens-Kuini models of normal and inverse polarity filament eruptions and coronal mass ejections, *Solar Phys.*, **137**, 317 (1992).

Srivastava, Nandita; Schwenn, Rainer; Inhester, Bernd; Martin, Sara F.; Hanaoka, Yoichiro., Factors Related to the Origin of a Gradual Coronal Mass Ejection Associated with an Eruptive Prominence on 1998 June 21-22, *ApJ.*, **534**, 468 (2000).

Srivastava, Nandita; Schwenn, Rainer; Stenborg, Guillermo, Comparative Study of Coronal Mass Ejections Associated with Eruptive Prominences, *ESASP.*, **446**, 621 (1999).

St. Cyr, O. C. and Webb, D. F., Activity associated with coronal mass ejections at solar minimum - SMM observations from 1984-1986, *Sol. Phys.*, **136**, 379 (1991).

St. Cyr, O.C., et al., Properties of coronal mass ejections: SOHO LASCO observations from January 1996 to June 1998. *J. Geophys. Res.* **105**, **A8**, 18169, (2000).

Sterling, A.C. and Moore, R.L., Tether-cutting Energetics of a Solar Quiet-Region Prominence Eruption, *ApJ*, **599**, 1418, (2003).

Sterling, A.C. and Moore, R.L.: Evidence for Gradual External Reconnection before Explosive Eruption of a Solar Filament, *Astrophys. J.*, **602**, 1024 (2004a).

Sterling, A.C. and Moore, R.L.: External and Internal Reconnection in Two Filament-Carrying Magnetic Cavity Solar Eruptions, *Astrophys. J.*, **613**, 1221 (2004b).

Sterling, A.C. and Moore, R.L.: Slow-Rise and Fast-Rise Phases of an Erupting Solar Filament, and Flare Emission Onset, *Astrophys. J.*, **630**, 1148 (2005).

Sterling, A.C., Moore, R.L., and Thompson, B.J.: EIT and SXT Observations of a Quiet-Region Filament Ejection: First Eruption, Then Reconnection, *Astrophys. J.*, **561**, L219 (2001).

Sturrock, P. A., Kaufman, P., Moore, R. L., & Smith, D. F. , Energy release in solar flares. *Solar Phys.*, **94**, 341–357 (1984).

Sturrock, P.A., Maximum energy of semi-infinite magnetic field configurations, *ApJ.*, **380**, 655, (1991).

Sturrock, Peter A.; Weber, Mark; Wheatland, Michael S.; Wolfson, Richard, Metastable Magnetic Configurations and Their Significance for Solar Eruptive Events, *ApJ.*, **548**, 492 (2001).

Sturrock. Peter A; Hyder Charles L. *Space Physics (Book Reviews: Solar flare)*, **Vol. 208**, Issue 4443 pp 491-492 (1980).

Susanna Parenti, Solar Prominences: Observations, *Living Rev. Solar Phys.*, **11**, 1 (2014).

Svestka, Z. , Evidence of Stark broadening of Balmer lines in flares, *Bull. Astron. Inst. Czech. (BAICz)*, **13**, 236 (1962).

Svestka, Z., Cliver, E.W., In: Svestka, Z., Jackson, B.V., Machado, M.E. (Eds.), *Eruptive solar flares*. Springer-Verlag, New York, **pp. 1-14**, (1992).

Svestka, Z., *Solar flare*, **pp 415** soft. Book (1976).

Svestka, Z., Flare Observations, in *Solar Flare magnetohydrodynamics*, E.R. Priest (eds.), **p.47-137** (1981).

Svestka,Z.: Varieties of Coronal Mass Ejections and Their Relation to Flares, *Space Sci. Rev.* **95**, p.135 (2001).

Tandberg-Hanssen, , *Solar Prominences – An Intriguing Phenomenon* *Solar Phys* , **269**, 237- 251 (2011).

Tandberg-Hanssen, E. A., Martin, S. F. and Hansen, R. T..*The Physics of Solar Flares* - Page **263**, (1980).

Tandberg-Hanssen, E., Emslie, A.G.: , In: The Physics of Solar Flares, Cambridge Univ. Press, Cambridge, **140** (1988).

Tandberg-Hanssen, E., Solar Prominences, (Dordrecht, D. Reidel, Geophysics and Astrophysics Monographs.), **12**, p.169,(1974).

Tandberg-Hanssen, E., Solar Prominences, Kluwer Academic Publishers, Dordrecht, Holland (1995).

Tandberg-Hanssen, E.: In: The History of Solar Prominence Research, ASP Conference Series **150**, 11 (1998).

Topka, K.; Moore, R.; Labonte, B. J.; Howard, R., Evidence for a poleward meridional flow on the sun., Solar Phys., **79**, 231 (1982).

Torok, T. and Kliem, B., The evolution of twisting coronal magnetic flux tubes, Astron. Astrophys., **406**, 1043 (2003).

Torok, T. and Kliem, B., Confined and Ejective Eruptions of Kink- unstable Flux Ropes Astrophys. J., **630**, L97 (2005).

Torok, T. and Kliem, B., The Kink Instability in Solar Eruptions, Ed., R.W. Walsh, J. Ireland, D. Danesy, B. Fleck. (Paris: European Space Agency), **ESASP-575**, p.56 (2004.)

Tousey, R., Howard, R.A. and Koomen, M.J., The Frequency and Nature of Coronal Transient Events Observed by OSO-7\*, Bull. American Astron. Soc., **6**, 295, (1974).

Tripathi, D.: 2005, Ph.D. Thesis, University of Gottingen, Copernicus GMBH.

Vaiana , G., Krieger, A., and Timothy, A.; Solar Phys., **32**, 81 (1973).

Valineck, B., Bull. Astron. Inst. Czech. **15**, 207 (1964).

Van Ballegooijen, A.A and Martens, P.C.H.: Formation and eruption of solar prominences, Astrophys. J., **343**, 971(1989).

Van Driel-Gesztelyi, L.; Manoharan, P. K.; Démoulin, P.; Aulanier, G.; Mandrini, C. H.; Lopez-Fuentes, M.; Schmieder, B.; Orlando, S.; Thompson, B.; Plunkett, S.. Initiation of CMEs: the role of magnetic twist, *Journal of Atmospheric and Solar-Terrestrial Physics*, **Volume 62**, Issue 16, p. 1437-1448.

van Ballegooijen, A.A. and Martens, P.C.H., Formation and eruption of solar prominences, *ApJ.*, **343**, 971, (1989)

van Ballegooijen, A.A. and Martens, P.C.H., Magnetic fields in quiescent prominences, *ApJ.*, **361**, 283, (1990)

Vassenius, B., *Phil. Trans. Roy. Soc. London*, **38**, 134 (1733).

Vourlidis, A., Buzasi, D., Howard, R.A. & Esfandiari, E. . Mass and energy properties of LASCO CMEs. In A. Wilson, ed., *Solar Variability: From Core to Outer Frontiers*, **Vol. 506**, 91-94 (2002).

Vrsnak, B., Ruzdjak, V., and Rompolt, B., Stability of prominences exposing helical-like patterns, *Solar Phys.*, **136**, 151 (1991).

Walsh, R. W. & Ireland, J., The heating of the solar corona, *The Astron. Astrophys. Rev.*, **12**, 1 – 12 (2003).

Wang, H., & Goode, P., in *ASP Conf. Ser. 140, Synoptic solar physics*, ed. K. S. Balasubramanian, J. W. Harvey, & D.M. Rabin (San Francisco: ASP), **497** (1998).

Wang, Y.-M. and Sheeley, N.R., Jr., Filament Eruptions near Emerging Bipoles, *ApJ*, **510**, L157, (1999).

Warwick, J.W.: Flare-Connected Prominences , *Astrophys. J.*, **125**, 811(1957).

Webb, D. F., Mizuno, D. R., et al., Solar Mass Ejection Imager (SMEI) observations of coronal mass ejections (CMEs) in the inner heliosphere, *J. Geophys. Res.*, **111**, A12101 (2006).

Webb, D.F., Howard, T.A., *Coronal Mass Ejections: Observations*, *Living Rev. Sol. Phys.*, **9**, 3 (2012).

Webb, D. F., and A. J. Hundhausen, Activity associated with the solar origin of coronal mass ejections, *Sol. Phys.*, **108**, 383 (1987).

Wilson, R.M., and E. Hildner, On the association of magnetic clouds with disappearing filaments, *J. Geophys. Res.*, **91**, 169 (1984).

Wright, C. S., and L.F. McNamara, The relationship between disappearing solar filaments, coronal mass ejections, and geomagnetic activity, *Sol. Phys.*, **87**, 401 (1983).

Westin, H.:, Some Statistical Properties of Surges, *Solar Phys.* **Vol. 7**, Issue 3, pp-393-416 (1969).

Wolfson, R. and Dlamini, B., Cross-Field Currents: an Energy Source for Coronal Mass Ejections?, *ApJ.*, **483**, 961, (1997).

Wolfson, Richard; Saran, Siddharth, Energetics of Coronal Mass Ejections: Role of the Streamer Cavity ,*ApJ.*, **499**, 496 (1998).

Wood, B. E.; Karovska, M.; Chen, J.; Brueckner, G. E.; Cook, J. W.; Howard, R. A., Comparison of Two Coronal Mass Ejections Observed by EIT and LASCO with a Model of an Erupting Magnetic Flux Rope, , *ApJ.*, **512**, 484 (1999).

Wu, Y.Q., Tang, Y. H., Di, Y., and Wu, G. P., The solar origin of the 6 January 1997 Coronal mass ejection, *Solar Phys.*, **207**, 159 (2002).

Yang, G., & Wang, Y. , in proc. COSPAR Colloq., Ser. 14, Magnetic Activity and space Environment, ed. H.N. Wang & R.L. Xu (Boston Pergamom), **113** (2002).

Yashiro, S., Gopalswamy, N., Michalek, G. and Howard, R.A., Properties of Narrow Coronal Mass Ejections Observed With LASCO, *Adv. Space Res.* **32 (12)**, 2631, (2003).

Yashiro, S., Gopalswamy, N., Michalek, G., St. Cyr, O.C., Plunkett, S.P., Rich, N.B. and Howard, R.A., A Catalog of White Light Coronal Mass Ejections Observed by the SOHO Spacecraft, *J. Geophys. Res.*, **109**, A07105, (2004)

Yashiro, S., Michalek, G. and Gopalswamy, N., A comparison of coronal mass ejections identified by manual and automatic methods, *Ann. Geophys.*, **26 (10)**, 3103, (2008).

Zhang, M.; Low, B. C., Magnetic Energy Storage in the Two Hydromagnetic Types of Solar Prominences, *ApJ.*, **600**, 1043 (2004)



Zhang, Mei; Low, Boon Chye, The Hydromagnetic Nature of Solar Coronal Mass Ejections, Annual Review of Astronomy & Astrophysics ,**Vol. 43**, Issue 1, pp.103-137 (2005).

Zirin, H. Astrophysics of the Sun (Cambridge: Cambridge Univ. Press) (1988).

Zirin, H. and Werner, S.: , Detailed analysis of flares, magnetic fields and activity in the sunspot group of Sept. 13, 26, 1963, Solar Phys. **1**, 66 (1967).

Zirin, H., Severny, A.B.:, Measurement of magnetic fields in solar prominences Observatory, **81**, 155 (1961).

Zirin, H., The Solar Atmosphere, Blaisdell-Ginn, Waltham, Mass (1966).

Zirker, J. B., Engvold, O., & Martin, S. F., Counter-streaming gas flows in solar prominences as evidence for vertical magnetic fields”,Nature, **396**, 440 (1998).

Zirker, J. B., Engvold, O., & Yi, Z. , Flows in quiescent prominences, Sol. Phys., **150**, 81(1994).