

## Acknowledgment

The works present here were mostly carried out in the Laboratory for Condensed Matter Physics at S. N. Bose National Centre for Basic Sciences, with financial support in the form of JRF/SRF from the Council of Scientific & Industrial Research, India.

First of all I owe my deepest gratitude to my supervisor Prof. Pratip Kr. Mukhopadhyay for giving me the chance to work in this interesting field of magnetic shape memory alloys and start my thesis work. His constant emphasis on developing system with more robust properties helped me. He helped me with his expert advice and unparalleled guidance from the initial stage of this research. He gave me enough freedom in thinking and choosing my own problems during my research carrier. I am highly obliged to him for his constructive criticism and valuable suggestions, which helped me to present the scientific results in an efficient and effective manner in this thesis.

I sincerely acknowledge Prof. Subham Majumdar from Indian Association for the Cultivation of Science, India, for helpful discussion in the beginning of my Ph.D. and providing us with the samples for measurement. I am thankful to Dr. Dipankar Das and Dr. Souvik Chatterjee from UGC DAE Consortium for Scientific Research, Kolkata, India, for helping us with the SQUID and magnetoresistance measurement. I am also thankful to Prof. Sangam Banerjee of Saha Institute of Nuclear Physics for his valuable insight and help with SQUID measurement. I am thankful to Prof. Subodh Kumar De, from Indian Association for the Cultivation of Science, India and Dr. Amitava Mitra from National Metallurgical Laboratory, India for their valuable suggestions. I am thankful to Prof. Lluís Mañosa and his group at University of Barcelona, Spain for help with calorimetric measurements.

I would like to thank S.N. Bose center for providing the research fellowship during my period of extension and facilities without which it was impossible for me to carry my research. I would like to thank Department of Science and Technology (DST) for providing me financial support during my visit to International Conference of Ferromagnetic Shape Memory Alloys (ICFSMA 2013), in Boise, USA.

I must also thank friends from SNB especially Manotosh and Rajib (*Gadrinath*) for their constant help with instrumentation and programming with labVIEW. I was lucky to have friend like Sandeep Singh who was working on similar materials and his understanding of the system helped me a lot and I am also thankful to him for helping me with Rietveld Analysis. I would like to thank my group-mates (Arun, Syamanta, Tanmoy Ghosh (TG), Injamamul and Dr. BRK) for their support. I am also thankful to my friends Mayukh and Kousik of Saha Institute of Nuclear Physics for helping me with measurement.

I will always be indebted to my friend and seniors Jena, Bipul da, Debraj, Kapil, Prashant and Abhinav (& Arka) and batch mates Abhijit, Debmalya, Tanmoy (TP), Rajiv (CB), Garain, Rishi and Tamal for making my nonacademic life so happening at SNB. I would also like to thank Wasim, Rajshree, Tamisra, Anuradha, Saikat, Basu, Sishir, Soma and Arup for making my stay at center memorable.

I would like to take this opportunity to recall few of my college friends Mukesh (and his MM), Deepak, Chintu, Debarghya, Debasis, Suvankar, Saikat, Piyali and Prajnamita who were always there with me, when I needed them. I would also like to specially thank TG without whom these thesis would not have been possible, who has tolerated constant poking, criticisms and did extra work (though sometimes unwillingly) that I gave him.

Finally my sincerest thanks to my parents, grandparents and my brothers Navin and Abhishek without whom this thesis could never been possible.

Sandeep Agarwal