

LIST OF PLATES

(Numbering of Plates by Chapter and Section)

- 2.1 A close view of the quartzitic bands in the Kora hill near Amarkanan. Joints ⁱⁿ on quartzite and anti-dip slopes are clearly seen. 13
- 2.2 Exposure of quartzite bed rock in the Sali at Salera village, Gangajalghati P.S. The breached hard rock could well be mended with concrete to turn into a low wall to raise the water level about a metre on the upstream side for irrigation. 13
- 2.3 A close view of the successive terraces having different heights and widths on the left bank of the Sali near Maraya village, P.S. Gangajalghati reflecting variations in base level and stream energy. 23
- 2.4 The laterised concretion of *tora* land in Gangajalghati has the alternate use as the collection of road or other surfacing materials locally known as *morrum* is viewed. 23
- 4.1 Lacerating gullies cut through deep gravelly yellow soil area in an undulating terrain. The view above is that of a tributary gully near Ranbahal village, Gangajalghati P.S. 79
- 4.2 Erosion of the laterised mantle underlain by deep coarse gravelly loam near Dhabani village, Barjora. Plantation of eucalyptus does not help checking of soil erosion. 79
- 4.3 A view of the typical rain wash at the village Saharjhora, Barjora P.S. on highly coarse grained loose lateritic soil after the trees were felled. 80

- 4.4 Ravination with digitate gully heads on moderately flat surface having pink yellow laterised loamy soil with a layer of concretion near Sonadwipa village, P.S. Sonamukhi. This is an accelerated soil erosion and may lead to the formation of bad land topography. 80
- 5.1 A view of the fluvial landscape in Barjora. The lower terrace of the Sali in the right hand side is flood-prone and used as grazing ground while the upper terrace is cultivated to paddy. Laterite concretions in the left hand side have been cut away for constructional work. 90
- 5.2 Erosion on the concave bank is accompanied by deposition on the convex bank forming a gravelly point bar at Keshiara village, Gangajalghati P.S. on the Keshiara tributary of the Sali. 90
- 5.3 A view of the V-shaped valley of the Sali developed due to valley trenching and highly fertile narrow flat plains as observed in the down stream section. Locality is near Patrasair. 116
- 5.4 Exposure of hard rocks (granite and quartzite) forming valley side tors near Salera village, P.S. Gangajalghati. Control of the flow of the Sali here is by bed rock joints. 116
- 5.5 A typical channel incision of the Sali in the north of Sonamukhi town. Severely eroded high concave bank made of caliche bearing old alluvium is reviewed. 118
- 5.6 The confluence zone of the Sali and the Damodar makes a dramatic landscape where the shoaled wide Damodar river is on the right hand side and the monsoon swelled Sali river on the left hand side. 118

- 6.1 Men at work to obstruct the flow of the kanjor tributary of the Sali in Kantabandh village (Barjora P.S.) in the Post-monsoon season. The impounded water is to be used for irrigation in the *Rabi* season crops. 148
- 6.2 Dwindled flow of the Sali and its tributary channel immediately after the rainy season have some water for irrigation in the low flat plain near Bijpur village, P.S. Patrasair. 148
- 6.3 A typical *Jhor-bund* and the water impounded for irrigation shown from the upper side of the slope. The locality is Ramkanali village, P.S. Gangajalghati. 150
- 6.4 The oldest *Jhor-bund* in the Basin located at Kantabandh in Barjora P.S. The reservoir is fairly wide but heavily silted up and the worn down embankment is used by the villagers as cart tract and multiple foot paths. 150
- 6.5 Flow of the Sali river in the east of Sonamukhi town under a massive aqueduct overlain by the D.V.C. Right Bank Main Canal. The water of the Canal is not available in the vicinity for irrigation but caused devastating flood in 1978 due to breaching of the aqueduct. 153
- 6.6 A magnificent view of the paddy fields developed on assured irrigation near Sonamukhi town through the Right Bank Main Canal of the D.V.C. and a long unmetalled village road along the high embankment. 153
- 6.7 A low dam across the Sali river near Maraya village of Gangajalghati P.S. impounding only a very limited quantity of water coming down along the feeble stream. 155
- 6.8 A pitiable condition of the down stream flow of the Sali due to damming in 1978 off Maraya village in Gangajalghati P.S. 155

- 7.1 Plantation of eucalyptus trees on the degraded land at Kantabandh, P.S. Barjora. Children seen sweeping away the fallen leaves for domestic fuels hindering the humus accumulation in the top-soil. 180
- 7.2 A little upstream of Gangajalghati, the narrow channel of the Sali through an undulating terrain with cultivation of *aman* paddy on both the bank areas. 180
- 7.3 A little down stream from Sonamukhi town a wide flood plain of the Sali is utilized in high yielding variety of *aman* paddy cultivation. The river here has enough water for irrigation to enable the villagers even to cultivate a second *rabi* crop. 182
- 7.4 Weed choked marsh near Somsar village in Indus P.S. with little water for marginal paddy cultivation. 182
- 7.5 Lifting of water for the double purpose of irrigation of *aman* paddy and reduction of bil area. Locality is near the confluence of the Sali with the Damodar in Indus P.S. 183
- 7.6 A view of the intensively cultivated flood plain rich with recent alluvium at Bhatia village, Patrasair P.S. located near the confluence zone of the Sali and the Damodar. The adequate water availability, monsoonal and sub-surface, has enabled this area to grow even sugarcane, a very high water exerting crop. 183
- 7.7 Happy farmers threshing a bumper yield of paddy crop stored with straw at the background in the confluence zone of the Sali and the Damodar. 194
- 7.8 A view of the general landscape of Keshiara village, Gangajalghati P.S. An extensive occurrence of barren *tora* land with low lying greenish bogs and the Kora hill is at a distant horizon. 194

- 7.9 A general view of the landscape in the *tora* land with cultivation of paddy in the low lying areas in the monsoon season. Locality is in the western part of Ram Chandrapur village in Barjora P.S. 196
- 7.10 A view of the poorly developed standing paddy crops in the undulating terrain suffering from water scarcity in Barjora. 196
- 7.11 Paddy cultivation in monsoon rain in the *kanali* land near Sonamukhi town on fairly deep and fertile soil, sluggish flow of water in the Sali being unsuitable for irrigation. 201
- 7.12 Abundant fodder from bumper paddy straw for the villagers in Sonamukhi to keep large herds of cattle. Heaps of cow dung are seen in the left hand side. 201
- 7.13 A village located downstream on the opposite bank near Sonamukhi town is developed apparently on the safer and higher bank. Paddy fields are in the highly fertile tract towards back side and the other bank is flood-prone. 204
- 7.14 Cultivation of the low yielding traditional variety of aman paddy on monsoon rain in Gangajalghati. Use of water from the Sali Reservoirs far away from its off take causing the canal near the head to go dry. 204