

BIBLIOGRAPHY

- [1] Collings, P. J. *Liquid Crystals: Nature's Delicate Phase of Matter* (Princeton University Press, Princeton, 1990).
- [2] de Gennes, P. G. *"The Physics of Liquid Crystals"*, Clarendon Press, Oxford (1974); P. G. de Gennes and J. Prost, 2nd ed. Clarendon Press, Oxford (1993).
- [3] Chandrasekhar, S. *Liquid Crystals 2nd Edn.* (Cambridge University Press, Cambridge, 1992).
- [4] Reinitzer, F. *Monatshefte fur Chemie.*, **9**, 421-441(1888). "Beitrag zur Kenntnis des Cholesterins."
- [5] Lehmann, O. *Z. Physik. Chem.* **4**, 462- 472 (1889). "Fließende Kristalle."
- [6] *Crystals That Flow: Classic Papers from the History of Liquid Crystals* edited by T. J. Sluckin, D. A. Dunmur and H. Stegemeyer.
- [7] Kanbe, J., Inoue, H., Mizutome, A., Hanyuu, Y., Katagiri, K. and Yoshihara, S. *Ferroelectrics*, **114**, 3-26 (1991), "High resolution, large area FLC display with high graphic performance."
- [8] Walba, D. M., Rego, J. A., Clark N. A. and Shao, R. "Studies on Ferroelectric Liquid Crystal Tolan Derivatives Designed for Nonlinear Optical Applications," in *Macromolecular Host-Guest Complexes: Optical and Optoelectronics Properties and Applications*, S.A. Jenekhe, Ed.; Materials Research Society: Pittsburgh, PA, **277**, 205-216(1992).
- [9] Walba, D. M., Zummach, D. A., Wand, M. D., Thurmes, W. N., More, K. M. and Arnett, K.E. "Synthesis of Ferroelectrics Liquid Crystal Oligomer Glasses for Second Order Nonlinear Optics, in *Liquid Crystal Materials, Devices and Applications II*, M. D. Wand and U. Efron, Eds.; Proc. SPIE **1911**, 21-28(1993).
- [10] Handschy, M. A. Drabik, T. J., Cotter L. K. and Galema, S. D. Fast Ferroelectrics-Liquid-Crystal Spatial Light Modulator with Silicon- Integrated-Circuit Active Backplane, Optical Digital GaAs Technology, Signal Processing Applications; Proc. SPIE, **1291**, 158(1990).
- [11] Walba, D. M., Ros, M. B., Sierra, T., Rego, J. A., Clark, N. A., Shao, R., Wand, M. D., Vohra, R.T., Amett, K. E. and Velsco, S.P. *Ferroelectrics*, **121**, 247-257(1991). "Design and synthesis of ferroelectric liquid crystals. 15. FLC materials for nonlinear optics applications."
- [12] Scmitt, K., Herr, R. P., Schadt, M., Fiinfschilling, J., Buchecker, R., Chen, X. H. and Benecker, C. *Liq. Cryst.*, **14**, 1735-1752 (1993). "Strongly non-linear optical ferroelectric liquid crystals for frequency doubling."
- [13] Sprunt, S., Naciri, J., Ratna, B. R. and Shashidhar, R. *Appl. Phys. Lett.*, **66**, 1443-1445(1995). "Large and stable second harmonic generation in a crystalline phase of a ferroelectric liquid crystal."
- [14] Demus, D. *Mol. Cryst. Liq. Cryst.*, **364**, 25-91 (2001). "One century liquid crystal chemistry: from Vorlander's rods to disks, stars and dendrites."
- [15] Gray, G. W. in *Handbook of Liquid Crystals*. Vol. 1 (Fundamentals), Ed. D. Demus, J. W. Goodby, G. W. Gray, H.-W. Spiess and V. Vill, WILEY-VCH, Verlag GmbH, Weinheim, FRG 1998. "Introduction and Historical Development."
- [16] Collings, P. J. and Hird, M. *"Introduction to liquid crystals chemistry and physics,"* Taylor and Francis, UK. (1997).
- [17] *Liquid Crystals Application and Uses Vol. 1-3*. Ed. B. Bahadur, World Scientific, 1990-92.
- [18] Brown, G. W., Doane, J. W. and Neff, V. D. *A Review of the Structure and Physical Properties of Liquid Crystals*. CRC Press, Cleveland, Ohio (1971).

- [19] Chandrasekhar, S., Sadashiva, B. K. and Suresh, K. A. *Pramana* **9**, 471- 480 (1977). "Liquid crystals of disc-like molecules."
- [20] Billard, J., Dubois, J. C. Nguyen, T. H. and Zann, A. *Nouveau J. Chim.* **2**, 535-540 (1978). "Une mésophase disquotique."
- [21] Hird, M., Goodby, J. W., Gough, N. and Toyne, K. J. *J. Mater. Chem.*, **11**, 2732-2742 (2001), "Novel liquid crystals with a bent molecular shape containing a 1, 5- disubstituted 2,3,4-trifluorophenyl unit. Banana-shaped liquid crystals -synthesis and properties"
- [22] Sathyanarayana, P., Varia, M. C., Prajapati, A. K., Kundu, B., Sastry, V. S. S. and Dhara, S. *Physical Review E*, **82**, 050701-4, (2010). "Splay-bend elasticity of a nematic liquid crystal with T-shaped molecules."
- [23] Paul, M. K., Nath, R. K., Moths, B., Pan, L.D., Wang, S., Deb, R., Shen, Y., Rao, N. V. S. and Huang, C.C. *Phase Transitions*, **85**, No. 12, 1070-1078, (2012) "Layer thinning transition in an achiral four-ring hockey stick shaped liquid crystal."
- [24] Goodby, J. W. *Liq. Cryst.*, **24**, No. 1, 25 - 38 (1998). "Liquid crystals and life."
- [25] Stewart, G. T. *Liq. Cryst.*, **30**, No. 5, 541-557(2003). "Liquid crystals in biology I. Historical, biological and medical aspects."
- [26] Stewart, G. T., *Liq. Cryst.*, **31**, 443-471(2004). "Liquid crystals in biology II. Origins and processes of life."
- [27] Jewell, S.A. *Liq. Cryst.*, **38**, Nos. 11-12, 1699-1714(2011). "Living systems and liquid crystals."
- [28] Brown, G. H. and Wolken, J. J. Eds., *Liquid Crystals and Biological Structures*, AP(1979).
- [29] Friedel, G. "Les états mésomorphes de la matière", *Ann. Physique (Paris)*, **18**, 273 (1922).
- [30] Madsen, L. A., Dingemans, T. J., Nakata, M. and Samulski, E. T. *Phys. Rev. Lett.*, **92**, 145505-08 (2004). "Thermotropic Biaxial Nematic Liquid Crystals."
- [31] Cladis, P.E. *Phys. Rev. Lett.*, **35**, 48-51 (1975). "New Liquid-Crystal Phase Diagram."
- [32] Cladis, P.E., Bogardus, R.K., Daniels, W.B. and Taylor, G.N. *Phys. Rev. Lett.*, **39**, 720-723 (1977). "High-Pressure Investigation of the Reentrant Nematic -Bilayer-Smectic-A Transition."
- [33] Levelut, A. M., Tarento, R. J., Hardouin, F., Achard, M. F. and Sigaud, G. in "Structure of liquid crystal phases", Ed. P. S. Pershan, World Scientific Lecture Notes in Physics - Vol. **23**, 1988. "The smectic state."
- [34] Luckhurst, G. R. and Gray, G. W. (Eds.), "The Molecular Physics of Liquid Crystals", Academic Press, London (1979).
- [35] Demus, D., Diele, S., Klapperstuck, M., Link, V. and Zschke, H. *Mol. Cryst. Liq. Cryst.*, **15**, 161-174 (1971). "Investigation of a Smectic Tetramorphous Substance."
- [36] Goodby, J. W. in the Hand book of liquid crystals Vol. 2A "Low Molecular Weight Liquid Crystals I", Ed. D. Demus, J. Goodby, G. W. Gray, H.-W. Spiess and V. Vill, WILEY-VCH, Verlag GmbH, Weinheim, FRG 1998, chapter I. "Phase structure of calamitic liquid crystals."
- [37] Birgeneau, R. J. and Lister, J. D. *J. de Physique Lettres*, **39**, 399-402 (1978). "Bond orientational order model for smectic B liquid crystals." and Pindak, R., Monkton, D. E., Davey, S. C. and Goodby, J. W. *Phys. Rev. Lett.*, **46**, 1135-1138 (1981). "X-Ray Observation of a Stacked Hexatic Liquid-Crystal B Phase"
- [38] Diele, S., Brand, P. and Sackmann, H. *Mol. Cryst. Liq. Cryst.*, **17**, 163-169 (1972). "X-ray Diffraction and Polymorphism of Smectic Liquid Crystals. II. D and E Modifications"
- [39] Tardieu, A. and Billard, J. *J. Phys. (Paris) Colloq.* **37**, C3-79-81 (1976); "On the structure of the smectic d modification."

- [40] Etherington, G., Leadbetter, A. J., Wang, X. J., Gray, G. W. and Tajbaksh, A. *Liq. Cryst.*, **1**, 209-214 (1986). "Structure of the smectic D phase."
- [41] Diele, S. and Goring, P. in *Handbook of Liquid Crystals*. Vol. **2B** "Low Molecular Weight Liquid Crystals II", Ed. D. Demus, J. Goodby, G. W. Gray, H.-W. Spiess and V. Vill, WILEY-VCH, Verlag GmbH, Weinheim, FRG 1998. "Thermotropic cubic phases."
- [42] Prost, J. *Advances in Physics*, **33**, 1-46 (1984). "The smectic state."
- [43] Sigaud, G., Hardoin, F., Achard, M. F. and Gasparoux, H. *J. de Physique*, **40**, C3-356-359 (1979). "Anomalous transitional behaviour in mixtures of liquid crystals: A new transition of S_A - S_A type?"
- [44] Ratna, B. R., Shashidhar, R. and Raja, V. N. *Phys. Rev. Lett.*, **55**(14), 1476-78 (1985). "Smectic-A phase with two collinear incommensurate density modulations."
- [45] Leadbetter, A. J. in *Thermotropic liquid crystals* (ed. G. W. Gray), p-1, Wiley, Chichester (1987).
- [46] Pershan, P. S. "Structure of Liquid crystals", World Scientific, Singapore (1988).
- [47] Sreenilayam, S., Panarin, Y. P., Vij, J. K., Lehmann, A. and Tschierske, C. *Ferroelectrics*, **431**, 196-201 (2012). "Physical Properties of SmA_b Phase in an Achiral Bent-Core Smectic Liquid Crystal."
- [48] Yelamaggad, C. V., Shashikala, I. S., Shankar Rao, D. S., Nair, G. G. and Prasad, S. K. *J. Mater. Chem.*, **16**, 4099-4102 (2006). "The biaxial smectic ($SmAb$) phase in nonsymmetric liquid crystal dimmers comprising two rodlike anisometric segments: an unusual behavior."
- [49] Wang, S. T., Wang, S. L., Han, X. F., Liu, Z. Q., Findeisen, S., Weissflog, W. and Huang, C. C. *Liq. Cryst.*, **32**, No. 5, 609-617 (2005). "Optical studies on two tilted smectic phases of meta-substituted three-ring liquid crystal compounds."
- [50] Tsykalo, A. L. "Thermophysical properties of liquid crystals", Gordon and Breach Science Publishers, (1991).
- [51] Hochbaum, A. Fluorescent Guest-Host in Scattering Liquid crystals and New Physical Phenomena in Thin Liquid Crystal Films (Ph.D. Thesis), Temple University, p.5 (1980).
- [52] Baessler, H. and Labes, M.M. *Phys. Rev. Lett.*, **21**, 1791-93 (1968). "Relationship Between Electric Field Strength and Helix Pitch in Induced Cholesteric-Nematic Phase Transitions."
- [53] Wysocki, J.J., Adams, J. and Haase, W. *Phys. Rev. Lett.*, **20**, 1024-26 (1968). "Electric-Field-Induced Phase Change in Cholesteric Liquid Crystals."
- [54] Stegemeyer, H., Blumel, Th., Hiltrop, K., Onusseit, H. and Porsch, F. *Liq. Cryst.*, **1**, 3-28(1986). "Thermodynamic, structural and morphological studies on liquid-crystalline blue phases."
- [55] Crooker, P.P. *Liq. Cryst.*, **5**, 751-775(1989). "Plenary Lecture. The blue phases. A review of experiments."
- [56] Vertogen, G. and de Jeu, W. H. *Thermotropic Liquid Crystals, Fundamentals* (Springer-Verlag, Berlin, 1987).
- [57] Lines, M.E. and Glass, A.M. *Principles and Applications of Ferroelectric and Related Materials*, Oxford University Press: Oxford, 2001.
- [58] Pardo, L. and Ricote, J. *Multifunctional Polycrystalline Ferroelectric Materials*, Springer: Dordrecht, 2011.
- [59] Meyer, R.B., Liebart, L., Strzelecki, L. and Keller, P. *J. Physique Lett.(Paris)*, **36**, L69-L71 (1975). "Ferroelectric liquid crystals."
- [60] Meyer, R.B. *Mol. Cryst. Liq. Cryst.*, **40**, 33-48 (1977). "Ferroelectric liquid crystals: A review."
- [61] Musevic, I., Blinc, R. and Zeks, B. *The Physics of Ferroelectric and Antiferroelectric Liquid Crystals*, Singapore, (World Scientific, Singapore 2000).

- [62] Lagerwall, S. T. *Ferroelectric and antiferroelectric Liquid Crystals*, Weinheim, Wiley-VCH, (1999).
- [63] Clark, N. A. and Lagerwall, S. T. in *Ferroelectric Liquid Crystals: Principles, Properties and applications*, (Eds.), Goodby, J.W. Blinc, R. Clark, N.A. Lagerwall, S.T. Osipov, M.A. Pikin, S.A. Sakurai, T. Yoshino, K. Zenks, B. Gordon & Breach, Philadelphia, Ch. VI (1991).
- [64] Takezoe, H., Gorecka, E. and Cepic, M. *Reviews of Modern Physics*, **82**, 897-937(2010). "Antiferroelectric liquid crystals: Interplay of simplicity and complexity."
- [65] Miyachi, K. and Fukuda, A. in *Handbook of Liquid Crystals*, Eds. D. Demus, J. Goodby, G.W. Gray, H.-W. Spiess and V. Vill, Vol. **2B**, Wiley-VCH, Verlag GmbH, Weinheim, FRG (1998), Ch. 3.
- [66] Clark, N. A. and Lagerwall, S. T. *Appl. Phys. Lett.*, **36**, 899-901(1980). "Submicrosecond bistable electrooptic switching in liquid crystals."
- [67] Chandani, A. D. L., Gorecka, E., Ouchi, Y., Takesoe, H. and Fukuda, A. *Jpn.J. Appl. Phys.*, Part 2 **28**, L1265- L1268 (1989). "Antiferroelectric Chiral Smectic Phases Responsible for the Tristable Switching in MHPOBC."
- [68] Levelut, A. M., Germain, C., Keller, P., Lebert, L. and Billard, J. *J. Physique*. **44**, 623-630 (1983). "Two new mesophases in a chiral compound."
- [69] Chandani, A. D. L., Hagiwara, T., Suzuki, Y., Ouchi, Y., Takezoe, H. and Fukuda, A. *Jpn. J. Appl. Phys.* **27**(5), L729 - L732 (1988). "Tristable Switching in Surface Stabilized Ferroelectric Liquid Crystals with a Large Spontaneous Polarization."
- [70] Hird, M. *Liq. Cryst.*, **38**, 1467-1493(2011), "Invited topical review (Ferroelectricity in liquid crystals - materials, properties and applications)."
- [71] Frank, F.C. in *Discussions of the Faraday Soc.*, **25**, 19(1958). "On the Theory of liquid crystals."
- [72] Oseen, C. W. *Arkiv. Materials. Astron. Fysik*, **26A**, No. 5, 10 pp. (1937). "Theory of anisotropic liquids."
- [73] Zocher, H. *Liq. Cryst. Plast. Cryst.* **1**, 64 (1974). "Microstructure of liquid crystals. Swarm theory and the theory of the elastic continuum of liquid crystals."
- [74] Bose, E. *Physik. Z.*, **12**, 60 (1911), *C.A.* **5**, 1219 (1911); "Experimentalbeitrag zur Schwarmtheorie der anisotropen Flüssigkeiten."
- [75] Born, M. *Sitzb. kgl. preuß. Akad. Wiss.* 1916, 614, "Theorie der flüssigen Kristalle und des elektrischen Kerr Effects in Flüssigkeiten."
- [76] Davis, R. C. and Stewart, G. W. *Proc. Iowa Acad. Sci.* **45**, 189 (1938), "Swarm structure of the liquid crystal PAA."
- [77] Maier, W. and Saupe, A. *Z. Naturforsch* **13a**, 564 (1958), "Eine einfach molekularstatische theorie der nematischen kristallinflussign phase, Dispersionswechselwirkung." W. Maier, and A. Saupe, *Z. Naturforsch*, **14a**, 882 (1959). "Eine einfach molekularstatische theorie der nematischen kristallinflussign phase. Teil I." W. Maier, and A. Saupe, *Z. Naturforsch*, **15a**, 287 (1960). "Eine einfach molekularstatische theorie der nematischen kristallinflussign phase. Teil II." A. Saupe and W. Maier, *Z. Naturforsch*, **16a**, 816 (1961), Methoden zur Bestimmung des Ordnungsgrades nematischer Schichten. W Maier, *Angew. Chem.* **73**, 660 (1961); Struktur und Eigenschaften nematisscher Phasen.
- [78] Smekal, A. *Ann. Physik*, **83**, 1202 (1927) "Größenordnung der ideal gebauten Gitterbereichi in Realkristallen."
- [79] Tsvetkov, V. N. *Acta Phisicochim. U.S.S.R* **16**, 132 (1942), "Molecular Ordering in anisotropen Flüssigkeiten."

- [80] Kobayashi, K. K. *Phys. Lett. A*, **31**, 125-126 (1970). "On the theory of translational and orientational melting with application to liquid crystals." : *J. Phys. Soc. Japan*, **29**, 101-105 (1970). "Theory of Translational and Orientational Melting with Application to Liquid Crystals. I." : *Mol. Cryst. Liq. Cryst.*, **13**, 137-148(1971). "Theory of Translational and Orientational Melting with Application to Liquid Crystals."
- [81] McMillan, W. L. *Phys. Rev. A*, **4**, 1238-1246(1971). "Simple molecular model for the smectic A phase of liquid crystals."
- [82] Frenkel, D. *Mol. Phys.*, **60**, 1-20 (1987). "Computer simulation of hard-core models for liquid crystals." : *Liq. Cryst.*, **5**, 929-940 (1989). "Invited Lecture, Columnar ordering as an excluded-volume effect."
- [83] McBride, C. and Wilson, M. R. *Molec. Phys.*, **97**, 4, 511-522 (1999). "Molecular dynamics simulations of a flexible liquid crystal."
- [84] Bates, M.A. and Luckhurst, G. R. *Structure and bonding* Vol. **94**, Springer Heidelberg, 66-134(1995). "Computer simulation of liquid crystal phases formed by Gay-Berne mesogens."
- [85] Luckhurst, G. R., Stephens, R. A. and Phippen, R. W. *Liq. Cryst.*, **8**, Issue 4, 451-464(1990). "Computer simulation studies of anisotropic systems, XIX, Mesophases formed by the Gay-Berne model mesogen."
- [86] Wilson, M. R. and Allen, M. P. *Mol. Cryst. Liq. Cryst.*, **198**, 465-477 (1991). "Computer Simulations of Mesogenic Molecules Using Realistic Atom-Atom Potentials", M. R. Wilson, *J. Molec. Liquids*, **68**, 23-31(1996). "Determination of order parameters in realistic atom-based models of liquid crystal systems."
- [87] Glaser, M. A., Malzbender, R., Clarke, N. A. and Walba, D. M. *Molec. Simulation*, **14**, 343-360(1995). "Atomic-Detail Simulation Studies of Smectic Liquid Crystals."
- [88] Pasini, P. and Zannoni, C. Eds. *Advances in the Computer Simulation of Liquid Crystals*, Kluwer, Dordrecht (2000).
- [89] Hashim, R., Luchurst, G. R. and Romano, S. *J. Chem. Soc. Farad. Trans.*, **91**(14), 2141-2148 (1995). "Computer-simulation studies of anisotropic systems. Part XXIV.-Constant-pressure investigations of the smectic B phase of the Gay-Berne mesogen."
- [90] Luchurst, G. R., Romano, S. and Zewdie, H. B. *J. Chem. Soc. Farad. Trans.*, **92**, 1781-1791 (1996). "Computer simulation studies of anisotropic systems. Part 25. - Chiral nematics, the Dzyaloshinsky-Moriya model."
- [91] Humphries, R. L., James, P. G. and Luckhurst, G. R. *J. Chem. Soc., Faraday Trans. 2*, **68**, 1031-1044(1972). "Molecular field treatment in nematics."
- [92] Ungar G. in *Physical properties of liquid crystals*, (Eds. D. A. Dunmur, A. Fukuda and G. R. Luckhurst), INSPEC, London(2001), Ch 4.1.
- [93] Bhattacharjee, B., Paul, S. and Paul, R. *Molecules. Phys.*, **44**, 1391-1398 (1981). "Order Parameter and the Orientational Distribution Function for 4-Cyanophenyl-4'-n-Heptyl Benzoate in the Nematic Phase."
- [94] Leadbetter, A. J. and Norris, E. K. *Molecules. Phys.*, **38**, 669-686(1979). "Distribution Functions in Three Liquid Crystals from X-Ray Diffraction Measurements."
- [95] de Jeu, W. H. and Bordewijk, P. *J. Chem. Phys.* **68**, 109-115 (1978); "Physical studies of nematic azoxybenzenes. II. Refractive indices and the internal field."
- [96] Tajber, L., Kocot, A., Vij, J. K., Merkel, K., Zalewska-Rejdak, J., Mehl, G. H., Elsasser, R., Goodby, J. W. and Veith, M., *Macromolecules*, **35**, 8601-8608,(2002). "Orientational Order and Dynamics of Nematic Multipodes Based on Carbosilazane Cores Using Optical and Dielectric Spectroscopy."

- [97] McClymer, J. P., Oxborrow, C. A. and Keyes, P. H. *Physical Review A*, **42**, 3549-3552(1990). "Light scattering and magnetic birefringence measurements at the isotropic-nematic and nematic -reentrant-isotropic transitions in a lyotropic nematic liquid crystal."
- [98] Suryaprakash, N. Structure of Molecules by NMR Spectroscopy Using Liquid Crystal Solvents.
- [99] Vertogen, G. and de Jeu W.H. "Thermotropic Liquid Crystals Fundamentals" Part III, 9.5 X-Ray scattering p 187.
- [100] Mandal, P., Paul, R. and Paul, S. *Mol. Cryst. Liq. Cryst.*, **131**, 299-314 (1985). "Studies on the Mesophases of OOBPD by X-Ray Diffraction Method".
- [101] Demus, D. *Textures of liquid crystals*, Verlag Chemie Weinheim, New York (1978).
- [102] I. Dierking, *Textures of liquid crystals* WILEY-VCH, GmbH & Co. KGaA p-16(2003).
- [103] Slaney, A. J., Takatohi, K. and Goodby J. W. in *The Optics of Thermotropic Liquid Crystals*. Ed. S. Elston and R. Sambles, Taylor & Francis, 1998. "Defect textures in liquid crystals."
- [104] Bouligand, Y. in *Handbook of Liquid Crystals*. Vol. 1 (Fundamentals), Ed. D. Demus, J. Goodby, G. W. Gray, H.-W. Spiess and V. Vill, WILEY-VCH, Verlag GmbH, Weinheim, FRG 1998. "Defects and textures."
- [105] Jha, B. and Paul, R. *Proc. Nucl. Phys. and Solid State Phys. Symp., India*, **19C**, 491 (1976). "A Design for High Temperature X-ray Camera for the Study of Liquid Crystals in a Magnetic Field."
- [106] Jha, B., Paul, S., Paul, R. and Mandal, P. *Phase Transitions*, **15**, 39-48 (1989). "Order parameters of some homologue cybotactic nematics from x-ray diffraction measurements."
- [107] Diele, S., Brand, P. and Sackmann, H. *Mol. Cryst. Liq. Cryst.*, **16**, 105-116(1972). "X-Ray Diffraction and Polymorphism of Smectic Liquid Crystals I. A-, B- and C-Modifications."
- [108] de Vries, A. *Pramana, Suppl., No. 1*, 93 (1975). "X-Ray Studies of Liquid Crystals: V, Classification of Thermotropic Liquid Crystals and Discussion of Intermolecular Distances."
- [109] de Vries, A., Ekachi, A. and Sielberg, N. *J. de Phys.*, **40**, C3-147- C3-152 (1979). "X-Ray Studies of Liquid Crystals VI. The Structure of the Smectic A, C, B_n and B₁ Phases of Trans-1, 4-Cyclohexane-DI-N-Octyloxybenzoate."
- [110] Leadbetter, A. J. and Wrighton, P. G. *J. de Physique*, **40**, C3-234-C3242 (1979). "Order parameters in S_A, S_C, and N phases by X-ray diffraction."
- [111] de Vries, A. *Mol. Cryst. Liq. Cryst.*, **131**, 125-145 (1985). "The Use of X-Ray Diffraction in the Study of Thermotropic Liquid Crystals with Rod-Like Molecules."
- [112] Mandal, P., Mitra, M., Paul, S. and Paul, R. *Liq. Cryst.*, **2**, 183-193 (1987). "X-Ray Diffraction and Optical Studies of an Oriented Schiff's Base Liquid Crystal."
- [113] Leadbetter, A. J., Prost, J., Gaughan, J. P. and Mazid, M. A. *J. Phys. Colloques*, **40**, C3-185 - C3-193 (1979). "The structure of the crystal, SmE and SmB forms of IBPBAC."
- [114] Azaroff, L. V. and Schuman, C. A. *Mol. Cryst. Liq. Cryst.*, **122**, 309-319 (1985). "X-Ray Diffraction by Cybotactic Nematics."
- [115] Leadbetter, A. J., Gaughan, J. P., Kelly, B., Gray G. W. and Goodby J. *J. Phys. Colloques* **40** C3-178-C3-184(1979). "Characterisation and structure of some new smectic phases."
- [116] Azaroff, L.V. *Mol. Cryst. Liq. Cryst.*, **60**, 73-98, (1980). "X-Ray Diffraction by Liquid Crystals."
- [117] de Vries, A. *Mol. Cryst. Liq. Cryst.*, **10**, 219-236 (1970). "X-ray photographic studies of liquid crystals I. A cybotactic nematic phase."

- [118] de Vries, A. *Mol. Cryst. Liq. Cryst.*, **11**, 361-383 (1970). "X-Ray Photographic Studies of Liquid Crystals II. Apparent Molecular Length and Thickness in Three Phases of Ethyl-*p*-Ethoxybenzal-*p*-Aminobenzoate."
- [119] Klug, H. P. and Alexander, L. E. "*X-ray Diffraction procedures*," John Wiley and Sons, N. Y., p. 114 and 473 (1994).
- [120] Pelzl, G. in *Handbook of Liquid Crystals*. Vol. 1 (Fundamentals), Ed. D. Demus, J. Goodby, G. W. Gray, H.-W. Spiess and V. Vill, WILEY-VCH, Verlag GmbH, Weinheim, FRG 1998.
- [121] Dunmur, D. A. in *The Optics of the Thermotropic Liquid Crystals*. Ed. S. Elston and R. Sambles, Taylor & Francis, 1998. "Physical origin of liquid crystal optical properties."
- [122] Vuks, M. F. *Optics and Spectroscopy*, **20**, 361-368, (1966). "Determination of optical anisotropy of aromatic molecules from the double refraction of crystals."
- [123] Neugebauer, H. E. J. *Canad. J. Phys.*, **32**, 1-8. (1954). "Clasius-Mossoti equation for certain types of anisotropic crystals."
- [124] de Jeu, W. H. *Physical Properties of Liquid Crystalline Materials*, Ed G. Gray, Gordon and Breach, Vol. 1, p 41, (1980).
- [125] Haller, I., Huggins, H. A., Lilienthal, H. R. and McGuire, T. R. *J. Phys. Chem.*, **77**, 950-954 (1973). "Order-Related Properties of Some Nematic Liquids."
- [126] Zeminder, A. K., Paul, S. and Paul, R. *Mol. Cryst. Liq. Cryst.*, **61**, 191-206 (1980). "Refractive Indices and Orientational Order Parameter of Five Liquid Crystals in Nematic Phase."
- [127] Toriyama, K., Suzuki, K., Nakagomi, T., Ishibashi, T. and Odawara, K. *J. de Phys.*, **40**, C3-317- C3-321 (1979).
- [128] Urban, S. and Kresse, H. in *Physical properties of liquid crystals*, (Eds. D. A. Dunmur, A. Fukuda and G. R. Luckhurst), INSPEC, London(2001), Ch 6.1 and 6.2
- [129] Kresse, H. in *Handbook of Liquid Crystals*, Vols. 2A, (Eds. D. Demus, J. Goodby, G.W. Gray, H.-W. Spiess and V. Vill, Wiley-VCH, Verlag GmbH, Weinheim, FRG (1998), p 91.
- [130] de Jeu, W. H. and Lathouwers, T. W. *Z. Naturforsch*, **29a**, 905 (1974).). "Dielectric Constants and Molecules Structure of Nematic Liquid Crystals. I. Terminally Substituted Azobenzene and Azoxybenzenes."
- [131] *Theory of Electric Polarization*, Vol I (1973). 2nd edition Ed. C. J. F. Bottcher. and Vol II, 2nd edition Ed. C. J. F. Bottcher and P. Bordewijk. Elsevier Scientific Publishing Co. (1978).
- [132] Welford, K. R., Miners, F. and Sambles, J. R. *J. Phys. D: Appl. Phys.*, **21** 1320-1325(1988). "A new technique for determining the dielectric constants of a nematic liquid crystal."
- [133] Yazdanpanahi, M., Bulja, S., Mirshekar-Syahkal, D., James, R., Day, S.E. and Fernandez, F. A. *IEEE Transactions on instrumentation and measurement*, **59**, 3079-3085(2010). "Measurement of Dielectric Constants of Nematic Liquid Crystals at mm-Wave Frequencies Using Patch Resonator."
- [134] Maier, W. and Meier, G. *Z. Naturforsch*, **16a**, 262 (1961). "Einfache Theorie der dielektrischen Eigenschaften von homogen orientierten nematischen Phasen."
- [135] Onsager, L. *J. Am. Chem. Soc.*, **58**, 1486-1493 (1936). "Electric Moments of Molecules in Liquids."
- [136] Haase, W. and Wrobel, S. Eds., *Dielectric Relaxation Spectroscopy*, Springer-Verlag (2003).
- [137] Bottcher, C. J. F. and Bordewijk, P. Ed., *Theory of Electric Polarization*, Vol II. Dielectric in time-dependent fields, Elsevier, Scientific Publishing Co. (1973).
- [138] Hill, N., Vaughan, W. E., Price, A. H. and Davies, M. *Dielectric Properties and Molecular Behavior*, Van Nostrand, London (1969).

- [139] Haase, W., Pranoto, H., Bormnuth, F.J. *Ber. Bunsenges. Phys. Chem.*, **89**, 1229-1234(1985). "Dielectric Properties of Some Side Chain Liquid Crystalline Polymers."
- [140] Smyth, C.P. *Dielectric Behavior and Structure*, McGraw-Hill, N.Y. 1955
- [141] Minkin, V. I., Osipov, O. A. and Zhdanov, Y. A. *Dipole Moments in Organic Chemistry*, New York-London, (1970).
- [142] Jonscher, A. K. *Dielectric Relaxation in Solids*, Chelsea Dielectric Press, London (1983).
- [143] Wrobel, S., Gowda, B. T. and Haase, W. *J.Chem. Phys.*, **106**(10), 5904-5409 (1997). "Dielectric study of phase transitions in 3-nitro-4-chloro-aniline."
- [144] Agarwal, V. K. and Price, A. H. *Mol. Cryst. Liq. Cryst.*, **98**, 193-200 (1983). "Dielectric Relaxation and Order Parameters in Mixtures of 4-cyanobiphenyl and MBBA." and reference therein.
- [145] Daniel, V. V. *Dielectric Relaxation*, Academic Press, London and N.Y. (1967).
- [146] Cole, K.S. and Cole, R.H. *J.Chem.Phys.*, **9**, 341-351(1941). "Dispersion and Absorption in Dielectrics I. Alternating Current Characteristics."
- [147] Havriliak, S. and Negami, S. *J. Polimer Sci.*, **C14**, 99-117 (1966). "A complex plane analysis of α -dispersions in some polymer systems."
- [148] Havriliak, S. and Negami, S. *J. Polimer*, **8**, 161-210(1967). "A complex plane representation of dielectric and mechanical relaxation processes in some polymers."
- [149] Merino, S., de la Fuente, M. R., Gonzalez, Y., Perez Jubindo, M. A., Ros, B. and Puertolas, J. A., *Phys. Rev. E*, **54**, 5169-5177(1996). "Broadband dielectric measurements on the (R)-1-methylheptyl-6-(4'-decyloxybenzoyloxy)-2-naphthalene carboxylate antiferroelectric liquid crystal."
- [150] Hatano, J., Hanakai, Y., Furue, H., Uehara, H., Saito, S. and Murashiro, K. *Jpn. J. Appl. Phys.*, **33**,5498-5502(1994). "Phase Sequence in Smectic Liquid Crystals Having Fluorophenyl Group in the Core."
- [151] Fafara, A., Gestblom, B., Wrobel, S., Dabrowski, R., Drzewinski, W., Kilian, D. and Haase, W. *Ferroelectrics*, **212**, 79-90 (1998). "Dielectric spectroscopy and electrooptic studies of new MHPOBC analogues
- [152] Marzec, M., Dabrowski, R., Fafara, A., Haase, W., Hiller, S. and Wrobel, S. *Fermelectrics*, **180**,127-135(1996). "Gold-stone mode and Domain mode relaxation in ferroelectric phases of 4'-[(S,S) - 2,3 - epoxyhexyloxy] Phenyl 4 (Decyloxy)Benzoate (EHPDB)."
- [153] Uehara, H., Hanakai, Y., Hatano, J., Saito, S. and Murashiro, K. *Jpn. J. Appl. Phys.*, **34**, 5424-5428(1995). "Dielectric Relaxation Modes in the Phases of Antiferroelectric Liquid Crystals."
- [154] Buivydas, M., Lagerwall, S. T., Gouda, F., Dubal, R. and Takeichi, A. *Ferroelectrics*, **212**, 55-65(1998). "The dependence of polarization and dielectric biaxiality on the enantiomeric excess in chiral dopant added to a smectic C host mixture."
- [155] Kresse, H., Schmalfuss, H., Weissflog, W., Tschierske, C. and Hauser, A. *Mol. Cryst. Liq. Cryst.*, **366**, 505-517 (2001). "Dielectric Characterization of B_n Phases."
- [156] Ganzke, D., Wrobel, S. and Haase, W. *Mol. Cryst. Liq. Cryst.*, **409**, 323-333(2004). "Dielectric studies of bicyclohexylcarbonitrile nematogens with large negative dielectric anisotropy."
- [157] Gouda, F., Ph.D. thesis, 1992. "Dielectric relaxation spectroscopy of chiral smectic liquid crystals, Dept. of Physics, Chalmers University of Technology, Goteberg

- [158] Kuczynski, W. Electrooptical studies of relaxation processes in ferroelectric liquid crystals, in: W. Haase, S. Wrobel (Eds), *Relaxation phenomena* –Springer-Verlag, Berlin-Heidelberg (2003) pp 422-444. “Liquid crystals, magnetic systems, polymers, high- T_C superconductors, metallic glasses.”
- [159] Biradar, A.M., Wrobel, S. and Haase, W. *Phys. Rev. A*, **39** 2693-2702(1989). “Dielectric relaxation in the smectic-A^{*} and smectic-C^{*} phases of a ferroelectric liquid crystal.”
- [160] Ahuja, Jasjit K. and Raina, K. K. *Jpn. J. Appl. Phys.*, **39**, 4076-4081 (2000). “Polarization Switching and Dielectric Relaxations in Ferroelectric Liquid Crystals”.
- [161] Panarin, Y.P., Kalinovskaya, O., Vij, J.K. and Goodby, J.W. *Phys. Rev.E*, **55**, 4345-4353 (1997). “Observation and investigation of the ferrielectric subphase with high q_T parameter.”
- [162] Carlsson, T., Zeks, B., Filipic, C. and Levstik, A. *Phys. Rev.A*, **42**, 877-889(1990). “Theoretical model of the frequency and temperature dependence of the complex dielectric constant of ferroelectric liquid crystals near the smectic-C*- smectic- A phase transition.”
- [163] Blinc, R. and Zeks, B. *Phys. Rev. A*, **18** 740-745(1978). “Dynamics of helicoidal ferroelectric smectic-C^{*} liquid crystals.”
- [164] Clark, N.A. and Lagerwall, S.T. *Liquid Crystal of one and two dimensional order*, Ed. W. Helfrich and G. Heppke, p 222. Berlin: Springer.
- [165] Sawyer, C. B. and Tower, C. H. *Phys. Rev.*, **35**, 269-273 (1930). “Rochelle Salt as a Dielectric.”
- [166] Merz, W. J. *Phy. Rev.*, **95**(3), 690-698 (1954). “Domain Formation and Domain Wall Motions in Ferroelectric BaTiO₃ Single Crystals.”; Merz, W. J. *J. Appl. Phys.*, **27**(8), 938-943 (1956). “Switching Time in Ferroelectric BaTiO₃ and Its Dependence on Crystal Thickness.”; Ouchi, Y., Uemura, T., Takezoe, H. and Fukuda, A. *Jpn. J. Appl. Phys.*, **24**(4), L235- L238 (1985). “Correspondence between Stroboscopic Micrographs and Spontaneous Polarization Measurements in Surface Stabilized Ferroelectric Liquid Crystal Cells.”
- [167] Megaw, H. D. *Acta Cryst.*, **7**,187-194 (1954). “Ferroelectricity and crystal structure. II”
- [168] Miyasato, K., Abe, S., Takezoe, H., Fukuda, A. and Kuze, E. *Jpn. J. Appl. Phys.*, **22**, L661-L663 (1983). “Direct Method with Triangular Waves for Measuring Spontaneous Polarization in Ferroelectric Liquid Crystals.”
- [169] Bernal, J. D. and Crowfoot, D. *Trans. Farad. Soc.*, **29**, 1032-1049(1933). “Crystalline phases of some substances studied as liquid crystals.”
- [170] Mandal, P. and Paul, S. *Mol. Cryst. Liq. Cryst.*, **131**, 223-235 (1985). “X-Ray Studies on the Mesogen 4'-n-Pentyloxy-4-Biphenylcarbonitrile (SOCB) in the Solid Crystalline State.”
- [171] Mandal, P., Paul, S., Schenk, H. and Goubitz, K. *Mol. Cryst. Liq. Cryst.*, **135**, 35-48 (1986). “Crystal and Molecular Structure of the Nematogenic Compound 4-Cyanophenyl-4'-n-Heptylbenzoate (CPHB).”
- [172] Mandal, P., Majumdar, B., Paul, S., Schenk, H. and Goubitz, K. *Mol. Cryst. Liq. Cryst.*, **168**, 135-146 (1989). “An X-ray Study of Cyanophenyl Pyrimidines, Part I - Crystal Structure of PCCPP.”
- [173] Mandal, P., Paul, S., Stam, C. H. and Schenk, H. *Mol. Cryst. Liq. Cryst.*, **180**, 369-378 (1990). “X-Ray Studies of Cyanophenyl Pyrimidines Part II The Crystal and Molecular Structure of 5-(4-Ethylcyclohexyl)-2-(4-Cyanophenyl) Pyrimidine.”
- [174] Gupta, S., Mandal, P., Paul, S., de Wit, M., Goubitz, K. and Schenk, H. *Mol. Cryst. Liq. Cryst.*, **195**, 149-159 (1991). “An X-Ray Study of Cyanophenylpyrimidines Part III. Crystal Structure of 5-(trans-4-Heptylcyclohexyl)-2-(4-Cyanophenyl) Pyrimidine.”

- [175] Mandal, P., Paul, S., Schenk, H. and Goubitz, K. *Mol. Cryst. Liq. Cryst.*, **210**, 21-30(1992). "Crystal and Molecular Structure of a Cybotactic Nematic Compound bis-(4'-n-Butoxybenzal)-2-Chloro-1,4-Phenyliinediamine."
- [176] Mandal, P., Paul, S., Goubitz, K. and Schenk, H. *Mol. Cryst. Liq. Cryst.*, **258**, 209-216(1995). "X-ray Structural Analysis of a Mesogenic Compound N,N'-Bis-(p-Butoxybenzylidene)- α , α' - bi - p-Toluidine."
- [177] Nath, A., Gupta, S., Mandal, P., Paul, S. and Schenk, H. *Liq. Cryst.*, **20**, 765-770 (1996). "Structural analysis by X-ray diffraction of a non-polar alkenyl liquid crystalline compound."
- [178] Jaishi, B. R., Mandal, P. K., Goubitz, K., Schenk, H., Dabrowski, R. and Czuprynski, K. *Liq. Cryst.*, **30**, 1327-1333 (2003). "The molecular and crystal structure of a polar mesogen 4-cyanobiphenyl-4'-hexylbiphenyl carboxylate".
- [179] Gane, P. A. C. and Leadbetter, A. J. *Mol. Cryst. Liq. Cryst.*, **78**, 183-200(1981) "The Crystal and Molecular Structure of N-(4-n octyloxy benzylidene)-4'-butylaniline (80.4) and the Crystal-Smectic G Transition."
- [180] Malpezzi, L., Bruckner, S., Ferro, D. R. and Luckhurst, G. R. *Liq. Cryst.*, **28**, 357-363 (2001). "Crystal structure and packing analysis of the liquid crystal dimer α,ω -bis(4-cyanobiphenyl-4'-yloxy)octane".
- [181] Sridhar, M. A., Lokanath, N. K., Shashidhara Prasad, J., Yelammagad, C. V. and Varshney, *Liq. Cryst.*, **28**, 45-49 (2001). "Crystal structure of a cholesterol-based dimesogen."
- [182] Gupta, V.K., Bhandhoria, P., Kalyan, M., Mathews, M. and Yelamaggad, C.V. *Liq. Cryst.*, **32**, 741-747 (2005). "Crystal structure of a liquid crystal non-symmetric dimer: cholesteryl 4-[4-(4-n-butylphenylethynyl) phenoxy]butanoate."
- [183] Walz, L., Nepveu, F. and Haase, W. *Mol. Cryst. Liq. Cryst.*, **148**, 111-121 (1987). "Structural Arrangements of the Mesogenic Compounds 4-Ethyl-4'-(4"-pentylcyclohexyl) biphenyl and 4-Ethyl-2'-fluoro-4'-(4"-pentylcyclohexyl) biphenyl (BCH's) in the Crystalline State."
- [184] Patil, P. S., Shettigar, V., Dharmaprakash, S. M., Naveen, S., Sridhar, M. A. and Shashidhara Prasad, J. *Mol. Cryst. Liq. Cryst.*, **461**, 123-130 (2007). "Synthesis and Crystal Structure of 1-(4-fluorophenyl)-3-(3,4,5-trimethoxyphenyl)-2-propen-1-one."
- [185] Bryan, R. F. Proceedings of the Pre-Congress Symposium on Organic Crystal Chemistry, Poznan, Poland, 105(1979); *J. Structural Chem.*, **23**, 128(1982).
- [186] Haase, W. and Athanassopoulou, M.A. *Liquid Crystals*, D.M.P. Mingos(Ed.), Springer-Verlag, Vol. I, pp. 139-197 (1999).
- [187] Leadbetter, A. J. and Mazid, M. A. *Mol. Cryst. Liq. Cryst.*, **65**, 265-284(1981). "The Crystal and Molecular Structure of N-(4-n-butylloxybenzylidene) - 4' - octylaniline (408) and the Crystal-Smectic B Transition."
- [188] Clegg, W. in *Crystal structure determination*, Oxford Science publications Ch. 2 P 25.
- [189] Stout, G. H. and Jensen, L. H. *X-ray Structure Determination*, Macmillan, New York p195 (1968).
- [190] Ladd, M.F.C. and Palmer, R. A. "Theory and practice of Direct methods in Crystallography", Plenum Pub. Co., N. Y., (1980).
- [191] Germain, G., Main, P. and Woolfson, M. M. *Acta Cryst.B*, **26**, 274-285 (1970). "On the application of phase relationships to complex structures."
- [192] Sheldrick, G. M. *Direct method package program*, University of Gottingen, Germany (1993).
- [193] Hall, S. R. and Stewart, J. M. *XTAL*, University of Western Australia and Maryland (1989).

- [194] Yao Jia-Xing, Zheng Chao-de, Quian Jin-Zi, Han Fu-Son, Gu Yuan-Zin and Fan Hai-Fu, *SAPI: "A Computer Program for Automatic Solution of Crystal Structures from X-ary Data"*, Institute of Physics, Academia Sinica, Beijing (1985).
- [195] Altomere, A., Cascarano, G., Giacovazzo, C., Guagliardi, A., Burla, M. C., Polidori, G. and Camalli, M. *The SIR 92 Programme*, (1992).
- [196] White, P. S. *PC Version of NRCVAX (88)*, University of New Brunswick, Canada (1988).
- [197] Gilmore, C. J. *J. App. Cryst.*, **17**, 42-46 (1984). "MITHRIL-an integrated direct-methods computer program."
- [198] Beurskens, P.T., Beurskens, G., de Gelder, R., Garcia-Granda, S., Gould, R.O. and Smits, J.M.M. "The DIRDIF 2008 program system, Crystallography Laboratory, University of Nijmegen, The Netherlands."
- [199] Gilmore, C. J. in *Direct Methods in Solving Crystal Structures*, H. Schenk (Ed), NATO ASI Series, Plenum Press, New York, p177(1991).
- [200] Buerger, M. J. *Crystal Structure Analysis*, Wiley, New York (1960).
- [201] Schenk, H. (Ed), *Direct Methods in Solving Crystal Structures*, NATO ASI Series, Plenum Press, New York (1991).
- [202] Woolfson, M. M. *An Introduction to X-ray Crystallography*, Cambridge University Press, London, (1970).
- [203] Hauptman, H. and Karle, J. *Acta Cryst.*, **9**, 45-55 (1956) "Structure invariants and seminvariants for noncentrosymmetric space groups; *ibid.*, **12**, 93-97 (1959). "Seminvariants for centrosymmetric space group with conventional centered cells".
- [204] Karle, J. and Hauptman, H. *Acta Cryst.*, **14**, 217-223 (1961). "Seminvariants for non-centrosymmetric space groups with conventional centered cells."
- [205] Karle, J. and Karle, I. L. *Acta Cryst.*, **21**, 849-859 (1966). "The symbolic addition procedure for phase determination for centrosymmetric and non-centrosymmetric crystals."
- [206] Wilson, A. J. C. *Nature*, **150**, 152-152 (1942). "Determination of Absolute from Relative X-Ray Intensity Data."
- [207] Cochran, W. and Woolfson, M. M. *Acta Cryst.*, **8**, 1-12(1955). "The theory of sign relations between structure factors."
- [208] Cochran, W. *Acta Cryst.*, **8**, 473-478 (1955). "Relations between the phases of structure factors".
- [209] Karle, J. and Hauptman, H. *Acta Cryst.*, **9**, 635-651 (1956). "A theory of phase determination for the four types of non-centrosymmetric space groups."
- [210] Germain, G., Main, P. and Woolfson, M. M. *Acta Cryst.B*, **26**, 274-285 (1970). "On the application of phase relationships to complex structures."
- [211] Cascarano, G., Giacovazzo, C. and Viterbo, D. *Acta Cryst. A*, **43**, 22-29 (1987). "Figures of merit in direct methods: a new point of view."
- [212] Hird, M. and Toyne, K.J. *Mol. Cryst. Liq. Cryst.*, **323**, 1-67 (1998). "Fluoro Substitution in Thermotropic Liquid Crystals."
- [213] Dabrowski, R., Dziaduszek, J., Garbat, K., Filipowicz, M., Urban, S., Gauza, S. and Sasnouski, G. *Liq. Cryst.*, **37**, 1529-1537 (2010). "Synthesis and mesogenic properties of three- and four-ring compounds with a fluoroisothiocyanatobiphenyl moiety."
- [214] Mori, A., Hashimoto, M. and Ujiie, S. *Liq. Cryst.*, **38**, 263-276 (2011). "Effects of a semi-fluorinated side chain and a lateral polar group on mesomorphic properties of 5-cyanotroponoids and benzonitriles."

- [215] Hird, M. *Liq. Cryst.*, **38**, 1467–1493(2011), “invited topical review(Ferroelectricity in liquid crystals - materials, properties and applications).”
- [216] Gasowska, J. S., Cowling, S.J., Cockett, M.C. R., Hird, M., Lewis, R. A., Raynes, E. P. and Goodby, J.W. *J. Mater. Chem.*, **20**, 299–307(2010). “The influence of an alkenyl terminal group on the mesomorphic behavior and electro-optic properties of fluorinated terphenyl liquid crystals.”
- [217] Parish, A., Gauza, S., Wu, S., Dziaduszek, J. and Dabrowski, R. *Liq. Cryst.*, **35**, 79–86(2008). “New fluorinated terphenyl isothiocyanate liquid crystals.”
- [218] Goto, Y., Ogawa, T., Swada, S. and Sugimori, S. *Mol. Cryst. Liq. Cryst.*, **209**, 1-7 (1991). “Fluorinated Liquid Crystals for Active Matrix Displays.”
- [219] Demus, D., Goto, Y., Swada, S., Nakagawa, E., Saito, H. and Tarao, R. *Mol. Cryst. Liq. Cryst.*, **260**, 1-21 (1995). “Trifluorinated Liquid Crystals for TFT Displays.”
- [220] Nishi, T., Matsubara, A., Okada, H., Onnagawa, H., Sugimori, S. and Miyashita, K. *Jpn. J. Appl. Phys.*, **34**, 236-237 (1995). “Relationship between Molecular Structure and Temperature Dependence of Threshold Voltage in Fluorinated Liquid Crystals.”
- [221] Petrov, V. F. *Liq. Cryst.*, **19**, 729-741 (1995). “Liquid crystals for AMLCD and TFT-PDLC applications.”; Vladimir F. Petrov, Sofia I. Torgova ; Ludmila A. Karamysheva ; Shunsuke Takenaka, *Liq. Cryst.* **26**, 1141-1162 (1999). “The trans-1,4-cyclohexylene group as a structural fragment in liquid crystals”
- [222] Bartmann, E., Dorsch, D., Finkenzeller, U., Kurmeier, H. A. and Poetsch, E. *Freiburger Arbeitstagung Flüssigkristalle* **19**, P8 (1990).
- [223] Finkenzeller, U., Kurmeier, A. and Poetsch, E. *Freiburger Arbeitstagung Flüssigkristalle*, **18**, P17 (1989).
- [224] Ishikawa, H., Toda, A., Okada, H., Onnagawa, H. and Sugimori, S. *Liq. Cryst.*, **22**, 743-747 (1997). “Relationship between order parameter and physical constants in Fluorinated liquid crystals.”
- [225] Kirsch, P., Naemura, S. and Tarumi, K. *Freiburger Arbeitstagung Flüssigkristalle* **27**, P45 (1998).
- [226] Tabayashi, K. and Akasaka, K. *Liq. Cryst.*, **26**, 127-129 (1999). “Preliminary communication Natural abundance ^2H NMR for liquid crystal studies: deuterium isotope effect on microscopic order.”
- [227] Ishikawa, H., Toda, A., Matsubara, A., Nishi, T., Okada, H., Onnagawa, H., Sugimori, S. and Miyashita, K. *20th Jpn. Symp. Liq. Cryst.*, Nagoya 1G505 (1994).
- [228] Dunmur, D.A., Hanson, R., Okada, H., Onnagawa, H., Sugimori, S. and Toriyama, K.. *Asia Display' 95 Proceeding*, **S22-2**, 563 (1995). “Effect of Intermolecular Interactions on Threshold Voltages for TN and TFT LC-Displays: Dipole Association in F-Substituted Cyclohexyl cyclohexyl benzenes.”
- [229] Klasen, M., Bremer, M., Gotz, A., Manabe, A., Naemura, S. and Tarumi, K. *Jpn. J. Appl. Phys.*, Part 2, **37**, L 945-L948 (1998). “Calculation of Optical and Dielectric Anisotropy of Nematic Liquid Crystals.”
- [230] Haldar, S., Biswas, S., Mandal, P.K., Goubitz, K., Schenk, H. and Haase, W. *Mol. Cryst. Liq. Cryst.*, **490**, 80-87 (2008). “X-Ray Structural Analysis in the Crystalline Phase of a Nematogenic Fluoro-Phenyl Compound.”
- [231] Haldar, S., Mandal, P.K., Prathap, S.J., Guru Row, T.N. and Haase, W. *Liq. Cryst.*, **35**, 1307-1312 (2008). “X-ray studies in the crystalline and nematic phases of 4'-(3, 4, 5 - trifluoro - phenyl) - 4 -Propyl - Bicyclohexyl.”
- [232] Haldar, S., Sinha, D., Mandal, P. K., Goubitz, K. and Peshar, R. *Liq. Cryst.*, **40**, 689-698, (2013). “Effect of molecular conformation on the mesogenic properties of a partially fluorinated nematogenic compound investigated by X-ray diffraction and dielectric measurements.”

- [233] Zaminder, A.K., Paul, S. and Paul, R. *Mol. Cryst. Liq. Cryst.*, **61**, 191-206 (1980). "Refractive Indices and Orientational Order Parameter of Five Liquid Crystals in Nematic Phase."
- [234] Sugimori, S., Kojima, T. and Tsuji, M. (*Chisso*) DE 3.139.130 (1982), (Patent) cited in Liquid Crystal Database, Vill V. (2003), Version 4.4, LCI Publisher, GmbH; Hamburg.
- [235] Yamamoto, H., Takeshita, F., Terashima, K., Kubo, Y., Goto, Y., Sawada, S. and Yano, S. *Mol. Cryst. Liq. Cryst.*, **264**, 57-65 (1995). "Liquid Crystalline Compounds Having 1,2,3-Trifluorophenyl Substituent for AM-LCDs with Low-Voltage IC Driver."
- [236] Kelly, Stephen M., Germann, A., Buchecker, R. and Schadt, M. *Liq. Cryst.*, **16**, 67-93(1994). "Polar nematic methyl (*E*)-[*trans*-4-cyclohexyl-substituted] allyl ethers: Synthesis, liquid crystal transition temperatures and some physical properties."
- [237] Vill, V. *Liq. Cryst. Database*, Version 4.4, LCI Publisher, GmbH, Hamburg (2003) and references therein.
- [238] Leadbetter, A. J., Richardson, R. M. and Colling, C. N. *J. Phys (Paris)*, **36**, C1- 37- C1-43 (1975). "The Structure of a Number of Nematogens."
- [239] Sarkar, P., Mandal, P., Paul, S., Paul, R., Dabrowski, R. and Czuprynski, K. *Liq. Cryst.*, **30** 507-527 (2003). "X-ray diffraction, optical birefringence, dielectric and phase transition properties of the long homologous series of nematogens 4-(*trans*-4'-*n*-alkylcyclohexyl)isothiocyanatobenzenes."
- [240] Sarkar, P., Sarkar, P. K., Paul, S. and Mandal, P. *Phase Transitions*, **71**, 1-12 (2000). "X-ray scattering studies on two nematogenic *p*-alkylphenyl-2-chloro-4-(*p*-alkylbenzoyloxy)-benzoates and their mixtures."
- [241] *Hypercube Inc.*, Gainesville, Florida, USA. "A molecular modeling package for windows."
- [242] Dabrowski, R., Przedmojski, J., Baran, J.W. and Pura, B. *Cryst.Res.Technol.*, **21**, 567-572(1986). "Effect of the Terminal Substituents on the Smectic Layer Spacings in 4-(*trans*-4'-*n*-Alkylelohexyl) Benzoates."
- [243] Mandal, P., Mitra, M., Paul, S. and Paul, R. *Liq Cryst.*, **2**, 183-193 (1987). "X-ray diffraction and optical Studies of an oriented Setoff's base liquid crystal."
- [244] Sarkar, P. K., Paul, S. and Mandal, P. *Mol. Cryst. Liq. Cryst.*, **265**, 249-255 (1995). "Small angle X-ray scattering studies on smectic and nematic phases of a toluidine compound".
- [245] Madhusudana, N. V. and Chandrasekhar, S. *Pramana Suppl.*, **1**, 57-68 (1975). "The Role of Permanent Dipoles in Nematic Order."
- [246] Dunmur, D. A. and Miller, W. H. *Mol. Cryst. Liq. Cryst.*, **11**, 361-383 (1970). "X-Ray Photographic Studies of Liquid Crystals: II. Apparent Molecular Length and Thickness in Three Phases of Ethyl-*p*-ethoxybenzal-*p*-aminobenzoate".
- [247] Dunmur, D. A. and Toriyama, K. *Liq. Cryst.*, **1**, 169-180 (1986). "Light scattering studies of molecular association in mesogenic solutions."
- [248] Toriyama, K. and Dunmur, D. A. *Mol. Cryst. Liq. Cryst.*, **139**, 123-142 (1986). "A new association model for nematogenic systems – its significance for liquid crystal materials research."
- [249] Kedziora, P. and Jadzyn, J. *Mol. Cryst. Liq. Cryst.*, **192**, 31-37 (1990). "Dimerization of Polar Mesogenic Molecules."
- [250] Kedziora, P. and Jadzyn, J. *Acta Physica Polonica*, **A 77**, 605-610(1990). "Dipolar association of nematogens with the isothiocyanato terminal group."
- [251] Megnassan, E. and Proutierre, A. *Mol.Cryst.Liq.Cryst.*, **108**, 245-254 (1984). "Dipole Moments and Kerr Constants of 4-*n*-Alkyl-4'-Cyanobiphenyl Molecules (From 1CB to 12CB) Measured in Cyclohexane Solutions."

- [252] Karat, P. P. and Madhusudana, N. V. *Mol. Cryst. Liq. Cryst.*, **36**, 51-64 (1976). "Elastic and Optical Properties of Some 4'-n-Alkyl-4-Cyanobiphenyls."
- [253] Mitra, M., Majumdar, B., Paul, R. and Paul, S. *Mol. Cryst. Liq. Cryst.*, **180B**, 187-199 (1990). "Molecular Properties and Order Parameters of Schiff's Base Compounds."
- [254] Blinov, L.M., Kizel, V.A., Romyantsev, V.G. and Titov, V.V. *J.de Phys.* **36**, C1-69 - C1-76 (1975). "Study of nematic liquid crystals by means of the guest dye dichroism."
- [255] Sarkar, P., Paul, S. and Mandal, P. *Phase Transitions*, **72**, 25-41 (2000). "DSC, Density and Refractive index studies on two nematogenic p-alkylphenyl-2-chloro-4- (p-alkylbenzoyloxy)-benzoates and their mixtures."
- [256] Dąbrowski, R., Dziaduszek, J., Stolarz, Z. and Kędzierski, J. *J. Opt. Technol.*, **72**, 662-667(2005). "Liquid crystalline materials with low ordinary index."
- [257] Adhikary, B. and Paul, R. *Phase Transitions*, **56**, 165-175 (1996). "Physical properties of three bicyclohexane compounds possessing smectic B phase. II: Refractive index and density measurements."
- [258] Nath, A., Mandal, P., Paul, S. and Chaudhury, B. *Mol. Cryst. Liq. Cryst.*, **281**, 57-63 (1996). "Physical and Molecular Properties of Three Mesogenic Phenyl Cyclohexyl Compounds."
- [259] Schadt, M., Buchecker, R. and Müller, K. *Liq. Cryst.*, **5**, 293-312 (1989). "Material properties, structural relations with molecular ensembles and electro-optical performance of new bicyclohexane liquid crystals in field-effect liquid crystal displays."
- [260] Mitra, M. and Paul, R. *Mol. Cryst. Liq. Cryst.*, **148**, 185-195 (1987). "Order Parameters from Magnetic Susceptibility Measurements on Some Nematogens."
- [261] Gupta, S., Majumdar, B., Mandal, P., Paul, R. and Paul, S. *Phase Transitions*, **40**, 73-83 (1992). "X-ray diffraction and optical studies of three mesogens of a homologous series of alkyl cyclohexyl cyanophenyl pyrimidine."
- [262] Nath, A., Mandal, P. and Paul, S. *Mol. Cryst. Liq. Cryst.*, **299**, 483-489 (1997). "Physical and Molecular Properties of Three Mesogenic Phenyl Cyclohexyl Compounds."
- [263] Kimura, H., Hoshino, M. and Nakano, H. *Mol. Cryst. Liq. Cryst.*, **74**, 55-69 (1981). "Molecular Statistical Theory of the Frank Elastic Constants of Liquid Crystals."
- [264] Thyen, W., Heinemann, F. and Zugenmaier, P. *Liq. Cryst.*, **16**, 993-1003(1994). "The molecular and crystal structure of N-(4-n-butyloxybenzylidene)-4'-ethylaniline (40.2) and N-(4-n-heptyloxybenzylidene)-4'-hexylaniline (70.6)."
- [265] Sarkar, P., Paul, S. and Mandal, P. *Mol. Cryst. Liq. Cryst.*, **365**, 535-542 (2001). "Minimum Energy Configuration of Dimers of Ethyl, Pentyl and Heptyl Members of 5-(trans-4-Alkylcyclo-Hexyl)-2-(4-Cyanophenyl)Pyrimidine."
- [266] Sarkar, P.K., Sarkar, P., Mandal, P. and Manisekaran, T. *Mol. Cryst. Liq. Cryst.*, **325**, 91-97 (1998). "Molecular Structure and Packing in the Crystalline State of 4-n-Ethyl-4'-Cyanobiphenyl (2CB) by Single Crystal X-ray Diffractometry."
- [267] Nath, A., Gupta, S., Mandal, P., Paul, S. and Schenk, H. *Liq. Cryst.*, **20**, 765-770(1996). "Structural analysis by X-ray diffraction of a non-polar alkenyl liquid crystalline compound."
- [268] Mandal, P., Paul, S., Schenk, H. and Goubitz, K. *Mol. Cryst. Liq. Cryst.*, **135**, 35-48 (1986). "Crystal and Molecular Structure of the Nematogenic Compound 4-Cyanophenyl-4'-n-Heptylbenzoate(CPHB)."

- [269] Dabrowski, R., Dziaduszek, J. and Szczucinski, T. *Mol. Cryst. Liq. Cryst.*, **124**, 241-257(1985). "Mesomorphic Characteristics of Some New Homologous Series with the Isothiocyanato Terminal Group."
- [270] Marcelja, S. *J. Chem. Phys.*, **60**, 3599 (1974). "Chain Ordering in Liquid Crystals. I. Even-Odd Effect."
- [271] Gray, G. W. in "*The Molecular Physics of Liquid Crystals*", G. R. Luckhurst and G. W. Gray (Eds.), Academic Press, London (1979).
- [272] Baran, J. W., Raszewski, Z., Dabrowski, R., Kedzierski, J. and Rutkowska, J. *Mol. Cryst. Liq. Cryst.*, **123**, 237-245 (1985). "Some Physical Properties of Mesogenic 4-(trans-4'-n-Alkylcyclohexyl) Isothiocyanatobenzenes."
- [273] Pradhan, N. K. Ph.D. Thesis, North Bengal University (June 1998). "Study of physical properties of liquid crystals and their mixtures."
- [274] Jadzyn, J., Czechowski, G. and Shonova, N. T. *Liq. Cryst.*, **3**, 1637 (1988). "Odd-Even Effects in the Dielectric Properties of Nematics 4-(trans-4'-n-Alkylcyclohexyl) isothiocyanatobenzenes."
- [275] Puchala, C., Waclawek, W., Nauk, P. and Warzaw, P. *Chemia, Nr.*, **11**, 143 (1991). "Dielektryczne Badania Asocjacji Mezogenow. Czasc IV."
- [276] H. Herba, B. Zywuicki, G. Czechowski, D. Bauman, A. Wasik and J. Jadzyn, *Acta Phys. Polo.*, **87**, 985 (1995). "Dielectric and Optical Studies of Homologous Series of Bicyclo[2,2,2]Octane Derivatives with -NCS Terminal Group."
- [277] Gray, G.W., Harrison, K.J. and Nash, J.A. *Electron Lett.*, **9**, 130-131(1973). "New family of nematic liquid crystals for displays."
- [278] Dabrowski, R., Pye, K., Przedmojski, J. and Pura, B. *Mol. Cryst. Liq. Cryst.*, **129**, 169-190 (1985). "Reentrant Phases of Four-Ring Aromatic Esters."
- [279] Brodzik, M., Dabrowski, R. and Przedmojski, J. *J. Phys II France*, **5**, 1805-1817(1995). "Induction of Smectic A_d Phase in Polar Systems of nCBB-nCB."
- [280] Brodzik, M. and Dabrowski, R. *Liq. Cryst.*, **20**, 99-102 (1996). "Induction of the smectic A_d phase in polar systems II. Role of steric effects in the smectic A_d phase induction."
- [281] Spek, A. L. PLATON, *Acta Cryst.A*, **46**, C-34(1990). "An integrated tool for the analysis of the results of a single-crystal structure determination."
- [282] North, A. C. T., Phillips, D. C. and Scott Mathews. F., *Acta Cryst.A*, **26**, 351(1968). "A semi-empirical method of absorption correction."
- [283] Hall, S. R., du Boulay, D. J. and Othof-Hazekamp, R. XTAL3.7 System. University of Western Australia: Lamb, Perth (2000).
- [284] Larson, A. C. The Inclusion of Secondary Extinction in Least-Squares Refinement of Crystal Structures. *Crystallographic Computing*. F.R. Ahmed, S.R. Hall, C.P. Hubereds, Munksgaard. Copenhagen, 291-294(1969).
- [285] Zachariasen, W. H. *Acta Cryst.A*, **23**, 558 (1967). "A General Theory of X-Ray Diffraction in Crystals."
- [286] Cromer, D. T. and Mann. *Acta Cryst.A*, **24**, 321(1968). "X-ray scattering factors computed from numerical Hartree -Fock wave functions."
- [287] *International Tables for X-ray Crystallography*. Vol. IV, Birmingham : Kynoch Press p 55(1974).
- [288] Cromer, D. T. and Liberman. D. J. *J. Chem. Phys.*, **53**, 1891 (1970). "Relativistic Calculation of Anomalous Scattering Factors for X Rays."

- [289] SMART (ver. 5.054), Bruker AXS Inc. Madison, WI, 1998; SAINT (ver. 6.02a) and SADABS (ver. 2.03), Bruker AXS Inc., Madison, WI, 2000.
- [290] Sheldrick, G.M. SHELXS 86 and SHELXL 97, University of Gottingen, Germany.
- [291] Walkin D.M., Pearce, L. and Prout C.K. Cameron - "A Molecular Graphics Package, Chemical crystallographic Laboratory, University of Oxford, 1993."
- [292] Haase, W., Paulus, H. and Pendzialek, R. *Mol. Cryst. Liq. Cryst.*, **100**, 211-221(1983). "Solid State Polymorphism in 4-Cyano-4'-n-Propyl biphenyl and X-Ray Structure Determination of the Higher Melting Modification."
- [293] Haase, W. and Paulus, H. *Mol. Cryst. Liq. Cryst.*, **100**, 111-126 (1983). "The Crystal and Molecular Structures of Three Homologous, Mesogenic Trans, Trans-4'-Alkylbicyclohexyl-4-carbo-nitriles (Cyclohexylcyclohexanes, CCHs)."
- [294] Walz, L., Haase, W. and Eidenschink, R. *Mol. Cryst. Liq. Cryst.*, **168**, 169(1989). "The Crystal and Molecular Structures of Four Homologous, Mesogenic *trans*, *trans*-4,4'-dialkyl-(1 α ,1'-bicyclohexyl)-4 β -carbonitril (CCN's)."
- [295] Haase, J., Loub, H., Paulus, M.A., Mokhles, I. and Ibrahim, H. *Mol. Cryst. Liq. Cryst.*, **197**, 57-66 (1991). "The Crystal and Molecular Structures of a Second Crystalline Modification of the Mesogenic *trans*-4-n-octyl-(4'-cyanophenyl)-cyclohexane (PCH8B) and of Two Crystalline Modifications of the Mesogenic *trans*-4-n-nonyl-(4'-cyanophenyl)-cyclohexanes (PCH9A, PCH9B)."
- [296] Bryan, R. F. and Forcier, P. G. *Mol. Cryst. Liq. Cryst.*, **60**, 133-152 (1980). "Contrasting Solid-State Structures for Two Nematogenic Benzyliideneanilines. Crystal Structures of *p* [(*p*'-Ethoxybenzylidene)amino] -benzonitrile and *p*- [(*p*'-Methoxybenzylidene)amino] -phenyl Acetate."
- [297] Biswas, S., Haldar, S., Mandal, P.K. and Haase, W. *Liq. Cryst.*, **34**, 365-372 (2007). "X-ray diffraction and optical birefringence studies on four nematogenic difluorobenzene derivatives."
- [298] Haase, W., Paulus, H. and Muller, H. T. *Mol. Cryst. Liq. Cryst.*, **97**, 131-147 (1983). "X-ray studies of biphenylcyclohexanes in the solid crystalline and liquid crystalline states."
- [299] Bhattacharjee, B., Paul, S. and Paul, R. *Mol. Cryst. Liq. Cryst.*, **89**, 181-192 (1982). "Orientational Distribution Function and Order Parameters of Two 4'-Alkoxy-4-Cyanobiphenyls in Mesomorphic Phase."
- [300] Allen, F. H. and Kennard, O. *Chem. Des. Autom. News*, **8**, 31 (1993).
- [301] Gupta, S., Chang-Chien, Gou-Ping, Lee, Wei-Shan., Centore, R. and SenGupta, S. P. *Liq. Cryst.*, **29**, 657-661(2002). "Crystal structure of the mesogenic alkene monomer, 3-[4-(4'-ethylbiphenyl)]-1-propene."
- [302] Liu, Fa-Qian., Chen, Hong-Na., Su, Juan., Li, Wei. and Li, Rong-Xun. *Acta Cryst.E*, **62**, m2881-m2882 (2006). "Tetrakis(1-ethyl-1H-imidazole- κ N³) diisothiocyanatocobalt(II)."
- [303] Yuan, Ai-Hua. and Zhou, Hu. *Acta Cryst.E*, **60**, m1565- m1567 (2004). "Bis(1H-benzotriazole- κ N³)bis-(isothiocyanato- κ N)zinc(II) 1H-benzotriazole hemisolvate."
- [304] Song, Rui-Feng., Wang, Yu-Hong. and Jiang, Fan. *Acta Cryst. E*, **60**, m1695 (2004). "Bis(isothiocyanato- κ N)bis[8-(methoxycarbonylmethoxy)quinoline- κ N]copper(II)."
- [305] Antos, K., Martvon, A. and Krystian, P. *Coll.Czec. Chem. Commun* **31**, 3737 (1966).
- [306] Hori, K., Kurosaki, M., Wu, H. and Itoh, K. *Acta Cryst.C*, **52**, 1751(1996). "Two Crystal Forms of 4'-octyloxy-4-cyanobiphenyl (8OCB)."
- [307] Allouchi, H., Cotrait, M., Canlet, C. and Bayle, J.P. *Liq. Cryst.*, **28**, 1177-1183(2001). "X-ray structures of dilaterally substituted racemic nematogens containing a chiral centre in one of the lateral chains."

- [308] Lokanath, N.K., Sridhar, M. A., Revannasiddaiah, D. and Shasidhara Prasad, J. *Liq. Cryst.*, **27**, 767-774 (2000). "Crystal structure of 4-*n*-nonylbenzoic acid."
- [309] Zugenmaier, P. and Heiske, A. *Liq. Cryst.*, **15**, 835-849 (1993). "The molecular and crystal structures of a homologous series of bipolar, mesogenic biphenyls-HO(CH₂)_nOC₆H₄.C₆H₄CN."
- [310] Baumeister, U., Hartung, H. and Jaskolski, M. *Mol. Cryst. Liq. Cryst.*, **88**, 167-181 (1982). "The Crystal and Molecular Structure of 4'-Cyanophenyl-4-*n*-Pentylbenzoate."
- [311] Adams, J. M. and Morsi, S. E. *Acta Cryst.B*, **32**, 1345-1347 (1976). "The crystal structure of phenyl benzoate."
- [312] Kaiser, J., Richter, R., Lemke, G. and Golic, L. *Acta Cryst.B*, **36**, 193-195 (1980). "4'-Nitrophenyl 4-octyloxybenzoate (NPOB)."
- [313] Baumeister, U., Hartung, H., Gdaniec, M. and Jaskolski, M. *Mol. Cryst. Liq. Cryst.*, **69**, 119-129 (1981). "Crystal and Molecular Structure of the Nematogenic Compound 4'-Cyanophenyl-4-*n*-Pentoxybenzoate."
- [314] Brownsey, G.J. and Leadbetter, A.J. *Phys. Rev. Lett.*, **44**, 1608(1980). "Incommensurate Coexistent Density Fluctuations in Liquid-Crystal Phases of Cyano Compounds."
- [315] Demus, D., Goodby, J., Gray, G. W. Spiess, H. W. and Vill, V. Eds. *Chapter VI*, Volume 2B, Wiley-Vch: Weinheim, p. 493(1998). "Chiral Smectic Liquid crystals."
- [316] Dierking, I. *J.Phys:(Condens. Matter)*, **16**, 1715-1724(2004). "The coupling between polarization and tilt in homologous series of ferroelectric liquid crystals."
- [317] Ikemoto, T., Kageyama, Y., Onuma, F., Shibuya, Y., Ichimura, K., Sakashita, K. and Mori, K. *Liq. Cryst.*, **17**, 729-739(1994). "Synthesis and properties of new chiral dopants containing a δ -lactone ring for practical ferroelectric liquid crystal mixtures."
- [318] Cowling, S. J., Hall, A. W. and Goodby, J. W. *Liq. Cryst.*, **32**, 1483-1498(2005). "Effect of terminal functional group size on ferroelectric and antiferroelectric properties of liquid crystals."
- [319] Guittard, F., de Givenchy, E. T., Geribaldi, S. and Cambon, A. *J. Fluorine Chem.*, **100**, 85-96(1999). "Highly fluorinated thermotropic liquid crystals: an update."
- [320] Hird, M., Goodby, J. W., Hindmarsh, P., Lewis, R. A. and Toyne, K. J. *Ferroelectrics*, **276**, 219 -237(2002). "The Design, Synthesis and Structure-Property Relationships of Ferroelectric and Antiferroelectric Liquid Crystal Materials."
- [321] Wen, J., Tian, M. and Chen, Q. *Liq. Cryst.*, **16**, 445-451(1994). "Novel fluorinated liquid crystals. II. The synthesis and phase transitions of a novel type of ferroelectric liquid crystals containing 1,4-tetrafluorophenylene moiety."
- [322] Xu, Y., Wang, W., Chen, Q. and Wen, J. *Liq. Cryst.*, **21**, 65-71(1996). "Synthesis and transition temperatures of novel fluorinated chiral liquid crystals containing 1, 4-tetrafluorophenylene units."
- [323] Marzec, M., Wrobel, S., Gondek, E. and Dabrowski, R. *Mol. Cryst. Liq. Cryst.*, **410**, 153-161(2004). "Room temperature antiferroelectric phase studied by electrooptic methods."
- [324] Kula, P., Dąbrowski, R. and Tykarska, M. *Phase Transitions*, **80** (6-7), 771-780 (2007). "Orthoconic antiferroelectric liquid crystals containing a terphenyl rigid core."
- [325] Zeks, B. and Cepic, M. in *Relaxation Phenomena: Liquid Crystals, Magnetic Systems, Polymers, High-TC Superconductors, Metallic Glasses*; Haase, W.; Wrobel, S., Eds. Springer Verlag: Berlin-Heidelberg, p 477, 2003.

- [326] Buivydas, M., Gouda, F., Lagerwall, S. T. and Stebler, B. *Liq. Cryst.*, **18**, 879-886(1995). "The molecular aspect of the double absorption peak in the dielectric spectrum of the antiferroelectric liquid crystal phase."
- [327] Dabrowski, R., Drzewinski, W., Dziaduszek, J., Gasowska, J., Henderson, P.A., Kula, P., Oton, J.M. and Bennis, N. *Opto-electronics review*, **15**, 32-36(2007). "Orthoconic antiferroelectric liquid crystals containing biphenyl, terphenyl, or naphthyl mesogenic unit."
- [328] Mandal, P.K., Jaishi, B.R., Haase, W., Dabrowski, R., Tykarska, M. and Kula, P. *Phase Transitions*, **79**, 223-235(2006). "Optical microscopy, DSC and dielectric relaxation spectroscopy studies on a partially fluorinated ferroelectric liquid crystalline compound MHPO(13F)BC."
- [329] Krueger, M. and Giesselmann, F. *Phys. Rev.E*, **71**, 041704-041708(2005). "Dielectric spectroscopy of de Vries-type smectic-A*- smectic-C* transitions."
- [330] Manna, U., Richardson, R.M., Fukuda, A. and Vij, J.K. *Phys. Rev.E*, **81**, 050701- 050704 (2010). "X-ray diffraction study of ferroelectric and antiferroelectric liquid crystal mixtures exhibiting de Vries SmA*-SmC* transitions."
- [331] Lagerwall, S. T. "Ferroelectric liquid crystals." in : D. Demus, J. Goodby, G.W. Gray, H.W. Spiess, V. Vill (Eds.), *Handbook of Liquid Crystals Vol. 2B – Low molecular weight liquid crystals*, Wiley-Vch., Weinheim, 1998, pp. 515-664.
- [332] Panarin, Y.P., Kalinovskaya, O. and Vij, J.K. *Liq. Cryst.*, **25**, 241-252(1998). "The investigation of the relaxation processes in antiferroelectric liquid crystals by broad band dielectric and electro-optic spectroscopy."
- [333] Czerwiec, J. M., Dabrowski, R., Garbat, K., Marzec, M., Tykarska, M., Wawrzyniak, A. and Wrobel, S., *Liq. Cryst.*, **39**, 1503-1511 (2012). "Dielectric and electro-optic behaviour of two chiral compounds and their antiferroelectric mixtures."
- [334] Manna, U., Song, J. K., Power, G. And Vij, J. K. *Phys. Rev. E*, **78**, 021711-8 (2008). "Effect of cell surfaces on the stability of chiral smectic-C phases."
- [335] Buivydas, M., Gouda, F., Andersson, G., Lagerwall, S. T., Stembler, B., Bomelburg, J., Heppke, G. and Gestblom, B. *Liq. Cryst.*, **23**, 723- 739(1997). "Collective and non-collective excitations in antiferroelectric and ferroelectric liquid crystals studied by dielectric relaxation spectroscopy and electro-optic measurements."
- [336] Marzec, M., Mikulko, A., Wrobel, S., Dabrowski, R., Darius, M. and Haase, W. *Liq. Cryst.*, **31**, 153–159 (2004). "Alpha sub-phase in a new ferroelectric fluorinated compound."
- [337] Nayek, P., Ghosh, S., Roy, S., Majumder, T. P. and Dabrowski, R. *J. Mol. Liq.*, **175**, 91–96 (2012). "Electro-optic and dielectric investigations of a perfluorinated compound showing orthoconic antiferroelectric liquid crystal."
- [338] Arora, P., Mikulko, A., Podgornov, F. and Haase, W. *Mol. Cryst. Liq. Cryst.*, **502**, 1-8(2009). "Dielectric and electro-optic properties of new ferroelectric liquid crystalline mixture doped with carbon nanotubes."
- [339] Mikulko, A., Arora, P., Glushchenko, A., Lapanik, A. and Haase, W. *Euro Phys. Lett.* **87**, 27009/1-4 (2009). "Complementary studies of BaTiO₃ nanoparticles suspended in a ferroelectric liquid-crystalline mixture."
- [340] Raina, K.K., Gathania, A.K. and Singh, B. *Pramana, journal of physics*, **52**, 443- 451(1999). "Observation of relaxation modes in room temperature ferroelectric liquid crystal mixtures."

- [341] Sinha Roy, S., Kundu, S., Ghosh, N., Pal Majumder, T. and Roy, S.K. *Mol. Cryst. Liq. Cryst.*, **328**, 161-176 (1999). "Electro-Optic Effect and Influence of Bias Electric Field on the Goldstone Mode Dielectric Behavior in Smectic C* Phase and Cell Thickness Dependence of the Dielectric Permittivity of a Ferroelectric Liquid Crystal Mixture."
- [342] Botcher, C.J.F. and Bordewijk, P. *Theory of Electric Polarization* (Elsevier, Amsterdam), p.62(1978).
- [343] Wrobel, S. in *Relaxation phenomena – Liquid crystals, magnetic systems, polymers, high-TC superconductors, metallic glasses*: W. Haase, S. Wrobel, Eds. Springer-Verlag, Berlin-Heidelberg, p. 20 (2003).
- [344] Song, J.K., Manna, U., Fukuda, A. and Vij, J.K. *Appl. Phys. Lett.*, **93**, 142903-3(2008). "Antiferroelectric dielectric relaxation processes and the interlayer interaction in antiferroelectric liquid crystals."
- [345] Goswami, D., Sinha, D., Debnath, A., Mandal, P. K., Gupta, S. K., Haase, W., Ziobro, D. and Dabrowski, R. *Journal of Molecular Liquids*, **182**, 95–101(2013). "Molecular and dynamical properties of a perfluorinated liquid crystal with direct transition from ferroelectric SmC* phase to isotropic phase."
- [346] Ziobro, D., Dąbrowski, R., Tykarska, M., Drzewiński, W., Filipowicz, M., Rejmer, W., Kuśmierk, K., Morowiak, P. and Piecek, W. *Liq. Cryst.* **39**, 1011-1032(2012). "Synthesis and properties of new ferroelectric and antiferroelectric liquid crystals with a biphenyl benzoate rigid core."
- [347] Dabrowski, R., Gasowska, J., Oton, J., Piecek, W., Przedmojski, J. and Tykarska, M. *Disp.* **25**, 9 -19 (2004). "High tilted antiferroelectric liquid crystalline materials."
- [348] Chandani, A. D. L., Ouchi, Y., Takezoe, H. and Fukuda, A. *Jpn. J. Appl. Phys. Lett.*, **28** L1261-L1264(1989). "Novel Phases Exhibiting Tristable Switching."
- [349] Wand, M. D., More, K. M., Thurmes, W. N. And Vohra, R. T. *Proc. SPIE*, **3015** 2(1997). "FLC materials for microdisplay applications."
- [350] Stipetic, A. I., Goodby, J. W., Hird, M., Raoul, Y. M. and Gleeson, H. F. *Liq. Cryst.*, **33**, 819(2006). "High tilt antiferroelectric esters bearing a perfluorobutanoyloxy terminal chain: the influence of lateral fluoro substituents on mesomorphic behaviour, tilt angle, and spontaneous polarization."
- [351] Kelly, S. M. in *Handbook of Liquid Crystals*, Ed. D. Demus, J. Goodby, G. W. Gray, H. W. Spiess and V. Vill (Wiley-VCH, Weinheim) Vol. **2B**, p. 494, (1998). "Synthesis of Chiral Smectic Liquid crystals."
- [352] Lagerwall, J. P. F., Rudquist, P., Lagerwall, S. T. and Giesselmann, F. *Liq. Cryst.*, **30**, 399-414(2003). "On the phase sequence of antiferroelectric liquid crystals and its relation to orientational and translational order."
- [353] Haldar, S., Sinha, D., Goswami, D., Mandal, P. K., Dey, K.C. and Lapanik, A. *Mol. Cryst. Liq. Cryst.*, **547**, 25-32, (2011). "Smectic layer spacing, average intermolecular distance and spontaneous polarization of room temperature FLC mixtures."
- [354] Gouda, F., Carlsson, T., Andersson, G., Lagerwall, S. T. and Stebler, B. *Liq. Cryst.*, **16**, 315-322 (1994). "Manifestation of biquadratic coupling in the smectic C* phase soft mode dielectric response."
- [355] Pikin, S.A. in ferro- and antiferroelectric liquid crystals Ch 5, p 289-290 in: W. Haase, S. Wrobel (Eds), *Relaxation phenomena –Springer-Verlag, Berlin-Heidelberg* (2003). "Switching processes in ferroelectric liquid crystals: Theoretical aspects."
- [356] Mandal, P. K., Haldar, S. Lapanik, A. and Haase, W. *Jpn. J. Appl. Phys.* **48**, 011501-6 (2009). "Induction and enhancement of ferroelectric SmC* phase in multi-component room temperature mixtures."