

References

7. References

- AOAC. 1995. Official Methods of Analysis. Association of Official Analytical Chemists 43.1.02. (971.26).
- AVRDC. 2005. Medium Term Plan 2005-2007, Publication 05-617, Asian Vegetable Research and Development Center, Taiwan.
- Baral JB and Bosland PW. 2004. Unraveling the species dilemma in *Capsicum frutescens* and *C. chinense* (Solanaceae): a multiple evidence approach using morphology, molecular analysis and sexual compatibility. *J. Amer. Soc. Hort. Sci.* 129: 826-832.
- Berke T and Shieh SC. 2000. Chilli peppers in Asia. *Capsicum Eggplant Newsletter* 19: 38-41.
- Bernal MA, Calderon AA, Ferrer MA, Caceres FM and Barcelo AR. 1995. Oxidation of capsaicin and capsaicin phenolic precursors by the basic peroxidase iso-enzyme B-6 from hot pepper. *J. Agric. Food. Chem.* 43: 352-355.
- Bernal MA, Calderón AA, Ferrer MA, Merino De Cáceres F and Barcelo AR. 1994a. Purification of basic peroxidase isoenzyme from *Capsicum* fruits and the immunoinhibition of its capsaicin oxidation capacity by antibodies raised against horseradish peroxidase. *Z. Lebensm. Unters. Forsch.* 199: 240-242.
- Biacs PA, Czinkotai B and Hoschke A. 1992. Factors affecting stability of coloured substances in paprika powders. *J. Agric. Food Chem.* 40: 363-367.
- Blum E, Kede L, Mazourek M, Yoo EY, Jahn M and Paran I. 2002. Molecular mapping of the C locus for the presence of pungency in *Capsicum*. *Genome* 45: 702-705.
- Bosland PW and Votava EJ. 2000. *Peppers: Vegetable and Spice Capsicums*. CABI Publishing, Wallingford, UK.

- Bosland PW. 1992. Chiles: a diverse crop. Hort. Tech. 2: 6-10.
- Bosland PW. 1993. Breeding for quality in *Capsicum*. *Capsicum* Eggplant Newsletter 12: 25-31.
- Bosland PW. 1996. Capsicums: innovative uses of an ancient crop. In: Janick J (ed.), *Progress in New Crops*. ASHS Press, Arlington, VA, pp. 479-487.
- Bosland PW. 1999. Chiles: a gift from a fiery God. HortScience 34: 809-811.
- Bouvier F, Hugueney P, D'halingue A, Kuntz M and Camara B. 1994. Xanthophyll biosynthesis in chromoplasts: isolation and molecular cloning of an enzyme catalyzing the conversion of 5, 6-epoxycarotenoid into ketocarotenoid. Plant J. 6: 45-54.
- Carmichael JK. 1991. Treatment of herpes zoster and postherpetic neuralgia. Amer. Family Physician 44: 203-210.
- Collins MD, Wasmund LM, Loid M and Bosland PW. 1995. Improved method for quantifying capsaicinoids in *Capsicum* using high performance liquid chromatography. HortScience 30: 137-139.
- Contreras-Padilla M and Yahia EM. 1998. Changes in capsaicinoids during development, maturation, and senescence of chile peppers and relation with peroxidase activity. J. Agric. Food Chem. 46: 2075-2079.
- Cordell GA and Araujo OE. 1993. Capsaicin: identification, nomenclature, and pharmacotherapy. Ann. Pharmacother. 27: 330-336.
- Curry J, Aluru M, Mendoza M, Nevarez J, Melendrez M and O'Connell MA. 1999. Transcripts for possible capsaicinoid biosynthetic genes are differentially accumulated in pungent and non-pungent *Capsicum* spp. Pl. Sci. 148: 47-57.
- Dash SS, Kumar S and Singh JN. 2001. Cytomorphological characterization of a nuclear male sterile line of chilli pepper (*Capsicum annuum* L.). Cytologia 66: 365-371.
- Dewitt D, Stock MT and Hunter K. 1998. *The Healing Powers of Peppers*. Three Rivers Press, New York.

- Di Y, Jiang JJ and Shih JC. 2000. The recent research of metabolism physiology in capsacinoid. *China Veg.* 3: 48-50.
- Estrada B, Pomar F, Díaz J, Merino F and Bernal MA. 1999. Pungency levels in fruits of the Padron pepper with different water supply. *Sci. Hort.* 81: 385-396.
- Fujiwake H, Suzuki T and Iwai K. 1982. Intracellular distributions of enzymes and intermediates involved in biosynthesis of capsaicin and its analogues in *Capsicum* fruits. *Agric. Biol. Chem.* 46: 2685-2689.
- Food and Agriculture Organization (FAO), Rom. 2003. www.fao.org
- Gerster H. 1991. Potential role of β carotene in the prevention of cardiovascular diseases. *Intl. J. Vitam. Nutr. Res.* 61: 277-291.
- Gey KF and Puska P. 1989. Plasma vitamin E and A inversely correlated to maturity from is chemic heart disease in cross culture epidemiology. *Ann. N.Y. Acad. Sci.* 570: 268-282.
- Govindarajan VS. 1987. *CRC Critical Reviews in Food Science and Nutrition* 24: 245-355.
- Greenleaf WH. 1986. Pepper breeding. In: Bassett MJ (ed), *Breeding Vegetable Crops*. AVI Publishing Company, Westport, Connecticut, pp. 67-133.
- Hosamini RM. 2000. Paprika in North Karnataka: status of research and development. *Indian J. Arecanut, Spices & Medicinal Plants* 2: 50-57.
- Houlne G, Schantz ML, Meyer B, Pozueta-Romero J and Schantz J. 1994. A chromoplast specific protein in *Capsicum annum*: Characterization and expression of the corresponding genes. *Curr. Genet.* 26: 524-527.
- Huguency P, Bouvier F, Badillo A, Quennement J, D'halingue A and Camara B. 1996. Developmental and stress regulation of gene expression for plastid and cytosolic isoprenoid pathways in pepper fruits. *Pl. Physiology* 111: 619-626.
- IBPGR. 1983. *Genetic Resources of Capsicum*. International Board for Plant Genetic Resources, Secretariat, Rome.


- IPGRI, AVRDC and CATE. 1995. Descriptors for *Capsicum*. International Plant Genetic Resources Institute, Rome, Italy, Asian Vegetable Research and Development Centre, Taiwan and Centro Agronomico Tropical Investigacion y Ensenanza, Costa Rica.
- Kalpna M and Chetti MB. 2004. Colour retention in export oriented Indian Chillies (*Capsicum annum* L.) as effected by ripening stage. XII Meet. Genet. & Breed. *Capsicum* Eggplant. Noordwijkerhout, The Neatherlands, p: 123.
- Kanner J, Mendel H and Budowskai P. 1979. Carotene oxidizing factors in red pepper fruits. J. Food Sci. 43: 709-712.
- Keller U, Flath RA, Mon TR and Terranishi R. 1981. Volatiles from pepper (*Capsicum annum* L.). In: Terranishi R and Barrera-Berertz H (eds), *Quality of Selected Fruits and Vegetables of North America*. ACS Symp. Series 170, American Chemical Society, Washington.
- Kim DS, Kim DH, Yoo JH and Kim BD. 2006. Cleaved amplified polymorphic sequence and amplified length polymorphic markers linked to the fertility restorer gene in chilli-pepper (*Capsicum annum* L.). Mol. Cells 21: 135-140.
- Kim M, Kim S and Kim BD. 2001. Isolation of cDNA clones differentially accumulated in the placenta of pungent pepper by substratctive hybridization. Mol. Cells 11: 213-219.
- Kumar S and Rai M. 2005. Chiles in India. Chilli Pepper Institute Newsletter XXII: 1-3.
- Kumar S, Banerjee MK and Kalloo G. 2000a. Male sterility: mechanisms and current status on identification and characterization in vegetables. Veg. Sci. 27: 1-24.
- Kumar S, Banerjee MK and Kalloo G. 2000b. Morpho-cytological features of a heterotic sweet pepper x hot pepper hybrid: promising for pickle type

- cultivation and recombinant inbred lines (RILs) development. *Capsicum* Eggplant Newsletter 19: 54-57.
- Kumar S, Kumar R and Singh J. 2006a. Cayenne/American pepper (*Capsicum* species). In: Peter KV (ed), *Handbook of Herbs and Spices, Vol. 3*. Woodhead Publishing, Cambridge, UK, pp. 299-312.
- Kumar S, Singh V, Singh M, Rai S, Kumar S, Rai SK and Rai M. 2006b. Genetics and distribution of fertility restoration associated RAPD markers in pepper (*Capsicum annum* L.). *Sci. Hort.* (in press).
- Kumar S, Kumar S, Singh M, Singh AK and Rai M. 2006c. Identification of host plant resistance against pepper leaf curl virus in chilli (*Capsicum* species). *Sci. Hort.* (in press).
- Lease JG, Lease EJ. 1956. Effect of fat soluble antioxidants on the stability of the red colour of peppers. *Food Technol.* 10: 403-405.
- Lee CJ, Yoo EY, Shin JH, Lee J, Hwang HS and Kim BD. 2005. Non-pungent *Capsicum* contains a deletion in the capsaicinoid synthetase gene, which allows early detection of pungency with SCAR markers. *Mol. Cells* 19: 262-267.
- Lee JS, Chang JS, Lee JY and Kim JA. 2004. Capsaicin-induced apoptosis and reduced release of reactive oxygen species in MBT-2 murine bladder tumor cells. *Arch. Pharm. Res.* 27: 1147-1153.
- Liu WY and Gniffke PA. 2004. Stability of AVRDC's cytoplasmic male sterile (cms) pepper lines grown under low temperature. *Capsicum* Eggplant Newsletter 23: 85-88.

- Malchev E, Ioncheva N, Tanchev S and Kalpakchieva H. 1982. Quantitative changes in carotenoids during storage of dried pepper. *Nahrung* 26: 415-420.
- Maoka T, Mochida K, Kozuka M, Ito Y, Fujiwara Y, Hashimoto K, Enjo F, Ogata M, Nobukuni Y, Tokuda H and Nishino H. 2001. Cancer chemopreventive activity of carotenoids in the fruits of red paprika *Capsicum annuum* L. *Cancer Letter* 172: 103-109.
- Mathew AG, Lewis YS, Jagdishan R, Nambuderies and Krishanamurthy N. 1971. Oleoresin capsicum. *Flavour Industry* 2: 23.
- Mathur R, Dangi RS, Dass SC and Malhotra RC. 2000. The hottest chill variety in India. *Curr. Sci.* 79: 287-288.
- Medvedeva NV, Andreenkov VA, Morozkin AD, Sergeeva EA, Prokofev I and Misharin A. 2003. Inhibition of oxidation of human blood low-density lipoproteins by carotenoids from paprika. *Biomed. Khim.* 49: 191-200.
- Molnar J, Gyemant N, Mucsi I, Molnar A, Szabo M, kortvelyesi T, Varga A, Molnar P and Toth G. 2004. Modulation of multi-drug resistance and apoptosis of cancer cells by selected carotenoids. *In Vivo* 18: 237-244.
- Mori T, Ohnishi M, Komiyama M, Tsutsui A, Yabushita H and Okada H. 2002. Growth inhibitory effect of paradicsompaprika in cancer cell lines. *Oncol Rep.* 9: 807-810.
- NHB. 2003. Indian Horticulture Database. National Horticulture Board, Gurgaon, India.
- Nishino H, Murakoshi M, Ii T, Takemura M, Kuchide M, Kanazawa M, Mou XY, Wada S, Masuda M, Ohsaka Y, Yogosawa S, Satomi Y and Jinno K. 2002.

- Carotenoids in cancer chemoprevention. *Cancer Metastasis Rev.* 21: 257-264.
- Ochoa-Alejo N and Gómez-Peralta JE. 1993. Activity of enzymes involved in capsaicin biosynthesis in callus tissue and fruits of chili pepper (*Capsicum annuum* L.). *J. Pl. Physiology* 141: 147-152.
- Osuna-Garcia. 1996. Red color retention during paprika (*Capsicum annuum* L.) storage as affected by natural antioxidants and moisture content. Ph.D dissertation, NMSU, Las Cruces, New Mexico, USA.
- Peterson PA. 1958. Cytoplasmically inherited male sterility in *Capsicum*. *Amer Nat.* 92: 111-119.
- Pickersgill B. 1997. Genetic resources and breeding of *Capsicum* spp. *Euphytica* 96: 129-133.
- Popovsky S and Paran I. 2000. Molecular genetics of the *y* locus in pepper: its relation to capsanthin capsorubin synthase and to fruit color. *Theor. Appl. Genet.* 101: 86-89.
- Poulos JM. 1994. Pepper breeding (*Capsicum* spp.): achievements, challenges and possibilities. *Pl. Breed. Abst.* 64: 143-155.
- Quagliotti L. 1971. Effects of soil moisture and nitrogen level on the pungency of berries of *Capsicum annuum* L. *Hort. Res.* 11: 93-97.
- Rai M. 2005. Chilli improvement in India for value addition and export. In: Symsac II Natl. Symp. Current Trends in Onion, Garlic, Chillies and Seed Spices Production Marketing and Utilization, (25-27 Nov.), NRCOG, Pune, pp. 12-17.

- Reddy MK, Sadasiva AT and Despande AA. 2002. Cytoplasmic male sterility in chilli (*Capsicum annuum* L.). *Indian J. Genet.* 62: 363-364.
- Sadasivam S and Theymoli B. 1987. *Practical Manual in Biochemistry*, Tamil Nadu Agricultural University, Coimbatore, India.
- Saimbhai MS, Kaur G, and Nanduri KS. 1977. Chemical constituents in mature green and red fruits of some varieties of chilli (*Capsicum annuum* L.). *Qualitas Plantarum* 27: 171-175.
- Seis H. 1991. *Oxidative Stress: Oxidation and Antioxidant*. Academic Press, London.
- Shifriss C. 1997. Male sterility in pepper (*Capsicum annuum* L.). *Euphytica* 93: 83-88.
- Shukla FI, Saimbhi MS and Singh H. 1957. Post harvest in moisture and ascorbic acid content of some chilli varieties under ordinary storage and dehydration. *Ind. Food Packer* 29:20-23.
- Singh R, Hundal JS and Chawala N. 2003. Evaluation of chilli (*Capsicum annuum* L.) genotypes for quality components. *Ind. J. Agric. Sci.* 73: 51-53.
- Sukrasno N and Yeoman MM. 1993. Phenylpropanoid metabolism during growth and development of *Capsicum frutescens* fruit. *Photochemistry* 32: 839-844.
- Tewksbury JJ and Nabhan GP. 2001. Directed deterrence by capsaicin in chillies. *Nature* 412: 403-404.
- Thimmaiah SK. 1999. *Standard Methods of Biochemical Analysis*. Kalyani Publishers, Ludhiyna, pp. 301-302.



Wang LH, Zhang BX, Lefebvre V, Huang SW, Daubeze AM and Pailloix A. 2004.
QTL analysis of fertility restoration in cytoplasmic male sterile pepper.

Theor. Appl. Genet. 109: 1058-1063.

Zewdie Y and Bosland PW. 2000. Evaluation of genotype, environment and genotype-by-environment interaction for capsaicinoids in *Capsicum annuum* L. Euphytica 111: 185-190.

Zhang BX, Huang S, Yang G and Guo J. 2000. Two RAPD markers linked to a major fertility restorer gene in pepper. Euphytica 113: 155-161.
