

REFERENCES

- (1) Fujishima, A.; Honda, K. Electrochemical Photolysis of Water at a Semiconductor Electrode. *Nature* **1972**, *238* (5358), 37–38.
- (2) Ohtani, B. Preparing Articles on Photocatalysis — Beyond the Illusions, Misconceptions, and Speculation. **2008**, *37* (3), 216–229.
- (3) Su, R.; Shen, Y.; Li, L.; Zhang, D.; Yang, G.; Gao, C.; Yang, Y. Silver-Modified Nanosized Ferroelectrics as a Novel Photocatalyst. *Small* **2015**, *11* (2), 202–207.
- (4) Wang, H.; Zhang, L.; Chen, Z.; Hu, J.; Li, S.; Wang, Z.; Liu, J.; Wang, X. Semiconductor Heterojunction Photocatalysts: Design, Construction, and Photocatalytic Performances. *Chem. Soc. Rev.* **2014**, *43* (15), 5234–5244.
- (5) Thangavel, S.; Krishnamoorthy, K.; Krishnaswamy, V.; Raju, N.; Kim, S. J.; Venugopal, G. Graphdiyne–ZnO Nanohybrids as an Advanced Photocatalytic Material. *J. Phys. Chem. C* **2015**, *119* (38), 150911094658005.
- (6) Govindan, K.; Raja, M.; Maheshwari, S. U.; Noel, Analysis and Understanding of Amido Black 10B Dye Degradation in Aqueous Solution by Electrocoagulation with the Conventional Oxidants Peroxomonosulfate, Peroxodisulfate and Hydrogen Peroxide. *Environ. Sci. Water Res. Technol.* **2015**, *1* (1), 108–119.
- (7) Chandran, H. T.; Thangavel, S.; Jipsa, C. V.; Venugopal, G. Study on Inorganic Oxidants Assisted Sonocatalytic Degradation of Resazurin Dye in Presence of β -SnWO₄ Nanoparticles. *Mater. Sci. Semicond. Process.* **2014**, *27* (1), 212–219.

- (8) Koyuncu, I. Direct Filtration of Procion Dye Bath Wastewaters by Nanofiltration Membranes: Flux and Removal Characteristics. *J. Chem. Technol. Biotechnol.* **2003**, 78 (12), 1219–1224.
- (9) Novoselov, K. S.; Geim, A. K.; Morozov, S. V.; Jiang, D.; Katsnelson, M. I.; Grigorieva, I. V.; Dubonos, S. V.; Firsov, A. A. Two-Dimensional Gas of Massless Dirac Fermions in Graphene. *Nature* **2005**, 438 (7065), 197–200.
- (10) Krishnamoorthy, K.; Veerapandian, M.; Yun, K.; Kim, S.-J. The Chemical and Structural Analysis of Graphene Oxide with Different Degrees of Oxidation. *Carbon N. Y.* **2013**, 53, 38–49.
- (11) Liu, F.; Chung, S.; Oh, G.; Seo, T. S. Three-Dimensional Graphene Oxide Nanostructure for Fast and Efficient Water-Soluble Dye Removal. *ACS Appl. Mater. Interfaces* **2012**, 4 (2), 922–927.
- (12) Su, C.-Y.; Lu, A.-Y.; Wu, C.-Y.; Li, Y.-T.; Liu, K.-K.; Zhang, W.; Lin, S.-Y.; Juang, Z.-Y.; Zhong, Y.-L.; Chen, F.-R.; et al. Direct Formation of Wafer Scale Graphene Thin Layers on Insulating Substrates by Chemical Vapor Deposition. *Nano Lett.* **2011**, 11 (9), 3612–3616.
- (13) Xin, G.; Meng, Y.; Ma, Y.; Ho, D.; Kim, N.; Cho, S. M.; Chae, H. Tunable Photoluminescence of Graphene Oxide from near-Ultraviolet to Blue; *Mater Lett* **2012**, 74 (1), 71-73 .
- (14) Hummers, W. S.; Offeman, R. E. Preparation of Graphitic Oxide. *J. Am. Chem. Soc.* **1958**, 80 (6), 1339–1339.
- (15) Marcano, D. C.; Kosynkin, D. V.; Berlin, J. M.; Sinitskii, A.; Sun, Z.; Slesarev, A.; Alemany, L. B.; Lu, W.; Tour, J. M. Improved Synthesis of Graphene Oxide. *ACS Nano* **2010**, 4 (8), 4806–4814.

- (16) Krishnamoorthy, K.; Jeyasubramanian, K.; Premanathan, M.; Subbiah, G.; Shin, H. S.; Kim, S. J. Graphene Oxide Nanopaint. *Carbon*. **2014**, *72*, 328–337.
- (17) Dreyer, D. R.; Park, S.; Bielawski, C. W.; Ruoff, R. S.; The Chemistry of Graphene Oxide. *Chem. Soc. Rev.* **2010**, *39* (1), 228–240.
- (18) Jiao, Y.; Du, A.; Hankel, M.; Zhu, Z.; Rudolph, V.; Smith, S. C, Graphdiyne: A Versatile Nanomaterial for Electronics and Hydrogen Purification. *Chem. Commun.* **2011**, *47* (43), 11843.
- (19) Li, G.; Li, Y.; Liu, H.; Guo, Y.; Li, Y.; Zhu, D, Architecture of Graphdiyne Nanoscale Films. *Chem. Commun.* **2010**, *46* (19), 3256.
- (20) Williams, G.; Seger, B.; Kamat, P. V. TiO₂ -Graphene Nanocomposites. UV-Assisted Photocatalytic Reduction of Graphene Oxide. *ACS Nano* **2008**, *2* (7), 1487–1491.
- (21) Zhang, Y.; Xu, J.; Sun, Z.; Li, C.; Pan, C. Preparation of Graphene and TiO₂ Layer by Layer Composite with Highly Photocatalytic Efficiency. *Prog. Nat. Sci. Mater. Int.* **2011**, *21* (6), 467–471.
- (22) Ahmad, M.; Ahmed, E.; Hong, Z. L.; Xu, J. F.; Khalid, N. R.; Elhissi, A.; Ahmed, W. A Facile One-Step Approach to Synthesizing ZnO/graphene Composites for Enhanced Degradation of Methylene Blue under Visible Light. *Appl. Surf. Sci.* **2013**, *274*, 273–281.
- (23) Pan, X.; Zhao, Y.; Liu, S.; Korzeniewski, C. L.; Wang, S.; Fan, Z. Comparing Graphene-TiO₂ Nanowire and Graphene-TiO₂ Nanoparticle Composite Photocatalysts. *ACS Appl. Mater. Interfaces* **2012**, *4* (8), 3944–3950.

- (24) Sher Shah, M. S. A.; Park, A. R.; Zhang, K.; Park, J. H.; Yoo, P. J. Green Synthesis of Biphasic TiO₂–Reduced Graphene Oxide Nanocomposites with Highly Enhanced Photocatalytic Activity. *ACS Appl. Mater. Interfaces* **2012**, *4* (8), 3893–3901.
- (25) Zhou, K.; Zhu, Y.; Yang, X.; Jiang, X.; Li, C, Preparation of graphene–TiO₂ Composites with Enhanced Photocatalytic Activity. *New J. Chem.* **2011**, *35* (2), 353–359.
- (26) Wang, Q.; Wang, Y.; Duan, B.; Zhang, M. Modified Sol-Gel Synthesis of Carbon Nanotubes Supported Titania Composites with Enhanced Visible Light Induced Photocatalytic Activity. *J. Nanomater.* **2016**, *2016*, 1–6.
- (27) Luo, Q.-P.; Yu, X.-Y.; Lei, B.-X.; Chen, H.-Y.; Kuang, D.-B.; Su, C.-Y. Reduced Graphene Oxide-Hierarchical ZnO Hollow Sphere Composites with Enhanced Photocurrent and Photocatalytic Activity. *J. Phys. Chem. C* **2012**, *116* (14), 8111–8117.
- (28) Liu, X.; Pan, L.; Lv, T.; Sun, Z. Investigation of Photocatalytic Activities over ZnO–TiO₂–reduced Graphene Oxide Composites Synthesized via Microwave-Assisted Reaction. *J. Colloid Interface Sci.* **2013**, *394*, 441–444.
- (29) Yan, Y.; Sun, S.; Song, Y.; Yan, X.; Guan, W.; Liu, X.; Shi, W. Microwave-Assisted in Situ Synthesis of Reduced Graphene Oxide-BiVO₄ Composite Photocatalysts and Their Enhanced Photocatalytic Performance for the Degradation of Ciprofloxacin. *J. Hazard. Mater.* **2013**, *250*, 106–114.
- (30) Shang, J.; Ma, L.; Li, J.; Ai, W.; Yu, T.; Gurzadyan, G. The Origin of Fluorescence from Graphene Oxide. *Sci. Rep.* **2012**, *2*, 197–200.
- (31) Chien, C.-T.; Li, S.-S.; Lai, W.-J.; Yeh, Y.-C.; Chen, H.-A.; Chen, I.-S.;

- Chen, L.-C.; Chen, K.-H.; Nemoto, T.; Isoda, S.; et al. Tunable Photoluminescence from Graphene Oxide. *Angew. Chemie Int. Ed.* **2012**, *51* (27), 6662–6666.
- (32) Si, Y.; Samulski, E. T. Synthesis of Water Soluble Graphene. *Nano Lett.* **2008**, *8* (6), 1679–1682.
- (33) Cançado, L. G.; Takai, K.; Enoki, T.; Endo, M.; Kim, Y. A.; Mizusaki, H.; Jorio, A.; Coelho, L. N.; Magalhães-Paniago, R.; Pimenta, M. A. General Equation for the Determination of the Crystallite Size L_a of Nanographite by Raman Spectroscopy. *Appl. Phys. Lett.* **2006**, *88* (16), 163106.
- (34) Mei, Q.; Zhang, K.; Guan, G.; Liu, B.; Wang, S.; Zhang, Z. Highly Efficient Photoluminescent Graphene Oxide with Tunable Surface Properties. *Chem. Commun.* **2010**, *46* (39), 7319.
- (35) Krishnamoorthy, K.; Veerapandian, M.; Mohan, R.; Kim, S.-J. Investigation of Raman and Photoluminescence Studies of Reduced Graphene Oxide Sheets. *Appl. Phys. A* **2012**, *106* (3), 501–506.
- (36) Thomas, H. R.; Vallés, C.; Young, R. J.; Kinloch, I. A.; Wilson, N. R.; Rourke, J. P, Identifying the Fluorescence of Graphene Oxide. *J. Mater. Chem. C* **2013**, *1* (2), 338–342.
- (37) Krishnamoorthy, K.; Veerasubramani, G. K.; Radhakrishnan, S.; Kim, S. J. Supercapacitive Properties of Hydrothermally Synthesized Sphere like MoS₂ Nanostructures. *Mater. Res. Bull.* **2014**, *50*, 499–502.
- (38) Exarhos, A. L.; Turk, M. E.; Kikkawa, J. M. Ultrafast Spectral Migration of Photoluminescence in Graphene Oxide. *Nano Lett.* **2013**, *13* (2), 344–349.

- (39) Wang, S.; Yi, L.; Halpert, J. E.; Lai, X.; Liu, Y.; Cao, H.; Yu, R.; Wang, D.; Li, Y. A Novel and Highly Efficient Photocatalyst Based on P25-Graphdiyne Nanocomposite. *Small* **2012**, *8* (2), 265–271.
- (40) Qian, X.; Ning, Z.; Li, Y.; Liu, H.; Ouyang, C.; Chen, Q.; Li, Y. Construction of Graphdiyne Nanowires with High-Conductivity and Mobility. *Dalt. Trans.* **2012**, *41* (3), 730–733.
- (41) Liu, R.; Liu, H.; Li, Y.; Yi, Y.; Shang, X.; Zhang, S.; Yu, X.; Zhang, S.; Cao, H.; Zhang, G. Nitrogen-Doped Graphdiyne as a Metal-Free Catalyst for High-Performance Oxygen Reduction Reactions. *Nanoscale* **2014**, *6* (19), 11336–11343.
- (42) Yang, S.-T.; Chen, S.; Chang, Y.; Cao, A.; Liu, Y.; Wang, H. Removal of Methylene Blue from Aqueous Solution by Graphene Oxide. *J. Colloid Interface Sci.* **2011**, *359* (1), 24–29.
- (43) Romanchuk, A. Y.; Slesarev, A. S.; Kalmykov, S. N.; Kosynkin, D. V.; Tour, J. M. Graphene Oxide for Effective Radionuclide Removal. *Phys. Chem. Chem. Phys.* **2013**, *15* (7), 2321.
- (44) Zhang, W.; Zhou, C.; Zhou, W.; Lei, A.; Zhang, Q.; Wan, Q.; Zou, B. Fast and Considerable Adsorption of Methylene Blue Dye onto Graphene Oxide. *Bull. Environ. Contam. Toxicol.* **2011**, *87* (1), 86–90.
- (45) Sharma, P.; Das, M. R. Removal of a Cationic Dye from Aqueous Solution Using Graphene Oxide Nanosheets: Investigation of Adsorption Parameters. *J. Chem. Eng. Data* **2013**, *58* (1), 151–158.
- (46) Yang, S.-T.; Chang, Y.; Wang, H.; Liu, G.; Chen, S.; Wang, Y.; Liu, Y.; Cao, A. Folding/aggregation of Graphene Oxide and Its Application in Cu²⁺

- Removal. *J. Colloid Interface Sci.* **2010**, *351* (1), 122–127.
- (47) Wanyonyi, W. C.; Onyari, J. M.; Shiundu, P. M. Adsorption of Methylene Blue Dye from Aqueous Solutions Using *Eichhornia Crassipes*. *Bull. Environ. Contam. Toxicol.* **2013**, *91* (3), 362–366.
- (48) Guo, X.; Yang, C.; Dang, Z.; Zhang, Q.; Li, Y.; Meng, Q. Sorption Thermodynamics and Kinetics Properties of Tylosin and Sulfamethazine on Goethite. *Chem. Eng. J.* **2013**, *223*, 59–67.
- (49) Bradder, P.; Ling, S. K.; Wang, S.; Liu, S. Dye Adsorption on Layered Graphite Oxide. *J. Chem. Eng. Data* **2011**, *56* (1), 138–141.
- (50) Dong, Y.; Li, J.; Shi, L.; Xu, J.; Wang, X.; Guo, Z.; Liu, W, Graphene Oxide–iron Complex: Synthesis, Characterization and Visible-Light-Driven Photocatalysis. *J. Mater. Chem. A* **2013**, *1* (3), 644–650.
- (51) Wang, J.; Ma, T.; Zhang, Z.; Zhang, X.; Jiang, Y.; Dong, D.; Zhang, P.; Li, Y. Investigation on the Sonocatalytic Degradation of Parathion in the Presence of Nanometer Rutile Titanium Dioxide (TiO₂) Catalyst. *J. Hazard. Mater.* **2006**, *137* (2), 972–980.
- (52) Pétrier, C.; Torres-Palma, R.; Combet, E.; Sarantakos, G.; Baup, S.; Pulgarin, C. Enhanced Sonochemical Degradation of Bisphenol-A by Bicarbonate Ions. *Ultrason. Sonochem.* **2010**, *17* (1), 111–115.
- (53) Guo, P.; Xiao, F.; Liu, Q.; Liu, H.; Guo, Y.; Gong, J. R.; Wang, S.; Liu, Y, One-Pot Microbial Method to Synthesize Dual-Doped Graphene and Its Use as High-Performance Electrocatalyst. *Sci. Rep.* **2013**, *3*, 290–313.
- (54) Sun, H.; Liu, S.; Zhou, G.; Ang, H. M.; Tadó, M. O.; Wang, S. Reduced

Graphene Oxide for Catalytic Oxidation of Aqueous Organic Pollutants. *ACS Appl. Mater. Interfaces* **2012**, *4* (10), 5466–5471.

- (55) Zhu, L.; Meng, Z.-D.; Park, C.-Y.; Ghosh, T.; Oh, W.-C. Characterization and Relative Sonocatalytic Efficiencies of a New MWCNT and CdS Modified TiO₂ Catalysts and Their Application in the Sonocatalytic Degradation of Rhodamine B. *Ultrason. Sonochem.* **2013**, *20* (1), 478–484.
- (56) Ba-Abbad, M. M.; Kadhum, A. A. H.; Mohamad, A. B.; Takriff, M. S.; Sopian, K. Visible Light Photocatalytic Activity of Fe³⁺-Doped ZnO Nanoparticle Prepared via Sol–gel Technique. *Chemosphere* **2013**, *91* (11), 1604–1611.
- (57) Pang, Y. L.; Abdullah, A. Z. Effect of Low Fe³⁺ Doping on Characteristics, Sonocatalytic Activity and Reusability of TiO₂ Nanotubes Catalysts for Removal of Rhodamine B from Water. *J. Hazard. Mater.* **2012**, *235*, 326–335.
- (58) Madhavan, J.; Muthuraaman, B.; Murugesan, S.; Anandan, S.; Maruthamuthu, P. Peroxomonosulphate, an Efficient Oxidant for the Photocatalysed Degradation of a Textile Dye, Acid Red 88. *Sol. Energy Mater. Sol. Cells* **2006**, *90* (13), 1875–1887.
- (59) Dhanalakshmi, K. B.; Anandan, S.; Madhavan, J.; Maruthamuthu, P. Photocatalytic Degradation of Phenol over TiO₂ Powder: The Influence of Peroxomonosulphate and Peroxodisulphate on the Reaction Rate. *Sol. Energy Mater. Sol. Cells* **2008**, *92* (4), 457–463.
- (60) Shimizu, N.; Ogino, C.; Dadjour, M. F.; Murata, T. Sonocatalytic Degradation of Methylene Blue with TiO₂ Pellets in Water. *Ultrason.*

Sonochem. **2007**, *14* (2), 184–190.

- (61) Anandan, S.; Sathish Kumar, P.; Pugazhenthiran, N.; Madhavan, J.; Maruthamuthu, P. Effect of Loaded Silver Nanoparticles on TiO₂ for Photocatalytic Degradation of Acid Red 88. *Sol. Energy Mater. Sol. Cells* **2008**, *92* (8), 929–937.
- (62) Yu, H.; Irie, H.; Shimodaira, Y.; Hosogi, Y.; Kuroda, Y.; Miyauchi, M.; Hashimoto, K. An Efficient Visible-Light-Sensitive Fe(III)-Grafted TiO₂ Photocatalyst. *J. Phys. Chem. C* **2010**, *114* (39), 16481–16487.
- (63) Nguyen, V. N.; Nguyen, N. K. T.; Nguyen, P. H.; Nguyen. Hydrothermal Synthesis of Fe-Doped TiO₂ Nanostructure Photocatalyst. *Adv. Nat. Sci. Nanosci. Nanotechnol.* **2011**, *2* (3), 35014.
- (64) Pan, S.; Liu, X.; CdS–Graphene Nanocomposite: Synthesis, Adsorption Kinetics and High Photocatalytic Performance under Visible Light Irradiation. *New J. Chem.* **2012**, *36* (9), 1781.
- (65) Wu, W.; Yu, Q.; Lian, J.; Bao, J.; Liu, Z.; Pei, S.-S. Tetragonal Tungsten Oxide Nanobelts Synthesized by Chemical Vapor Deposition. *J. Cryst. Growth* **2010**, *312* (21), 3147–3150.
- (66) Pham, V. H.; Cuong, T. V.; Hur, S. H.; Shin, E. W.; Kim, J. S.; Chung, J. S.; Kim, E. J. Fast and Simple Fabrication of a Large Transparent Chemically-Converted Graphene Film by Spray-Coating. *Carbon N. Y.* **2010**, *48* (7), 1945–1951.
- (67) Yang, J.; Heo, M.; Lee, H. J.; Park, S.-M.; Kim, J. Y.; Shin, H. S. Reduced Graphene Oxide (rGO)-Wrapped Fullerene (C₆₀) Wires. *ACS Nano* **2011**, *5* (10), 8365–8371.

- (68) Opara Krasovec, U.; Surca Vuk, A.; Orel, B. IR Spectroscopic Studies of Charged–discharged Crystalline WO_3 Films. *Electrochim. Acta* **2001**, *46* (13), 1921–1929.
- (69) Cuong, T. V.; Pham, V. H.; Tran, Q. T.; Hahn, S. H.; Chung, J. S.; Shin, E. W.; Kim, E. J. Photoluminescence and Raman Studies of Graphene Thin Films Prepared by Reduction of Graphene Oxide. *Mater Lett.* **2010**, *64* (3), 399–401.
- (70) Krishnamoorthy, K.; Mohan, R.; Kim, S.-J. Graphene Oxide as a Photocatalytic Material. *Appl. Phys. Lett.* **2011**, *98* (24), 244101.
- (71) Fu, Y.; Sun, X.; Wang, X. BiVO_4 –graphene Catalyst and Its High Photocatalytic Performance under Visible Light Irradiation. *Mater. Chem. Phys.* **2011**, *131* (1), 325–330.
- (72) Cho, I.-S.; Kwak, C. H.; Kim, D. W.; Lee, S.; Hong, K. S. Photophysical, Photoelectrochemical, and Photocatalytic Properties of Novel SnWO_4 Oxide Semiconductors with Narrow Band Gaps. *J. Phys. Chem. C* **2009**, *113* (24), 10647–10653.
- (73) Ren, H.; Tang, S.; Syed, J. A.; Meng, X. Incorporation of Silver Nanoparticles Coated with Mercaptosuccinic Acid/poly(ethylene Glycol) Copolymer into Epoxy for Enhancement of Dielectric Properties. *Mater. Chem. Phys.* **2012**, *137* (2), 673–680.
- (74) Solis, J. L.; Frantti, J.; Lantto, V.; Häggström, L.; Wikner, M. Characterization of Phase Structures in Semiconducting SnWO_4 Powders by Mössbauer and Raman Spectroscopies. *Phys. Rev. B* **1998**, *57* (21), 13491–13500.

- (75) Xie, J.; Wang, H.; Duan, M.; Zhang, L. Synthesis and Photocatalysis Properties of ZnO Structures with Different Morphologies via Hydrothermal Method. *Appl. Surf. Sci.* **2011**, *257* (15), 6358–6363.
- (76) Shen, Y.; Li, L.; Lu, Q.; Ji, J.; Fei, R.; Zhang, J.; Abdel-Halim, E. S.; Zhu, J.-J. Microwave-Assisted Synthesis of Highly Luminescent CdSeTe@ZnS-SiO₂ Quantum Dots and Their Application in the Detection of Cu(II). *Chem. Commun.* **2012**, *48* (16), 2222–2224.
- (77) Nagarjuna, R.; Challagulla, S.; Alla, N.; Ganesan, R.; Roy, S. Synthesis and Characterization of Reduced-Graphene oxide / TiO₂ / Zeolite - 4A : A Bifunctional Nanocomposite for Abatement of Methylene Blue. *Mater. Des.* **2015**, *86*, 621–626.
- (78) Radhakrishnan, S.; Krishnamoorthy, K.; Sekar, C.; Wilson, J.; Kim, S. J. A Promising Electrochemical Sensing Platform Based on Ternary Composite of polyaniline-Fe₂O₃-reduced Graphene Oxide for Sensitive Hydroquinone Determination. *Chem. Eng. J.* **2015**, *259*, 594–602.
- (79) Pathania, D.; Kumari, M.; Gupta, V. K. Fabrication of ZnS-cellulose Nanocomposite for Drug Delivery, Antibacterial and Photocatalytic Activity. *Mater. Des.* **2015**, *87*, 1056–1064.
- (80) Manikandan, E.; Kavitha, G.; Kennedy, J. Epitaxial Zinc Oxide, Graphene Oxide Composite Thin-Films by Laser Technique for Micro-Raman and Enhanced Field Emission Study. *Ceram. Int.* **2014**, *40* (10), 16065–16070.
- (81) Sookhakian, M.; Amin, Y. M.; Basirun, W. J. Hierarchically Ordered Macro-Mesoporous ZnS Microsphere with Reduced Graphene Oxide Supporter for a Highly Efficient Photodegradation of Methylene Blue. *Appl.*

Surf. Sci. **2013**, 283, 668–677.

- (82) Wang, F.; Zheng, M.; Zhu, C.; Zhang, B.; Chen, W.; Ma, L.; Shen, W. Visible Light Photocatalytic H₂-Production Activity of Wide Band Gap ZnS Nanoparticles Based on the Photosensitization of Grapheme. *Nanotechnology* **2015**, 26 (34), 345402.
- (83) Yang, M.-Q.; Zhang, Y.; Zhang, N.; Tang, Z.-R.; Xu, Y.-J. Visible-Light-Driven Oxidation of Primary C-H Bonds over CdS with Dual Co-Catalysts Graphene and TiO₂. *Sci. Rep.* **2013**, 3, 3314.
- (84) Hu, C.; Zheng, G.; Zhao, F.; Shao, H.; Zhang, Z.; Chen, N.; Jiang, L.; Qu, L.; Wu, Z. S.; Ren, W. C.; et al. A Powerful Approach to Functional Graphene Hybrids for High Performance Energy-Related Applications. *Energy Environ. Sci.* **2014**, 7 (11), 3699–3708.
- (85) Tian, Z.; Xu, C.; Li, J.; Li, P.; Wu, J.; Hao, X.; Fan, X.; Shi, Z. Facile Assembly of Two-Dimensional Functional ZnO Quantum Dots/reduced Graphene Oxide Nanocomposites. *EPL (Europhysics Lett.)* **2015**, 109 (1), 18004.
- (86) Livneh, T.; Haslett, T. L.; Moskovits, M. Distinguishing Disorder-Induced Bands from Allowed Raman Bands in Graphite. *Phys. Rev. B* **2002**, 66 (19), 195110.
- (87) Wu, A.; Jing, L.; Wang, J.; Qu, Y.; Xie, Y.; Jiang, B.; Tian, C.; Fu, H.; Kubacka, A.; Fernández-García, M.; et al. ZnO-Dotted Porous ZnS Cluster Microspheres for High Efficient, Pt-Free Photocatalytic Hydrogen Evolution. *Sci. Rep.* **2015**, 5, 8858.
- (88) Yousefi, R. Effects of Sn Atoms on Formation of ZnO Nanorings. *Cryst Eng*

Comm **2015**, *17* (13), 2698–2704.

- (89) Zhang, L.; Li, N.; Jiu, H.; Qi, G.; Huang, Y. ZnO-Reduced Graphene Oxide Nanocomposites as Efficient Photocatalysts for Photocatalytic Reduction of CO₂. *Ceram. Int.* **2015**, *41* (5), 6256–6262.
- (90) Bera, A.; Ghosh, T.; Basak, D. Enhanced Photoluminescence and Photoconductivity of ZnO Nanowires with Sputtered Zn. *ACS Appl. Mater. Interfaces* **2010**, *2* (10), 2898–2903.