

BIBLIOGRAPHY

BIBLIOGRAPHY

1. Ag. stat. May, 2001. Agricultural statistics At A Glance, **May, 2001**, pp 67-69.
2. Alabouvette, C., Couteandier, Y. and Louvet, J. 1985. Soil suppressive to *Fusarium* wilt : Mechanical and Management of suppressiveness. (Eds: C.A. Parker, A.D. Rovira, K.J. Moore and P.T.W. wong, **Ecology and Management of Soil-borne plant pathogens** pp. 101-106. The American Phytopathological society St Paul, Minnesota, U.S.A.
3. Asthana, A., Chandra, H., Dixit, A. and Dixit, S.N. 1982. Volatile fungitoxicants from leaves of some higher plants against *Helminthosporium oryzae*. **Z. Pflkrankh. Pflschutz.** **89**:475-479.
4. Asthana, A.N. and Chaturvedi, S.K., 1999. A little impetus needed. **The Hindu, Survey of India Agriculture, 1999**, pp 61-65.
5. Baby, U.I., Mani Bhushan Rao, K. 1993. Control of rice sheath blight through the integration of fungal antagonists and organic amendments: **Tropical Agriculture 70 (3)** 240-244.
6. Baker, C.J., Stavely, J.R., Thomas, C.A., Sasser, M. and Mac Fall, J.S. 1983. Inhibitory effect of *B. subtilis* on *Uromyces phaseoli*. and on development of rust pustules on bean leaves. **Phytopathology 73** : 1148-1152.
7. Baker, R. 1989. Some pesticides on the application of malecular approaches to biocontrol problems. In: (Eds) M. Whipps and R.D. Lumsden **Biotechnology of fungi for Improving plant**

- Growth**, Cambridge University. Press Cambridge, pp. 220-223.
8. Baker, R. and Drury, R. 1981. Inoculum potential and soil-borne Plant Pathogens. : The essence of every model is within the frame. **Phytopathology** **71** : 363-372.
 9. Bapat, S., and Shah, A. K. 2000. Biological control of *Fusarium* wilt of pigeon pea by *Bacillus brevis*. **Can. J. Microbiol.;** (2000) **46**, 2, 125-132.
 10. Bari, M.A. and Mukhopadhyay, A.N. 1988. Biocontrol efficacy of *trichoderma* spp. in controlling black scurf of potato. **Indian Journal of Mycology and Plant Pathology**, **18** : 92.
 11. Bashar, M.A. 1990. Ecopathological studies on *Fusarium oxysporum* f. sp. *ciceri* causing wilt disease of chickpea. Ph.D. Thesis, Banaras Hindu University, Varanasi, India.
 12. Bhatnagar, H. 1992. Biological control of *Fusarium* wilt of pigeonpea. Ph. D. Thesis, Banaras Hindu University, Varanasi, India.
 13. Bhatnagar, H. 1995. Integrated use of biocontrol agents with fungicides to control wilt incidence in pigeonpea. **World Journal of Microbiology and Biotechnology**. **11(5)**: 564-566.
 14. Bhatt, D.D. and Vaughan, E.K. 1962. Preliminary investigations on biological control of gray mould (*Botrytis cinera*) of strawberries. **PI. Dis. Repr.**, **46**:342-345.
 15. Bhide, N.K., Mehta, D.J. and Lewis, R.A. 1958. Diuretic action of Sodium nimbinate **India. J. Med. Sci.**, **12**: 141.
 16. Bier, J.E. 1966. In : **Breeding Pest Resistant Tress** (Ed. H.D. Gerhold). Pergamon Press, London.

17. Bora, T. 1977. In vitro and invivo investigations on the effect of some antagonistic fungi against the damping-off disease of egg plants. **J. Turkish Phytopath.**, **6**:17.
18. Brian, P.W., Hemming, H.G. and Mc Gowan, J.C. 1945. Origin of toxicity in warhem health soil. **Nature**, London 155: 637.
19. Budge, S.P. and Whipps, J.M. 1991. Glass house trials of *Coniothyrium minitans* and *Trichoderma species* for the biological control of *Sclerotinia sclerotioum* in celery and lettuce. **Plant Pathology**, **40**: 59-66.
20. Butler, E.J. 1906. The wilt disease of pigeonpea and pepper. **Agricultural Journal of India**, **1**: 25-36.
21. Butler, E.J. 1910. The wilt disease of pigeonpea and the parasitism of *Neocosmospora vasinfecta* Smith. **Memoirs of the Department of Agriculture in India. Botanical series**, **2**:1-64.
22. Butler, E.J. 1918. **Fungi and Plant diseases**. Dehradun and Delhi: Bishen Singh and Mahendra Pal Singh 1918, p. 547.
23. Chakrabarti, S.K. and Sen, Bineeta 1991. Suppression of *Fusarium* wilt of Muskmelon by organic soil amendment. **Indian Phytopath.**, **44(4)** : 476-479.
24. Chalutz, E. and Wilson, C.L. 1990. Biocontrol of green and blue mold and sour rot of citrus by *Debaryomyces hansenii*. **Plant Dis.**, **74**:134-137.
25. Chandra, A. 1990. Ecopathological studies on flax wilt in relation to soil pollution. Ph. D. Thesis, Banaras Hindu University, Varanasi, India.
26. Chaturvedi, R. 1979. Evaluation of higher plants for their

- fungitoxicity against *Helminthosporium oryzae*. Ph. D. Thesis, University of Gorakhpur, India.
27. Chaturvedi, R. V. and Tripathi, S.C. 1989. Fungitoxic, physicochemical and phytotoxic properties of essential oil of *Seseli indicum*. **Phytopath. Z.** **124**: 316-322.
 28. Cohen, Y. and Leavy, Y. 1990. Joint action of fungicides in mixtures: Theory and Practice. **Phytoparasitica** **18(2)**: 159-169.
 29. Das Gupta, A. and Gupta, P.K.S. 1989. Effect of different soil amendments on wilt of pigeonpea (*Cajanus cajan* (L) Millsp.). Caused by *Fusarium udum* Butler. **Beitra gazur tropischen Landwirtschaft and reterinarmendizin**, **27 (3)** : 341-345.
 30. De, R.K. and Mukhopadhyay, A.N. 1994. Biological control of Tomato damping-off by *Gliocladium virens*. **Journal of Biological Control**, **8**: 34-40.
 31. Dharamvir and Sharma, R.K. 1985. Efficacy of fungicides XXIX. Studies on the fungicidal properties of neem oil. **Indian J. Plant Pathol.**, **3(2)**: 241-242.
 32. Dhingra, O.D. and Khare, M.N. 1973. Biological control of *Rhizoctonia bataticola* on Urid Bean. **Phytopathol. Z.**, **76**:23.
 33. Dixit, K., Shukla, H.S. and Dubey, P. 1986. Fungitoxic properties of some seedling extracts, **Nat, Acad. Sci. Lett.**, **9(8)**: 219-221.
 34. Dohroo, N.P. 1995. Integrated management of yellows of ginger. **Indian Phytopathology**, **48 (1)**: 90-92.
 35. Dohroo, N.P. and Thapa, C.D. 1996. Studies on the

- management of ginger yellows in Sirmur district of Himanchal Pradesh. Indian phytopathological Society, 48th Annual meeting and **National symposium on Management of Treating plant diseases of National Importance.** (Absr.), pp. 56.
36. Dubey, N.K. and Kishore, N. 1987. Fungitoxicity of some higher plants and synergistic activity of their essential oils. **Trop. Sci.**, pp. 40-42.
 37. Dwivedi, R.S. and Dubey, R.C. 1986. Effect of volatile and non-volatile fractions of two medicinal plants on germination of *Macrophomina phaseolina* sclerotia. **Trans. Brit. Mycol. Soc.** **87**: 326-328.
 38. Egawa, A., Tsulsui, O., Tatasuyama, K. and Holta, T. 1977. Antifungal substances found in leaves of *Eucalyptus* spp. **Experientia**, **33**: 889-890.
 39. Elad, Y., Chet, I. and Hennis, Y. 1982. Degradation of plant pathogenic fungi by *Trichoderma harzianum*. **Canadian Journal of Microbiology**, **28**: 719-725.
 40. Elad, Y., chet, I. and Katan, J. 1980. *Trichoderma harzianum* a biocontrol agent effective against *Sclerotium rolfsii* and *Rhizoctonia solani*. **Phytopathology**, **70**: 119-121.
 41. Flack 1907. Poisoned Food Technique. In efficacy of a few fungicides against *Colletotrichum gloeosporioides* in incitant of foot-rot of chilli (Eds. U.N.Sakia and A.K.Roy 1974), **Pesticides**, **8**:36-37.
 42. Fokkema, N.J. 1976. Antagonism between fungal saprophytes

- and pathogens on aerial plant surfaces. In : **Microbiology of Aerial Plant Surfaces**. (Eds. Dickinson, C.H. and Preece, T.F.) Academic Press, London, pp. 487-506.
43. Furgal-Wegrzyca and Helena 1988. The effect of culture filtrates of the saprophytic fungi isolated from pea and field pea root and nodules on the growth of *Rhizobium leguminosarum* **Acta Mycol.**, **23(1)**: 3-18.
 44. Gaur, V.K., and sharma, L.C. 1991. Microorganisms antagonistic to *Fusarium udum* Butler. Proceedings of the **Indian-National-Science Academy. Part-B. Biological Sciences. 1991, 57:1**, 85-88.
 45. Gupta, M.C. 1993. Biological control of plant parasitic nematodes. **Proceedings of the summer Institute on Recent Advances in Plant Pathology with Special Reference to Control of Plant diseases**, Pant Nagar (June 9 to 28, 1993), 25-32.
 46. Hadar, Y., Chet, I. and Heris, Y. 1979. Biological control of *Rhizoctonia solani* damping-off with wheatbran culture of *Trichoderma harzianum*. **Phytopathology** **69**: 64-68.
 47. Haider, M.G., Singh, R.K., Prasad, H., Nath, R.P. and Sharma, R.N. 1978. Effect of some common fungicides on the Incidence of Pigeonpea wilt. **Indian Phytopathol.**, 31-511.
 48. Harish, S., Manjula, K. and Podile, A.R. 1998. *Fusarium udum* is resistant to the mycolytic activity of a biocontrol strain of *Bacillus subtilis*. **FEMS-Microbiology-Ecology. 1998, 25:4**, 385-390.
 49. Harley, J.L. and Waid, J.S. 1955. A method of studying active

- mycelia on living roots and other surface in soil. **Trans. Brit. Mycol. Soc.** **38**: 104-118.
50. Harman, G.E. and Taylor, A.G. 1988. Improved seedling performance by Integration of biological control agents at favourable P^H levels with solid matrix priming. **Phytopathology.**, **78**: 520-525.
 51. Haware, M.P. and Kannaiyan, J. 1992. Seed transmission *Fusarium udum* in pigeonpea and its control by seed treatment with fungicide. **Seed Sci. Technol.**, **20**: 597-601.
 52. Howell, C.R. 1991. Biological control of *Pythium* damping-off with seed coating preparations of *G. virens*. **Phytopathology**, **81**: 738-741.
 53. Hsi, D.C.H. 1968. Antagonistic effects of *Aspergillus niger* on *Macrophomina phaseolina*. **Phytopathol.**, **58**: 729.
 54. Jariwala, S., Rajesh Singh and Rai, B. 1995. Evaluation of potent antagonist, potent effective substances against *F. udum* for I.P.M. In **proceedings of Indian Botanical Society, Platinum Jubilee Year**.
 55. Jariwala, S., Rajesh Singh and Rai, B. 1996. Effect of some potent antagonist and certain effective substances on control of wilt disease of pigeonpea. In **International Sym. on Microbial Exploitation**, Botany Deptt. B.H.U. pp. 34.
 56. Jariwala, S., Vinay Kumari and Rai, B. 1991. Antagonistic activity of some fungi against *Alternaria solani* and *Drechslera oryzae*. **Acta Botanica Indica.** **19**: 217-223.
 57. Jariwala, S., Vinay Kumari and Rai, B. 1992. Development and formulations of some antagonistic fungi against *Alternaria*

- solani* and *Drechslera oryzae*. **Proceedings of Asian Mycological Symposium**, Seoul, Korea. pp. 33.
58. Kannaiyan, J. and Nene, Y.L. 1981. Influence of wilt at different growth stage on yield loss in pigeonpea. **Tropical Pest Management**, **27**: 141.
59. Kannaiyan, J., Nene, Y.L. and Reddy, M.V. 1981. Survival of Pigeonpea wilt *Fusarium* in Vertisols and Alfisols. In Proceedings of the **International Workshop on Pigeonpeas**, I.C.R.I.S.A.T., Patancheru, A.P. India. 15-19 December 1980, **2**: 291-295.
60. Kannaiyan, J., Nene, Y.L., Reddy, M.V., Rajan, J.G. and Raju, T.N. 1984. Prevalence of pigeonpea diseases and associated crop losses in Asia, Africa and the Americas. **Tropical Pest Management**, **30**: 62-71.
61. Kaur, N.P., Mukhopadhyay, A.N. 1992. Integrated control of chickpea wilt complex by *Trichoderma* and chemical methods in India. **Tropical Pest Management**, **38(4)**: 372-375.
62. Kazmi, A.R., Niaz, I and Jilani, G. 1993. Evaluation of some plant extracts for antifungal properties. **Pakistan Journal of Phytopathology**, **5(1-2)**: 93-97.
63. Khan, M.W., Khan, A.M. and Saxena, S.K. 1973. Influence of certain oil cake amendments on nematodes and fungi in tomato field. **Acta Bot. Indica**, **1**:49-54.
64. Kishore, N. 1985. Evaluation of some higher plants and their products against *R. solani* Khun. Ph.D. Thesis. Gorakhpur University, Gorakhpur, India. pp. 166.

65. Kishore, N., Dixit, S.N. and Dubey, N.K. 1989. Fungitoxic studies with *chenopodium ambrosoides* for control of damping off in *Phaseolus aureus* (moong) caused by *Rhizoctonia solani* **Trop. Sci.**, **29**: 171-176.
66. Kishore, N. and dwivedi, R.S. 1991. Fungitoxicity of the oil of *Tagetes erecta L.* against *Pythium aphanidermatum* Fitz. The damping-off pathogen. **Flavl. and Fragrance**, **6**:291-294.
67. Kishore, N. and Dwivedi, R.S. 1992. Zerumbone: a potential fungitoxic agent isolated from *Zingiber cassumunar* Roxb. **Mycopathologia**, **120(3)**: 155-159.
68. Kotashane, S.R., Om Gupta and Khare, M.N. 1987. Influence of fungicidal seed treatment and soil amendment on the development of *Fusarium udum* propagules in soil and pigeonpea wilt. **Indian Phytopath.**, **40**: 197-200.
69. Krishnamurthi, B. and Rao, D.S. 1950. Some important insect pests of stored grains and their control. **Bull. Agric. Inst. Mysore**, **14**:1-93.
70. Kumar, B.S., Dileep, A.R. Podile. and Dubey, H.C. 1988. Antagonistic activity of *Bacillus subtilis* towards *Rhizopus nigricans* **J. Bio. control**, **2(1)**: 42-45.
71. Kumar, B.S.D. 1999, *Fusarial* wilt suppression and crop improvement through two rhizobacterial strains in chick pea growing in soils infested with *Fusarium oxysporum* f. sp. ciceris. **Biology and Fertility of soils**. **1999**, **29**: 1, 87-91.
72. Langenau, A.K. 1948. The examination and analysis of essential oils. Synthetics and isolates: in Guenther, E. (Ed.) **The**

- Essential oils, Vol. I**, Robert E. Krieger Publishing Co.,
Hutington, New York.
73. Larson, R. 1987. Growing concerns. Pest control: How much is enough? **Market letter**, **2 (Feb)**: 5.
 74. Leach, W, Bulman, R. and Kroekar, J. 1954. Studies in Plant mineral nutrition I. An Investigation into the cause of grey disease of Oats. **Can. J. Botany**, **32**: 358-368.
 75. Lewis, J.A. and Papavizas, G.C. 1992. Biocontrol of cotton damping-off caused by *Rhizoctonia solani* in the field with formulations of *Trichoderma spp.* and *Gliocladium virens*. **Crop protection**, **10**:95-105.
 76. Lewis, J.A., Papavizas, G.C. 1991. Biocontrol of plant diseases: the approach for tomorrow. **Crop Protection**, **10**: 95-105.
 77. Lumsden, R.D., Locke, J.C. and Lewis, J.A. 1990. Evaluation of *Gliocladium virens* for biocontrol of *Pythium* and *Rhizoctonia* damping-off of bedding plants. **Biological and cultural Tests**, **5**:90.
 78. Lumsden, R.D. and Locke, J.C. 1989. Biological control of damping-off caused by *Pythium ultimum* and *Rhizoctonia solani* with *Gliocladium virens* in soil less mix. **Phytopathology**, **79**: 361-366.
 79. Lynch, J.M. 1990. Fungi as antagonists. In: (Eds) R.R. Baker and P.E. Dunn **New Directions in Biological control**, Alan R. Liss, Inc., New York, pp. 243-253.
 80. Maiti Satyabrata and Sen Chitreshwar 1984. Population Density of *Sclerotium rolfsii* in amended soil. **Indian J. Plant Pathol.**, **2**: 83-89.

81. Mandeel, Q. and Baker, R. 1991. Mechanism involved in biological control of *Fusarium* wilt of cucumber with strains of nonpathogenic *Fusarium oxysporum*. **Phytopathology**, **81**: 462-469.
82. Marcus, S. 1947. Antibacterial activity of geodin and cradin. **Biochem. J.**, **41**:62.
83. Mall, H.V., Asthana, A., Dubey, N.K. and Dixit, S.N. 1985. Toxicity of cedar wood oil against some dermatophytes. **Indian Drug**. **22**:296-298.
84. Mclaughlin, R.J., Wisniewski, M.E., Webon, C.L. and Chalutz, E. 1990. Effects of inoculum concentration and salt solutions on biological post harvest disease of apple with *Candida spp.* **Phytopathology.**, **80**: 456-461.
85. Meyer, C.E. 1966. 4-21, 963-a new antibiotic. II. Isolation and characterization. **Appl. Microbiol.**, **14**: 511-512.
86. Michereff, S.J., Selveira, N.S.S. and Mariono, R.L. 1993. Potential of *B. subtilis* on biocontrol of *Rhizoctonia solani* on bean. pp. 266 6th **Int. Conf. on Plant Pathology** Monterial, Canada.
87. Mishra, D.K. and Narain, A. 1994. *Gliocladium virens* and *Streptoverticillium* as source of biocontrol of few phytopathogenic fungi. **Indian Phytopathology**, **47(3)**: 236-240.
88. Mukherjee, B. and Sen, C. 1992. *Aspergillus* and *Penicillium* species: Potential agents for biocontrol of *Macrophomina phaseolina*. **Indian Phytopathology**, **45(1)**: 39-43.

89. Mukherjee, P.K. 1991. Biological control of chickpea wilt complex. Ph. D. Thesis. G.B. Pant University of Agric. and Tech. Pantnagar, India.
90. Mukherjee, P.K., Upadhyay, J.P. and Mukhopadhyay, A.N. 1989. Biological control of *Pythium* damping-off of cauliflower by *Trichoderma harzianum*. **Journal of Biological Control**, **3**: 119-124.
91. Mukhopadhyay, A.N. 1987. Biological control of soil-borne pathogens by *Trichoderma spp.* **Indian Journal of Mycology and Plant Pathology**, **17** : 1-X (Presidential address).
92. Mukhopadhyay, A.N. and Chandra, I. 1986. Biological control of sugarbeet and tobacco damping-off by *Trichoderma harzianum*. **Proc. Malaysian Plant Prot. Soc.** Genting Highlands, Malaysia.
93. Mukhopadhyay, D. and Gupta, P.K.S. 1991. Factor affecting competitive saprophytic activity of *F. udum*, the causal organism of wilt of pigeonpea. **Indian Phytopathology**, **44**: 73-79.
94. Murthi, S.P. and Sirsi, M. 1957. Pharmacological Studies on *Melia azadirachta* Part I. Antibacterial, antifungal and antitubercular activity of neem oil and its fractions. **Symposium. Utilization. Indian Med. Plant**, pp. 55, Lucknow, India.
95. Narendra-Singh., Singh-R.S. 1983. Development of *Fusarium udum* (pigeonpea wilt pathogen) in oil cake amended soil. **Indian Botanical Reporter**. **1983**, 2:2, 116-120.
96. Neal et.al. 1964. Rhizosphere microflora associated with

- mycorrhizae of Douglas fir. **Canada. J. Microbiology**, **10(2)**: 259-265.
97. Nene, Y.L., Haware, M.P. and Reddy, M.V. 1981. Chickpea Diseases: Resistance-Screening Techniques. **I.C.R.I.S.A.T. Information Bulletin**, **3**:144.
98. Nene, Y.L., Kannaiyan, J., Haware, M.P. and Reddy, M.V. 1979. In: Proceedings of the consultants Group Discussion on the Resistance to Soil-Borne Diseases of Legumes, ICRISAT, Patancheru, A.P. India, pp. 3-35.
99. Nene, Y.L., Kannaiyan, J., Haware, M.P. and Reddy, M.V. 1980. Review of the work done at I.C.R.I.S.A.T. on soil-borne Diseases of pigeonpea and chickpea. In: **Proceedings of the consultants Group Discussion on the Resistance to Soil-Borne Diseases of Legumes**, 8-11 January 1979, I.C.R.I.S.A.T. Center, Patancheru, A.P., India. pp. 3-39.
100. Nene, Y.L., Sheila, V.K. and Sharma, S.B. 1989. A world list of chickpea (*Cicer arietinum* L.) and pigeonpea (*Cajanus cajan* (L) Millsp.) pathogens. **Legumes Pathology Progress Report-7**, Patancheru, A.P., India: I.C.R.I.S.A.T., 23 pp.
101. Nene, Y.L. and Sheila, V.K. 1990. **Pigeonpea Geography and Importance**. In: (Eds.) Y.L. Nene, Susan D. Hall and V.K. Sheila. *The Pigeonpea*. C.A.B. International and I.C.R.I.S.A.T. Hyderabad, India. pp 1-14.
102. Norton, D.C. 1954. Antagonism in soil between *Macrophomina phaseoli* and selected soil inhibiting organisms. **Phytopathology**, **44** : 522.

103. Ooka, T., Shimojima, Y., Akimoto, T., Takeda, I., Senoh, S. and Abe, J. 1966. A new antibacterial peptide "Suzukacillin". **Agric. Biol. Chem.**, **30**:700-702.
104. Ordentlich, A., Nachmias, A. and Chet, I. 1990. Integrated control of *Verticillium dahliae* in potato by *Trichoderma harzianum* and captan. **Crop Protection**, **9**: 363-366.
105. Pandey, D.K., Chandra, H., Tripathi, N.N. and Dixit, S.N. 1983. Fungitoxicity in pollen grains. **Grana**, **22**: 31-33.
106. Pandey, G. and Singh, K.P. 1990. Effect of organic amendments on soil microflora and nematode fauna with special reference to *Meloidogyne incognita* in chickpea. **New Agriculturist**. **1(1)**: 65-70.
107. Pandey, V.N. and Dubey, N.K. 1992. Effect of essential oils from some higher plants against fungi causing damping-off disease. **Biologia Plantarum**, **34(1-2)**: 143-147.
108. Pandey, V.N. and Dubey, N.K. 1994. Antifungal potential of leaves and essential oils from higher plants against soil phytopathogens. **Soil Biol. Biochem.**, **26**: 1417-1421.
109. Papavizas, G.C. 1987. Genetic manipulation to improve the effectiveness of biocontrol fungi for plant disease control. Johnwiley and sons, New York. pp. 193-212.
110. Papavizas, G.C. and Lewis, J.A. 1988. The use of fungi in integrated control of plant disease. In (Eds.) M.N. Burge. **Fungi in Biocontrol system**, Manachester University Press, Manachester, U,K. pp. 235-253.
111. Papavizas, G.C. and Lewis, J.A. 1989. Effect of *Gliocladium*

- and *Trichoderma* on damping-off and blight of snapbean caused by *Sclerotium rolfsii*. **Plant Pathology.**, **38**: 227-286.
112. Papavizas, G.C. and Collins, D.J. 1990. Influence of *Gliocladium virens* and infectivity of Sclerotia of *Sclerotium rolfsii*. **Phytopathology**, **80**: 827-830.
113. Park, D. and Robinson, P.M. 1967. A fungal hormone controlling internal water distribution normally associated with cell aging in fungi. **Symp. Soc. Exp. Biol.**, **21**: 323-325.
114. Pathak, A. and Dixit, V.K. 1984. Antifungal and Antibacterial studies on essential oils of *Glossocardia bosvallia* D.C. **Indian Perfumer**, **28(2)**: 91-94.
115. Patibanda, A.K. 1990. Integrated control of *Sclerotium* wilt of groundnut. M.Sc. Thesis. G.B.Pant University of Agric. and Tech., Pantnagar, India. 160 pp.
116. Pingale, S.S. and Kshirsagar, V.G. 1992. A new challenge in the field of biological control of plant diseases. **Indian Phytopathology. Vol. 43 and 44** supplementary issue, Page-XV.
117. Podile, A.R., Prasad, G.S. and Dube, H.C. 1985. *Bacillus subtilis* as an antagonist to vascular wilt pathogens. **Curr. Sci.**, **54**:864.
118. Podile, A.R. and Dube, H.C. 1987. Antagonism of *Bacillus subtilis* to *phytophthora drechsleri* f. sp. cajani. **Indian Phytopathol.**, **40(4)**: 503-506.
119. Rai, B. and Singh, D.B. 1980. Antagonistic activity of some leaf surface microfungi against *Alternaria brassicae* and *Drechslera garramea*. **Trans. Br. Mycol. Soc.**, **75**: 363-369.
120. Rai, B. and Upadhyay, R.S. 1982. *Gibberella indica* : The

- perfect stage of *Fusarium udum*. **Mycologia**, **74**:343.
121. Rai, B. Upadhyay, R.S. and Gupta, R.C. 1977. Resting body formation by *Fusarium udum* inside sporangiophores of *Rhizopus nigricans* during hyphal parasitism. **Microbios letter**, **6**:125-127.
122. Rai, P.K. and Singh, K.P. 1996. Efficacy of certain oil-cake amendments on *Heterodera cajani*, *Fusarium udum* and associated wilt of pigeonpea. **International Journal of Tropical Plant Diseases**. **1996**, **14**:1, 51-58.
123. Rao Rama, P., Monoharachary, C. and Vaidehi, B.K. 1989. Rhizosphere mycoflora and root-borne fungal pathogens. In: **Plant Microbe Interactions** (Ed. S.K. Bilgrami), pp. 239-258. Narendra Publications House, New Delhi, India.
124. Rao, A.R., Sukumar, S., Paramsivam, T.B., Kamalakshi, S., Parashuraman, A.R. and Shantha, M. 1969. Study of antiviral activity of tender leaves of margosa tree (*Melia azadirachta*) vaccinia and variola virus. A preliminary report. **Indian J. Med. Res.**, **57**:495.
125. Rao, B.G.V., Narsimha and Joseph, P.L. 1971. Activity of some essential oils towards pathogenic fungi. **Riechst Aromen. Koev. Perp. Flagem.**, **21**: 405-410.
126. Rathee, P.S., S.H. and Kausal, R.C. 1982. Antimicrobial activity of essential oil of fixed unsaponifiable matter of *Nigella sativa* Linn. **Indian J. pharmaceutical Sci.**, **44(11)**: 8-10.
127. Rathore, P.S. and Yadav, D.S. 2000. **Field Crop Production**. **2000**, pp. 267-271.

128. Ray, S. and Das, S.N. 1987. Control of fungal wilts of groundnut. **Indian Phytopath.** **40**: 428-430.
129. Reddy, M.V., Raju, T.N., Sharma, S.B., Nene, Y.L. and McDonald, D. 1993. Handbook of Pigeonpea Diseases. **Information Bulletin No. 42. ICRISAT.** Patancheru, A.P., India, pp. 4-44.
130. Reddy, N.P.E. and Chaudhary, K.C.B. 1985. Variation in *Fusarium udum*. **Indian Phytopath.**, **40**:172.
131. Renu, 1983. Fungitoxicity of leaf extracts of some higher plants against *Rhizoctonia solani* Kuhn. **Nat. Acad. Sci. lett.**, **6(8)**: 245-246.
132. Robinson, P.M. 1969. Aspects of staling in liquid culture of fungi. **New Phytol.**, **68**:351-357.
133. Sadasivan, T.S. 1965. Effect of mineral nutrient on soil-micro-organism and plant disease. In: **Ecology of Soil-Borne Plant Pathogens** (Eds.). Baker K.F. et. al. John Murray, London. pp. 460-470.
134. Sarmah, D.K. 1990. Biological control of *Sclerotium* rot of groundnut with *Gliocladium virens*. Ph.D. Thesis. G.B. Pant University of Agric. and Tech., Pantnagar, India.
135. Sarojani, T.S. 1950. Soil conditions and root diseases, micro-nutrient elements and disease, development of *F. udum* on red gram (*Cajanus indicus* Linn.). **J. Madras Univ. (Sec. B.)**. **19**: 1-32.
136. Sawant, I., and Mukhopadhyay, A.N. 1990. Integration of metaloxyl with *Trichoderma harzianum* for the control of *Pythium* damping-off in sugarbeet. **Indian Phytopathology**, **43**:535-541.

137. Scharen, A.L. and Bryan, M.D. 1981. A possible biological control agent *Bacillus licheniformis* for net blotch *Pyrenophora teres* of barley. **Phytopathology**, **71**: 902-903.
138. Schmideknecht, G. and Bochaw, H. 1993. Biological control of soil-borne disease of Potato. pp. 265, **Int. Conf. on Plant Pathology**, Monterial, Canada.
139. Shah, M.P., Shah, M.J., Seth, V.K. and Bhide, N.K. 1959. Clinical trials with new indigenous diuretisodium nimbinate. **J. Assoc. Physicians Indian**, **7**:235.
140. Shrestha, S.M. and Mukhopadhyay, A.N. 1992. Integrated Approach: A successful method of controlling lentil wilt complex. **Indian Phytopathology Supplementary issue of Vol. 45**, pp. LXV.
141. Shukla, D.S. 1975. Incidence of *Fusarium* wilt of pigeonpea in relation to soil composition. **Indian Phytopathol.**, **28**: 295.
142. Singha, A.K. 1975. Control of *Fusarium* wilt of pigeonpea with Bavistin, a systemic fungicide. **Curr. Sci.** **44**:700.
143. Singh, A.K. 1980. Antifungal activity of volatile fraction of some higher plants. Ph.D. Thesis, Gorakhpur. University, Gorakhpur, India.
144. Singh, A.K., Dixit, A. and Dixit, S.N. 1983 b. Antifungal studies of *Peperomia pellucida*. **Beitr. Biol. Pflazen.**, **58**: 357-368.
145. Singh, D.B. 1978. Studies on leaf surface Mycoflora of Mustard and Barley. Ph.D. Thesis Banaras Hindu University, Varanasi, India.
146. Singh, N. and Singh, R.S. 1982. Effect of oil cake amended soil

- atmosphere on pigeonpea wilt pathogen. **Indian Phytopathology**, **35(2)**: 300-305.
147. Singh, Paramjit and Mehrotra, R.S. 1980. Effect of organic amendment on root-rot of gram (*Cicer arietinum*) and their influence on plant growth. **Symposium on Plant disease Problem** organised by Society Mycol. and Pl. Path., 10:23.
148. Singh, R. 1996. Integrated approaches for management of *Fusarium* wilt of Pigeonpea (*Cajanus cajan* (L) Millsp.). Ph. D. Thesis, Banaras Hindu University, Varanasi, India.
149. Singh, R.K. and Dwivedi, R.S. 1988. Laboratory evaluation of some pesticides against *Sclerotium rolfsii* Sacc. a foot-rot pathogen of barley. (*Hordeum vulgare* L.). **Pesticides**, **22**:20-23.
150. Singh, R.S. 1965. Control of root-knot of tomato with organic soil amendments. **Pl. Prot. Bull., F.A.O.**, **13**:35-37.
151. Singh, R.S. 2000. **Plant Diseases**. pp. 457-463.
152. Singh, Santosh 1992. Influence of land application of sewage on soil microflora in relation to crop diseases. Ph.D. Thesis, Banaras Hindu University, Varanasi, India.
153. Singh, S.S. 1998. Crop Management. pp. 132-139.
154. Singh, V. and Deveral, B.J. 1984. *Bacillus subtilis* as a control agent against fungal pathogens of citrus fruit. **Trans. Br. Mycol. Soc.**, **83**:487-490.
155. Sivan, A. Ucko, O. and Chet, I. 1987. Biological control of *Fusarium* crown rot of tomato by *Trichoderma harzianum*. **Phytopathol.**, **74**:498-501.

156. Skidmore, A.M. and Dickinson, C.H. 1976. Colony interactions and hyphal interference between *Septoria nodorum* and phylloplane fungi. **Trans. Brit. Mycol. Soc.**, **66**: 57-64.
157. Smith, V.L., Wilcox, W.F. and Harman, G.E. 1990. Potential for biological control of *Phytophthora* root and crown rot of apple by *Trichoderma* and *Gliocladium* spp. **Phytopathology**, **80**: 880-885.
158. Subramanian, D. 1956. Role of trace element chelation in the *Fusarium* wilt of cotton. **Proc. Indian Acad. Sci. Sec. B.** **43**: 302-307.
159. Sulochana, C.B. 1952. Soil condition and root diseases. VI Germination of Conidia of *Fusarium vasinfectum* in micro-element amended soils. **Proc. Indian Acad. Sci. Sec. B.** **36**: 229-233.
160. Taylor, A.G., Harman, G.E., Nielsen, P.A. 1994. Biological seed treatments using *Trichoderma harzianum* for horticulture crops. **Proc. of the Workshop on New Chemical and Biological treatments for horticulture seeds**. Nashville, Tennessee, July 26.
161. Tripathi, N.N. 1980. Fungitoxicity in some higher plants. Ph.D. Thesis, Gorakhpur University, Gorakhpur, India.
162. Turner, W.B. 1971. **Fungal Metabolites**. Academic Press, London.
163. Upadhyay, J.P. and Mukhopadhyay, A.N. 1986. Biological control of *Sclerotium rolfsii* by *Trichoderma harzianum* in sugarbeet. **Tropical Pest Management**, **32**. 215-220.
164. Upadhyay, R.S. 1979. Ecological studies on *Fusarium udum*

- Butler causing wilt disease of pigeonpea. Ph.D. Thesis, Banaras Hindu University, Varanasi, India.
165. Upadhyay, R.S. 1987. Tolerance to higher temperature by *Aspergillus nidulens* and its possible implication on biological control of wilt disease of pigeonpea. **Plant and Soil**, **97**: 273.
 166. Upadhyay, R.S. and Rai, B. 1978. *Micromonospora globosa* Krass: A destructive parasite of *Fusarium udum* Butler. **Microbios, Lett.**, **8**: 123.
 167. Upadhyay, R.S. and Rai, B. 1981. Effect of cultural practices and soil treatments on incidence of wilt disease of pigeonpea. **Plant and Soil**, **62**: 309-312.
 168. Upadhyay, R.S. and Rai, B. 1982. Ecology of *Fusarium udum* causing wilt disease of pigeonpea: population dynamics in the root region. **Trans. Br. Mycol. Soc.** **78**: 209.
 169. Upadhyay, R.S. and Rai, B. 1987. Studies on antagonism between *F. udum*. Butler and root region microflora of pigeonpea. **Plant and Soil**, **101**: 79-93.
 170. Upadhyay, R.S. and Rai, B. 1989. Wilt Disease of Pigeonpea and its causal organism *Fusarium udum*. In: **Perspective of Phytopathology** (Eds.) V.P. Agnihotri, U.S. Singh, H.S. Chaube, N.Singh and T.S. Dwivedi. New Delhi. Today and Tomorrow's Printers and Publishers.
 171. Upadhyay, R.S. 1993. Ecology and biological control of *Fusarium udum* in relation to soil fungistasis of antagonistic microorganisms. **International conference on plant Protection in the Tropics. Pahang (Malaysia). 20-23 Mar 1993.**

172. Valarini, P.J., Frighetto, R.T.S. and Melo, I.S.D.E. 1994. The effect of medicinal herb. *Cymbopogon citratus* on control of phytopathogenic fungi in a been crop. **Revista de Agricultura (Piracicaba)**, **69(2)** : 139-150.
173. Vasudeva, R.S. and Roy, T.C. 1950. The effect of associated soil microflora on *Fusarium udum* Butler, the fungus causing wilt of pigeonpea (*Cajanus cajan* (L) Millsp.) **Ann. Appl. Biol.**, **38**: 167-177.
174. Vinay Kumari 1992. Role of phylloplane microflora on growth of *Drechslera oryzae* and development of brown spot disease of rice. Ph. D. Thesis, Banaras Hindu University, Varanasi, India.
175. Weller, D.M. 1988. Biological control of Soil-Borne Plant pathogens in the rhizosphere with bacteria. **Ann. Rev. Phytopathology**. **26**: 379-407.
176. Whipps, J.M. 1991. Effect of mycoparasites on Sclerotia forming fungi. In: **Biotic Interactions and Soil-Borne Disease**. (Eds. A.B.R. Beemster, G.J. Bollen, M. Gerlagh, M.A., Ruissen, B. Schippers and A Tempel) Elsevier, Amesterdam, 129-140.
177. Whipps, M. and Mc Quilken 1993. Aspects of biocontrol of fungal plant pathogens In: **Exploitation of Microorganisms** (Ed. Jones, D.G.) Chapman and Hall, London. pp. 45-79.
178. Wong, W.C. and Hughes, J.K. 1986. *Sclerotium cepivorum* berk in onion (*Allium cepa*) crops; isolation and characterization of bacteria antagonistic to fungi in Queensland. **Journal of Applied Bacteriology**, **60**: 57-60.