

References

- AGNIHOTRI, S., MUKHERJI, S. & MUKHERJI, S. (2014). Size-controlled silver nanoparticles synthesized over the range 5-100 nm using the same protocol and their antibacterial efficacy. *RSC Adv.*, **4**, 3974–3983. 148
- ALESSIO, P., ALESSANDRO, V., ANTONINO, C., ENRICO, S. & LUCIA, C. (2012). Plasmonic scattering by metal nanoparticles for solar cells. *Plasmonics*, **7**, 525–534. 24
- ALMEIDA, E., MOREIRA, A., BRITO-SILVA, A., GALEMBECK, A., DE MELO, C., DE S. MENEZES, L. & DE ARAÚJO, C. (2012). Ultrafast dephasing of localized surface plasmons in colloidal silver nanoparticles: the influence of stabilizing agents. *Applied Physics B*, **108**, 9–16. 29, 136
- ALOTHMAN, Z.A. (2012). A review: Fundamental aspects of silicate mesoporous materials. *Materials*, **5**, 2874–2902. 86
- ANDERS, H., GERRIT, B., LICHENG, S., LARS, K. & HENRIK, P. (2010). Dye-sensitized solar cells. *Chemical Reviews*, **110**, 6595–6663. 14, 19
- AZHAR, F., RAJAN, J., THOMAS, M.B., FRANCISCO, F.S. & JUAN, B. (2014). A perspective on the production of dye-sensitized solar modules. *Energy Environ. Sci.*, **7**, 3952–3981. 13
- BAKHSHAYESH, A.M., AZADFAR, S.S. & BAKHSHAYESH, N. (2015). Multi-layered architecture of electrodes containing uniform TiO₂ aggregates layers for improving the light scattering efficiency of dye-sensitized solar cells. *Journal of Materials Science: Materials in Electronics*, **26**, 9808–9816. 21
- BARBÉ, C.J., ARENDSE, F., COMTE, P., JIROUSEK, M., LENZMANN, F., SHKLOVER, V. & GRÄTZEL, M. (1997). Nanocrystalline titanium oxide electrodes for photovoltaic applications. *J. Am. Ceram. Soc.*, **80**, 3157–3171. 21

REFERENCES

- BJÖRN, T., KENTA, A., ANNE, Y., SIMON, S., HUA, J., JANNE, R., MAKOTO, K., TOMOFUMI, H., JOTARO, N., TAKAYA, K., HIROSHI, S., RONALD, O. & JAN-HENRIK, S. (2013). Investigation of plasmonic gold-silica core-shell nanoparticle stability in dye-sensitized solar cell applications. *Journal of Colloid and Interface Science*, **427**, 54–61. 28
- BO, D., MENGJIN, Y., BONG, J.L. & JUNG-KUN, L. (2013). Tunable surface plasmons of dielectric core-metal shell particles for dye sensitized solar cells. *RSC Advances*, **3**, 9690–9697. 28
- BRENNAN, T.P., TANSKANEN, J.T., ROELOFS, K.E., TO, J.W.F., NGUYEN, W.H., BAKKE, J.R., DING, I.K., HARDIN, B.E., SELINGER, A., MCGEEHEE, M.D. & BENT, S.F. (2013). TiO₂ conduction band modulation with In₂O₃ recombination barrier layers in solid-state dye-sensitized solar cells. *The Journal of Physical Chemistry C*, **117**, 24138–24149. 23
- BRIGGS, D. & GRANT, J.T. (2003). *Surface Analysis by Auger and X-Ray Photoelectron Spectroscopy: Surface Spectra*. IM Publications. 53
- CHANDRASEKHARAM, M., RAJKUMAR, G., SRINIVASA, R.C., SURESH, T., REEDY, P.Y. & SOUJANYA, Y. (2011). Ruthenium(II)-bipyridyl with extended π -system: Improved thermo-stable sensitizer for efficient and long-term durable dye sensitized solar cells. *J. Chem. Sci.*, **123**, 555–565. 15
- CHANGWOO, N., HONGSIK, C., JONGMIN, K., DAE-RYONG, J., CHOHUI, K., JOONHEE, M., BYUNGJOO, L. & BYUNGWOO, P. (2011). The effects of 100 nm-diameter au nanoparticles on dye-sensitized solar cells. *Appl. Phys. Lett.*, **99**, 253107–253110. 27, 141
- CHANU, P., PATTANA, R., PENNAPA, M., CHAIYUTH, S.K. & CHANCHANA, T. (2011). Effect of silver nanoparticle size on efficiency enhancement of dye-sensitized solar cells. *International Journal of Photoenergy*, **2011**, 1–8. 28
- CHEN, S., CHAPPEL, S., DIAMANT, Y. & ZABAN, A. (2001). Preparation of Nb₂O₅ coated TiO₂ nanoporous electrodes and their application in dye-sensitized solar cells. *Chemistry of Materials*, **13**, 4629–4634. 23, 86
- CHOU, C.S., CHOU, F.C. & KANG, J.Y. (2012). Preparation of ZnO-coated TiO₂ electrodes using dip coating and their applications in dye-sensitized solar cells. *Powder Technol.*, **215**, 38–45. 23

REFERENCES

- CHOU, T.P., ZHANG, Q.F., FRYXELL, G.E. & CAO, G.Z. (2007). Hierarchically structured ZnO film for dye-sensitized solar cells with enhanced energy conversion efficiency. *Adv. Mater.*, **19**, 2588–2592. 21
- CHUAN, F.G., TIANYI, S., FENG, C., QIAN, L. & ZHIFENG, R. (2014). Metallic nanostructures for light trapping in energy-harvesting devices. *Light: Science & Applications*, **3**, 1–12. 24
- CULLITY, B.D. (1978). *Elements of X-ray diffraction*. Addison-Wesley Pub. Co. 64
- DAVID, B.W. & CARTER, C.B. (2009). *Transmission Electron Microscopy: A Textbook for Material Science*. Springer. 64
- DEEPAK, T.G., ANJUSREE, G.S., THOMAS, S., ARUN, T.A., NAIR, S.V. & SREEKUMARAN NAIR, A. (2014). A review on materials for light scattering in dye-sensitized solar cells. *RSC Adv.*, **4**, 17615–17638. 20, 21
- DONALD, L.P., GARY, M.L., GEORGE, S.K. & JAMES, R.V. (2008). *Introduction to Spectroscopy*. Wadsworth Publishing Co Inc. 44
- DONG, Z., REN, H., HESSEL, C., WANG, J., YU, R., JIN, Q., YANG, M., HU, Z., CHEN, Y., TANG, Z., ZHAO, H. & WANG, D. (2014). Quintuple-shelled SnO₂ hollow microspheres with superior light scattering for high-performance dye-sensitized solar cells. *Adv Mater.*, **26**, 905–909. 22
- EHRENREICH, H. & PHILIPP, H.R. (1962). Optical properties of Ag and Cu. *Phys. Rev.*, **128**, 1622–1629. 143
- ELLIS-GIBBINGS, L., JOHANSSON, V., WALSH, R.B., KLOO, L., QUINTON, J.S. & ANDERSSON, G.G. (2012). Formation of N719 dye multilayers on dye sensitized solar cell photoelectrode surfaces investigated by direct determination of element concentration depth profiles. *Langmuir*, **28**, 9431–9439. 94
- FABREGAT-SANTIAGO, F., GARCÍA-CAÑADAS, J., PALOMARES, E., CLIFFORD, J., HAQUE, S., DURRANT, J., GARCIA-BELMONTE, G. & BISQUERT, J. (2004). The origin of slow electron recombination processes in dye-sensitized solar cells with alumina barrier coatings. *J. Appl. Phys.*, **96**, 6903–6907. 23
- FABREGAT-SANTIAGO, F., GARCIA-BELMONTE, G., MÓRA-SERO, I. & BISQUERT, J. (2011). Characterization of nanostructured hybrid and organic solar

REFERENCES

- cells by impedance spectroscopy. *Phys. Chem. Chem. Phys.*, **13**, 9083–9118. 7, 126
- FAHR, S., ROCKSTUHL, C. & LEDERER, F. (2009). Metallic nanoparticles as intermediate reflectors in tandem solar cells. *Applied Physics Letters*, **95**, 121105–121107. 24
- FERRY, B.V.E., MUNDAY, J.N. & ATWATER, H.A. (2010). Design considerations for plasmonic photovoltaics. *Adv. Mater.*, **22**, 4794–4808. 24
- FILIPPO, D.A., SIMONA, F., EDOARDO, M., MOHAMMAD, K.N. & MICHAEL, G. (2011). Absorption spectra and excited state energy levels of the n719 dye on tio2 in dye-sensitized solar cell models. *J. Phys. Chem. C*, **115**, 8825–8831. 15
- FRANCISCO, D.G., ANDREAS, S. & ORIOL, G.B. (2016). *Energy storage in power systems*. Wiley. 2
- FRAUNHOFER, J.V. & BANKS, C. (1972). *Potentiostat and its Applications*. Daniel Davey, Incorporated, Publishers. 74
- GABRIELLA, S.M. & CHAD, A.M. (2005). Rapid thermal synthesis of silver nanoprisms with chemically tailorable thickness. *Advanced Materials*, **17**, 412–415. 181
- GHOSH, S., ACHARYYA, S.S., TRIPATHI, D. & BAL, R. (2014). Preparation of silver-tungsten nanostructure materials for selective oxidation of toluene to benzaldehyde with hydrogen peroxide. *J. Mater. Chem. A*, **2**, 15726–15733. 148
- GOUBET, N., YAN, C., POLLI, D., HERVÉ, P., ARFAOUI, I., CERULLO, G. & PILENI, M.P. (2013). Modulating physical properties of isolated and self-assembled nanocrystals through change in nanocrystallinity. *Nano Letters*, **13**, 504–508. 155
- GRÄTZEL, M. (2009). Recent advances in sensitized mesoscopic solar cells. *Accounts of Chemical Research*, **42**, 1788–1798. 114
- GUAI, G.H., SON, Q.L., LU, Z.S., NG, C.M. & LI, C.M. (2013). Tailor and functionalize TiO₂ compact layer by acid treatment for high performance dye-sensitized solar cell and its enhancement mechanism. *Renew. Energy*, **51**, 29–35. 20

REFERENCES

- GUANGTAO, Y., JING, Z., PEIQING, W., QIANG, S., JUN, Z. & YUEJIN, Z. (2011). Light scattering enhanced photoanodes for dye-sensitized solar cells prepared by carbon spheres /TiO₂ nanoparticle composites. *Curr. Appl. Phys.*, **11**, 376–381. 21
- HÄGGLUND, C., ZÄCH, M. & KASEMO, B. (2008). Enhanced charge carrier generation in dye sensitized solar cells by nanoparticle plasmons. *Applied Physics Letters*, **92**, 013113–013115. 24, 27, 28
- HEILWEIL, E.J. & HOCHSTRASSER, R.M. (1985). Nonlinear spectroscopy and picosecond transient grating study of colloidal gold. *The Journal of Chemical Physics*, **82**, 4762–4770. 142
- HEMANT, K.M., SUDIP, K.B., MANOHAR, R., RAJIV, R.P., NRIPAN, M., YENG, M.L. & SUBODH, G.M. (2011). Solution processed transition metal sulfides: application as counter electrodes in dye sensitized solar cells (dscs). *Phys. Chem. Chem. Phys.*, **13**, 19307–19309. 16
- HOLLAS, J.M. (2003). *MODERN SPECTROSCOPY*. John Wiley & Sons Ltd. 43
- HOLLY, F.Z., OLIVIA, H., JOSEPH, A.W., CHANSE, H., WILLIAM, R.E. & RIZIA, B. (2014). Enhanced efficiency in dye-sensitized solar cells with shape-controlled plasmonic nanostructures. *ACS Photonics*, **1**, 806–811. 29
- HONGSHUI, W., XUELIANG, Q., JIANGUO, C. & SHIYUAN, D. (2005). Preparation of silver nanoparticles by chemical reduction method. *Colloids and Surfaces A: Physicochem. Eng. Aspects*, **256**, 111–115. 135
- HORE, S., NITZ, P., VETTER, C., PRAHL, C., NIGGEMANN, M. & KERN, R. (2005). Scattering spherical voids in nanocrystalline TiO₂- enhancement of efficiency in dye-sensitized solar cells. *Chem Commun*, **15**, 2011–2013. 21
- HU, Q., WU, C., CAO, L., CHI, B., PU, J. & JIAN, L. (2013). A novel TiO₂ nanowires/nanoparticles composite photoanode with sro shell coating for high performance dye-sensitized solar cell. *Journal of Power Sources*, **226**, 8–15. 23
- HUANG, S.Y., SCHLICHTHÖRL, G., NOZIK, A.J., GRÄTZEL, M. & FRANK, A.J. (1997). Charge recombination in dye-sensitized nanocrystalline solar cells. *J. Phys. Chem. B*, **101**, 2576–2582. 20

REFERENCES

- HUANG, W., QIAN, W., EL-SAYED, M.A., DING, Y. & WANG, Z.L. (2007). Effect of the lattice crystallinity on the electron-phonon relaxation rates in gold nanoparticles. *The Journal of Physical Chemistry C*, **111**, 10751–10757. 143
- IHARA, M., IKENOUCI, S., TANAKA, K., SAKAKI, K., HONMA, I. & YAMADA, K. (1997). Enhancement of the absorption coefficient of cis-(NCS)₂ bis(2,2'-bipyridyl-4,4'-dicarboxylate)ruthenium(ii) dye in dye-sensitized solar cells by a silver island film. *J. Phys. Chem. B.*, **101**, 5153–5157. 27
- IM, S., LEE, Y., WILEY, B. & XIA, Y. (2005). Large-scale synthesis of silver nanocubes: the role of HCl in promoting cube perfection and monodispersity. *Angew Chem Int Ed Engl.*, **44**, 2154–2157. 181
- IN, C., BYUNGHONG, L., JIAQING, H., ROBERT, P.H.C. & MERCOURI, G.K. (2012). All-solid-state dye-sensitized solar cells with high efficiency. *Nature*, **485**, 486–489. 19
- IRAVANI, S., KORBKANDI, H., MIRMOHAMMADI, S. & ZOLFAGHARI, B. (2014). Synthesis of silver nanoparticles: chemical, physical and biological methods. *Res Pharm Sci.*, **9**, 385–406. 135
- ITO, S., NAZEERUDDIN, M., LISKA, P., COMTE, P., CHARVET, R., PEČHY, P., JIROUSEK, M., KAY, A., ZAKEERUDDIN, S. & GRÄTZEL, M. (2006). Photovoltaic characterization of dye-sensitized solar cells: Effect of device masking on conversion efficiency. *Progr. Photovolt.: Res. Appl.*, **14**, 589–681. 22
- ITO, S., NAZEERUDDIN, M., ZAKEERUDDIN, S., PEČHY, P., COMTE, P., GRÄTZEL, M., MIZUNO, T., TANAKA, A. & KOYANAGI, T. (2009). Study of dye-sensitized solar cells by scanning electronmicrograph observation and thickness optimization of porous TiO₂ electrodes. *Int. J. Photoenergy*, **2009**, 1–8. 22
- JEFFERY, G.H., BASSETT, J., MENDHAM, J. & DENNEY, R.C. (1989). *Vogel's Textbook of Quantitative Chemical Analysis*. John Wiley & Sons, Inc. 44
- JIAN-MIN, Z., FEI, M. & KE-WEI, X. (2004). Calculation of the surface energy of fcc metals with modified embedded-atom method. *Applied Surface Science*, **229**, 34–42. 173, 174

REFERENCES

- JIFA, Q., XIANGNAN, D., PAULA, T.H. & BELCHER, A.M. (2011). Highly efficient plasmon-enhanced dye-sensitized solar cells through metal@oxide core-shell nanostructure. *Acs Nano*, **5**, 7108–7116. 27
- JIHUAI, W., ZHANG, L., SANCHUN, H., PINGJIANG, L., JIANMING, L., MIAOLIANG, H., LEQING, F. & YUNFANG, H. (2008). Progress on the electrolytes for dye-sensitized solar cells. *Pure Appl. Chem.*, **80**, 2241–2258. 16, 19
- JOHN, J.B. & LONNIE, D.R. (1998). *Electron Microscopy*. Jones & Bartlett Learning. 63
- JOSEPH, G., DALE, E.N., DAVID, C.J., CHARLES, E.L., PARTRICK, E., ERIC, L., LINDA, S. & MICHAEL, J. (2012). *Scanning Electron Microscopy and X-Ray Microanalysis*. Springer & Business Media. 54
- KEIJI, I., HING-JU, W., WEN, K.Y.J., KOICHI, Y. & TATSUYA, O. (2004). The photocurrent of dye-sensitized solar cells enhanced by the surface plasmon resonance. *Journal of Chemical Engineering of Japan*, **37**, 645–649. 28
- KEISUKE, N., KATSUAKI, T. & HARRY, A.A. (2008). Plasmonic nanoparticle enhanced light absorption in GaAs solar cells. *Appl. Phys. Lett.*, **93**, 121904–121906. 24
- KELER, M. (2016). National center for photovoltaic. www.nrel.gov/ncpv/. 2, 8
- KENNETH, Z. (1984). *Basic photovoltaic principles and methods*. Van Nostrand Reinhold. 1, 2
- KERN, R., SASTRAWAN, R., FERBER, J., STANGL, R. & LUTHER, J. (2002). Modeling and interpretation of electrical impedance spectra of dye solar cells operated under open-circuit conditions. *Electrochimica Acta*, **47**, 4213–4225. 126
- KHAN, Z., HUSSAIN, J.I., KUMAR, S., HASHMI, A.A. & MALIK, M.A. (2011). Silver nanoparticles: Green route, stability and effect of additives. *Journal of Biomaterials and Nanobiotechnology*, **2**, 390–399. 148
- KLAR, T., PERNER, M., GROSE, S., VON PLESSEN, G., SPIRKL, W. & FELDMANN, J. (1998). Surface-plasmon resonances in single metallic nanoparticles. *Phys. Rev. Lett.*, **80**, 4249–4252. 143

REFERENCES

- KOHLER, O., RUILE, S. & GRÄTZEL, M. (1996). Ruthenium(II) Charge-Transfer Sensitizers Containing 4,4'-Dicarboxy-2,2'-bipyridine. Synthesis, Properties, and Bonding Mode of Coordinated Thio- and Selenocyanates. *Inorganic Chemistry*, **35**, 4779–4787. 20
- KOLWAS, K. & DERKACHOVA, A. (2010). Plasmonic abilities of gold and silver spherical nanoantennas in terms of size dependent multipolar resonance frequencies and plasmon damping rates. *Opto-Electronics Review*, **18**, 429–437. 143
- KOPIDAKIS, N., NEALE, N.R. & FRANK, A.J. (2006). Effect of an adsorbent on recombination and band-edge movement in dye-sensitized TiO₂ solar cells: evidence for surface passivation. *J. Phys. Chem. B*, **110**, 12485–12489. 20
- KRISTINE, A.Z., DAVID, M., YING-CHIH, P. & YAT, L. (2015). Design of novel metal nanostructures for broadband solar energy conversion. *International Journal of Spectroscopy*, **2015**, 1–10. 24
- KYUNG-HEE, P., HAL-BON, G., JIN, E.M. & MARSHAL, D. (2010). Using hybrid silica-conjugated TiO₂ nanostructures to enhance the efficiency of dye-sensitized solar cells. *Electrochimica Acta*, **55**, 5499–505. 22
- LAW, M., GREENE, L.E., JOHNSON, R., J. C. AND SAYKALLY & YANG, P.D. (2005). Nanowire dye-sensitized solar cells. *Nature Mater.*, **4**, 455–459. 14
- LENZMANN, F., KRUEGER, J., BURNSIDE, S., BROOKS, K., GRATZEL, M., GAL, D., RUHLE, S. & CAHEN, D. (2001). Surface photovoltage spectroscopy of dye-sensitized solar cells with TiO₂, Nb₂O₅, and SrTiO₃ nanocrystalline photoanodes: Indication for electron injection from higher excited dye states. *J. Phys. Chem. B*, **105**, 6347–6352. 14
- LIANGPENG, G., QINGTAO, L., MENG, W., JUN, O., XIAOJIAN, L. & MALCOLM, M.X. (2014). Nanosilver particles in medical applications: synthesis, performance, and toxicity. *International Journal of Nanomedicine*, **9**, 2399–2407. 136
- LIN, S.J., LEE, K.C., WU, J.L. & WU, J.Y. (2011). Enhanced performance of dye-sensitized solar cells via plasmonic sandwiched structure. *Applied Physics Letters*, **99**, 043306–043308. 20, 27

REFERENCES

- LINK, S. & EL-SAYED, M.A. (1999). Size and temperature dependence of the plasmon absorption of colloidal gold nanoparticles. *The Journal of Physical Chemistry B*, **103**, 4212–4217. 29, 136
- LINK, S. & EL-SAYED, M.A. (2000). Shape and size dependence of radiative, non-radiative and photothermal properties of gold nanocrystals. *International Reviews in Physical Chemistry*, **19**, 409–453. 143
- LIU, F., NIU, H., ZHANG, S., WAN, L., MIAO, S. & XU, J. (2012). Improved performance of dye-sensitized solar cells: An TiO₂-nano-SiO₂ hybrid photoanode with post-treatment of TiCl₄ aqueous solution. *Appl. Surf. Sci.*, **261**, 8–13. 23
- LOU, Y., YUAN, S., ZHAO, Y., HU, P., WANG, Z., ZHANG, M., SHI, L. & LI, D. (2013). Molecular-scale interface engineering of metal nanoparticles for plasmon-enhanced dye sensitized solar cells. *Dalton Trans.*, **42**, 5330–5337. 20, 27, 28
- LOWELL, S., SHIELDS, J.E., THOMAS, M.A. & MATHIAS, T. (2004). *Surface Area Analysis from the Langmuir and BET Theories*. Springer Netherlands. 73
- LU, Q., WANG, Z., LI, J., WANG, P. & YE, X. (2009). Structure and photoluminescent properties of ZnO encapsulated in mesoporous silica sba-15 fabricated by two-solvent strategy. *Nanoscale Research Letters*, **4**, 646–654. 94
- MANABU, I., MASAMI, K. & SHIHO, I. (2010). Photoabsorption-enhanced dye-sensitized solar cell by using localized surface plasmon of silver nanoparticles modified with polymer. *PhysicaE*, **42**, 2867–2871. 27, 136
- MANABU, I., SHUN, I., KATSUHIKO, T., YUKI, T. & TAKESHI, H. (2011). Photoabsorption-enhanced dye-sensitized solar cells using localized surface plasmon of gold nanoparticles with 16-mercapto hexadecanoic acid. In *Photovoltaic Specialists Conference (PVSE)*, IEEE. 27
- MARKO, B., URŠA, O.K. & MARKO, T. (2014). Solution processed silver nanoparticles in dye-sensitized solar cells. *Journal of Nanomaterials*, **2014**, 1–3. 24, 28, 141
- MASAHARU, T., KISEI, M., NOBUHIRO, M., TAKESHI, T. & XU, Z. (2007). Rapid preparation of silver nanorods and nanowires by a microwave-polyol

REFERENCES

- method in the presence of pt catalyst and polyvinylpyrrolidone. *Crystal Growth & Design*, **7**, 311–320. 174
- MICHAEL, D.B., TEERAPORN, S., KUMAR, R.S.S., DINNOCENZO, V., ANNA-MARIA, P., MICHAEL, M.L., ULRICH, W. & HENRY, J.S. (2011). Plasmonic dye-sensitized solar cells using core-shell metal-insulator nanoparticles. *Nano Lett.*, **11**, 438–445. 28
- MIE, G. (1908). Beiträge zur optik trüber medien, speziell kolloidaler metallösungen. *Annalen der Physik*, **330**, 377–445. 164
- NAK, C.J., CHAIYA, P. & JOSEPH, T.H. (2011). Photocurrent enhancement by surface plasmon resonance of silver nanoparticles in highly porous dye-sensitized solar cells. *Langmuir*, **27**, 14609–14614. 27
- NAKAYAMA, K., KUBO, T. & NISHIKITANI, Y. (2008). Electrophoretically deposited TiO₂ nanotube light-scattering layers of dye-sensitized solar cells. *Jpn. J. Appl.Phys.*, **47**, 6610–6614. 21
- NAM-GYU, P. & KYUNGKON, K. (2008). Transparent solar cells based on dye-sensitized nanocrystalline semiconductors. *phys. stat. sol. (a)*, **205**, 1895–1904. 15
- NEALE, N.R., KOPIDAKIS, N., VAN, D.L.J., GRÄTZEL, M. & FRANK, A.J. (2005). Effect of a coadsorbent on the performance of dye-sensitized TiO₂ solar cells: shielding versus band edge movement. *J. Phys. Chem. B*, **109**, 23183–23189. 20
- NEETU, R., VAISHALY, A., HONEY, S. & BLESSY, B.M. (2015). Dye sensitized solar cells: The emerging technology. *Energy and Power Engineering Science*, **2**, 46–52. 14
- NIAKI, A.G., BAKHSHAYESH, A. & MOHAMMAD, M. (2014). Double-layer dye-sensitized solar cells based on Zn-doped TiO₂ transparent and light scattering layers: Improving electron injection and light scattering effect. *Solar Energy*, **103**, 210–222. 22
- NICHOLAS, J.B., EYAL, S. & JOHN, M.L. (2013). Surface plasmon delocalization in silver nanoparticle aggregates revealed by subdiffraction supercontinuum hot spots. *Scientific Reports*, **3**, 1–7. 174

REFERENCES

- NIINOBE, D., MAKARI, Y., KITAMURA, T., WADA, Y. & YANAGIDA, S. (2005). Origin of enhancement in open-circuit voltage by adding ZnO to nanocrystalline TiO₂ in dye-sensitized solar cells. *J. Phys. Chem. B*, **109**, 17892–17900. 14
- O'REGAN, B. & GRATZEL, M. (1991). A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films. *Nature*, **353**, 737–740. 14
- O'REGAN, B., SCULLY, S., MAYER, A., PALOMARES, E. & DURRANT, J. (2005). The effect of Al₂O₃ barrier layers in TiO₂/dye/CuSCN photovoltaic cells explored by recombination and DOS characterization using transient photovoltage measurements. *J. Phys. Chem. B*, **109**, 4616–4623. 23
- PALOMARES, E., CLIFFORD, J., HAQUE, S., LUTZ, T. & DURRANT, J. (2003). Control of charge recombination dynamics in dye sensitized solar cells by the use of conformally deposited metal oxide blocking layers. *J Am Chem Soc.*, **125**, 475–482. 20, 23, 86
- PAPAVASSILIOU, G. (1979). Optical properties of small inorganic and organic metal particles. *Progress in Solid State Chemistry*, **12**, 185–271. 141
- PARIKH, R.Y., SINGH, S., PRASAD, B.L.V., PATOLE, M.S., SASTRY, M. & SHOUCHE, Y.S. (2008). Extracellular synthesis of crystalline silver nanoparticles and molecular evidence of silver resistance from morganella sp.: Towards understanding biochemical synthesis mechanism. *ChemBioChem*, **9**, 1415–1422. 148
- PATTANAYAK, S., SWARNKAR, A., PRIYAM, A. & BHALERAO, G.M. (2014). Citrate-hydrazine hydrogen-bonding driven single-step synthesis of tunable near-Ir plasmonic, anisotropic silver nanocrystals: implications for sers spectroscopy of inorganic oxoanions. *Dalton Trans.*, **43**, 11826–11833. 181
- PETER, N.S., VIVIAN, E.F., DOMENICO, P., JEREMY, N.M. & HARRY, A.A. (2009). How much can guided modes enhance absorption in thin solar cells? *Optics Express*, **17**, 20975–20990. 24
- QI, X., FANG, L., WEISI, M. & YIDONG, H. (2012). Plasmonic core-shell metal-organic nanoparticles enhanced dye-sensitized solar cells. *Optics Express*, **20**, A898–A907. 27

REFERENCES

- QI, X., FANG, L., YUXIANG, L., WEISI, M., KAIYU, C., XUE, F., WEI, Z. & YIDONG, H. (2014). Aluminum plasmonic nanoparticles enhanced dye sensitized solar cells. *OPTICS EXPRESS*, **22**, A301–A310. 28
- RAMASAMY, P., KANG, M.S., CHA, H.J. & KIM, J. (2013). Highly efficient dye-sensitized solar cells based on HfO₂ modified TiO₂ electrodes. *Mater. Res. Bull.*, **48**, 79–83. 23
- RASHID, M.H., RAULA, M. & MANDAL, T.K. (2011). Polymer assisted synthesis of chain-like cobalt-nickel alloy nanostructures: Magnetically recoverable and reusable catalysts with high activities. *J. Mater. Chem.*, **21**, 4904–4917. 148
- REISS, G., VANCEA, J. & HOFFMANN, H. (1986). Grain-boundary resistance in polycrystalline metals. *Phys. Rev. Lett.*, **56**, 2100–2103. 143
- RHO, Y., WANIT, M., YEO, J., HONG, S., HAN, S., CHOI, J.H., HONG, W.H., LEE, D. & KO, S.H. (2013). Improvement of light-harvesting efficiency in dye-sensitized solar cells using silica beads embedded in a TiO₂ nanoporous structure. *J. Phys. D: Appl. Phys.*, **46**, 024006–024014. 22, 86
- RYCENGA, M., COBLEY, C.M., ZENG, J., LI, W., MORAN, C.H., ZHANG, Q., QIN, D. & XIA, Y. (2011). Controlling the synthesis and assembly of silver nanostructures for plasmonic applications. *Chemical Reviews*, **111**, 3669–3712. 29, 174
- SARA, T., DEEPAK, T.G., ANJUSREE, G.S., ARUN, T.A., SHANTIKUMAR, V.N. & NAIR, A.S. (2014). A review on counter electrode materials in dye-sensitized solar cells. *J. Mater. Chem. A*, **2**, 4474–4490. 16, 19
- SARKAR, P., BHUI, D.K., BAR, H., SAHOO, G.P., SAMANTA, S., PYNE, S. & MISRA, A. (2010). Aqueous-phase synthesis of silver nanodiscs and nanorods in methyl cellulose matrix: Photophysical study and simulation of UV-Vis extinction spectra using DDA method. *Nanoscale Research Letters*, **5**, 1611–1618. 174
- SAXENA, V., VEERENDER, P., CHAUHAN, A.K., JHA, P., ASWAL, D.K. & GUPTA, S.K. (2012). Efficiency enhancement in dye sensitized solar cells through co-sensitization of TiO₂ nanocrystalline electrodes. *Applied Physics Letters*, **100**, 133303–133306. 20, 125

REFERENCES

- SAXENA, V., PUTTA, V., GUSAIN, A., JHA, P., SINGH, J., KOIRY, S., VARDE, P., CHAUHAN, A., ASWAL, D. & GUPTA, S. (2013). Co-sensitization of N719 and RhCL dyes on carboxylic acid treated TiO₂ for enhancement of light harvesting and reduced recombination. *Organic Electronics*, **14**, 3098–3108. 126
- SHANMUGAM, M., M.AND BAROUGH & GALIPEAU, D. (2010). Effect of atomic layer deposited ultra thin HfO₂ and Al₂O₃ interfacial layers on the performance of dye sensitized solar cells. *Thin Solid Films*, **518**, 2678–2682. 23
- SHOZO, Y., YOUHAI, Y. & KAZUHIRO, M. (2009). Iodine/Iodide-free dye-sensitized solar cells. *Accounts of Chemical Research*, **42**, 1827–1838. 16, 19
- SIMON, M., ASWANI, Y., PENG, G., ROBIN, H.B., BASILE, F.E.C., NEGAR, A.A., IVANO, T., ROTH LISBERGER, U., NAZEERUDDIN, M.K. & GRÄTZEL, M. (2014). Dye-sensitized solar cells with 13engineering of porphyrin sensitizers. *Nature Chemistry*, **6**, 242–247. 14
- SKOOG, D.A., HOLLER, F.J. & NIEMAN, T.A. (1998). *Principles of instrumental analysis*. Saunders College Pub. 43
- SOMASUNDARAN, P. & MARKOVIC, B. (2004). *Concentrated dispersions: theory, experiment, and applications*. ACS symposium series, American Chemical Society. 144
- SON, S., HWANG, S.H., KIM, C., YUN, J.Y. & JANG, J. (2013). Designed synthesis of SiO₂/TiO₂ core/shell structure as light scattering material for highly efficient dye-sensitized solar cells. *ACS Applied Materials & Interfaces*, **5**, 4815–4820. 21, 22, 86
- SÖNNICHSEN, C., FRANZL, T., WILK, T., VON PLESSSEN, G., FELDMANN, J., WILSON, O. & MULVANEY, P. (2002). Drastic reduction of plasmon damping in gold nanorods. *Phys. Rev. Lett.*, **88**, 077402–077405. 29, 136
- STACEY, D.S., GEORGE, C.S. & JOSEPH, T.H. (2009). Distance dependence of plasmon-enhanced photocurrent in dye-sensitized solar cells. *J. Am. Chem. Soc.*, **131**, 8407–8409. 28
- STAFFORD, W.S., HEESO, N., GARY, W.B., HUI, C. & CHARLES, A.S. (2013). Plasmonic enhancement of dye-sensitized solar cells using core-shell nanostructures. *J. Phys. Chem. C*, **117**, 927–934. 28

REFERENCES

- STEFAN, E. (2009). *Advances in nanoporous materials*. Elsevier Science. 86
- SUBAS, M., ONKAR, G., VIVEK, D., VIJAYAMOHANAN, K., BOGLE, K., VALANOOR, N. & SATISHCHANDRA, B.O. (2012). TiO₂-Au plasmonic nanocomposite for enhanced dye-sensitized solar cell (DSSC) performance. *Solar Energy*, **86**, 1428–1434. 28
- SUI, Z., CHEN, X., WANG, L., XU, L., ZHUANG, W., CHAI, Y. & YANG, C. (2006). Capping effect of CTAB on positively charged Ag nanoparticles. *Physica E: Low-dimensional Systems and Nanostructures*, **33**, 308–314. 164
- SUKDEB, P., YU, K.T. & JOON, M.S. (2007). Does the antibacterial activity of silver nanoparticles depend on the shape of the nanoparticle? A study of the gram-negative bacterium escherichia coli. *Appl. Environ. Microbiol.*, **73**, 1712–1720. 174
- SURYANARAYANA, C. & NORTON, M.G. (1998). *X-Ray Diffraction: A practical Approach*. Springer Science & Business Media. 64
- TAKEO, O. (2014). *Structure Analysis of Advanced Nanomaterials: Nanoworld by High-Resolution*. Walter de Gruyter GmbH & Co KG. 64
- TAMOTSU, H., HIDETOSHI, M., KOUICHI, S., & SATOSHI, U. (2004). High efficiency of dye-sensitized solar cells based on metal-free indoline dyes. *J. Am. Chem. Soc.*, **126**, 12218–12219. 19
- TAO, H., CHEN, W., WANG, J., KE, W., WAN, J., WU, J. & FANG, G.J. (2014). Low-temperature synthesis of size-controllable anatase TiO₂ microspheres and interface optimization of bi-layer anodes for high efficiency dye sensitized solar cells. *Electrochim. Acta*, **137**, 17–25. 20
- TENNAKONE, K., BANDARA, J., BANDARANAYAKE, P.K.M., KUMARA, G.R.A. & KONNO, A. (2001). Enhanced efficiency of a dye-sensitized solar cell made from MgO-coated nanocrystalline SnO₂. *Jpn. J. Appl. Phys. Lett.*, **40**, L732–L734. 14
- TETREAULT, N., HORVATH, E., MOEHL, T., BRILLET, J., SMAJDA, R., BUNGENER, S., CAI, N., WANG, P., ZAKEERUDDIN, S.M., FORRO, L., MARGREZ, A. & GRÄTZEL, M. (2010). High-efficiency solid-state dye-sensitized solar cells: Fast charge extraction through self-assembled 3D fibrous network of crystalline TiO₂ nanowires. *ACS Nano*, **4**, 7644–7650. 19

REFERENCES

- THOMAS, S., MARIA, B., VLASSIS, L. & POLYCARPOS, F. (2012). Dye-sensitized solar cells incorporating novel Co(II/III) based-redox electrolytes solidified by silica nanoparticles. *J. Mater. Chem.*, **22**, 24430–24438. 16, 19
- TONG, Z., YUAN-JUN, S., XIAO-YANG, Z. & JING-YUAN, W. (2014). Synthesis of silver nanostructures by multistep methods. *sensors*, **14**, 5860–5889. 135, 136
- TORNOW, J. & SCHWARZBURG, K. (2007). Transient electrical response of dye-sensitized ZnO nanorod solar cells. *J. Phys. Chem. C*, **111**, 8692–8698. 14
- WAGNER, C.D. & MUILENBERG, G.E. (1979). *Handbook of X-ray photoelectron spectroscopy: A reference book of standard data for use in X-ray photoelectron spectroscopy*. Physical Electronics Division, Perkin-Elmer Corp. 53
- WALT, B. (2009). *Instrumentation Reference Book*. Butterworth-Heinemann. 74
- WANG, W. & GU, B. (2004). *Preparation and Characterization of Silver Nanoparticles at High Concentrations*, chap. 2, 1–14. 147
- WANG, Z.S., KAWAUCHI, H., KASHIMA, T. & ARAKAWA, H. (2004). Significant influence of TiO₂ photoelectrode morphology on the energy conversion efficiency of N719 dye-sensitized solar cel. *Coord.Chem. Rev.*, **248**, 1381–1389. 21, 22
- WENXIN, N. & GUOBAO, X. (2011). Crystallographic control of noble metal nanocrystals. *Nano Today*, **6**, 265–285. 148
- WIKIMEDIA, C. (2016). The free media repository. <https://commons.wikipedia.org/wiki/File:solar-spectrum.png>. 1
- WIKIPEDIA (2016). The free encyclopedia, silver. <https://en.wikipedia.org/wiki/Silver>. 135
- WIM, W., FRANCESCO, S., TIMO, M.F., TIMO, M., CHRISTINA, A.B., STEPHANIE, J.K.P., SETH, R.M. & JOSEPH, W.P. (2002). Five orders-of-magnitude enhancement of two-photon absorption for dyes on silver nanoparticle fractal clusters. *J. Phys. Chem. B*, **106**, 6853–6863. 27
- WU, S., HAN, H., TAI, Q., ZHANG, J., CHEN, B.L., XU, S., ZHOU, C., YANG, Y., HU, H. & ZHAO, X.Z. (2008). Improvement in dye-sensitized solar

REFERENCES

- cells with a ZnO-coated TiO₂ electrode by rf magnetron sputtering. *Applied Physics Letters*, **92**, 122106–122108. 23
- WU, S., GAO, X., QIN, M., LIU, J.M. & HU, S. (2011). SrTiO₃ modified TiO₂ electrodes and improved dye-sensitized TiO₂ solar cells. *Applied Physics Letters*, **99**, 042106–042108. 23
- XU, Q., LIU, F., LIU, Y., CUI, K., FENG, X., ZHANG, W. & HUANG, Y. (2013). Broadband light absorption enhancement in dye-sensitized solar cells with Au-Ag alloy popcorn nanoparticles. *Sci Rep.*, **3**, 1–7. 29
- YANG, W.G., WAN, F.R., CHEN, Q.W., LI, J.J. & XU, D.S. (2010). Controlling synthesis of well-crystallized mesoporous TiO₂ microspheres with ultrahigh surface area for high-performance dye-sensitized solar cells. *J. Mater. Chem.*, **20**, 2870–2876. 21, 86
- YANG, Z., YANG, J., BERGSTROM, J., KHAZEN, K. & PILENI, M.P. (2014). Crystal polymorphism: dependence of oxygen diffusion through 2D ordered nanocrystals. *Phys. Chem. Chem. Phys.*, **16**, 9791–9796. 148
- YANGM, L., LIN, Y., JIA, J.G., XIAO, X.R., LI, X.P. & ZHOU, X.W. (2008). Light harvesting enhancement for dye-sensitized solar cells by novel anode containing cauliflower-like TiO₂ spheres. *J. Power Sources*, **182**, 370–376. 21
- YU, H., BAI, Y., ZONG, X., TANG, F., MAX, L.G.Q. & WANG, L. (2012). Cubic CeO₂ nanoparticles as mirror-like scattering layers for efficient light harvesting in dye-sensitized solar cells. *Chem. Commun.*, **48**, 7386–7388. 21
- YU, Q., LIU, S., ZHANG, M., CAI, N., WANG, Y. & WANG, P. (2009). An extremely high molar extinction coefficient ruthenium sensitizer in dye-sensitized solar cells: The effects of π -conjugation extension. *The Journal of Physical Chemistry C*, **113**, 14559–14566. 20
- YUANZHE, W., ENLONG, C., HONGMEI, L., BIN, L., ZHIJUAN, H., XIAOMEI, Q., WANGZHOU, S. & GUOPING, D. (2013). Enhanced light scattering and photovoltaic performance for dye-sensitized solar cells by embedding submicron SiO₂/TiO₂ core/shell particles in photoanode. *Ceramics International*, **39**, 5407–5413. 30

- YUNLU, X., TAO, G. & JEREMY, N.M. (2015). The generalized shockley-queisser limit for nanostructured solar cells. *Scientific Reports*, **5**, 1–9. 13
- ZHAO, D., FENG, J., HUO, Q., MELOSH, N., FREDRICKSON, G.H., CHMELKA, B.F. & STUCKY, G.D. (1998). Triblock copolymer syntheses of mesoporous silica with periodic 50 to 300 angstrom pores. *Science*, **279**, 548–552. 86
- ZHIMING, M.W. (2012). *Quantum dot devices*. Springer science and business media. 13
- ZHONG-JIE, J., CHUN-YAN, L. & LU-WEI, S. (2005). Catalytic properties of silver nanoparticles supported on silica spheres. *J. Phys. Chem. B*, **109**, 1730–1735. 136
- ZHONG-SHENG, W., HIROSHI, K., TAKEO, K. & HIRONORI, A. (2004). Significant influence of TiO₂ photoelectrode morphology on the energy conversion efficiency of N719 dye-sensitized solar cell. *Coordination Chemistry Reviews*, **248**, 1381–1389. 22
- ZHONGBIAO, T., LIQING, W., LISHAN, J., QINGBIAO, L., QIANQIAN, S., SHUAI, S. & HUI, Y. (2013). A novel biomass coated Ag-TiO₂ composite as a photoanode for enhanced photocurrent in dye sensitized solar cells. *RSC Advances*, **3**, 6369–6376. 28
- ZHONGJIE, H., GAYATRI, N., ZHIQIANG, J., MINGFU, H., MINGZHE, Y. & YIYING, W. (2012). Probing the low fill factor of NiO p-type dye-sensitized solar cells. *The Journal of Physical Chemistry C*, **116**, 26239–26246. 126