

LIST OF PLATES

- PLATE I:** Showing antifungal activity of *Trichoderma* isolate against soil-borne fungal pathogens
- PLATE II:** Average growth of soil-borne fungal isolates *in vitro*
- PLATE III:** *In vitro* culture plates of fungal isolates
- PLATE IV:** Isolation and culture of arbuscular mycorrhizal fungi (*G. fasciculatum*)
- PLATE V:** Efficacy of fungal antagonists *G. fasciculatum* and *T. viride* against pathogen *Sclerotium rolfsii* on *Arachis hypogaea* L. (JL-24)
- PLATE VI:** Efficacy of fungal antagonists *G. fasciculatum* and *T. viride* against pathogen *Sclerotium rolfsii* on *Arachis hypogaea* L. (W-51)
- PLATE VII:** Efficacy of fungal antagonists *G. fasciculatum* and *T. viride* against pathogen *Macrophomina phaseolina* on *Arachis hypogaea* L. (JL-24)
- PLATE VIII:** Efficacy of fungal antagonists *G. fasciculatum* and *T. viride* against pathogen *Macrophomina phaseolina* on *Arachis hypogaea* L. (W-51)
- PLATE IX:** Symptoms of groundnut diseases in *Arachis hypogaea* L.
- PLATE X:** Efficacy of fungal antagonists *G. fasciculatum* against pathogen *Sclerotium rolfsii* on *Arachis hypogaea* L. (JL-24) in spacing pattern of 15 cm
- PLATE XI:** Efficacy of fungal antagonists *G. fasciculatum* against pathogen *Sclerotium rolfsii* on *Arachis hypogaea* L. (JL-24) in spacing pattern of 30 cm
- PLATE XII:** Efficacy of fungal antagonists *G. fasciculatum* against pathogen *Macrophomina phaseolina* on *Arachis hypogaea* L. (JL-24) in spacing pattern of 30 cm
- PLATE XIII:** Growth responses of *Arachis hypogaea* L. at two different phosphate levels