REFERENCES

REFERENCES

Alderton, D. H. M., Pearce, J.A. and Potts, P. J. (1980) Rare earth element mobility during granite alteration: evidence from Southwest England. EPSL, 49, 149-165.

Alpers, C. and Brimhall, G. H.(1988) Middle Miocene climatic change in the Atacama Desert, northern Chile, Evidence from supergene mineralisation at La Escondida. Geol. Soc. Am. Bull. 100, 1640-1656.

Arora, M. & Naqvi, S. M. 1993. Geochemistry of Archean arenites formed by anoxic exogenic processes - an example from Bababudan schist belt, India. Jour. Geol. Soc. India. 42: 247-268.

Aswathanarayana, U. (1959) Absolute ages of the Archean orogenic cycles of India. Am Jour of Sci.,254, 19-31.

Awasthi, S.C. and Prasad M. (1992). Palaeovolcanism in Sohna area, Gurgaon district, Harayana. Records Geol. Surv. India, 115, 1-3.

Balashov, Yu. A., Ronov, A. B., Migdisov, A. A. and Turanskaya, N. V. (1964) The effect of climate and facies environment in the fractionation of the rare earths during sedimentation. Geochem. Int., 10, 951-969.

Banerjee, D. M. and Bhattacharya, P. (1994) Petrology and geochemistry of greywackes from the Aravalli Supergroup, Rajasthan India, and tectonic evolution of a Proterozoic sedimentary basin. Precambrian Research, 67, 11-35.

Banfield J. F. and Eggleton, R. A. (1989) Apatite replacement and rare earth mobilisation, fractionation and fixation during weathering. Clays Clay Mineral. 37, 113-127.

Bea, F. (1996) Residence of REE , Y and Th in granites and crustal protoliths, Implications for the chemistry of crustal melting. Jour. of Petrol., 37:521-552.

Benito, G., Machado, M. J. and Sancho, C. (1993) Sandstone weathering processes damaging prehistoric rock paintings at the Albarracin Cultural Park, NE Spain. Environmental Geology, 22, 71-79.

Bhatia, M. R. (1983) Plate tectonics and geochemical composition of sandstones. Jour. Geol. 91, 611-627.

Bhattcharya, A and Choudhary M. W. (19880) Trace element geochemistry of potassium fekdspars from Blilwara mica belt, Rajsthan, and its bearing on pegmatite evolution. In: A. B. Roy (editor), Precambrian of the Aravalli mountain, Rajasthan, India. Mem. of Geol. Soc. India., 48, 385-409.

Bhola K. L.(1965) Beryl columbite pegmatite in South Delhi, Kaolinisation of Beryl. Bull. Geol. Soc. India, 2, 30-32.

Bickford, M. E. (1988) The formation of continental crust: Part 1. A review of some principles; Part 2. An application to the Proterozoic evolution the southern North America. Geol. Soc. Am. Bull., 100, 1375-1391.

Birkeland, P. W. (1984) Soils and geomorphology (2nd edition). Oxford University Press, New York, 372 p.

Blatt, H. (1967) Original characteristics of clastic quartz grains. Jour. Sed. Petrology, 37, 401-424.

Blatt, H. (1967) Provenance determinations and recycling of sediments. Jour. Sed. Petrology, 37, 1031-1044.

Blatt, H. (1979) Diagenetic processes in sandstones. In: P. A. Scholle, P. R. Schluger (editors) Aspects of diagenesis. SEPM Spl. Paper, 26, 141-157.

Bock B., McLennan S. M., Hanson, and G. N. (1994) REE redistribution and its effects on the Nd isotope system in the Austin Glen Member of the Normanskill Formation, New York. Geochim. Cosmochim. Acta, 23, 5245-5253.

Bowler, J. M. (1978) Glacial age aeolian events at high and old latitudes. In: E. M. Van Zinderen Bakker (editor), Antarctic glacial history and world palaeoenvironments. Balkema, Rotterdam, 149-172.

Brady, P. V. (1991) The effect of silicate weatheringon global temperature and atmospheric CO2. Jour. Geophys. Res. 96, B18101-B18106.

Braun J. J., Pagel, M., Herbillon, A. and Rosin C. (1993) Mobilisation and redistribution of REEs and thorium in a syenitic lateritic profile: A mass balance study. Geochim Chosmochim Acta., 57, 4419-4434.

Brimhall, G. H. and Dietrich, W. (1987) Constitutive mass balance relations between chemical compositions , volume density, porosity, and strain in metasomatic hydrochemical systems: Results on weathering and pedogenesis. Geochim. Cosmochim Acta, 51, 567-587.

Brimhall, G. H., Chadwick, O. A., Lewis, C. J., Compston, W., Williams I. S., Danti, K. J., Dietrich, W. E., Power M. E., Hendricks, D. and Bratt, J. (1991) Deformational mass transport and invasive processes in soil evolution. Science, 255, 695-702.

Brimhall, G. H., Lewis, C. J., Ague, J. J., Dietrich, W. E. Hampel, H. Teague, T and Rix, P. (1988) Metal enrichment in bauxites by deposition of chemically mature eolian dust. Nature, 333, 819-824.

Brown, R. E., Parker, H. M., and Smith, J. M. (1955) Disposal of liquid wastes to the ground . U. N. Int. Conference on the peaceful uses of Atomic energy. 9, pp 669-675.

Burnham, C. W. (1962) Facies and types of hydrothermal alteration. Eco. Geol., 57, 768-784.

Caine, N. (1992) Spatial patterns of geochemical denudation in a Colorado Alpine environment . In: J. C. Dixon and A. D. Abrahams (editors) Periglacial

geomorphology (proceedings of the 22nd annual Binghamton geomorphology symposium), Wiely, Chichester, pp 63-88.

Carrol, D. 1970. Clay minerals: A guide to their X-ray identification. Special Paper 126. Geol. Soc. America. Boulder, Colorado. pp 80.

Casey, W. H., Westrich, H. R., Banfield, J. R ., Ferruzzi, G., Arnold G. W. (1993) Leaching and reconstruction at the surface of dissolving chain-silicate minerals. Nature, 366, 253-256.

Chalcraft, D & Pye, K. 1984. Humid tropical weathering of quartzite, Southern Venezuela. Z. Geomorph. N. F. 28: 321-332.

Chamley, H. 1989. Clay Sedimentology. Springer Verlag, Berlin, 623 pp.

Chandler, F. W. (1988) Quartz arenites: review and interpretation. Sed. Geo., 58, 105-126.

Chibbar R. K. (1985) Soils of Delhi and their management, in soils of India and their management, Eds. B.C. Biswas, D. S. Yadav and S. Maheshwari. The Fertilisers associations of India, pp 72-86.

Choudhary, A. K., Gopalan, K., and Shastry , C. A.(1984) Present status of the geochronology of the Precambrian rocks of Rajasthan. Tectonophysics, 105, 131-140.

Christensen N. I. and Mooney W. D. (1995) Seismic velocity structure and composition of the continental crust: A global view. Jour. Geophys. Res., 100, 9761-9788.

Clark, A. M. (1984) Mineralogy of the rare earth elements. In: P. Henderson (editor) Rare earth element geochemistry . Elsevier, New York, pp 33-61.

Clemens, S. C., Farreell, J. W. and Gromet, L. P. (1993) Synchronous changes in seawater strontium isotope composition and global climate. Nature, 363, 607-610.

Colin, F., Brimhall G. H., Nahon, D., Baronett, A. and Kathy D. (1992) Equitorial rainforest lateritic mantles: a geomembrane filter. Geology, 20, 523-526.

Condie, K. C.and Wronkiewicz, D. J. (1990) A new lok on the Archean Proterozoic boundary:: sediments and tectonic setting constraint. In: S. M. Naqvi (editor, Precambrian Continental Crust and its economic resources. Elsevier, Amsterdam, pp. 61-84.

Condie K. C. (1967) Composition of the ancient North American Crust. Nature,155, 1013-1015.

Condie K.C., 1991. Another look at rare earth elements in sales. Geochim. Cosmochim. Acta, 35, 2527-2531.

Condie K. C. (1993) Chemical composition and evolution of the upper continental crust: contrasting results from surface samples and Shales. Chemical Geology, 104, 1-37.

Condie K. C. , Dengate, J. Cullers, R. L. (1995) Behaviour of rare earth elements in a palaeoweathering profile on granodiorite in the Front Range, Colorado, U. S. A., Geochim . Cosmochim. Acta, 59, 279-274.

Cox, R. and Lowe, D..R. 1995. A conceptual review of regional-scale controls on the composition of clastic sediments and the co-evolution of continents and their sedimentary cover. Jour. of Sed. Research, A65:1-21.

Crawford, A. R. (1970) The Precambrian geochronology of Rajasthan and Bundelkhand , northern India. Canadian Jour. Earth. Sci., 7, 91-100.

Crawford, A. R. (1975) Rb- Sr age determination for Mount Abu granites and related rocks of Gujrat. Jour. Geol. Soc. India, 16, 20-28.

Crawford, A. R. and Composton, W. (1970) The age of Vindhyan system of Peninsular India. Qurt. Jour. Geol. Soc. London, 125, 351-371.

Cullers , R. L., Basu, A., and Suttner, L. J. (1988) Geochemical signature of provenance in sand size materials in soils and stream sediments near the Tobacco Root Batholith, Montana, U. S. A. Chemical Geology, 70, 335-348.

Das B. K., Kakar Y. P. , Moser H, Stichler W. (1988) Deuterium and Oxygen-18 studies in ground water of the Delhi area, India. Journal of Hydro., 98, 133-146.

Datta P. S. and Tyagi S. K. (1996) Major ion chemistry of ground water in Delhi area: Chemical weathering process and groundwater flow regime. Jour. Geol. Soc. India, 47, 176-188.

Deb, M. and Sarkar, S. C. (1990) Proterozoic tectonic evolution and metallogenesis in the Aravalli-Delhi orogenic Complex, NW India. Precambrian Research, 46, 115-137.

Deb, M., Thorpe, R. I., Cumming, G. L., and Wagner. P. A. (1989) Age, source and stratigraphic implications of Pb isotope data for conformable, sediment hosted, base metal deposits in the Proterozoic Aravlli-Delhi orogenec belt, Northwestern India. Precambrian Research, 43, 1-22.

Deer, W. A., Howie, R. A. and Zussman, J. (1979) An introduction to the rock-forming minerals. ELBS and Longman, 528 p.

Demming, D., Nunn, J. A. and Evans, D. G. (1990) Thermal effects of compaction driven flow from overthrust belts. Jour. Geophys. Res. Lett., 95, 6667-6683.

Dhir, .R.P 1995. The genesis and distribution of arid zone calcretes. In :Statira Wadia, Ravi Korisettar and V.S. Kale (editors), Quaternary Environments and Geoarchaelogy of India. Memoir of Geol, Soc. of India, 32, 191-209.

Dickinson, W. R. and Suczek, C. A. (1979) Plate tectonics and sandstone composition. AAPG Bulletin, 63, 2164-2182.

Dickinson, W. R. and Valloni, (1980) Plate setting and Provenance of sands in modern ocean basins. Geology, 8, 82-86.

Dickinson, W. R., Beard, L. S., Brakenridge, G. R., Erjavek, J. L., Fergusan, R. C., Inman, K. F., Knepp, R. A., Lindberg, F. A. and Ryberg, P. T. (1983) Provenance of North Americon Phanerozoic sandstones in relation to tectonic setting. Geol. Soc. Am. Bull., 94, 222-235.

Dove, P. M. (1995) Kinetic and thermodynamic controls in weathering environments. In: A. F. White and S. L. Brantly (editors) Chemical weathering rates of silicate minerals. Miner. Soc. of America, 31, 236-285.

Drever, J. I. (1988) The geochemistry of natural waters. Prentice Hall, Engelwood Cliffs, 437p.

Duddy, I. R. (1980) Redistribution and fractionation of rare earth and other elements in a weathering profile. Chem. Geol., 30, 363-381.

Emmermann, R., Daieva, L., and Schneider, J.(1975) Petrologic significance of of rare earth distribution in granites. Contrib. Mineral. Petrol., 52, 267-283.

Erikson, E. (1976) The distribution of salinity in ground water of the Delhi region and recharge rates of groundwater. In: Interpretation of environmental isotope and hydrochemical data in groundwater hydrology. International Atomic Energy Agency, Vienna, pp 171-177.

Fedo, C. M., Erikson, K. A. and Eirik J. Krogstad (1996) Geochemistry of Shales from the Archean (~3.0) Buhwa Greenstone Belt, Zimbabwe: implications for provenance and source-area weathering. Geochim. Cosmochim. Acta, 60, 1751-1763.

Fedo, C. M., Nesbitt, H. W. and Young, G. M.(1995) Unravelling the effects of potassium metasomatism in sedimentary rocks and Palaeosols, with implications for palaeoweathering conditions and provenance. Geology, 23, 921-924.

Flint, R.., 1957. Glacial and Pleistocene geology. Wiely, New York, 55 p.

Folk, R. L. (1972) Petrology of sedimentary rocks. Hemphills, Austin, Tex., 170 p.

Fritz, S. J. (1988) A comparative study of gabbro and granite weathering. Chem. Geol., 68, 275-290.

Fullar, C. M. and Sharp, J. M. (1992) Permeability and fracture patterns in extrusive volcanic rocks: Implications from welded Santana Tuff, Trans Pecos, Texas. Geol. Soc. Am. Bull., 104, !485-1496.

Gale S.J. and Hoare, P.G. 1991. Quaternary sediments-Petrographic methods for the study of unlithified rocks. Belhaven Press, London, 323 p.

Galehouse J.S. 1971. Sedimentation analysis: In: R. E. Carver (editor), Proceeding in sedimentary petrology. Wiely, New York. pp 69-127.

Gammons, C. H., Wood., S. A., and Williams-Jones, A. E. (1996) The aqueous geochemistry of the rare earth elements: VI. Stability of neodymium chloride complexes from 25 to 300 °C. Geochim. Cosmochim. Acta, 60, 4615-4630.

Garrels, R. and Mackenzie, F. T. (1971) Evolution of sedimentary rocks. Norton, New York, 397 p.

Garrels, R. M. (1967) Genesis of some ground waters from igneous rocks. In : Aeblson, P. H. (editor), Vol 2-Researches in geochemistry., Wiely, New York. pp 405-420.

Gibbs M. T. and Kump, L. R. (1994) Global chemical erosion during the last glacial maximum and present: sensitivity to change in lithology and hydrology. Palaeoceanography, 9, 529-543.

Gibbs, A. K., Montgomery, C. W. , O' Day, P. A., and Erslev, E. A. (1986) The Archean-Proterozoic transition: Evidence from the geochemistry of metasedimentary rocks of Guyana and Montana. Geochim. Cosmochim. Acta, 50, 2125-2141.

Goldich S. S. 1938. A study in rock weathering. Jour. Geol., 46, 17-58.

Gouveia, M. A., Prudencio, M. I. Figueiredo, M. O., Pereira, L. C. J. Waerenborgh, J. C., Morgado, I, Pena T and Lopes, A. (1993) Behaviour of REE and other trace and major elements during weathering of granitic rocks, Evora, Portugal. Chem. Geol., 107, 293-296.

Graver, .J.I. and Royce, P.R., 1993. Chromium and Nickel in shale of the foreland deposits of the Ordovician Taconic orogeny using shales as a provenance indicator or the ultramafic rocks. Geo. Soc. of America Abstract with Programs, 25:17.

Graver, J.I., and Scott, T.J., 1995. Trace element in shale as indicators of crustal provenance and terrain accretion of the southern Canadian cordillera. Geol. Soc. of Am. Bull., 17:440-453

Griffin, G. M. 1971. Interpretation of X-ray diffractogram data. In: R. E. Carver (editor), Procedures in sedimentary petrology, Wiely, New York, pp 541-569.

Gromet I. P. and Silver, L.T. 1983. Rare Earth element distribution among minerals in a granodiorite and their petrogenetic implications. Geochim. Cosmochim. Acta, 47:925-94.

Gupta, M. L., Sharma, S. R. and Sunder, A. (1989) Heat flow map of India (unpublished) , from the geothermics group of NGRI, Hyderabad.

Gupta, S. N., Arora, Y. K., Mathur, R. K., Iqbaluddin, Prasad, B., Sahai, T. N. and Sharma, S. P. (1980) Lithostratigraphic map of the Aravalli region and northeastern Gujrat, Published by Geol. Surv. of India, W. R. , Jaipur.

Gupta, S. N., Arora, Y. K., Mathur, R. K., Iqbaluddin, Prasad, B., Sahai, T. N. and Sharma, S. P. (1981). Explanatory brochure to the geological map of the Aravalli region, southernn Rajasthan and northeastern Gujrat, Published by Geol. Surv. of India, Hyderabad, 38 p.

Hacket, C. A. (1881) Geology of Aravalli region central and eastern. Records of Geol. Surv. India, 14 (4), 279-303.

Hedin, L. O. and Likens, G. E. (1996) Atmospheric dust and acid rain. Scientific American, Dec., 88-92.

Hemley, J. J., and Jones, J. W. (1964) Chemical aspects hydrothermal alteration with emphasis on hydrogen metasomatism. Econ. Geol., 59, 538-569.

Hemming, S. R., McLennan, S. M. and Hanson, G. N.(1994) Lead isotope as a provenance tool for quartz: Examples from plutons and quartzite, northeastern Minnesota, U. S. A. Geochim. Cosmochim. Acta, 58, 4455-4464.

Hemming, S. R., McLennan, S. M., Hanson, G. N. (1995) Geochemical and Nd/Pb isotopic evidence for the provenance of the Early Proterozoic Verginia Formation, Minnesota. Implications for the tectonic setting of the Animikie basin. Jour. Geol., 103, 147-168.

Heron, A. M. (1917) Geology of the northeastern Rajputana, and adjacent districts. Mem. Geol. Surv. India, 14, 1-128.

Heron, A. M. (1935) Synopsis of the pre-Vindhyan geology of Rajputana. Trans. Nat. Inst. Sci. India, 1, 17-33.

Heron, A. M. (1953) The geology of central Rajputana. Mem. Geol. Surv. India, 79, 389 p.

Holmes, A. (1949) The age of uraninite and monazite from post Delhi pegmatite of Rajputana. Geol. Mag., 96, 288-302.

Ingram, L. R. (1971) Sieve analysis. In: R. E. Carver (editor), Procedures in sedimentary petrology. Wiely, New York, pp 49-67.

Inoue, A., (1995) Formation of clay minerals in hydrothermal environments. In : B. Velde (editor) Origin and mineralogy of clays, Clays and environment. pp268-328.

Johnson M. J., and Stallard R. F. (1989) Physiographic controls on the composition of sediments derived from volcanic and sedimentary terrains on Barro Colorado Island, Panama. Jour. Sed. Petrology, 59. 768-781.

Johnson M. J., Stallard R. F. and Meade, R. H. (1988) First cycle quartz arenites in the Orinoco river basin , Venezuela and Colombia. Jour. Geol., 96, 263-277.

Johnsson, M. J. (1993) The system controlling the composition of clastic sediments. In: M. J. Johnsson and A. Basu (editors) Process controlling the composition of clastic sediments. Boulder, Colorado, Geol. Soc. America, special paper, 284, p 1-9.

Johnsson, M. J. and Basu, A. (1993) Processes controlling the composition of clastic sediments, Boulder, Colorado. Geol. Soc. America, special paper, 284, 342p.

Jollif, B. L., Papike, J. J. and Shearer, C. K. (1986) Tourmaline as a recorder of pegmatite evolution: Bon Ingersoll pegmatite, Black Hills, South Dakota. Am. Mineral. 71, 472-500.

Kakar Y. P. (1985) Geochemistry and chemical quality of natural waters in Delhi area with special reference to trace elements and groundwater pollution. Unpubl. Ph. D. Thesis, Punjab Univ. Chandigarh, pp 109-201.

Kalia P., Bhagawat R. J. Banerjee A., Pande P. K., Trivedi V. (1992) Probable fossils from Alwar quartzite, Aravalli range, North India. Current Science, 62, 427-430.

Kar, A., 1995. Geomorphology of Arid Western India. In: Statira Wadia, Ravi Korisettar and V.S. Kale (editors), Quaternary Environments and Geoarchaeology of India. Mem. Geol. Soc. of India, 32: 168-190.

Ketner, K. B. (1966) Comparison of Ordovician eugeosynclinal and miogeosynclinal quartzites of the Cordilleran geosynclines. U. S. Geol. Surv. Prof. Paper 550-C, 130-165.

Kochhar, N, Pande, K, and Gopalan, K. (1985) Rb-Sr age of Tosham ring complex, Bhiwani. Jour. Geol. Soc. India, 26, 216-218.

Kronberg B. I., Nesbitt, H. W., Lam, W. W. (1986) Upper Pleistocene Amazon deep sea fan muds reflect intense chemical weathering of their mountainous source lands. Chem. Geol., 54, 283-294.

Krynine, P. D. (1942) Differential sedimentation and its products during one complete geosynclinal. Ann. del Primero Congreso Panamericano de Ingenierade Minasy Geologia (Sanitago Chile) Geologia 1st pt., 2, 537-561.

Lajoie, J. and Ludden, J. (1984) Petrology of the Archean Pontiac and Kewagama sediments and implications for the stratigraphy of the southern Abitibi belt. Can. Jour. of Earth Sci., 21, 1305-1314.

Lasaga, (1995) Fundamental approaches in describing mineral dissolution and precipitation rates. In: A. F. White and S. L. Brantly (editors) Chemical weathering rates of silicate minerals. Miner. Soc. Am., 31, 23-86..

Lewis, J. A, Palmer, R. M., Sturchio, N. C., Kemp, A. J.(1997) The rare earth element geochemistryof acid sulphate and acid-sulphate-chloride geothermal system from Yeoowstone National Park, Wyoming, USA. Geochim. Cosmochim. Acta, 61, 695-706.

Likens, G. E., Bormann, F. H., Pierce, R. S., Easton, J. S. and Johnson, N. M.(1977) Biogeochemistry of a forested ecosystem, Springer-Verlag, New York.

Likens, G. E., Driscoll, C. T., and Buso, D. C. (1996) Long term effects of acid rain. Science, 272, 244-246.

Lilley , F. E. M., Singh, B. P., Arora, B. R., Srivastava, B. J., Prasad, S. N. and Sloane, (1981) A magnetometer array study in northwest India. Phys. Earth Planet Int., 25, 232-240.

Lundqvist, J. (1988) The Revsund area , central Jamtland-An example of periglacial weathering and landscape formation. Geografisca Annaler, 70A, 291-298.

Macdougall, J. D., Gopalan, K., Lugmair G. W. and Roy A. B. (1983) The Banded gneiss complex of Rajasthan, India, early crust from depleted mantle at 3.5 AE. Trans. Ame. Geophys. Union, 64, 331p

Mackie, D. (1962) Goyazite and florencite from two African carbonatites. Mineral. Mag., 33, 281-297.

Maxwell, A. J. (1968). Rock and mineral analysis. In P. J. Elving and I. A. Kolthoff (editors), Chemical analysis (Vol 27), Interscience Publishers, New york, 559 p.

McLennan, S.M., (1989) Rare Earth Elements in sedimentary rocks: Influence of provenance and sedimentary processes. In: B. R. Lipin and G. A. Mackay (editors), Geochemistry and mineralogy of Rare Earth Elements. Miner. Soc. Am. pp. 169-200

McLennan, S. M. (1993) Weathering and global denudation. Jour. Geology, 101, 295-303.

McLennan, S. M. (1995) Sediments and soils : Chemistry and abundances. In Rock Physics and phase relations, a hand book of physical constants. A. G. U. reference shelf-3, American Geophysical Union, pp8-19.

McLennan, S. M. and Taylor, S. R. (1982) Geochemical chemical constraints on the growth of continental crust. Jour. Geol., 90, 347-361.

McLennan, S. M. and Taylor, S. R. (1991) Sedimentary rocks and crustal evolution: Tectonic setting and secular trends. Jour. Geol., 99, 1-21.

McLennan, S. M. and Taylor, S. R. and Eriksson K. A. (1983) Geochemistry of the Archean shales from the Pilabra Supergroup, , Western Australia. Geochim. Cosmochim. Acta, 47, 1211-1222.

McLennan, S. M. Nance, W. B. and Taylor, S. R.(1980) Rare earth element-thorium correlation in sedimentary rocks and the composition of continental crust. Geochim. Cosmochim. Acta, 44, 1833-1839.

McLennan, S. M., Hemming S., McDaniel, D. K., and Hanson, G. N. (1993) Geochemical approaches to sedimentation, provenance and tectonics. Geol. Soc. Am. Spl. paper, 284, 21-40.

McLennan, S. M., Hemming, S. R., Taylor, S. R. and Eriksson, K. A. (1995) Early Proterozoic crustal evolution: Geochemical and Nd-Pb isotope evidence from metasedimentary rocks, southwestern North Amarica. Geochim. Cosmochim. Acta, 59, 1153-1177.

McLennan, S. M., Taylor, S. R., McCulloch, M. T. and Maynord, J. B. (1990) Geochemical and Nd/Sm isotopic composition of deep sea turbidites: Crustal evolution and plate tectonic associations. Geochim. Cosmochim. Acta, 54, 2015-2050.

Meierding, T. C. (1993) Marble tombstone weathering and air pollution in North America. Annals of the association of American geographers, 83, 568-588.

Meyer, C. and Heamley, J. J. (1967) Wall rock alteration. In: H. L. Barnes (editor) Geochemistry of hydrothermal ore deposits., Holt, Rinehart and Winston, New York, pp 166-235.

Michard, A and Albarede, F., (1986) The REE Content of some hydrothermal fluids. Chem. Geol. 55, 51-60.

Michard, A. (1989) Rare earth elements systematics in hydrothermal fluids. Geochim. Cosmochim. Acta. 53, 745-750.

Middleberg , J. J, Van Der Weijden, C. H. and Woittiez, J. R. W. (1988) Chemical Processes affecting the mobility of major, minor and trace elements during weathering of granitic rocks. Chem. Geol., 68, 253-273.

Misra, V. N. (1995) Geoarchaeology of Thar desert, Northwest India, In: Statira Wadia, Ravi Korisettar and V.S. Kale (editors), Quaternary Environments and Geoarchaeology of India. Mem. of Geol. Soc. of India, 32: 210-230.

Mitra, I. (1990) Role of plants on the abatement of air pollution. M. Phil. Dissertation, (unpubl) J. N. University, New Delhi, 87 p.

Mongelli G. (1993) REE and other trace elements in a granitic weathering profile from "Serre", southern Italy. Chem. Geol., 103, 17-25.

Morris, R. C. and Fletcher, A. B. (1987) Increased solubility of quartz following ferrous ferric iron reactions. Nature, 330, 558-561.

Moses, C. O., Nordstrom, D. K., Herman, J. S., Mills, A. A. (1987) Aqueous pyrite oxidation by dissolved oxygen and by ferric iron. Geochim. Cosmochim. Acta, 51, 1561-1571.

Muller, G. (1967) Sedimentary Petrology, I. Methods in sedimentary petrology. Hafner Publishing Company, New York, 183p.

Naegamvala, J. P. (1971) Dynamics of shifting sand dunes in western Rajasthan and its stabilisation. Report, Central Water and Power Commission, New Delhi, 67 p.

Naha K., Mukhopadhyay, D. K., Mohanty, R. Mitra, S. K. and T. K. Biswal (1984) Significance of contrast in the early stages of the structural history of the Delhi and the pre Delhi rock groups in the Proterozoic of Rajasthan, western India. Tectonophysics, 105, 193-206.

Nance, W. B. and Taylor, S. R. (1976) Rare earth patterns and crustal evolution I: Australian post Archean sedimentary rocks. Geochim. Cosmochim. Acta, 40, 1541-1551.

Nance, W. B. and Taylor, S. R. (1977) Rare eart element patterns and crustal evolution II: Archean sedimentary rocks from Kalgoorlie, Australia. Geochim. Cosmochim. Acta, 41, 225-231.

Nandlal, Nagpal, K. K. and Sharma, K. K. (1976) Fission track ages and uranium concentration in granites from Rajsthan. Geol. Soc. Am. Bull., 87, 687-690.

National Bureau of Soil Survey and Land use Planing (1978) Soil survey and land use plan of Delhi territory, Regional centre Delhi.

Nayak, B. K., (1993) Comparative metallogeny: Sulphides deposits of Archaeozoic and Proterozoic terrains in India. Indian Geol. Cong., Roorkee, 50p.

Nesbitt, H. W. (1979) Mobility and Fractionation of REE during weathering of granodiorite. Nature, 279, 206-210.

Nesbitt, H. W. and Young, G. M. (1982) Early Proterozoic climates and plate motions inferred from major element chemistry of lutites. Nature, 299, 715-717.

Nesbitt, H. W. and Young, G. M. (1984) Prediction of some weathering trends of plutonic and volcanic rocks based on thermodynamic and kinetic considerations. Geochim. Cosmochim. Acta, 54, 1523-1534.

Nesbitt, H. W. and Young, G. M. (1989) Formation and diagenesis of weathering profiles Jour. Geol., 97, 129-147.

Nesbitt, H. W., Marcoviks, G. and Price, R. C. (1980) Chemical processes affecting alkalies and alkaline earths during continental weathering. Geochim. Cosmochim. Acta, 44, 1659-1666.

Nesbitt, H. W. and Young, G. M., McLennan, S. M. Keays, R. R. (1996) Effects of chemical weathering and sorting on the petrogenesis of siliciclastic sediments with implications for provenance studies. Jour. Geo., 104, 524-542.

Ojakangas, R. W. (1988) Glaciation: an uncommon "mega-event" as a key to intracontinental and intercontinental correlations of early Proterozoic basin fill, North American and Baltic craton, In: K. L. Kleinspehn, and C. Paola, (editors) New perspectives in basin analysis, Springer -Verlag, New York, pp 431-444.

Pant, R. K. (1993) Spread of loess and march of desert in western India. Current Science, 64, 841-847.

Paradise, T. R. (1993) Analysis of weathering constrained erosion of the sandstone in the Roman theatre of Petra, Jordan, Ph. D. Thesis (unpubl.). Tempe department of geography, Arizona State University., 202p.

Pascoe, E. S. (1950) A manual of the geology of India and Burma, Vol-1, .Geol. Surv. India, Calcutta, 485 p.

Paton, T. R., Humpreys, G. S. and Mitchell, P. B. (1994) Soils-a new global view. UCL Press, London, 213p.

Pearson, M. J. (1979) Geochemistry of the Hepworth Carboniferous sediment sequence and origin of the diagenetic iron minerals and concretions. Geochim. Cosmochim. Acta, 43, 927-941.

Penk, A (1930) Loess of central Asia. Geographical Journal, 76, 481-482.

Pettijhon , F. J., Potter, P. E. and Siever, R. S. (1972) Sand and Sandstone. Springer-Verlag, New York, 618 p.

Pettijhon, F. J. (1975) Sedimentary Rocks. Harper and Row, New York, 628p.

Potter P. E. (1994) Modern sediments of South America: composition, provenance and global significance. Geologische Rundschau, 83, 212-232.

Potter, P. E. (1978) Significance and origin of big rivers. Jour. Geol. 85, 1-44.

Potter, P. E.(1978) Petrology and chemistry of modern big river sands. Jour. Geol., 86, 123-449.

Powell, H. K. P. (1974) entropy titrations: A reassessment of data for the reaction of the reaction of the sulphate ion with trivalent lanthanide ions. Jour. Chem. Soc. Dalton Trans., pp 1108-1112.

Prasad M. and Awasthi S. C. (1992) A note on the sedimentary structures in the metasediments in the Southern parts of Gurgaon and Faridabad districts of Haryana. Records Geol. Surv. India, 115 28-31.

Price , R. C., Gray, C. M., (1991) The effects of weathering on REE , Y and Ba abundances in Tertiary basalts from south western Australia. Chem. Geol., 93, 245-265.

Pye, K (1987) aeolian dust and dust deposits. Academic Press, London, 329p.

Pye, K., and Tsoar, H. (1987) The mechanics and geological implications of dust transport and deposition in deserts with particular reference to loess formation and dune sand diagenesis in the northern Negev, Israel. In: L. Frostick and I. Reid (editors), Desert sediments: Ancient and Modern. Geol. Soc. Spl. Publ. 35, 139-156.

Rakesh kumar (1989) Study of geochemical environment leading to the origin of various coloured sands of Faridabad district, Haryana. Records of Geol. Surv. India, 122, 12.

Ramakrishnan, M., Venkata Dasu, and Kroner A. (1994) Middle Archean age of Sargur Group by single grain zircon dating and geochemical evidence for the clastic origin of metaquartzite from J. C. Pura greenstone belt, Karnataka. Jour. Geol. Soc. India, 44, 605-616.

Rard, J. A. (1988) Aqueous solubilities of praseodymium, europium and lutetium sulphates. Jour. Sol. Chem. 17, 499-517.

Rathore, S. S., Venkteasn, T. R., and Srivastava, R. K. (1996) Rb-Sr and Ar-Ar systematics of Malani Volcanic rocks of southwest Rajasthan: Evidence for younger post crystallisation thermal event. Proc. Indian Acad. Sci. (Earth Planet. Sci.), 105, 131- 141.

Raval U. (1994) Fluids and heat along the Himalayan plate boundary and their plausible expulsion into the subcontinent. Jour. Geol. Soc. India, 43, 629-646.

Raval, U. (1995) Geodynamics of the tectonomagmatic and geophysical and geophysical signatures with mobile parts of transect. In: S. Sinha-Roy and K. R. Gupta (editors) Continental crust of northwestern and central India. Geol. Soc. India, Banglore, 31, 37-61.

Raymahashay, B. C. (1968) A geochemical study of rock alteration by hot springs in the Paint Pont Hill area, Yellowstone Park. Geochim. Cosmochim Acta. 32, 499-522.

Reheis, M. C., Goodmacher, J. C., Harden, J. W., MacFadden, L. D., Rockwell, T. K., Shorba, R. R., Sowers, J. M. and Taylor E. M. (1995)Quaternary soils and dust deposition in Southern Nevada and California. Geol. Soc. Am. Bull., 107, 1003-1022.

Richthofen, F. (1988) On the of origin of loess. Geol. Mag., 9, 293-305.

Roaldset, E. (1973) Rare earth elements in Quaternary clays of Numedal area, Southern Norway. Lithos, 6, 349-372.

Ronov, A. B., BalashovY. A. and Migdisov, A. A. (1967) Geochemistry of the rare earths in the sedimentary cycle. Geochem. Int., 4, 1-17.

Roonwal G. S. (1985) Weathering of granite and related rocks. : In , S. Sihna-Roy and S. K. Ghosh (editors), Products and processes of rock weathering. Hindustan publishing corporation (India), Delhi. pp 63-73.

Rose, A. W. and Burt, D. M. (1979) Hydrothermal alteration. In: H. L. Barnes (editor) Geochemistry of hydrothermal ore deposits, 2nd ed. John Wiley and Sons. Inc. New York. pp172-235.

Roser, B. P. and Korsch, R. J. (1988) Provenance signature of sandstone-mudstone suits determined using discriminant function analysis of major element data. Chem. Geo., 67, 119-139.

Roy, A. B. (1988)Stratigraphic and tectonic framework of the Aravalli mountain range In: A. B. Roy (editor), Precambrian of the Aravalli mountain, Rajasthan, India. Mem. of Geol. Soc. India., 48, 49-45.

Roy, A. B., and Paliwal B. S. (1981) Evolution of lower Proterozoic epicontinental deposits: stromatolite bearing Aravalli rocks of Udaipur, Rajasthan, India. Precambrian Research, 14, 49-74.

Roy, A. B., Paliwal, B. S., and Bejarniya, B. R. (1984) The Arawalli rocks: An evolutionary model and metallogenic trends. Indian Jour. Earth Sci., 8(2), 119-130.

Saxena A., Kulshrestha, U. C., Kumar N. Kumari, K. M., and Srivastava, S. S. (1996) Characterisation of precipitation at Agra. Atmospheric Environment, 30, 3405-3412.

Schoen, R., White, D. E. and Hemley, J. J. (1974) Argillisation by descending acid at Steam-boat Springs, Nevada. Clays and Clay Minerals, 22, 1-22.

Sen, S. (1981) Proterozoic palaeotectonics in the evolution of crust and location of metalliferrous deposits, Rajasthan. Quart. Jour. Geol. Surv. India, 53, 162-185.

Shapiro L. and Brannock W. W. (1962) Rapid analyses of silicate, Carbonate and Phosphate rocks. U. S. Geol. Surv. Bull., 48, 49-55.

Sharma, R. S. (1988) Patterns of metamorphism in the Precambrian rocks of the Aravalli mountain belt. Mem. Jour. Geol. Soc. India, 7, 33-76.

Sharma, T. R. and Sharma, K. R. (1996) Some aspects of granites of Western Himalayas. Jour. Geol. Soc. India, 48, 49-55.

Shaw, D. M. (1956) Geochemistry of pelitic rock -3: major elements and general geochemistry . Geol. Soc. Am. Bull., 67, 919-934.

Sheo Prasad Verma, K. P., Singh, R., and Powar, M. M. (1993) Second generation mapping and geochemical mapping of the rocks of Delhi Supergroup in Haryana. Records of Geol. Surv. India, 125, 69-72.

Sibley, D. F. and Vogel (1976) Chemical mass balance of the Earth's crust: the calcium dilemma and the role of pelagic sediment. Science, 192, pp 551-553.

Sidhu, P. S. (1977) Aeolian addition to the soils of North-West India. Pedologie, 3, 323-336.

Sikka, D. R. (1997) Desert climate and its dynamics. Current Science, 72, 35-46.

Singer, P. C. and Stumn, W. (1970) Acid mine drainage: The rate limiting step. Science, 167, 1121-1123.

Singh H. and Jain V. K. (1989) Geo environmental and petrological studies in Badkhal-Surajkund area, Faridabad district, Haryana. Records Geol. Surv. India, 122, 10-11.

Singh, H., and Jain, V. K. (1989) Geo-Environmental and petrological syudies in Badkhal-Surajkund area, Faridabad district, Haryana. Records Geol. Surv. India, 122, 10-11.

Singh, I. B.(1978) Some problems concerning the study of sedimentary rocks in the Precambrian. Geophytology, 8, 10-18.

Singh, I. B. (1980) Precambrian sedimentary sequences of India: Their peculiarities and comparison with modern sediments. Precambrian Research, 12, 411-436.

Singh, M. (1993) Studies on weathering of Kailasanatha temple. Current Science, 64, 559-565.

Singh, S. (1994) Sand dunes- Their Characteristic and management. In: R. P. Singh and S. Singh (editors), sustainable development of the Indian Arid Zone, Scientific Publishers, Jodhpur, pp 139-157.

Singh, S. P. (1988) Sedimentation patterns of the Delhi Supergroup, Northeastern Rajasthan, India, and their tectonic implications. Sed. Geol. 58, 79-94.

Singh, S. P. (1988) Stratigraphy and sedimentation pattern in the Proterozoic Delhi Supergroup, Northwestern India. In: A. B. Roy (editor), Precambrian of the Aravalli Mountain, Rajasthan, India. Geol. Soc. India, Mem., 7,193-205.

Sinha Roy, S. (1985) Granite-greenstone sequences and geotectonic development of SE Rajasthan. Bull. Geol. Min. Met. Soc. India, 53, 115-123.

Sinha Roy, S. (1988) Proterozoic Wilson cycles in Rajasthan. In: A. B. Roy (editor), Precambrian of the Aravalli Mountain, Rajasthan, India, Geol. Soc. India, Mem., 7, 95-107.

Smalley, I. J. and Vita Finji, C. (1968) The formation of fine particles in sandy deserts and the nature of desert loess, Jour. Sed. Petrol., 38, 766-774.

Sotera, J. J. and Stux, R. L. (1979) Atomic absorption methods manual, V-1, Standard conditions for flame operation. Instrumentation laboratory Inc.

Srinivasan, R., Subba Rao, D. V. Pantulu, G. V. C. Sivaraman, T. V. Balaram, V. and Gopalan, K. (1990) Negative europium anomalies and reset Rb-Sr ages of Archean detrital metasedimentary rocks of the low grade supracrustal belts of the Dharwar craton, South India. In: J. E. Grover and S. E. Ho (editors), The Archean terrain, processes and metallogeny. Proc. 3rd Int. Symp. Perth, Australia, 22, 295-304.

Srivastava A. K. and coworkers (1975) Progress report on geotechnical project, Delhi, Unpubl. Report Geol. Surv. Ind.

Srivastava K. N. Srivastava A. K. and Mehta P. (1974) Progress report on the investigation of occurrence of china clay and building materials in the South part of Delhi state. Unpubl. Report Geol. Surv. Ind.

Srivastava, R. K. (1988) Magmatism in the Aravalli mountain range and its environs. In: A. B. Roy (editor), Precambrian of the Aravalli Mountain, Rajasthan, India, Mem. Geol. Soc. India, 7,77-93.

Stefanini, B. and Williams-Jones, A. E. (1996) Hydrothermal evolution in the Calabona porphyry copper system (Sardinia, Italy): The path to uneconomic deposit. Econ. Geol., 91,774-791.

Subramanian, V., Dack, V. T., Grieken, R. V. (1985) chemical composition of river sediments from the Indian subcontinent. Chem. Geol., 48-271-279.

Suttner, L. J., Basu, A., and Mack, G. H. (1981) Climate and the origin of quartz arenites. Jour. Sed. Petrology, 51, 1235-1246.

Taylor, S. R. and McLennan, S. M. (1981) The composition and evolution of the continental crust: Rare earth element evidences from sedimentary rocks. Philos. Trans. R. Soc. London, A301, 381-399.

Taylor, S. R. and McLennan, S. M. (1985) The continental crust: Its Composition and evolution. Blackwell, London, 311p.

Taylor, S. R. and McLennan, S. M. (1995) The geochemical evolution of continental crust. Rev. Geophys., 33, 241-265.

Taylor, S. R. and McLennan, S. M. (1996) The evolution of continental crust. Scintific Amarican, Jan., 76-81.

Taylor, S. R., McLennan, S. M. and McCullah, M. T. (1983) Geochemistry of loess, continental crustal composition and crustal model ages. Geochim. Cosmochim. Acta, 47, 1897-1905.

Taylor, S. R., Rudnick, R. L., McLennan, S. M., Eriksson, K. A. (1986) Rare earth elements in Archean high grade metasediments and their tectonic significance. Geochim. Cosmochim. Acta, 50, 2267-2289.

Thussu, J. L. (1995) Quaternary stratigraphy and sedimentation of the Indogangetic plains, Haryana. Jour. Geol. Soc. India, 46, 533-544.

Thussu, J. L. and Chopra, S. C. (1991) Compilation of quadrangle maps of Haryana. Records of Geol. Surv. India.128, 1-3.Thussu J. L. Chopra S. and Kazim M. K. (1992) Compilation of quadrangle geological maps covering part s of Haryana state. Records Geol. Surv. India, 125, 1-5.

Thussu, J. L., Chopra, S. and Kazim, K. M. (1992) Compilation of quandrangle geological maps covering parts of Haryana state. Records Geol. Surv. India, 125, 1-8.

Tripathi and Rajamani, (1997) Rare earth element geochemistry of weathering rinds of Delhi quartzite, India, (Communicated).

Tripathi, J. K. & Rajamani, V. (1997) Geochemistry of the loessic sediments on Delhi ridge: Its implication to exogenic processes, (Communicated).

Tsoar, H and Pye, K. (1987) Dust transport and the question of desert loess formation. Sedimentology, 34, 139-153.

Twidale, C. R. (1982) Granite landforms. Amsterdam, Elsevier, Netherlands.

Tyagi A. (1980) Mineralogical and geochemical changes leading to the formation of clay deposits in the Mehrauli area, South Delhi. Unpubl. Ph. D. Thesis, Delhi Univ, 178 p.

Valdiya, K. S. (1996) Antecedent rivers. Resonance, 1, 55-63.

Van de Kamp, P. C. and Leake, B. E. (1994) Petrology, geochemistry, provenance and alteration of Pennsylvanian-Permian arkose, Colorado and Utah. Geol. Soc. Am. Bull., 105, 1571-1582.

Van der Marel, H. W. and Beutelspacher, H. (1976) Atlas of Infrared spectroscopy of clay minerals and their admixtures. Elsevier, Amsterdam, 396p.

Vasudev Rao A. E. and Chatterjee R. K. (1974) Study of certain geochemical and clay mineral properties of major Indian soil types. Indian Jour. Agric. Sci. 42, 189-281.

Visser, J. N. J. and Young, G. M. (1990) Major element geochemistry and palaeoclimatology of the Permo-Carboniferous glacigene Dwyaka Formation and post glacial mud rocks in Southern Africa. Palaeo. Palaeo. Palaeo., 81, 49-57.

Walker, R. J., Hanson, G. N., Papike, J. J., O'Neil, J. R. and Laul, J. C. (1986) Internal evolution of the tin mountain pegmatite, Black Hills, South Dakota. Am. Mineral., 71, 440-459.

Walsh, J. N. (1980) The simultaneous determination of the major, minor and trace constituents of silicate rocks using Inductively coupled plasma spectrometry. Spetrochemica Acta, 35B, 107-111.

Wedepohl, K. H. (1969) The handbook of geochemistry, Vol-1. Springler-Verlag, 247p.

Wenk, H. R. and Wenk, E. (1969) Physical constraints of Alpine rocks. Schwerizerische Minerologische and ptrographische Mitteilli sche, 49, 343-357

White, D. E., Muffler, L. J. P. and Trusdell, A. H. (1971) Vapor dominated hydrothermal systems compared with hot water systems. Econ. Geol., 75-96.

Wildman, T. R. and Condie K. C. (1973) Rare earths in Archean graywackes from Wyoming and from the Fig Tree Group, South Africa. Geochim. Cosmochim. Acta, 37, 439-453.

Wood, S. A. (1990) The aqueous geochemistry of the rare earth elements and yttrium: 2. Theoretical predictions of speciation in hydrothermal solutions to 350 oC at saturation water vapour pressure. Chem. Geol. 88, 99-125.

Wood, S. A. (1990) The aqueous geochemistry of the rare earth elements and yttrium: 1. Review of available low temperature data for inorganic complexes and the inorganic REE speciation of natural waters. Chem. Geol. 82, 159-186.

Wronkiewicz, D. J. and Condie, K. C. (1987) Geochemistry of the Archean shales from the Witwatersrand Supergroup, South Africa: Source area weathering and provenance. Geochim. Cosmochim. Acta. 51, 2401-2416.

Young, R and Young, A (1992) Sandstone landforms. Berlin, Springler-verlag, 163 p.