

REFERENCES

- Abuaf, N., O. C. Jones Jr., and G. A. Zimmer, Optical probe for local void fraction and interface velocity measurements, *Rev. Sci. Instrum.*, **49**, 1090-1094 (1978).
- Akita, K. and F. Yoshida, Gas holdup and volumetric mass transfer coefficient in bubble columns, *Ind. Eng. Chem. Proc. Des. Dev.*, **12**, 76-80 (1973).
- Allen, D. G. and C. W. Robinson, On the calculation of shear rate and apparent viscosity in airlift and bubble column reactors, *Biotechnol. Bioeng.*, **38**, 212-216 (1991).
- Al-Masry, W. A., Effect of scale-up on average shear rates for aerated non-Newtonian liquids in external loop airlift reactors, *Biotechnol. Bioeng.*, **62**, 494-498 (1999).
- Anastasion, A. D., A. D. Passos and A. A. Mouza, Bubble columns with fine pore sparger and non-Newtonian liquid phase: gas hold up prediction, *Chem. Eng. Sci.*, **98**, 331 (2013).
- Avdeev, A. A., B. F. Balunov and V. I. Kiselev, , Heat transfer in bubble layers at high pressures, *Exp. Thermal Fluid Sci.*, **5**, 728-735 (1992).
- Bach, H. F. and T. Pilhofer, Variation of Gas Holdup in Bubble Column with Physical Properties of Liquids and Operating Parameters, *Ger. Chem. Eng.*, **1**, 270-275 (1978).
- Bandyopadhyay, N., P. Roy and B. K. Dutta, Gas holdup in a bubble column with immiscible liquid mixture, *Can. J. Chem. Eng.*, **66**, 995-999 (1988).
- Bar, N. and S. K. Das, Comparative study of friction factor by prediction of frictional pressure drop per unit length using empirical correlation and ANN for gas-non-Newtonian liquid flow through 180° circular bend, *Int. Rev. Chem. Eng.*, **3**, 628-643 (2011).
- Bar, N., M. N. Biswas and S. K. Das, Prediction of pressure drop using artificial neural network for non-Newtonian liquid flow through piping components, *Ind. Eng. Chem. Res.*, **49**, 9423-9429 (2010).
- Bhaga, D. and M. E. Weber, Holdup in vertical two and three phase flow part I: Theoretical analysis, *Can. J. Chem. Eng.*, **50**, 323-328 (1972).
- Bhat, N. and T. J. McAvoy, Use of neural nets for dynamic modelling and control of chemical process system, *Comput. Chem. Eng.*, **14**, 573-583 (1990).
- Botton, R. and D. Cosserrat, Influence of Column Diameter and High Gas Throughputs on the Operation of a Bubble Column, *Chem. Eng. J.*, **16**, 107-115 (1978).

- Bouaifi, M., G. Hebrard, D. Bastoul and M. Roustan, A comparative study of gas holdup, bubble size, interfacial area and mass transfer coefficients in stirred gas-liquid reactors and bubble column., *Chem. Eng. Process.*, **40**, 97-111(2001).
- Braulick, W. J., J. R. Fair and B. J. Lerner, Mass Transfer in a Sparged Contactor: Part I. Physical Mechanisms and Controlling Parameters, *AIChE J.*, **11**, 73-79 (1965).
- Cachaza, E. M., M. E. Diaz, F. J. Montes and M. A. Galan, Unified study of flow regimes and gas holdup in the presence of positive and negative surfactants in a non-uniformly aerated bubble column, *Chem. Eng. Sci.*, **66**, 4047-4058 (2011).
- Carleton, A. J., R. J. Flain, J. Rennie and F. H. H. Valentin, Some properties of a packed bubble column, *Chem. Eng. Sci.*, **22**, 1839-1845 (1967).
- Cartellier, A., Optical probes for local void fraction measurements: Characterization of performance, *Rev. Sci. Instrum.*, **61**, 874-886 (1990).
- Cents, A. H. G., D. J. W. Janssen, D. W. F. Brilmanand, and G. F. Versteeg, Influence of small amount of additives on gas holdup, bubble size and interfacial area, *Ind. Eng. Chem. Res.*, **44**, 4863-4870 (2005).
- Chandarkar, S. K., S. K. Das and M. N. Biswas, Pressure drop in gas dispersion in non-Newtonian liquid jet ejector system, Int. Conf. Adv. Mechanical and Building Science in the 3rd Millnium, 14-16 Dec., 2009 VIT University, TN.
- Chandrakar, S. K., Gas dispersion in non-Newtonian liquid-jet ejectors and two phase co-current vertical upflow, PhD Thesis IIT Kharagpur, 1985.
- Chen, R. C., J. Reese and L. S. Fan, Flow Structure In a Three Dimensional Bubble Column And Three Phase Fluidized Bed, *AIChE J.*, **40**, 1093-1104 (1994).
- Chen, W., T. Hasegawa, A. Tsutsumi and K. Otawara, Scale-up effects on the timeaveraged and dynamic behavior in bubble column reactors, *Chem. Eng. Sci.*, **56**, 6149-6155 (2001).
- Chhabra, R., Hydrodynamics of bubbles and drops in rheologically complex fluids. Encyclopedia of Fluid Mechanics 7, Gulf Publishing Co.: London, 253-286 (1988).
- Chhabra, R. P., Bubbles, drops, and particles in non-Newtonian fluids, CRC, Taylor & Francis, (2007).
- Chisti, Y. and M. Moo-Young, On the calculation of shear rate and apparent viscosity in airlift and bubble column bioreactors, *Biotechnol. Bioeng.*, **34**, 1391-1392 (1989).

-
- Clemen, R. T., Combining Forecasts: A Review and Annotated Bibliography, *Int. J. Forecasting*, **5**, 559-583 (1989).
- Das, S. K. and M. N. Biswas, Pressure losses in two phase gas-non-Newtonian liquid flow in a vertical tube, *Chem. Eng. Commun.*, **135**, 229-237 (1995).
- Das, S. K., M. N. Biswas and A. K. Mitra, Holdup for two phase flow of gas-non-Newtonian liquid mixtures in horizontal and vertical pipes, *Can. J. Chem. Eng.*, **70**, 431-437 (1992).
- Deckwer, W. D., I. Adler and A. Zaidi, A Comprehensive Study on CO₂ – Interphase Mass Transfer in Vertical Cocurrent and Countercurrent Gas-Liquid Flow, *Can. J. Chem. Eng.*, **56**, 43-55 (1978).
- Deckwer, W. D., Bubble column reactors their modeling and dimensioning, *Int. Chem. Eng.*, **19**, 21-23 (1979).
- Deckwer, W. D., R. Burckhart and G. Zoll, Mixing and mass transfer in tall bubble column, *Chem. Eng. Sci.*, **29**, 2177-2188 (1974).
- Deckwer, W. D., Reactionstechnik in Blasensäulen, Salle Sauerlander, Frankfurt am Main, FRG (1985).
- Deckwer, W., Bubble Column Reactors, John Wiley & Sons, 1992.
- Degaleesan, S., M. Dudukovic, and Y. Pan, Experimental study of gas-induced liquid-flow structures in bubble column, *AIChE J.*, **47**, 1913-1931 (2001).
- Delhaya, J. M and P. Bricard, Interfacial area in bubbly flow: Experimental data and correlation, *Nuclear Eng. Design*, **151**, 65-77 (1994).
- Deshpande, N. S., and J. B. Joshi, Simultaneous Measurements of Gas and Liquid Phase Velocities and Gas Holdup Using Laser-Doppler Velocimeter, *Chem. Eng. Commun.*, **162**, 151-168 (1997).
- Dhanasekaran, S. and T. Karunanithi, Improved gas holdup in novel bubble column, *Can. J. Chem. Eng.*, **90**, 126-136 (2012).
- Dharwadkar, S. V., S. B. Sawant, and J. B. Joshi, Gas hold-up in highly viscous pseudoplastic non-Newtonian solutions in three phase sparged reactors, *Can. J. Chem. Eng.*, **65**, 406-411 (1987).
- Diesterweg, G., H. Fuhr and P. Reher, Die Bayer-Turmbiologie, Industrieabwasser, **7** (1978).

- Dudley, J., Mass transfer in bubble columns: A comparison of correlations, *Water Res.*, **29**, 1129-1138 (1995).
- Fair, J. R., A. J. Lambright and J. W. Andersen, Heat transfer and gas holdup in a sparged contactor, *Ind. Eng. Chem. Proc. Des. Dev.*, **1**, 33 (1962).
- Fan, L. S., Gas-liquid fluidization engineering, Boston: Butterworths, (1989).
- Friedel, L., Pressure drop during gas/vapour-liquid flow in pipes, *Int. Chem. Eng.*, **20**, 352-367 (1980).
- Gharat, S. D. and J. B. Joshi, Transport phenomena in bubble column reactor ii: Pressure drop, *Chem. Eng. J.*, **48**, 153-166 (1992).
- Godbole, S. P., M. F. Honath, and Y. T. Shah, Holdup structure in highly viscous Newtonian and non-Newtonian liquids in bubble columns, *Chem. Eng. Commun.* **16**, 119-134 (1982).
- Guet, S., R. V. Fortunati, R. F. Mudde and G. Ooms, Bubble velocity and size measurement with a four-point optical fiber probe, *Part. Part. Syst. Char.*, **20**, 219-230 (2003).
- Guy, C., P. J. Carreau and J. Pair, Mixing characteristics and gas holdup of a bubble column, *Can. J. Chem. Eng.*, **64**, 23-35 (1986).
- Hagedron, A. R. and K. E. Brown, Experimental study of pressure gradients occurring during continuous two-phase flow in small-diameter vertical conduits, *J. Pet. Technol.*, **17**, 475-484 (1965).
- Hammer, H., H. J. Schrag, K. Hektor, H. Schonau, W. Kusters, A. Soemarno, U. Sahabi and W. Napp, New Subfunctions on Hydrodynamics, Heat and Mass Transfer for Gas/Liquid and Gas/Liquid/Solid Chemical and Biochemical Reactors, *Frontiers in Chemical Reaction Engineering*, 464-474, John Wiley & Sons, New York (1984).
- Haque, M. W., K. D. P. Nigam and J. B. Joshi, Hydrodynamics and Mixing in Highly Viscous Pseudo-Plastic Non-Newtonian Solutions in Bubble Columns, *Chem. Eng. Sci.*, **41**, 2321-2331 (1986).
- Hassager O., Negative wake behind bubbles in non-Newtonian liquids, *Nature*, **279**, 402-403 (1979).
- Heijnen, J. J. and K. Van't Riet, Mass transfer, mixing and heat transfer phenomena in low viscosity bubble column reactors, *Chem. Eng. J.*, **28**, B21-B42, (1984.)

- Henzler, H. -J., Begasen herviskoser flüssigkeiten, *Chem. Ing. Tech.*, **56**, 422-423 (1984).
- Herbrechtsmeier, P. and R. Steiner, Untersuchungen an einem blasensaulen – abstromrcaktor, *Chem. Ing. Tech.*, **50**, 944-947 (1978).
- Herringe, R. A., and M. R. Davis, Structural development of gas-liquid mixture flows, *J. Fluid Mech. Digital Archive*, **73**, 97-123 (1976).
- Hikita, H., and H. Kikukawa, Liquid-Phase Mixing In Bubble Columns, Effect of Liquid Properties, *Chem. Eng. J.*, **8**, 191 (1974).
- Hikita, H., S. Asai, S. Tanigawa, K. Segawa and M. Kitao, Gas holdup in bubble column, *Chem. Eng. J.*, **20**, 59-67 (1980).
- Hills, J. H., Radial Non-Uniformity of Velocity and Voidage in a Bubble Column, *Trans. Instrn. Chem. Engrs.*, **52**, 1-9 (1974).
- Himmelblau, D. M., Application of artificial neural networks in chemical engineering, *Korean J. Chem. Eng.*, **17**, 373-392 (2000).
- Hines, D. A., Proc. 1st Eur. Cong. Biotechn. CH-Interlaken, Sept.1978, Dechema Monographs, **82**, 55, Verlag Chemie, Weinheim (1978).
- Huang, J. S., J. L. Yan and C. S. Wu, Comparative bioparticle and hydrodynamic characteristics of conventional and tapered anaerobic fluidized-bed bioreactors, *J. Chem. Tech. Biotechnol.*, **75**, 269-278 (2000).
- Hughmark, G. A. and Pressburg, B. S., Holdup and pressure drop with gas-liquid flow in a vertical pipe, *AIChE J.*, **7**, 677-682 (1961).
- Hughmark, G. A., Holdup and Mass transfer in bubble column, *Ind. Eng. Chem. Proc. Des. Dev.*, **6**, 218-220 (1967).
- Hyndman, C. L., F. Larachi, and C. Guy, Understanding gas-phase hydrodynamics in bubble columns: a convective model based on kinetic theory, *Chem. Eng. Sci.*, **52**, 63-77 (1997).
- Idogawa, K., K. Ikeda, T. Fukuda and S. Morooka, Behavior of Bubbles of the Air-Water System in a Column Under High Pressure, *Int. Chem. Eng.*, **26**, 468-474 (1986).
- Idogawa, K., K. Ikeda, T. Fukuda and S. Morooka, Effect of Gas and Liquid Properties on the Behavior of Bubbles in a Column Under High Pressure, *Int. Chem. Eng.*, **27**, 93-99 (1987^a).

- Idogawa, K., K. Ikeda, T. Fukuda and S. Morooka, Formation and Flow of Gas Bubbles in a Pressurized Bubble Column with a Single Orifice or Nozzle Gas Distributor, *Chem. Eng. Commun.*, **59**, 201-212 (1987^b).
- Idogawa, K., K. Ikeda, T. Fukuda and S. Morooka, Behavior of Bubbles of the Air-Water System in a Column Under High Pressure For Air-Water System, *Kagaku Kogaku Ronbunshu*, **11**, 253-258 (1985).
- Iskandrani, A. and G. Kojasoy, Local void fraction and velocity field description in horizontal bubbly flow, *Nuclear Eng. Design*, **204**, 117-128 (2001).
- Ityokumbul, M. T., N. Kosari and W. Bulani, Gas Holdup and Liquid Mixing at Low and Intermediate Gas Velocities I. Air-Water System, *Chem. Eng. J.*, **53**, 167-172 (1994).
- Jamialahmadi, M., H. M. Müller-Steinhagen, Effect of alcohol, organic acid and potassium chloride concentration on bubble size, bubble rise velocity and gas hold-up in bubble columns, *Chem. Eng. J.*, **50**, 47-56 (1991).
- Jasim, Ali Abdul. R. N., Studies on gas holdup, mass transfer coefficient, mixing time and circulation time in bubble column with draught tube for pseudo plastic (Carboxymethyl) Cellulose and Glycerol solution, *Eng. Tech. J.*, **27**, 2245-2256 (2009).
- Jiang, P, T. J. Lin, X. Luo and L. S. Fan, Flow Visualization of High-Pressure (21MPa) Bubble Column: Bubble Characteristics, *Trans Inst. Chem. Engrs.*, **73**, Part A, 269-274 (1995).
- Joshi, J. B. and M. M. Sharma, Mass transfer characteristics of horizontal sparged contactor, *Trans. Inst. Chem. Engrs.*, **54**, 42 (1976).
- Joshi, J. B., Axial mixing in multiphase contactors-A unified correlation, *Trans. Inst. Chem. Engrs.*, **58**, 155-165(1980).
- Joshi, J. B., Computational flow modelling and design of bubble column reactors, *Chem. Eng. Sci.*, **56**, 5893-5933 (2001).
- Joshi, J. B., Gas phase dispersion in bubble columns, *Chem. Eng. J.*, **24**, 213-216 (1982).
- Kantarci, N., F. Borak and K. O. Ulgen, Bubble column reactors, *Proc. Biochem.*, **40**, 2263-2283 (2005).
- Kataoka, I., M. Ishii and A. Serizawa, Local formulation and measurements of interfacial area concentration in two-phase flow, *Int. J. Multiphase Flow*, **12**, 505-529 (1986).

-
- Kato, Y., A. Nishiwaki, T. Fukuda and S. Tanaka, The behavior of suspended solid particles and liquid in bubble column, *J. Chem. Eng. Japan*, **5**, 112-118 (1972).
- Kawase, Y. and M. Moo-Young, Liquid phase mixing in bubble columns with Newtonian and non-newtonian fluids, *Chem. Eng. Sci.*, **41**, 1969-1977 (1986).
- Kawase, Y. and M. Moo-Young, Theoretical prediction of gas hold-up in bubble columns with Newtonian and non-newtonian fluids, *Ind. Eng. Chem. Res.*, **26**, 933-937 (1987).
- Kawase, Y. and T. Kamagai, Apparent viscosity for non-Newtonian fermentation media in bioreactor, *Bioproc. Engg.*, **7**, 25-28 (1991).
- Kazakis, N. A., I. D. Papadopoulos and A. A. Mouza, Bubble columns with fine pore sparger operating in the pseudo-homogeneous regime: Gas holdup prediction and a criterion for the transition to the heterogeneous regime, *Chem. Eng. Sci.*, **62**, 3092-3103 (2007).
- Kemoun, A., B. C. Ong, P. Gupta, M. H. Al-Dahhan and M. P. Dudukovic', Gas Holdup in Bubble Columns at Elevated Pressure via Computed Tomography, *Int. J. Multiphase Flow*, **27**, 929-946 (2001).
- Kiambi, S. L., A. M. Duquenne, A. Bascoul and H. Delmas, , Measurements of local interfacial area: Application of bi-optical fibre technique, *Chem. Eng. Sci.*, **56**, 6447-6453 (2001).
- Kojima, H., B. Okumura and A. Nakamura, Effect of Pressure on Gas Holdup in a Bubble Column and a Slurry Bubble Column, *J. Chem. Eng. Japan*, **24**, 115-117 (1991).
- Kojima, H., B. Okumura and A. Nakamura, Effect of Pressure on Volumetric Mass Transfer Coefficient and Gas Holdup in Bubble Column, *Chem. Eng. Sci.*, **52**, 4111-4116 (1997).
- Kolbel, H. and P. Ackermann, Apparatus for carrying out gaseous catalytic reactions in liquid medium. US Patent 2, 853, 369 (1958).
- Krishna, R., J. W. A. De Stewart, J. Ellenberger, G. B. Martina and C. Maretto, Gas holdup in slurry bubble columns: effect of column diameter and slurry concentrations, *AIChE J.*, **43**, 311-317 (1997).

-
- Krishna, R., J. W. A. De Stewart, D. D. Hennephof, J. Ellenberger and H. C. J. Hoefsloot, Influence of increased gas density on hydrodynamics of bubble column reactors, *AIChE J.*, **40**, 112-121 (1994).
- Krishna, R., P. M. Wilkinson and L. L. Van Dierendonck, A model for gas holdup in bubble columns incorporating the influence of gas density on flow regime transitions, *Chem. Eng. Sci.*, **46**, 2491-2496 (1991).
- Krishna, R. and S. T. Sie, Design and scaleup of Fischer-Tropsch bubble column slurry reactor, *Fuel Process. Technol.*, **64**, 73-105, (2000).
- Kulkarni A. A. and J. B. Joshi., Bubble Formation and Bubble Rise Velocity in Gas-Liquid Systems: A Review, *Ind. Eng. Chem. Res.*, **44**, 5873-5931 (2005).
- Kumar, A., T. E. Degaleesan, G. S. Laddha and H. E. Hoelscher, Bubble swarm characteristics in bubble column, *Can. J. Chem. Eng.*, **54**, 503-508 (1976).
- Kundu, G., D. Mukherjee and A. K. Mitra, Experimental studies on a co-current gas-liquid downflow bubble column, *Int. J. Multiphase Flow*, **21**, 893-906 (1995).
- Lakota, A., Effect of highly viscous non-Newtonian liquids on gas holdup in a concurrent upflow bubble column, *Acta. Chim. Slov.*, **54**, 678-687 (2007).
- Lee, D. D., C. D. Scot and C. W. Hancher, Fluidized-bed bioreactor for coal-conversion effluents, *J. Water Pollution Control Federation*, **51**, 974-984 (1979).
- Lee, J. C. and Meyrick, D. L., Gas Liquid Interfacial Areas In Salt Solutions In An Agitated Tank, *Trans. Inst. Chem. Eng.*, **48**, T37-45 (1970).
- Lehman, J. and J. Hammer, Continuous fermentation in tower fermentor, I European congress on biotechnology, Interlaken, Part 1, 1(1978).
- Letzel, H. M., J. C. Schouten, R. Krishna and C. M. van Denbleek, Characterization of Regimes and Regime Transitions in Bubble Columns by Chaos Analysis of Pressure Signals, *Chem. Eng. Sci.*, **52**, 4447 (1997^a).
- Letzel, H. M., J. C. Schouten, C. M. van den Bleek and R. Krishna, Influence of Elevated Pressure on The Stability of Bubbly Flows, *Chem. Eng. Sci.*, **52**, 3733 (1997^b).
- Li, H. J, Bubbles in non-Newtonian fluids: formation, interaction and coalescence, *Chem. Eng. Sci.*, **54**, 2247-2254 (1999).

- Li, H. and A. Prakash, Heat transfer and hydrodynamics in a three-phase slurry bubble column, *Ind. Eng. Chem. Res.*, **36**, 4688-4694 (1997).
- Li, H. and A. Prakash, Influence of slurry concentrations on bubble population and their rise velocities in three-phase slurry bubble column, *Powder Technol.*, **113**, 158-167 (2000).
- Lin, T.-J. and Fan, L.-S., Heat transfer and bubble characteristics from a nozzle in high-pressure bubble columns, *Chem. Eng. Sci.*, **54**, 4853-4859 (1999).
- Luther, S., J. Rensen and S. Guet, Bubble aspect ratio and velocity measurements using a four-point fiber-optical probe, *Exp. Fluids*, **36**, 326-333 (2004).
- Mah, R. S. H. and V. Chakravarty, Pattern recognition using neural networks, *Comput. Chem. Eng.*, **16**, 371-377 (1992).
- Majumder, S. K., Analysis of dispersion coefficient of bubble motion and velocity characteristic factor in down and upflow bubble column reactor, *Chem. Eng. Sci.*, **63**, 3160-3170 (2008).
- Majumder, S. K., G. Kundu and D. Mukherjee, Prediction of pressure drop in a modified gas-liquid downflow bubble column, *Chem. Eng. Sci.*, **61**, 4060-4070 (2006).
- Málaga C. and J. M. Rallison, A rising bubble in a polymer solution, *J. Non-Newtonian Fluid Mech.*, **141**, 59-78 (2007).
- Mandal, A., G. Kundu and D. Mukherjee, Studies on frictional pressure drop of gas-non-Newtonian two-phase flow in a concurrent downflow bubble column, *Chem. Eng. Sci.*, **59**, 3807-3815 (2004).
- Mandal, P. S., B. Basak and S. K. Das, An experimental investigation on the removal of ammonia from wastewater in tapered bubble column, *Proc. Int. Conf. on Chem. Engg.*, ICChE, Bangladesh, 29-30 Dec., 2003, pp166-169 (2003).
- Manera, A., B. Ozar, S. Paranjape, M. Ishii and H. M. Prasser, Comparison between wire-mesh sensors and conductive needle-probes for measurements of two-phase flow parameters, *Nuclear Eng. Design*, **239**, 1718-1724 (2009).
- Marrucci, G. and L. Nicodemo, Coalescence of gas bubbles in aqueous solution of inorganic electrolytes, *Chem. Eng. Sci.*, **22**, 1257-1265 (1967).
- Merchuk, J., S. Ben-Zvi and K. Niranjana, Why use bubble-column bioreactors?, *Trends Biotechnol.*, **12**, 501-511 (1994).

- Mersmann, A., Design and scale up of the bubble and spray columns, *Ger. Chem. Eng.*, **1**, 1-11 (1979).
- Molga, E. J. and K. R. Westerterp, Experimental study of a cocurrent upflow packed bed bubble column reactor: pressure drop, holdup and interfacial area, *Chem. Eng. Process.*, **36**, 489-495 (1997).
- Mouza, A., G. K. Dalakoglou and S. V. Paras, Effect of liquid properties on the performance of bubble column reactors with fine pore spargers, *Che. Eng. Sci.*, **60**, 1456-1475 (2005).
- Nakanoh, M., and Yoshida, F., Gas Adsorption by Newtonian and Non-Newtonian Liquids in a Bubble Column, *Int. Eng. Chem. Proc. Des. Dev.*, **19**, 190-195 (1980).
- Nguyen, P. T., M. A. Hampton, A. V. Nguyen and G. R. Birkett, The influence of gas velocity, salt type and concentration on transition concentration for bubble coalescence inhibition and gas holdup, *Chem. Eng. Res. Des.*, **90**, 33-39 (2012).
- Nicol, R. S. and J. F. Davidson, Gas holdup in circulating bubble columns, *Chem. Eng. Res. Des.*, **66**, 152-158 (1988).
- Nishikawa, M., H. Kato, K. Hashimoto, Heat transfer in aerated tower filled with non-Newtonian liquid, *Ind. Eng. Chem. Process. Des. Dev.*, **16**, 133-137 (1977).
- Ohki, Y. and H. Inoue, Longitudinal mixing of the liquid phase in bubble column, *Chem. Eng. Sci.*, **25**, 1-16 (1970).
- Olivieri, G., M. E. Russo, M. Simeone, A. Marzocchella, and P. Saltino, Effects of viscosity and relaxation time on the hydrodynamics of gas-liquid systems, *Chem. Eng. Sci.*, **66**, 3392-3399 (2011).
- Orvalho, S., M. C. Ruzicka and J. Drahos, Bubble column with electrolytes: gas holdup and flow regimes, *Ind. Eng. Chem. Res.*, **48**, 8237-8243 (2009).
- Oyevaar, M. H., and K. R. Westerterp, Mass Transfer Phenomena and Hydrodynamics in Agitated Gas-Liquid Reactors and Bubble Columns at Elevated Pressures: State of the Art, *Chem. Eng. Process.*, **25**, 85-98 (1989).
- Oyevaar, M. H., T. De la Rie, C. L. Van der Sluijs and K. R. Westerterp, Interfacial Areas and Gas Holdups in Bubble Columns and Packed Bubble Columns at Elevated Pressures, *Chem. Eng. Process.*, **26**, 1-14 (1989).

- Ozturk, S. S., A. Schumpe and W. D. Deckwer, Organic liquids in a bubble column: holdup and mass transfer coefficients, *AIChE J.*, **33**,1473-1480 (1987).
- Pandit, A. B. and J. B. Joshi, Mixing in Mechanically Agitated Gas-Liquid Contactors Bubble Columns and Modified Bubble Columns, *Chem. Eng. Sci.*, **38**, 1189-1215 (1983).
- Patil, V. K., J. B. Joshi and M. M. Sharma, Sectionalised bubble column: Gas hold-up and wall side solid-liquid mass transfer coefficient, *Can. J. Chem. Eng.* **62**, 228-232 (1978).
- Pino, L. Z., R. B. Solari, S. Siuier, L. A. Estevez, M. M. Yopez and A. E. Saez, Effect of operating conditions on gas holdup in slurry bubble columns with a foaming liquid, *Chem. Eng. Commun.*, **117**,367-382 (1992).
- Pitt, W. W., C. W. Hancher and B. D. Patton, Biological reduction of nitrates in wastewaters from nuclear processing using fluidized-bed bioreactor, *Nucl. Chem. Waste Man.*, **2**, 57-70 (1981).
- Pradhan, A. K., R. K. Paricha and P. De, Gas hold-up in non-newtonian solutions in bubble column with internals, *Can. J. Chem. Eng.*, **71**, 468-471 (1993).
- Prakash, A., A. Margaritis and H. Li, Hydrodynamics and local heat transfer measurements in a bubble column with suspension of yeast, *Biochem. Eng. J.*, **9**,155-163 (2001).
- Prince, M. J. and H. W. Blanch, Transition electrolyte concentration for bubble coalescence, *AIChE J.*, **36**, 1425-1429 (1990).
- RamaRao, N. V. and M. H. I. Baird, Characteristics of a countercurrent reciprocating plate bubble column I. holdup, pressure drop and bubble diameter, *Can. J. Chem. Eng.*, **66**, 211-221 (1988).
- Reilly, I. G., D. S. Scott, T. J. W. De Bruijn, A. Jain and J. Piskorz, Correlation for gas holdup in turbulent coalescing bubble columns, *Can. J. Chem. Eng.*, **64**,705-718 (1986).
- Revankar, S. T., and M. Ishii, Theory and measurement of local interfacial area using a four sensor probe in two-phase flow, *Int. J. Heat Mass Transfer*, **36**, 2997-3007 (1993).
- Ribeiro Jr., C. P. and D. Mewes, The influence of electrolytes on gas hold-up and regime transition in bubble columns, *Chem. Eng. Sci.*, **62**, 4501-4509 (2007).

- Ros, N. C. J. Simultaneous flow of gas and liquid as encountered in well tubing, *J. Pet. Technol.*, **13**, 1037-1049 (1961).
- Ruzicka, M. C., J. Zahranik, J. Drahoš, and N. H. Thomas, Homogeneous-heterogeneous regime transition in bubble columns, *Chem. Eng. Sci.*, **56**, 4609-4626 (2001).
- Sarrafi, A., H. Muller-Steinhagen, J. M. Smith and M. Jamialahmadi, Gas holdup in homogeneous and heterogeneous gas-liquid bubble column, *Can. J. Chem. Eng.*, **77**, 11-21 (1999).
- Saxena, S. C. and N. S. Rao, Heat transfer and gas holdup in a two-phase bubble column: Air-water system-review and new data, *Exp. Thermal Fluid Sci.*, **4**, 139-151 (1991).
- Schluter, S., A. Steiff and P. M. Weinspach, Heat transfer in two and three phase bubble column reactor with internals, *Chem. Eng. Processing*, **34**, 157-172 (1995).
- Schugerl, K., J. Lucke, I. Lehmann and F. Wagner, Application of tower bioreactor in cell mass production, *Adv. Biochem. Eng.*, **8**, 63-131 (1978).
- Schumpe, A. and W. D. Deckwer, Gas holdups, specific interfacial area, and mass transfer coefficients of aerated carboxymethyl cellulose solution in bubble column, *Ind. Eng. Chem. Process. Des. Dev.*, **21**, 706-711 (1982).
- Schumpe, A. and W. D. Deckwer, Viscous media in tower bioreactors: Hydrodynamic characteristics and mass transfer properties, *Bioprocess. Eng.*, **2**, 79-94 (1987).
- Schumpe, A. and G. Grund, The gas disengagement technique for studying gas holdup structure in bubble columns, *Can. J. Chem. Eng.*, **64**, 891-896 (1986)
- Scott, C. D. and C. W. Hancher, Use of tapered fluidized bed as a continuous bioreactor, *Biotechnol. Bioeng.*, **18**, 1393-1403 (1976).
- Sen, S., Studies on hydrodynamics of tapered bubble column, M. Tech Thesis CU, Kolkata 2003.
- Shah, M., A. A. Kiss, E. Zondervan, J. Van der Schaaf, A. B. de Haan, Gas holdup, axial dispersion, and mass transfer studies in bubble columns. *Ind. Eng. Chem. Res.*, **51**, 14268-14278 (2012).
- Shah, Y. T., B. G. Kelkar, S. P. Godbole and W. D. Deckwer, Design parameters estimations for bubble column reactors, *AIChE J.*, **28**, 353-379 (1982).
- Shaikh, A. and M. H. Al-Dahhan, A review on flow regime transition in bubble column, *Int. J. Chem. React. Eng.*, **5**, 1-68 (2007).

-
- Shaikh, A. and M. H. Al-Dahhan, Scale-up of Bubble Column Reactors: A Review of Current state-of-the-Art., *Ind. Eng. Chem. Res.*, **52**, 8091-8108, (2013).
- Sotelo, J. L., F. J. Benitez, J. Beltran-Heredia and C. Rodriguez, Gas Holdup and Mass Transfer Coefficients in Bubble Columns. I. Porous Glass-Plate Diffusers, *Int. Chem. Eng.*, **34**, 82-90 (1994).
- Sridhar, D. V., R. C. Seagrave and E. B. Bartlett, Process modelling using stacked neural networks, *AIChE J.*, **42**, 2529-2539 (1996).
- Syeda, S. R. and M. J. Reza, Effect of surface tension gradient on gas hold-up enhancement in aqueous solutions of electrolytes, *Chem. Eng. Res. Des.*, **89**, 2552-2559 (2011).
- Tan, M. J. and M. Ishii, A method for measurement of local specific interfacial area, *Int. J. Multiphase Flow*, **16**, 353-358 (1990).
- Thorat B. N., K. Kataria, A. V. Kulkarni, and J. B. Joshi, Pressure Drop Studies in Bubble Columns, *Ind. Eng. Chem. Res.*, **40**, 3675-3688 (2001).
- Thorat, B. N., A. V. Shevade, K. N. Bhilegaonkar, R. H. Aglawe, U. Parasu Veera, S. S. Thakre, A. B. Pandit, S. B. Sawant, and J. B. Joshi, Effect of sparger design and height to diameter ratio on fractional gas hold-up in bubble columns, *Trans IChemE*, **76**, 823-834 (1998).
- Vélez-Cordero J. R., and R. Zenit, Bubble cluster formation in shear-thinning inelastic bubbly columns, *J. non-Newtonian Fluid Mech.*, **166**, 32-41 (2011).
- Verma, A. K., Heat transfer mechanism in bubble columns, *Chem. Eng. J.*, **42**, 205-208 (1989).
- Verma, A. K. and S. Rai, Studies on surface to bulk ionic mass transfer in bubble column, *Chem. Eng. J.*, **94**, 67-72 (2003).
- Vial, C., E. Camarasa, S. Poncin, G. Wild, N. Midoux and J. Bouillard, Study of hydrodynamic behavior in bubble columns and external loop air lift reactors through analysis of pressure fluctuation, *Chem. Eng. Sci.*, **55**, 2957 -2973 (2000).
- Vince, M. A., G. Krycuk and R. T. Lahey Jr., Development of a radio frequency excited local impedance probe, *Nuclear Eng. Design*, **67**, 125-136 (1981).

- Voigt, J. and K. Schugerl, Absorption of oxygen in countercurrent multistage bubble column-I Aqueous solutions with low viscosity, *Chem. Eng. Sci.*, **34**, 1221-1229 (1979).
- Volk, V., Applied statistics of engineers, McGraw-Hill Book Company, New York, 345 (1958).
- von Baten, J. M. and R. Krishna, CFD simulation of bubble column operating in the homogeneous and heterogeneous flow regimes, *Chem. Eng. Technol.*, **25**, 1081-1086 (2002).
- von Baten, J. M., J. Ellenberger. and R. Krishna, Scale-up strategy for bubble column slurry reactors using CFD simulations, *Catal. Today*, **259**, 79-80 (2003).
- Wachi, S. and Y. Nojima, Gas-phase dispersion in bubble columns, *Chem. Eng. Sci.*, **45**, 901-905 (1990).
- Wachi, S., A. G. Jones and T. P. Elson, Flow dynamics in a draft tube bubble column using various liquid, *Chem. Eng. Sci.*, **46**, 657-663 (1991).
- Wallis, G. B., One dimensional two phase flow, McGraw-Hill, New York, USA, (1969).
- Wang, K. B., and L. T. Fan, Mass transfer in bubble columns packed with motionless mixers, *Chem. Eng. Sci.*, **33**, 945-952 (1978).
- Wang, S. K., S. J. Lee, O. C. Jones Jr. and R.T. Lahey Jr., Local void fraction measurement in techniques in two-phase bubbly flows using hot-film anemometry, *ASME Symposium*, **31**, 39-45 (1984).
- Wender, I., Reactions of Synthesis Gas, *Fuel Process. Technol.*, **48**, 189 (1996).
- Westerterp, K. R., W. P. M. Van Swaaij and A. A. C. M. Beenackers, Chemical Reactor Design and Operation, John Wiley & Sons Ltd., 2nd edition, (1987).
- Wilkinson, P. M. and L. L. van Dierendonck, Pressure and Gas Density Effects on Bubble Breakup and Gas Holdup in Bubble Columns, *Chem. Eng. Sci.*, **45**, 2309-2315 (1990).
- Wilkinson, P. M., A. P. Spek and L. L. Van Dierendonck, Design Parameters Estimation for Scale-Up of High-Pressure Bubble Columns, *AIChE J.*, **38**, 544-554 (1992).
- Yoshida, F. and K. Akita, Performance of gas bubble columns: Volumetric liquid-phase mass transfer coefficient and gas holdup, *AIChE J.*, **11**, 9-13 (1965).

- Youssef, A. A. and M. H. Al-Dahhan, Impact of internals on the gas holdup and bubble properties of a bubble column, *Ind. Eng. Chem. Res.*, **48**, 8007-8013 (2009).
- Zahradnik, J., M. Fialova, F. Kastanek, K. D. Green and N. H. Thomas, The effect of electrolytes on bubble coalescence and gas hold-up in bubble column reactors, *Chem. Eng. Res. Des.*, **73**, 341–346 (1995).
- Zehner, P., Momentum, mass and heat transfer in bubble columns. Part 2. Axial blending and heat transfer, *Int. Chem. Eng.*, **26**, 29-35 (1986).
- Zhang, K., Y. Zhao and B. Zhang, Gas holdup characteristics in a tapered bubble column, *Int. J. Chem. Reactor Eng.*, 1 Note S3 (2003).
- Zhang, K. and Y. Zhao, A scale-up strategy for low-temperature methanol synthesis in a circulating slurry bubble reactor, *Chem. Eng. Sci.*, **61**, 1459-1469 (2006).