

List of Figures

1.1	Schematic representation of density of states	10
1.2	Schematic illustration of Top-down and Bottom up approaches .	12
1.3	Schematic representation of the different crystal structures of ZnO	23
1.4	Schematic representation of hexagonal wurtzite structure of ZnO	25
2.1	1)Teflon beaker, 2) Autoclave, and 3) Hydrothermal oven	43
2.2	Rigaku D-max C X-ray diffractometer	45
2.3	Illustration of Bragg's diffraction	46
2.4	Hitachi S-4800 scanning electron microscope	49
2.5	JEOL JEM-2100 transmission electron microscope	51
2.6	Elements in an EDX spectrum are identified based on the energy	52
2.7	Kratos AXIS Ultra spectrometer	54
2.8	JASCO V 570 spectrophotometer	55
2.9	Shimadzu Prestige FTIR spectrometer	58
2.10	Horiba Jobin Yvon LabRam HR spectrometer	60
2.11	Schematic diagram of PL emission	62
2.12	Schematic representation of diamond anvil cell	65
3.1	SEM images of (a) ZnO nanoflowers synthesized by the hydrothermal method and (b) is a magnified image of the same sample	73

3.2	TEM image of hydrothermally grown (a) ZnO, (b) HRTEM and SAED (inset) of ZnO	74
3.3	X-ray diffraction pattern of ZnO nanoflowers	74
3.4	The Rietveld refinement profile of XRD data of ZnO nanoflowers	75
3.5	a) EDX and b) XPS of spectra of hydrothermally grown ZnO nanoflowers	76
3.6	Raman spectrum of ZnO nanoflowers synthesized by the hydrothermal method	78
3.7	(a) Reflectance spectrum and (b) $[(k/s)h\nu]^2$ versus $h\nu$ plot of ZnO nanoflowers synthesized by the hydrothermal method . . .	80
3.8	PL spectrum of ZnO nanoflowers at room temperature	81
4.1	PL spectra of ZnO nanoflowers under hydrostatic pressures at room temperature	88
4.2	(a) The variations of the energy position for the PL NBE emission as a function of pressure, and (b) the intensity of the PL NBE emission as a function of pressure	90
4.3	Raman spectra of ZnO nanoflowers under different hydrostatic pressures	92
4.4	Pressure-dependent Raman shift of ZnO nanoflowers	93
4.5	(a) Line-shape and Lorentzian fits of the $E_2(\text{high})$ phonon mode of ZnO nanoflowers at different pressure conditions, (b) pressure dependence of the FWHM of the $E_2(\text{low})$ and $E_2(\text{high})$ phonon modes.	97
5.1	SEM images of hydrothermally grown (a) ZnO, (b) ZnO:Mn (3 wt%), (c) ZnO:Mn (4 wt%) and (d) ZnO:Mn (5 wt%) (inset is the magnified image of ZnO:Mn (5 wt%))	104

5.2	TEM image of hydrothermally grown (a) ZnO, (b) HRTEM and SAED (inset) of ZnO, (c) ZnO:Mn (5 wt%), (d) HRTEM and SAED (inset) of ZnO:Mn (5 wt%)	104
5.3	EDX spectra of hydrothermally grown (a) ZnO:Mn (3 wt%), (b) ZnO:Mn (4 wt%), and (c) ZnO:Mn (5 wt%) nanorods	106
5.4	XPS spectra of hydrothermally grown ZnO:Mn (3 wt%) and ZnO:Mn (5 wt%) nanorods	107
5.5	X-ray diffraction pattern of hydrothermally grown ZnO, ZnO:Mn (3 wt%), ZnO:Mn (4 wt%) and ZnO:Mn (5 wt%)	108
5.6	Rietveld refined XRD pattern of hydrothermally grown (a) ZnO:Mn (5 wt%), (b) ZnO:Mn (4 wt%), and (c) ZnO:Mn (3 wt%) nanorods	109
5.7	Variation of lattice parameters ‘a’ and ‘c’ of ZnO:Mn nanorods with nominal Mn doping concentration)	111
5.8	FTIR spectra of hydrothermally grown ZnO, ZnO:Mn (3 wt%), ZnO:Mn (4 wt%) and ZnO:Mn (5 wt%) nanostructures	112
5.9	Raman spectra of hydrothermally grown ZnO, ZnO:Mn (3 wt%), ZnO:Mn(4 wt%) and ZnO:Mn (5 wt%)	113
5.10	Diffuse reflectance spectra of hydrothermally grown ZnO, ZnO:Mn (3 wt%), ZnO:Mn(4 wt%) and ZnO:Mn (5 wt%).	115
5.11	$[(k/s)h\nu]^2$ versus $h\nu$ plot of hydrothermally grown ZnO, ZnO:Mn (3 wt%), ZnO:Mn(4 wt%) and ZnO:Mn (5 wt%) (Inset: Variation of band gap with doping concentration of Mn)	115
5.12	PL spectra of hydrothermally grown ZnO, ZnO:Mn (3 wt%), ZnO:Mn(4 wt%) and ZnO:Mn (5 wt%) (Inset: Variation of PL intensity with doping concentration of Mn)	117
5.13	M-H curve of hydrothermally grown ZnO nanorods at 10 and 300 K	119

5.14	M-H curve of hydrothermally grown ZnO:Mn (3 wt%) nanorods at 300 K	119
5.15	M-H curve of hydrothermally grown ZnO:Mn (5 wt%) nanorods at 300 K	120
5.16	M-H curve of hydrothermally grown ZnO:Mn (3 wt%) and ZnO:Mn (5 wt%) nanorods at 10 K.	121
5.17	M-T plot (FC and ZFC) of hydrothermally grown ZnO:Mn (3 wt%) nanorods at an applied field of 50 Oe. The inset shows the enlarged portion in the low temperature region	122
5.18	M-T plot (FC and ZFC) of hydrothermally grown ZnO:Mn (5 wt%) nanorods at an applied field of 50 Oe. The inset shows the enlarged portion in the low-temperature region	123
5.19	Temperature-dependent irreversibility magnetization $M_{irr} = M_{FC} - M_{ZFC}$ of ZnO:Mn (3 wt%) and ZnO:Mn (5 wt%) nanorods. . .	126
6.1	SEM images of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	132
6.2	TEM and SAED images of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	133
6.3	EDX spectra of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	134
6.4	XRD pattern of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	137
6.5	Raman spectra of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	140
6.6	Diffuse reflectance spectra of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	142
6.7	Variation of band gap in ZnO with respect to the doping concentration of TM ions	143

6.8	Photoluminescence spectra of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	144
6.9	Variation of PL emission wavelength with difference in doping concentration of ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	147
6.10	M-H curve of hydrothermally grown ZnO:Co, ZnO:Ni and ZnO:Cu (3, 4, and 5 wt%) nanostructures	148