8.0 REFERENCES

Abdul Wahab, A. M. and P. F. Wareing, 1980. Nitrogenase activity associated with the rhizosphere of *Ammophila arenaria* L. and effect of inoculation of seedlings with *Azotobacter*. *New Phytology*, **84**: 711–721.

Abouelwafa, R., S. Amir, S. Souabi, P. Winterton, V. Ndira, J. C. Revel and M. Hafidi, 2008. The fulvic acid fraction as it changes in the mature phase of vegetable oil-mill sludge and domestic waste composting, *Bioresource Technology,* **99:** 6112–6118.

Adachi, K., T. Chaitep and W. Senboku, 1997. Promotive and inhibitory effects of rice straw application on rice plant growth in pot and field experiments. *Soil Science Plant Nutrion,* **43:** 369–386.

Aioi, K. and M. Nakaoka, 2003. The seagrasses of Japan. In: Green E P and Short F T (eds)World Atlas of Seagrasses, University of California Press, Berkeley, California, pp. 185–192.

Aioi, K. and P. C. Pollard, 1993. Biomass, leaf growth and loss rate of the seagrass *Syringodium isoetifolium* on Dravuni Island, Fiji. *Aquavatic Botony.,* **46**: 283–292.

Aira, M. and J. Dominguez, 2008. Optimizing vermicomposting of animal wastes: Effects of rate of manure application on carbon loss and microbial stabilization, *Journal of Environmental Management,* **88:** 1525–1529.

Aira, M., F. Monroy and J. Dominguez, 2003. Effects of two species of earthworms (*Allolobophora* spp.) on soil systems: a microfaunal and biochemical analysis. *Pedobiologia,* **47**: 877–881.

Aira, M., F. Monroy and J. Dominguez, 2006a. Changes in microbial biomass and microbial activity of pig slurry after the transit through the gut of the earthworm *Eudrilus eugeniae* (Kinberg, 1867). *Biological Fertilized Soils,* **42:** 371–376.

Aira, M., F. Monroy and J. Dominguez, 2006b. *Eisenia fetida* (Oligochaeta, Lumbricidae) activates fungal growth, triggering cellulose decomposition during vermicomposting. *Microbiological Ecology,* **52:** 738–746.

Aira, M., F. Monroy and J. Dominguez, 2007. *Eisenia fetida* (Oligochaeta: Lumbricidae) modifies the structure and physiological capabilities of microbial communities improving carbon mineralization during vermicomposting of pig manure. *Microbiological Ecology,* **54**: 662–671.

Aira, M., F. Monroy and J. Dominguez, 2007a. Earthworms strongly modify microbial biomass and activity triggering enzymatic activities during vermicomposting independently of the application rates of pig slurry. *Science and Total Environment,* **38**: 252–261.

Albanell, E., J. Plaixats and T. Cabrero, 1998. Chemical changes during vermicomposting (*Eisenia foetida*) of sheep manure mixed with cotton industrial wastes. *Biology Fertilized Soil,* **6**: 266–269.

Albiach, R., R. Canet, F. Pomares and F. Ingelmo, 2001. Organic matter components and aggregate stability after the application of different amendments to a horticultural soil. *Bioresoure Technology*, **76**: 125–129.

Alfreider, A., S. Peters, C. C. Tebbe, A. Rangger and H. Insam, 2002. Microbial community dynamics during composting of organic matter as determined by 16S ribosomal DNA analysis. *Compost Science Utilization,* **10**: 303–312.

Amir, S., M. Hafidi, G. Merlina and J. Claude Revel, 2005. Structural characterization of fulvic acids during composting of sewage sludge**.** *Pedobiologia,* **40:** 1693-1700 .

Amir, S., M. Hafidi, J. B. Bailly and J. C. Revel, 2003. Characterization of humic acids extracted from sewage sludge during composting and their Sephadex gel fractions. *Agronomie,* **23**: 269–275.

Anastasi G., C. Varese, F. Bosco, F. Chimirri and V. F. Marchisio, 2008. Bioremediation potential of basidiomycetes isolated from compost, *Bioresource Technology,* **99:** 6626–6630.

Anastasi, A., G. C. Varese and V. F. Marchisio, 2005. Isolation and identification of fungal communities in compost and vermicompost, *Mycologia,* **97(1):** 33–44.

Andersen, N. C., 1983. Nitrogen turnover by earthworms in arable plots treated with farmyard manure and slurry. In: Satchell JE (ed) Earthworm ecology: from Darwin to vermiculture. Chapman and Hall, London, pp. 139–150.

Andre, J., J. Charnock, S. R. Sturzenbaum, P. Kille, A. J. Morgan and M. E. Hodson, 2009. Accumulated metal speciation in earthworm populations with multigenerational exposure to metalliferous soils: cell fractionation and high-energy synchrotron analyses. *Environmental Science and Technology,* **43**: 6822-6829.

Ansari, A. A. and K. Sukhraj, 2010. Effect of vermiwash and vermicompost on soil parameters and productivity of okra (*Abelmoschus esculentus*) in Guyana. *African Journal of Agricultural Research,* **5(14):** 1794-1798.

Anthony, G., O. Donnell, M. Seasman, A. Macrae, I. Waite and John T. Davies, 2001. Plants and fertilisers as drivers of change in microbial community structure and function in soils. *Plant and Soil,* **232:** 135–145.

App, A., T. Santiago, C. Daez, C. Menguito, W. B. Ventura, A. Tirol, J. Po, I. Watanabe, S. K. De Datta and P. A. Roger, 1984. Estimation of the nitrogen balance for irrigated rice and the contribution of phototrophic nitrogen fixation. *Field Crops Research,* **9**: 17–27.

Appelholf, M., C.A. Edwards and E. F. Neuhauser, 1998. Domestic vermicompo sting systems. Earthworm. Waste Environ. Manage., 157-161.

Aquino, A. M., D. E. Almeida, D. L. Freire and H. D. E. Polli, 1994. Earthworms (Oligochaeta) reproduction in manure and sugarcane bagasse. *Pesquisa Agropecuaria Brasileria,* **29**: 161–168.

Arancon, N. Q., C. A. Edwards, P. Bierman, J. D. Metzger, S. Lee and C. Welch, 2003. Effects of vermicomposts on growth and marketable fruits of field-grown tomatoes, peppers and strawberries. *Pedobiologia*, **47**: 731–735.

Araujo, Y., F. J. Luizao and V. K. Barros 2004. Effect of earthworm addition on soil nitrogen availability, microbial biomass and litter decomposition in mesocosms. *Biology and Fertility of Soils,* **39**:146-152.

Aseri, G. K., N. Jain, J. Panwar, A. V. Rao and P. R. Meghwal, 2008. Biofertilizers improve plant growth, fruit yield, nutrition, metabolism and rhizosphere enzyme activities of pomegranate (*Punica granatum* L.) in Indian Thar Desert. *Science and Horticulture,* **117**:130–135.

Atiyeh, R. M. and J. Dominguez, 2000. Changes in biochemical properties of Cow manure during processing by earthworms and the effect on seeding growth. *Pedobiologia,* **44**: 709-724.

Atiyeh, R. M. and S. Lee, 2002. The influence of humic acids derived from earthworm processed organic wastes on plant growth. *Bio Resource Technology*, **84**: 7-14.

Atiyeh, R. M., C. A. Edwards, S. Subler and J. D. Metzger, 2000a. Earthworm processed organic wastes as components of horticultural potting media for growing marigold and vegetable seedlings. *Compost Science Utilization,* **8**: 215-223.

Atiyeh, R. M., S. Subler, C. A. Edwards, G. Bachman, J. D. Metzger and W. Shuster, 2000b. Effects of vermicomposts and composts on plant growth in horticultural media and soil. *Pedobiolgia,* **44**: 579-590.

Auserwald, K., S. Weigand, M. Kainz and C. Philipp, 1996. Influence of soil properties on the population and activity of geophagous earthworms after five years of bare fallow. *Biology and Fertility of Soils,* **23**: 382–387.

Ayuso, M. A., J. A. Pascal, C. Garcia and T. Hernandez, 1996. Evaluation of urban wastes for Agricultural use. *Soil Science Plant Nutrition,* **42**: 105- 111.

Badlock, J.O., R. L. Higgs, W. H. Paulson, J. A. Jackobs and W. D. Shrader 1981. Legume and mineral N effects on crop yields in several crop sequences in the Upper Mississippi Valley. *Agronomie Journal,* **73**: 885–890.

Bailey, K. L. and G. Lazarovits, 2003. Suppressing soil-borne diseases with residue management and organic amendments. *Soil Tillage Research,* **72**: 169–180.

Bandeira, S. O. and F. Gell, 2003. The seagrasses of mozambique and southeastern Africa. In: Green EP and Short FT (eds) World Atlas of Seagrasses, University of California Press, Berkeley, California, pp: 93–100.

Barker, A. V., 1997. Composition and uses of compost. *ACS Sym Ser,* **668**:140–162.

Barley, K. P., 1959. The influence of earthworms on soil fertility. I. Earthworm populations found in agricultural land near Adelaide**.** *Australian Journal of Agricultural Research,* **10**: 171-178.

Barnes, B. T. and F. B. Ellis, 1979. The effects of different methods of cultivation and direct drilling and of contrasting methods of straw dispersal on populations of earthworms. *Journal of Soil Science,* **30**: 669-679.

Beck, M. W., 2001. The identification, conservation and management of estuarine and marine nurseries for fish and invertebrates. *Bio Sciences,* **51**: 633–641.

Belay, A., A. S. Classens, F. C. Wehner and J. M. De Beer, 2001. Influence of residual manure on selected nutrient elements and microbial composition of soil under long term crop rotation. *South Africaan Journal of Plant Soil,* **18**: 1-6.

Berkes, F., J. Colding and C. Folke, 2000. Rediscovery of traditional ecological knowledge as adaptive management. *Applied Ecology,* **10(5):** 1251–1262.

Bhattacharjee, G. F. and P. S. Chaudhuri, 2002. Cocoon production, morphology, hatching pattern and fecundity in seven tropical earthworm species: a laboratory based investigation. *Journal of Bioscience,* **27**: 283–294.

Blockemore, R. J., C. H. Chang, S. C. Chuang, M. T. Ito, S. W. James and J. H. Chen, 2006. Biodiversity of earthworms in Taiwan: a species checklist with the confirmation and new records of the exotic

lumbricids *Eisenia fetida* and *Eiseniella tetraedra. Taiwania,* **51**: 226-236.

Bray, R. H. and L. T. Kurtz, 1945. Determination of total, organic and available forms of phosphorus in soils. *Soil Science,* **59**: 39-45.

Bridgens, S., 1981. The importance of the earthworms. *Spanese,* **8**: 20-22.

Buresh, R. J., P. C. Smithson and D. T. Hellums, 1997. Building soil P capital in sub- aharan Africa. In: Buresh RJ and Sanchez PA (eds) Replenishing Soil Fertility in Africa. SSSA Special Publication 51. SSSA and ASA, Madison, WI, USA.

Cahyani, V. R., A. Watanabe, K. Matsuya, S. Asakawa and M. Kimura, 2002. Succession of microbiota estimated by phospholipid fatty acid analysis and changes in organic constituents during the composting process of rice straw. *Soil Science Plant Nutrion,* **48**: 735–743.

Callaham, M. A., J. M. Blair, P. F. Hendrix, 2001. Different behavioral patterns of the earthworms *Octolasion tyrtaeum* and *Diplocardia* sp. in tallgrass prairie soils: potential influences on plant growth. *Biology and Fertility of Soils,* **34**: 49–56.

Callahan, C. A., 1988. Earthworms as ecotoxicological assessment tools. In earthworms in waste and environmental management. Eds. C. A. Edwards and E. F. Neuhauser. SPB Academic Publishing, The Hague, The Netherlands. pp 295–301.

Caravaca, F. and A. Roldan, 2003. Effect of *Eisenia foetida* earthworms on mineralisation kinetics, microbial biomass, enzyme activities, respiration and labile C fractions of three soils treated with a composted organic residue. *Soil Biological Biochemistry,* **38**: 45–51.

Cardoso, L. and E. Ramirez, 2002. Vermicomposting of sewage sludge: a new technology for Mexico. *Water Science Technology,* **46**: 153–158.

Carlton, J. T., G. Vermeij, D. R. Lindberg, D. A. Carlton and E. D. Dudley, 1991. The first historical extinction of a marine invertebrate in an ocean basin: The demise of the eelgrass limpet, *Lottia alveus. Biological Bulletin,* **180**: 72–80.

Chan, K. Y., G. H. Baker, M. K. Conyers, B. Scott and K. Munro, 2004. Complementary ability of three European earthworms (Lumbricidae) to bury lime and increase pasture production in acidic soils of South Eastern Australia. *Applied Soil Ecology,* **26:** 257–271.

Chan, P. L. and S. Griffiths, 1988. The vermicomposting of pre-treated pig manures. *Biological Wastes,* **24(1)**: 57-69.

Chang, C. H., R. Rougerieb and J. Hong Chenc, 2009. Identifying earthworms through DNA barcodes: Pitfalls and promise. *Pedobiologia,* **52:** 171-180.

Chang, W. L., 1992. Study of earthworm activities effects of surface soil infiltration. *Journal of China Agriculture Engineering,* **38:** 62-68.

Chaoni, H. I., L. M. Zibilske and T. Ohno, 2003. Effects of earthworm casts and compost on soil microbial activity and plant nutrient availability. *Soil Biological and Biochemistry,* **35**: 295-302.

Charest, M. H. and C. J. Beauchamp, 2002. Composting of de-inking paper sludge with poultry manure at three nitrogen levels using mechanical turning: behaviour of physico-chemical parameters. *Bioresource Technology,* **81**: 7–17.

Chatterjee, B. N., K. I. Singh, A. Pal and S. Maiti, 1979. Organic manure as a substitute for chemical fertilizers for high-yielding rice varieties. *Indian Journal of Agricultural Sciences,* **49**: 188-192.

Chaudhuri, P. S., T. K. Pal, G. Bhattacharjee and S. K. Dey, 2002. Rubber leaf litters (*Hevea brasiliensis*, var RRIM 600) as vermiculture substrate for epigeic earthworms, *Perionyx excavatus*, *Eudrilus eugeniae* and *Eisenia fetida*. *Pedobiologia,* **47**: 796-800.

Chefetz, B., P. G. Hatcher, Y. Hadar and Y. Chen, 1996. Chemical and biological characterization of organic matter during composting of municipal solid waste. *Journal Environmental Quality,* **25**: 776-785.

Chen, C., 2001. Effects of different N sources on growth, nutrient uptake and ionic balance of *Larlix gmelini* seedlings**,** *Journal of Forestry Research,* **12(3)**:153-156.

Chen, J. H. and H. T. Shih, 1996. A preliminary study of earthworms in fushan botanical garden. *China Bioscience,* **39:** 52-59.

Chen, Y., C. E. Clapp, H. Magen and V. W. Cline, 1999. Stimulation of plant growth by humic substances: effects on iron availability. In: Ghabbour, A., Goffrey, D., (Eds.), Understanding humic substances, advanced methods, properties and applications, pp. 255–263.

Cheng, J. M. and M. H. Wong, 2002. Effects of earthworms on the Zn fractionation in soils. *Biology and Fertility of Soils,* **36**: 72–78.

Choudhuri, G. N., 1968. Effect of soil salinity on germination and survival of some steppe plants in Washington. *Ecology,* **49**: 465-471.

Christensen, O., 1987. The effect of earthworms on nitrogen cycling in arable soil. In: Proceedings of the 9th International Colloquium on Soil Zoology. Nauka, Moscow, pp. 106–118.

Clarholm, M., 1985. Possible roles for roots, bacteria, protozoa, and fungi in supplying nitrogen in plants. *Ecological Interaction Soil,* **4**:355–365.

Cluzeau, D., F. Binet and F. Vertes, 1992. Effects of intensive cattle trampling on soil plant earthworms system in two grassland types. *Soil Biology and Biochemistry*, **24**: 1661-1665.

Coles, R., L. McKenzie and S. Campbell, 2003. The seagrasses of Eastern Australia. In: Green E P and Short F T (eds) World Atlas of Seagrasses, University of California Press, Berkeley, California, pp. 119–133.

Connolly, T. J., J. M. Erlandson and S. E. Norris, 1995. Early holocene basketry and cordage from Dasy Cave San Miguel Island, California. *American Antiquity,* **60(2):** 309–318.

Cooperband, L. R., A. G. Stone, M. R. Fryda and J. L. Ravet, 2003. Relating compost measures of stability and maturity to plant growth. *Compost Science Utilization,* **11:** 113–124.

Cortez, J., R. Hameed and M. B. Bouche, 1989. C and N transfer in soil with or without earthworms fed with ^{14}C and ^{15}N-labelled wheat straw. *Soil Biological and Biochemistry,* **21(4)**: 491-497.

Cotton, D. C. F. and J. P. Curry, 1980. The effects of cattle and pig slurry fertilisers on earthworms (Oligochaeta, Lumbricidae) in grassland managed for silage production, *Pedobiologia,* **21**: 181–188.

Cox, P. A. and T. Elmqvist, 1991. Indigenous control of tropical rainforest reserves: An alternative strategy for conservation. *Ambio.,* **20(7)**: 317–321.

Cox, P. and T. Elmqvist, 1993. Eco colonialism and indigenous knowledge systems: Village controlled rainforest preserves in Samoa. *Conservvation Biology,* **1**: 11–25.

Crump, D. R., 1969. Earthworms a profitable investment. *New Zcland Journal of Agriculture,* **119(2):** 84-85.

Csuzdi, C. and T. Pavlicek, 2009. New records of earthworms from guadeloupe with description of a new species (Oligochaeta: Glossoscolecidae, Acanthodrilidae, Megascolecidae and Eudrilidae). *Opusc Zoological Budapest,* **40(1)**: 9–15.

Curry, J. P. and T. Bolger, 1984. Growth, reproduction litter and soil consumption by *Lumbricus terrestris* in reclaimed peat. *Soil Biological and Biochemisty,* **16**: 253-257.

Curry, J. P., 1976. Some effects of animal manures on earthworms in grassland. *Pedobiologia,* **16**: 425–438.

Curry, J. P., 2004. Factors affecting the abundance of earthworms in soils. In: C. A. Edwards (ed) Earthworm ecology, 2nd edition. CRC, Boca Raton, FL, pp. 91–113.

Curry, J. P., D. Byrne and O. Schmidt, 2002. Intensive cultivation can drastically reduce earthworm populations in arable land. *European Journal of Soil Biology,* **38**: 127–130.

Daniel L., L. Mummey, C. Matthias Rillig and J. Six, 2006. Endogeic earthworms differentially influence bacterial communities associated with different soil aggregate size fractions. *Soil Biology and Biochemistry,* **38:** 1608–1614.

Daniel, O., 1991. Leaf-litter consumption and assimilation by juveniles of *Lumbricus terrestris* L. (Oligochaeta, Lumbricidae) under different environmental conditions. *Biology and Fertility of Soils,* **12**: 202-208.

Daniel, O., L. Kohli and M. Bieri, 1996. Weight gain and weight loss of the earthworm *Lumbricus terrestris* at different temperatures and body weights. *Soil Biological and Biochemistry,* **28**: 1235-1240.

Darwin, E., 1791. The loves of plants: A poem. In: The Botanic Garden, Scholar PressLTD., Menston, United Kingdom. Fascimile of 1971 edition published in 1973. pp 23–24.

Daugbjerg, P., J. Hinge, J. P. Jensen and H. Sigurdardottir, 1988. Earthworms as bioindicators of cultivated soils. Ecological Bulletins, *Copenhagen,* **39**: 45-47.

Davidson, E. A., W. T. Swank and T. O. Perry, 1986. Distinguishing between nitrification and denitrification as sources of gaseous nitrogen production in soil. *Applied Environtal and Microbiology,* **52:** 1280–1286.

Dawson, R. C., 1948. Earthworm microbiology and the formation of water-stable soil aggregates. *Soil Science Society American Progross,* **12**: 512–516.

Decaens, T., A. F. Rangel, N. Asakawa and T. Thomas, 1999. Carbon and nitrogen dynamics in ageing earthworm casts in grasslands of the eastern plains of Colombia. *Biology and Fertility of Soils,* **30**: 20–28.

Decaens, T., L. Mariani, N, Betancourt and J. J. Jimenez, 2003. Seed dispersion by Surface Casting Activities of Earthworms in Colombian Grasslands. Acta Oecologica. *International Journal of Ecology,* **24**: 175-185.

Deibert, E. J. and R. A. Utter, 1994. Earthworm populations related to soil and fertilizer management practices. *Crops Research,* **78**: 9-11.

Den Hartog, C., 1970. The Seagrasses of the World. Amsterdam: North - Holland.

DNR, (Department of Natural Resources), 2001. Worm composting system, Department of Natural Resources, Missouri, USA.

Devaraj, M., 1998. Conservation and sustainable management of the marine living resources of Gulf of Mannar Marine Biosphere Reserve. M. S. Swaminathan Research Foundation, Chennai, pp. 23 – 31.

Devi, D. and S. K. Agarwal, 1998. Performance of sunflower hybrids as influenced by organic manure and fertilizer. *Journal of Oilseeds Research,* **15(2):** 272–279.

Didden, W. A. and M. J. Marinissen, 1994. Effects of oligochaete worms on soil aggregates and implications for organic matter dynamics. In: Transactions of the 15th World Congress of Soil Science, *Acapulco,* **4**: 92–101.

Dlamini, T. C. and R. J. Haynes, 2004. Influence of agricultural land use on the size and composition of earthworm communities in northern KwaZulu-Natal, South Africa. *Applied Soil Ecology*, **27**: 77-88.

Dominguez, J. and C. A. Edwards, 1997. Effects of stocking rate and moisture content on the growth and maturation of *E. anderi* in pig manure. *Soil Biology and Biochemistry*, **29**: 743-746.

Dominguez, J., C. A. Edwards and J. Ashby, 2001. The biology and population dynamics of *Eudrilus eugeniae* (Kinberg), (Oligochaeta) in cattle waste solids. *Pedobiologia,* **45**: 341-353.

Dominguez, J., J. Patrick, J. Bohlen and R. W. Parmelee, 2004. Earthworms increase nitrogen leaching to greater soil depths in row crop agro ecosystems, *Ecosystems,* **7**: 672–685.

Doube, B. M. and G. G. Brown, 1998. Life in a complex community: functional interactions between earthworms, organic matter, microorganisms and plants. In: Edwards, C. A. (Ed.), Earthworm Ecology. CRC Press, BocaRaton, FL, pp. 179–211.

Doube, B. M., M. H. Ryder, C. W. Davoren and P. M. Stephens, 1997. Influence of mineral soil on the palatability of organic matter for Lumbricid earthworms. *Biology and Fertility of Soils,* **6:** 237–251.

Drake, H. L. and M. A. Horn, 2006. Earthworms as a transient heaven for terrestrial denitrifying microbes. *Engineering Life Science,* **6:** 261–265.

Duarte, C. A. and J. A. Cebrian, 1996. The fate of marine autotrophic production. Ocean by the American Society of Limnology and Oceanography, *Limnology,* **41(8)**: 1758-1766.

Duarte, C. M. and C. L. Chiscano, 1999. Seagrass biomass and production: a reassessment. *Aquatic Botany,* **1334**: 1-16.

Duarte, C. M., 2000. The future of seagrass meadows. *Environmental Conservation,* **29**: 192–206.

Dubios, M., K. A. Gills, J. K. Hamilton, P. A. Reser and F. Smith, 1956. Calorimetric method for determination of sugars and related substances. *Analas of Chemistry*, **28**: 350 – 356.

Edwards, C. A. and J. Dominguez, 2000. Vermicomposting of sewage sludge effect of bulking materials on growth and reproduction of the earthworms *E. andri. Pedobiologia*, **44**: 24-32.

Edwards, C. A. and J. R. Lofty, 1972. Biology of earthworms. Chapman and Hall LtdLondon. pp. 283.

Edwards, C. A. and J. R. Lofty, 1980. Effects of earthworm inoculation upon the root growth of direct drilled cereals. *Journal of Applied Ecology,* **17**: 533-543.

Edwards, C. A. and J. R. Lofty, 1982. Nitrogenous fertilizers and earthworm populations in arable soils. *Soil Biology and Biochemistry,* **14:** 515-521.

Edwards, C. A. and K. E. Fletcher, 1988. Interactions between earthworms and microorganisms in organic-matter breakdown. *Agriculture, Ecosystems and Environment,* **24**: 235–247.

Edwards, C. A., 1983. Earthworm ecology in cultivated soils. In: Satchell, J.E. (ed.). Earthworm ecology from Darwin to vermiculture. Chapman and Hall. London. pp. 123-138.

Edwards, C. A., 1998. Breakdown of animal, vegetable and industrial organic wastes by earthworms. In: Edwards, C. A., Neuhauser E. F. (Eds.), earthworms in waste and environmental management. SPB academic publishing. The hague. The Netherlands. pp. 21-32.

Edwards, C. A., 1998a. Earthworm Ecology. CRC/Lewis Press; Boca Raton, FL, U.S.A.

Edwards, C. A., P. J. Bohlen, D. R. Linden and S. Subler, 1994. Earthworms in agro ecosystems In: Hendrix P. E., Earthworm ecology and biogeography in North America Boca Raton, FL: *Lewis Publishers*. pp. 185–214.

Edwards, C. A., W. M. Edwards and M. J. Shipitalo, 1992a. Earthworm populations under conservation tillage and their effects on transport of pesticides into groundwater. Brighton Crop Protection Conference: Pests and Diseases. pp. 859–864.

Edwards, C.A., 1998b. The use of earthworms in the breakdown and management of organic wastes. In *Earthworm Ecology*, (C.A. Edwards, ed.), CRC Press; Boca Raton, FL, U.S.A. pp. 21–31.

Edwards, P. J. and S. M. Brown, 1982. Use of grassland plots to study the effects of pesticides on earthworms. *Pedobiologia,* **24**: 145-150.

Edwards, W. M., M. J. Shipitalo, L. B. Owens and L. D. Norton, 1989. Water and nitrate movement in earthworm burrows within longterm no-fill cornfields. *Soil Water Conservation,* **44**: 240–3.

Edwards, W. M., M. J. Shipitalo, S. J. Traina, C. A. Edwards and N. Owens, 1992b. Role of *Lumbricus terrestris* L. burrows on quality of infiltrating water. *Soil Biological and Biochemistry,* **24**: 1555–61.

Edwards, W. M., M. J. Shipitalo, W. A. Dick and Owens, 1992c. Rainfall intensity affects transport of water and chemicals through macropores in no-till soil. *Soil Science Society American Journal,* **56**: 52–8.

Eghball, B., J. F. Power, J. E. Gilley, and J. W. Doran, 1997. Nutrient, carbon and mass loss during composting of beef cattle feedlot manure. *Journal Environmental Quality,* **26**: 189-193.

Ehlers, W., 1975. Observations on earthworm channels and infiltration on tilled and untilled loess soil. *Soil Science,* **119**: 242–249.

Eisen, G., 1899. Notes on North American earthworms of the genus Diplocardia. *Zoological Bulletin,* **2**: 161-172.

El-Shakweer, M. H. A., E. A. El-Sayed and M. S. A. Ewees, 1998. Soil and Plant analysis as a guide for interpretation of the improvement efficiency of organic conditioners added to different soils in Egypt. Communicat. *Soil Science Plant Anals*, **29**: 2067-2088.

Elvira, C., J. Dominguez and S. Mato, 1996. The growth of *Lumbricus rubellus* and *Dendrobaena rubida* in cow manure mixed cultures with *Eisenia Andrei*. *Applied Soil Ecology,* **5**: 97-103.

Elvira, C., L. Sampedro, E. Benitez, R. Nogales, 1998. Vermicomposting of sludges from paper mill and dairy industries with *Eisenia andre*. A pilot scale study. *Bioresoure Technology,* **63**: 205– 211.

Escamilla, A., M. Sanvicente, M. Sosa and L. Galindo, 2000. Habitat mosaic, wildlife availability and hunting in the tropical forest of Calakmul, Mexico. *Conservation Biology,* **14(6):** 1592–1601.

Fang, P., W. Wu Q. Xu, H. Jiahai, C. Han and M. G. Paoletti, 1999. Assessing bioindication with earthworms in an intensively farmed rural landscape (Yuanqiao and Daqiao Villages in Qianjiang Municipality, Located in Hubei Province, Subtropical China). *Critical Reviews in Plant Science,* **18(3):** 429-455.

Felger, R. S. and M. B. Moser, 1985. People of the desert and sea: Ethnobotany of the Seri Indians. University of Arizona Press, Tucson, Arizona.

Finstein, M. S., F. C. Miller and P. F. Strom, 1986. Waste treatment composting as a controlled system. *Biotechnology,* **8**: 363–398.

Fortes, M. D., 1990. Seagrasses: A resource unknown in the ASEAN Region. ICLARM Educational Series 5, International Center for Living Aquatic Resources Management. Manila, Philippines.

Fracchia, L., A. B. Dohrmann, M. Giovanna, M. Christoph and C. Tebbe, 2006. Bacterial diversity in a finished compost and vermicompost: differences revealed by cultivation-independent analyses of PCR-amplified 16S rRNA genes, *Applied Microbiology and Biotechnology,* **71**: 942–952.

Fragoso, C., P. Lavelle, E. Blanchart, B. K. Senapati, J. J. Jimenez, M. Martinez, T. Decaen and J. Tondoh, 1999. Earthworm communities of tropical agroecosystems: origin, structure, and influence of management practices. In: Earthworm management in tropical agroecosystems, CABI Publishing, UK, pp. 27-55.

Fraser, P. M., M. H. Beare, R. C. Butler, T. Harrison-Kirk and J. E. Piercy, 2003. Interactions between earthworms (*Aporrectodea caliginosa*), plants and crop residues for restoring properties of a degraded arable soil. *Pedobiologia,* **47**: 870-876.

Frederickson, James, Kevin R. Butt, Richard M. Morris and Catherine Daniel. 1997. "Combining Vermiculturewith Traditional Green Waste Composting Systems". Soil Biology and Biochemistry, **29(3-4)**: 725-730.

Gaind, S. and L. Nain, 2007. Chemical and biological properties of wheat soil in response to paddy straw incorporation and its biodegradation by fungal inoculants, *Biodegradation,* **18**: 495–503.

Gajalakshmi, S. and S. A. Abbasi, 2004. Neem leaves as a source of fertilizer cum-pesticide vermicompost. *Bioresource Technology,* **92**: 291-296.

Gajalakshmi, S., E. V. Ramasamy and S. A. Abbasi, 2001. Potential of two epigeic and two anecic earthworm species in vermicomposting of water hyacinth. *Bioresource Technology,* **76**: 177-181.

Gandhi, A. and K. Sivakumar, 2010. Impact of vermicompost carrier based bioinoculants on the growth, yield and quality of rice (*Oryza Sativa* L.) C. V. Nlr 145, *The Ecoscan,* **4(1)**: 83-88.

Garcia, C., T. Hernandez and F. Costa, 1992. Characterization of humic acids from uncomposted and composted sewage sludge by degradative and non-degradative techniques. *Bioresource Technology,* **41:** 53–57.

Garcia, J. M. and C. Fragoso, 2003. Influence of different food substrates on growth and reproduction of two tropical earthworm species (*Pontoscolex corethrurus* and *Amynthas corticis*). *Pedobiologia,* **47**: 754–763.

Garg, P., A. Gupta and S. Satya, 2006. Vermicomposting of different types of waste using *Eisenia foetida*: A comparative study. *Bioresource Technology,* **97:** 391-395.

Garg, V. K. and P. Kaushik, 2005. Vermi stabilization of textile mill sludge spiked with poultry droppings by an epigeic earthworm *Eisenia fetida*. *Bioresoure Technology,* **96**: 1063–1071.

Garg, V. K., R. Gupta and A. Yadav, 2007. Potential of vermicomposting technology in solid waste management. In: Pandey *et al* (eds) Current development in solid state fermentation. Asia Tech Publishers Inc., New Delhi, pp 468–511.

Gates, G. E., 1972a. Contributions to North American earthworms No. 3. Toward a revision of the earthworm family Lumbricidae IV. The *trapezoides* species group. *Bulletin Tall Timbers Research Station,* **12**: 1-146.

Gates, G. E., 1972b. Burmese earthworms: an introduction to the systematic and biology of Megadriliae Oligochaeta with special reference to Southeast Asia. *Trans American Philos Society,* **62**: 1–326.

Gavrilov, K., 1963. Earthworms, producers of biologically active substances. *Zhurnal Obshch Biologie,* **24**: 149-154.

Gerard, B. M. 1969. Factors affecting earthworms in pastures. *Journal of Animal Ecology,* **36**: 235-252.

Gerard, B. M. and R. K. M. Hay, 1979. The effect on earthworms of ploughing, tined cultivation, direct drilling and nitrogen in a barley monoculture system. *Journal of Agriculture Science Cambridge,* **93**: 147-155.

Ghabbour, S. I., 1966. Earthworms in agriculture: a modern evaluation. *Review Ecology and Biological Society,* **3(2):** 259-271.

Giller, P. S., 1997. The diversity of soil communities, the poor man's tropical rain forest. *Biodiversity Conservation,* **5:** 135–168.

Gong, P., F. Xie, B. Zhang and J. Edward Perkins, 2010. In silico identification of conserved micro RNAs and their target transcripts from expressed sequence tags of three earthworm species. *Computational Biology and Chemistry*, **1**: 23-27.

Goyal, S., S. K. Dhull and K. K. Kapoor, 2005. Chemical and biological changes during composting of different organic wastes and assessment of compost maturity. *Bioresource Technology,* **96**: 1584–1591.

Grappelli, A., E. Galli and U. Tomati, 1987. Earthworm casting effect on *Agaricus bisporus* fructification. *Agrochimica*, **21:** 457–462.

Green, E. P. and F. T. Short, 2003. World Atlas of seagrasses. University of Californis Press, Los Angeles, pp. 298.

Guidetti, P., 2000. Differences among nearshore fish assemblages associated with shallow water *Posidonia oceanica* seagrass beds, rocky-algal reefs and unvegetated sand habitats in the Adriatic Sea *Esturine Coastal and Shelf Science,* **50(4):** 515-529.

Guild, A., 1948. Studies on the relationship between earthworms and soil fertility. The effect of soil type on the structure of earthworm populations. *Annals Applied Biology,* **35:** 181–192.

Haddon, F., 1993. A practical guide to composting, Simon and Schuster, NSW.

Haimi, J. and V. Huhta, 1986. Capacity of various organic residues to support adequate earthworm biomass for vermicomposting. *Biology and Fertility of Soils,* **2**: 23-27.

Hallatt, L., A. J. Reinecke and S. A. Viljoen, 1990. The life cycle of the oriental compost worm *Perionyx excavatus* (Oligochaeta). *South Afrrican Journal of Zoology,* **25**: 41–45.

Hand, P., 1983. The microbiological ecology of cow slurry in vermiculture beds. Ph D., Theses, University of Reading, UK.

Hartenstein, R. 1986. Earthworm biotechnology and global biogeochemistry. *Advance in Ecological Research,* **15**: 379 - 409.

Hartenstein, R., E. F. Neuhauser and D. L. Kaplan, 1997. Reproductive potential of the earthworm *Eisenia foetida*. *Oecologia,* **43**: 329-340.

Hassen, A., K. Belguith, N. Jedidi, A. Cherif, M. Cherif and A. Boudabous, 2001. Microbial characterization during composting of municipal solid waste. *Bioresource Technology,* **80**: 217–225.

Haug, R. T., 1993. The practical handbook of compst engineering, Lewis Publishers, CRC Press Inc.

Haukka, J. 1988. Effect of various cultivation earthworm biomasses and communities on different soil types. *Annals Agriculture Fenniae,* **27**:263-269.

Hauser, S., 1993. Distribution and activity of earthworms and contribution to nutrient recycling in alley cropping. *Biology and Fertility of Soils,* **15**: 16-20.

Haywood, M. D. E., D. J. Vance and N. R. Loneragan, 1995. Seagrass and algal beds as nursery habitats for tiger prawns (*Penaeus semisulcatus* and *P. esculentus*) inatropical Australian estuary. *Marine Biology,* **122**: 213–223.

Heck, K. L., C. Hays and R. J. Orth, 2003. A critical evaluation of the nursery role hypothesis for seagrass meadows. *Marine Ecology Progross Series,* **253**: 123–136.

Hemminga, M. A. and C. M. Duarte, 2000. Seagrass Ecology. Cambridge University Press, Cambridge. pp. 298.

Hendrix, P. F., 1998. Earthworms in agro ecosystems: a summary of current research In: Edwards CA earthworm ecology boca raton, FL, St. Lucie Press. pp. 259–72.

Hendrix, P. F., B. R. Muller, R. R. Bruce, G. W. Langdale and R. W. Parmelee, 1992. Abundance and distribution of earthworms in relation to landscape factors on the Georgia piedmont, U.S.A. *Soil Biology and Biochemistry,* **24**: 1357-1361.

Hennuy, G. and C. Gasper, 1986. Treatment of Wastes by Worms. *Bulletin-Des- Recherches Agronomiquesde Gembloux,* **21(3)**: 359-367.

Herlihy, T. E., 2001. Vermicomposting of organic wastes. Joyce engineering, 2301 W meadowview Rd, Suite 203, Greenboro, NC 27407, pp. 8-9.

Hirai, M. F., A. Katayama and H. Kubota, 1986. Effect of compost maturity on plant growth. *Bio Cycle,* **27:** 41-58.

Hiscox, J. D. and G. F. Israielstan, 1979. A method for the extraction of chlorophyll from leaf tissue without maceration. *Cannadian Journal of Botony*, **57**: 1332 – 1334.

Holmstrup, M., 1994. Physiology of cold hardiness in cocoons of five earthworm taxa (Lumbricidae: Oligochaeta). *Journal of Compost Physiology,* **164:** 222-228.

Holmstrup, M., 1999. Cocoon production of *Aporrectodea longa* Ude and *Aporrectodea rosea* Savigny (Oligochaeta; Lumbricidae) in a Danish grass field. *Soil Biological and Biochemistry,* **31**: 957-964.

Hopp, H. and H. T. Hopkins, 1946. The effect of cropping systems on the winter population of earthworms. *Journal of Soil Water Conservation,* **1**: 85-88.

Hopp, H. and T. Henry, 1946. Earthworms fight erosion, too Soil Conservation (U.S.) Department of Agriculture, **11**: 252-254.

Inbar, Y., Y. Hadar and Y. Chen, 1992. Characterization of humic substances formed during the composting of solid wastes from wineries. *Science and Total Environment,* **113:** 35–48.

Inbar, Y., Y. Hadar, and Y. Chen, 1993. Recycling of cattle manure: the composting process and the characterization of maturity. *Journal of Environmental Quality,* **22:** 857–863.

Insam, H., K. Amor, M. Renner and C. Crepaz, 1996. Changes in functional abilities of the microbial community during composting of manure. *Microbial Ecology,* **31**: 77–87.

Ismail, S. A., 1995. Earthworms in soil fertility management. In: Thampan, P. K. (Ed.), organic agriculture. Peekay tree crops development foundation, Cochin, India, pp. 77-100.

Ismail, S. A., 1997. Vermicology - the Biology of Earthworms. Orient Longman

Ivask, M., A. Kuu and E. Sizov, 2007. Abundance of earthworm species in Estonian arable soils. *European Journal of Soil Biology,* **43**: 39-42.

Jack, A. L. H. and J. E. Thies, 2006. Compost and vermicompost as amendments promoting soil health. In Uphoff *et al*. (eds.) Biological approaches to sustainable soil systems. pp. 453-466.

Jadhav, A. D., S. C. Talashilkar and A. G. Pawar, 1997. Influence of the conjunctive use of FYM, vermicompost and urea on growth and nutrient uptake in rice. *Journal of Maharashtra Agricultural Universities,* **22(2):** 249–250.

James, S. and W. Samuel, 1990. Oligochaeta: Megascolecidae and other earth-worms from Southern and Midwestern North America**.** In: Dindal, D. L., ed. Soil Biology Guide. New York: John Wiley and Sons, pp. 379-386.

James, S. W and T R. Seastedt, 1986. Nitrogen mineralization by native and introduced earthworms: effects on big bluestem growth. *Ecology,* **67**: 1094–1097.

James, W. 1991. Soil, nitrogen, phosphorus and organic matter processing by earthworms in tallgrass prairie**.** *Ecology,* **72(6):** 2101-2109.

Janssen, B. H., 1984. A simple method for calculating decomposition and accumulation of ''young'' soil organic matter. *Plant Soil,* **76:** 297–304.

Jegou, D., D. Cluzeau, J. Balesdent, B. Trehen, 1998. Effects of four ecological categories of earthworms on carbon transfer in soil. *Applied Soil Ecology,* **9:** 249–255.

Jenkinson, D. S., R. H. Fox and J. H. Rayner, 1985. Interactions between fertilizer nitrogen and soil nitrogen. *Journal of Soil Science,* **36**: 425–444.

Jensen, K. S. and M. Holmstrup, 1997. Estimation of earthworm cocoon development time and its use in studies of in situ reproduction rates. *Applied Soil Ecology,* **7**: 73-82.

Jeyabal, A. and G. Kuppuswamy, 2001. Recycling of organic wastes for the production of vermicompost and its response in rice–legume cropping system and soil fertility. *European Journal Agronomy,* **15**: 153–170.

Johann G. Z., 2006. Foliar spraying of vermicompost extracts: Effects on fruit quality and indications of late-blight suppression of field-grown tomatoes, *Biological Agriculture and Horticulture*, **24**: 165–180.

Jones, R. P., A. J. Bednar and L. S. Inouye, 2009. Sub cellular compart mentalization of lead in the earthworm, *Eisenia fetida* relationship to survival and reproduction. *Ecotoxicology and Environmental Safety*, **72**: 1045-1052.

Jordan, D., R. J. Miles, V. C. Hubbard and T. Lorenz, 2004. Effects of management practices and cropping systems on earthworm abundance and microbial activity in Sanborn Field: a 115-year old agricultural field. *Pedobiologia,* **48**: 99–110.

Jordao, C. P., L. L. Fialho, P. R. Cecon, A. T. Matos, J. C. L. Neves, E. S. Mendonc and R. L. F. Fontes, 2006. Effects of Cu, Ni and Zn on lettuce grown in metal-enriched vermicompost amended soil. *Water, Air and Soil Pollution,* **172**: 21–38.

Joschko, M., H. Diestel and O. Larink, 1989. Assessment of earthworm burrowing efficiency in compacted soil with a combination of morphological and soil physical measurements. *Biology and Fertility of Soils,* **8**: 191-196.

Joshi, R. and A. Pal Vig, 2010. Effect of vermicompost on growth, yield and quality of tomato (*Lycopersicum esculentum* L). *African Journal of Basic and Applied Sciences,* **2(4)**: 117-123.

Jouraiphy, A., S. T. Amir, P. Winterton, M. El Gharous, J. C. Revel and M. Hafidi, 2008. Structural study of the fulvic fraction during composting of activated sludge plant matter: Elemental analysis, FT-IR and 13C NMR, *Bioresource Technology,* **99:** 1066–1072.

Kalaiyarasi,2011. Effect of ecofriendly vermicompost from seagrass on the growth yield and biochemical properties of agriculgtural crop plants.Ph.D Thesis, Alagappa University, Tamil Nadu, India.

Kalantari, S., S. Hatami, M. M. Ardalan, H. A. Alikhani and M. Shorafa, 2010. The effect of compost and vermicompost of yard leaf manure on growth of corn. *African Journal of Agricultural Research,* **5(11):** 1317-1323.

Kale, R. D. 1998. Earthworms - Nature's gift for utilisa-tion of organic wastes. *In*: C.A. Ed-wards (ed.) *Earthworm Ecology*. CRC Press LLC, Florida. pp. 355-376.

Kale, R. D., K. Bano and R. W. Krishnamoorthy, 1982. Potential of *Perionyx excavatus* for utilizing organic wastes. *Pedobiologia,* **23**:419–426.

Kale, R., D. Mallesh, K. Bano, and D. J. Bagyaraj, 1992. Influence of vermicompost application on the available macro nutrients and selected microbial population in a paddy field. *Soil Biology and Biochemistry*, **24**: 1317-1320.

Karberg, N. J. and E. A. Lilleskov, 2008. White-tailed deer (*Odocoileus virginianus*) fecal pellet decomposition is accelerated by the invasive earthworm *Lumbricus terrestris*, *Biological Invasions,* **2:** 24-26.

Karmegam, N. and T. Daniel, 2000. Effect of bio digested slurry and vermicompost on the growth and yield of cowpea (*Vigna unguiculata,* L.). *Environment and Ecology,* **18(2)**: 367–370.

Karmegam, N., K. Alagermalai and T. Daniel, 1999. Effect of vermicompost on the growth and yield of green gram (*Phaseolus aureus* Rob.). *Tropical Agriculture,* **76(2)**: 143–146.

Kathiresan, K., 1992. Foliovory in Pichavaram mangroves. *Environmental Ecology*, **10(4)**: 988 – 989.

Kaushik, P. and V. K., Garg, 2003. Vermicomposting of mixed solid textile mill sludge and cow dung with epigeic earthworm *Eisenia foetida*. *Bioresource Technology*, **90**: 311–316.

Kaushik, P. and V. K., Garg, 2004. Dynamics of biological and chemical parameters during vermicomposting of solid textile mill sludge mixed with cow dung and agricultural residues. *Bioresource Technoogy,* **94**: 203–209.

Kaviraj, K., T. Satyawati and M. Sharma, 2003. Municipal solid waste management through vermicomposting emplying exotic local species of earthworms. *Bioresource Technology,* **90**: 169-173.

Keener, H. M., D. L. Elwell, K. Ekinci and H. A. J. Hoitink, 2001. Composting and value-added utilization of manure from a high-rise swine finishing facility. *Compost Science Utilization,* **9**: 312–321.

Keeney, D. R. and D. W. Nelson, 1982. Nitrogen - Inorganic forms. In: Methods of Soil Analysis (A. L. Page et al., ed.). Agronomy Monograph 9, Part 2, 2nd ed. American Society of Agronomy, Madison, Wisconsin. pp. 643-698.

Kemppainnen, E., 1989. Nutrient content and fertilizer value of live stick manure with special reference to cow manure. *Annals Agricultural Fennie,* **28**: 163–284.

Ketterings, Q. M., J. M. Blair and J. C. Y. Marinissen, 1997. Effects of earthworms on soil aggregate stability and carbon and nitrogen storage in a legume cover crop agroecosystem. *Soil Biological and Biochemistry,* **29**: 401–408.

King, L. D., 1990. Soil nutrient management in the United States. In *s*ustainable agricultural systems. Ed. C A Edwards *et al*. St. Lucie Press, FL. pp. 89–106.

Kladivko, E. J., A. D. Mackay and J. M. Bradford, 1986. Earthworms as a factor in the reduction of soil crusting. *Soil Science Society of American Journal,* **50**: 191-196.

Kladivko, E.J. and H. J. Timmenga, 1990. Earthworms and agricultural management. In: Box, J. E. and L. C. Hammond (eds). *Rhizosphere Dynamics,* Westview. CO. pp. 10.

Klok, C., A. Van Der Hout and J. Bodt, 2006. Population growth and development of *Lumbricus rubellus* in a polluted field soil, consequences for the Godwit (*Limosa limosa*). *Environmental Toxicology and Chemistry,* **25**: 213–219.

Klok, C., and A. M. de Roos, 1996. Population level consequences of toxicological influences on individual growth and reproduction in *Lumbricus rubellus* (Lumbricidae, Oligochaeta). *Ecotoxicology and Environmental Safe,* **33**: 118–127.

Klok, E. J., I. W. Wilson, D. Wilson, S. C. Chapman, R. M. Ewing, S. C. Somerville, W. J. Peacock, R. Dolferus and E. S. Dennis, 2007. Expression profile analysis of the low oxygen response in arabidopsis root cultures. *The Plant Cell,* **14**: 2481-2494.

Knollenberg, W. G., R. W. Merritt and D. L. Lawson, 1985. Consumption of leaf litter by *Lumbricus terrestris* (Oligochaeta) on a Michigan woodland floodplain. *American Midland Nature,* **113(1):** 1-6.

Koch, E. W., 2001. Beyond light, Physical, biological and geochemical parameters as possible submersed aquatic vegetation habitat requirements. *Estuaries,* **24**: 1-17.

Kostecka, J. and K. R. Butt, 2001. Ecology of the earthworm *Allolobophora carpathica* in field and laboratory studies. *European Journal of Soil Biology,* **37**: 255-258.

Koutika, L. S., W. A. M. Didden and J. C. Y. Marinissen, 2001. Soil organic matter distribution as influenced by enchytraeid and earthworm activity. *Biology and Fertility of Soils,* **33**: 294–300.

Kuhnlein, H. V. and N. J. Turner, 1991. Traditional plant foods of Canadian indigenous people: Nutrition, botany and use. Gordon and Breach Science Publication, Philadelphia.

Kumaran, S., 2001. Response of groundnut to organic manure, fertilizer levels, split application under irrigated conditions. *Research on crops,* **2**: 156-158.

Kurien, J., 1998. Traditional ecological knowledge and ecosystem sustainability: New meaning to Asian coastal proverbs. *Applied Ecology,* **8**: 52–55.

Lachnicht, S. L., R. W. Parmelee, D. Mc Cartney and M. Allen, 1997. Characteristics of macroporosity in a reduced tillage agro ecosystem with manipulated earthworm populations: implications for infiltration and nutrient transport. *Soil Biolofy and Biochemistry,* **29**: 493–498.

Laegdsgaard, P. and C. R. Johnson, 1995. Mangrove habitats as nurseries: Unique assemblages of juvenile fish in subtropical mangroves in eastern Australia. *Marine Ecology Progross Series,* **126**: 67–81.

Landgraf, M. D., M. R. Alves, S. C. da Silva and M. O. D. Rezende, 1999. Character- ization of humic acids from vermicompost of cattle manure composting for 3 and 6 months. *Quimica Nova.,* **22**: 483-486.

Lane, D. J., 1991. 16S/23S rRNA earthworm sequencing. In: Stackebrandt, E., Goodfellow, M. (Eds.), Nucleic acid techniques in bacterial systematics. Wiley, New York, NY, pp. 115–175.

Langdon, C. J., A. J. Morgan, J. M. Charnock, K. T. Semple and C. N. Lowe, 2009. Asresistance in laboratory-reared F1, F2 and F3 generation offspring of the earthworm *Lumbricus rubellus* inhabiting an As-contaminated mine soil. *Environmental Pollution,* **157**: 3114-3119.

Langmaack, M., S. Schrader, U. Rapp-Bernhardt and K. Kotzke, 1999. Quantitative analysis of earthworm burrow systems with respect to biological soil-structure regeneration after soil compaction. *Biology and Fertility of Soils.,* **28**:219–229.

Langmaid, K. K., 1964. Some effects of earthworm invasion in virgin podsols**.** *Canadian Journal of Soil Science,* **44**: 34-37.

Lavelle, P. and A. Martin, 1992. Small-scale and large-scale effects of endogeic earthworms on soil organic matter dynamics in soils of the humid tropics. *Soil Biology and Biochemistry,* **24**: 1491-1498.

Lavelle, P., 1983. The structure of earthworm communities. In: Satchell, J.E., ed. earthworm ecology, from Darwin to vermiculture. London, England: Chapman and Hall, pp: 449-467.

Lavelle, P., 1988. Earthworm activities and the soil system. *Biology and Fertility of Soils,* **6**: 237–251.

Lavelle, P., I. Barois, A. Martin, Z. Zaidi and A. Schaefer, 1989. Management of earthworm population in agro-ecosystem. In: Charholm, M., Berystrom, L. (Eds.), A possible way to maintain soil quality and ecology of Arabie land. kluwer academic publishers, pp. 109-122.

Lavelle, P., Z. Zaidi and R. Schaefer, 1983. Interactions between earth-worms, soil organic matter and microflora in an African savannah soil. In: Lebrun, P.; Andre, H.M.; De Medts, A.; Gregoire-Wibo, C.; Wauthy, G.; eds. New Trends in Soil Biology, Proceedings VIII International Colloquium on Soil Zoology; 1982 August 30-

September 2; Louvainla-Neuve, Belgium. Ottignies-Belgium-Louvain-la-Neuve: Imprimeur Dieu-Brichart. pp. 253-259.

Lazcano, C., M. G. Brandon and J. Dominguez, 2008. Comparison of the effectiveness of composting and vermicomposting for the biological stabilization of cattle manure, *Chemosphere.*, **72:** 1013–1019.

Lazcano, C., L. Sampedro, R. Zas and J. Dominquez, 2010. Assessment of plant growth promotion by vermiocomposting in different progenies of maritime pine (*Pinus pinaster* Ait.). *Compost Science and Utilization,* 18: 111-118.

Le Bayon, R. C. and F. Binet, 2001. Earthworm surface casts affect soil erosion by runoff water and phosphorus transfer in a temperate maize crop. *Pedobiologia.,* **45**: 430–442.

Le Bayon, R.C. and F. Binet, 2006 Earthworms change the distribution and availability of phosphorous in organic substrates. *Soil Biology and Biochemistry.,* **38**:235–246.

Lee, K. E., 1992. Some trends opportunities in earthworm research or: Darwin 's children. The future of our discipline. *Soil Biology and Biochemistry,* **24:** 1765–1771.

Lee, K. E., 1985. Earthworms: their ecology and relationship with soils and land use. Sydney: Academic Press, pp. 411.

Les, D. H., M. A. Cleland and M. Waycott, 1997. Phylogenetic studies in the Alismatidae, II: Evolution of the marine angiosperms (seagrasses) and hydrophily. *Systematic Botony.,* **22**: 443–463.

Ljungstrom, M. and S. Per-Olof. 1972. Introduced earthworms of South Africa. On their taxonomy, distribution, history of introduction and on the extermination of endemic earthworms. *Zoologische Jahrbucher Syst Bd,* **99**: 1-81.

Lofs-Holmin, A. 1983a. Earthworm population dynamics in different agricultural rotations. In: Satchell, J. E. (ed). Earthworm Ecology from Darwin to Vermiculture. Chapman and Hall. London. pp. 151-160.

Lofs-Holmin, A., 1983b. Reproduction and growth of common arable land and pasture species of earthworms (Lumbricidae) in laboratory cultures. *Swedish Journal of Agricultural Research,* **13**: 31–37.

Lofs-Holmin, A., 1986. Occurrence of eleven earthworm species (Lumbricidae) in permanent pastures in relation to soil and pH, *Swedish Journal of Agricultural Research,* **(16)**: 161–165.

Logsdon, G., 1994. Worldwide progressing in vermicomposting. *Biocycle,* **35:** 63–65.

Loh, T. C., Y.C. Lee, J. B. Liang and D. Tan, 2005. Vermicomposting of cattle and goat manures by *Eisenia fetida* and their growth and reproduction performance. *Bioresource Technology,* **96**: 111-114.

Lores, M., G. Brandon, D. Perez and J. Dominguez, 2006. Using FAM profiles for the characterization of animal wastes and vermicomposts. *Soil Biology and Biochemistry,* **38:** 2993–2996.

Lowe, C. N. and K. R. Butt, 1999. Interspecific interactions between earthworms: Potential applications in soil amelioration. *Pedobiologia,* **43:** 808-817.

Lowe, C. N. and K. R. Butt, 2002. Growth of hatchling earthworms in the presence of the adults: Interaction in laboratory culture. *Biology and Fertility of Soils,* **35**: 204-209.

Lowe, C. N. and K. R. Butt, 2003. Influence of food particle size on inter and intra-specific interactions of *Allolobophora chlorotica* (Savigny) and *Lumbricus terrestris* (L.). *Pedobiologia,* **47**: 574-577.

Lowe, C.N. and K. R. Butt, 2005. Culture techniques for soil dwelling earthworms: review. *Pedobiologia,* **49**: 401-413.

Lowry, O. H., N. J. Rosenbrough, A. L. Farr and R. J. Randall, 1951. Protein measurement with the Folin Phenol reagent. *Journal of Biology and Chemistry*, **193**: 265 – 275.

Lyon, C. B., 1941 Responses of two species of tomatoes and the F1 generation to sodium sulphate in the nutrient medium. *Botanical Gazette,* **103**: 107–122.

Ma, W. C., 1984. Sublethal toxic effects of copper on growth, reproduction and litter breakdown activity in the earthworm *Lumbricus rubellus*, with observations on the influence of temperature and soil pH. *Environmental Pollution,* **33**: 207–219.

Ma, Y., N. M. Dickinson, M. H. Wong, 2003. Remediation of Pb/Zn mine tailings from Guangdong, China: earthworms (*Pheretima guillelmi*), trees (*Leucaena leucocephala*), soil nutrition and metal mobility. *Soil Biology and Biochemistry,* **35 (10):** 1369–1379.

Ma, Y., N. M. Dickinson, M. H. Wong, 2006. Beneficial effects of earthworms and arbuscular mycorrhizal fungi on establishment of leguminous trees on Pb/Zn mine tailings. *Soil Biology and Biochemistry,* **38:** 1403–1412.

Maboeta, M., S. Rensbugr and L. Van, 2003. Vermicomposting of industrially produced woodchips and sewage sludge utilizing *Eisenia fetida. Ecotoxicology and Environmental Safety,* **56**: 265-270.

Mackay, A. D. and E. J. Kladivko, 1985. Earthworms and rate of breakdown of soybean and maize residues in soil. *Soil Biology and Biochemistry,* **17(6)**: 851-857.

Mackenzie, D., 1991. Where earthworms fear to bread. *New Scientist,* **2**: 31-34.

Macnab, A., James A. McKey-Fender, Dorothy. 1947. An introduction to Oregon earthworms with additions to the Washington list. *Northwest Science,* **21(2):** 69-75.

Madge, A. and S. David, 1969. Field and laboratory studies on the activities of two species of tropical earthworms**.** *Pedobiologia,* **9**: 188-214.

Makarda, H., N. Hayashi, H. Yokota and J. Okumura, 1979. Performance of growing and laying chickens fed diets containing earthworms *(E. fetida). Journal of Pouft Science,* **16**: 293- 297.

Manna, M. C., M. Singh, S. Kundu, A. K. Tripathi and P. N. Takkar, 1997. Growth and reproduction of vermicomposting earthworm, *Perionyx excavatus* as influenced by food materials. *Biology Fertility of Soils,* **20**: 129-132.

Marhan, S. and S. Scheu, 2006. Mixing of different mineral soil layers by endogeic earthworms affects carbon and nitrogen mineralization, *Biology and Fertility of Soils,* **42**: 308–314.

Martin, N. A. 1977. Guide to the lumbricid earthworms of New Zealand pastures. New Zealand. *Journal of Experimental Agriculture*, **5**: 301-309.

Masciandaro, G., B. Ceccanti and C. Garcia, 1997. Soil agro-ecological management: fertigation and vermicompost treatments. *Bioresource Technology,* **59**: 199–206.

Masciandaro, G., B. Ceccanti, V. Ronchi and C. Bauer, 2000. Kinetic parameters of dehydrogenase in the assessment of the response of soil to vermicompost and inorganic fertilisers, *Biology and Fertility of Soils,* **32**: 479–483.

Mateo, M. A., M. Romero, M. Perez, M. D. Littler and S. Littler, 1997. Dynamics of millenary organic deposits resulting from growth of the Mediterranean seagrass *Posidonia oceanica*. *Esturine Coastal and Shelf Science,* **44**: 103-110.

Mather, J. G. and O. Christensen, 1988. Surface movements of earthworms in agricultural land. *Pedobiologia,* **32**: 399-405.

Mathur, S. P., G. Owen, H. Dinel and M. Schnitzer, 1993a. Determination of compost biomaturity I. Literature review. *Biology, Agriculture and Horticulture*, pp. 1065-1085.

Mathur, S. P., H. Dinel, G. Owen, M. Schnitzer and J. Dugan, 1993b. Determination of compost biomaturity**.** Optical density of water extracts of composts as a reflection of their maturity. *Biology, Agriculture and Horticulture*, pp. 1087-108.

Matthew, R. W., 1990. Earthworm ecology and sustaining agriculture Reprinted from Components, vol. 1, no. 4 (Fall 1990). Center for agro ecology and sustainable food systems, University of California, Santa Cruz, CA 95064.

McKey-Fender, S. and D. Dorothy. 1970. Concerning native earthworms from south-western Washington and Northwestern Oregon (Oligochaeta, Acanthodrilidae). *Northwest Science,* **44(4):** 225-234.

Medina, A. L., J. A. Cova, R. A. Vielma, P. Pujic, M. P. Carlos and J. V. Torres, 2003. Immunological and Chemical Analysis of Proteins from *Eisenia foetida. Earthworm, Food and Agricultural Immunology*, **15**: 255-263.

Mehlich, A., 1978. New extractant for soil test evaluation of phosphorus, potassium, magnesium, calcium, sodium, manganese and zinc. *Communication Soil Science Plant Anals,* **9**: 477–492.

Miller, F. C., 1993. Composting as a process based on the control of ecologically selective factors. In: Blaine, F., Metting, J. (Eds.), Applications in agricultural and environmental management. Marcel Dekker, *Soil Microbial Ecology*, **34**: 515–543.

Milleret, R. R. C. Le Bayon and J. Michel Gobat, 2008. Root, mycorrhiza and earthworm interactions: their effects on soil structuring processes, plant and soil nutrient concentration and plant biomass. *Plant Soil*., **45:** 341-345.

Mitchell, A. and C. A. Edwards, 1997. The production of vermicompost using *Eisenia fetida* from cattle manure. *Soil Biology and Biochemistry,* **29**: 3–4.

Monedero V., M. Gosalbes and P. Martıinez, G. 1999. Catabolite repression in *Lactobacillus casei* ATCC 393 is mediated by Crop. *African Journal of Bacteriology.*, **179**: 6657–6664.

Morgan, A. J., 1999. The accumulation of metals (Cd, Cu, Pb, Zn and Ca) by two ecologically contrasting earthworms species. *Applied Soil Ecology.*, **13**: 9-20.

Muhammad, S., 1986. Effect of Na/Ca and Na/K ratios in saline and saline sodic soils on the growth, mineral nutrition and salt tolerance of some rice's. A terminal report submitted to IRRI, Las Banos, Philippines. pp. 127.

Murchie, W. R., 1965. *Diplocardia Gatesi,* A New Earthworm From North Carolina (Oligochaeta: Megascolecidae). *The Ohio Journal of Science.*, **65(4):** 20-21.

Murphy, D. J., 1993. Earthworms in Australia. Hyland House Publishing Pty Ltd., Victoria, pp. 112.

Nagelkerken, I., M. Dorenbosch, W. C. E. P. Verberk, E. Cocheret de la Moriniere and G. Van der Velde, 2000. Importance of shallow-water biotopes of a Caribbean bay for juvenile coral reef fishes: Patterns in biotope association, community structure and spatial distribution. *Marine Ecology Progross Series,* **202**: 175–192.

Nagelkerken, I., S. Kleijnen, T. Kloop, R. A. C. J. Van den Brand, E. de la Moriniere and G. Vander Velde, 2001. Dependence of Caribbean reef fishes on mangroves and seagrass beds as nursery habitats: a comparison of fish faunas between bays with and without mangroves, seagrass beds. *Marine Ecology Progross Series*, **214**: 225-235.

Nair, G. A., A. K. Youssef M. A. El-Mariami, A. M. Filoghand M. J. I. Briones, 2005. Occurrence and density of earthworms in relation to soil factors in Benghazi, Libya. *African Journal of Ecology,* **43**: 150-154.

Nana-Osei K. Mainoo, Joann K. Whalen and S. Barrington, 2008. Earthworm abundance related to soil physicochemical and microbial properties in Accra, Ghana**.** *African Journal of Agricultural Research*, **3(3)**: 186-194.

Nedgwa, E. N., C. M. Mulli and S. J. M. Munyana, 2000. Rish factors associated with subclinical subacuate martitis in Kenyan diry goats. *Isral Journal Veterinary Medicine,* **4**: 56.

Nedgwa, P. M. and S. A. Thompson, 2001. Integrating composting and vermicomposting the treatment and bioconversion of biosolids. *Bioresce Technology,* **76**: 107–112.

Nedgwa, P. M., S. Thampson and S. A. Das, 1999. Effects of stocking density and feeding rate on vermicomposting of biosolids. *Bioresource Technology,* **71(1):** 5–12.

Neklyudov, A. D., G. N. Fedotov and A. N. Ivankin, 2008. Intensification of composting processes by aerobic microorganisms: *A review, Prikladnaya Biokhimiya Mikrobiologiya,* **44(1)**: 9–23.

Nelson, D. W. and L. E. Sommers. 1982. Total carbon, organic carbon, and organic matter. A. L., R. H. Miller, and D. R. Keeney (eds) Methods of Soil Analysis, Part 2--Chemical and Microbiological Properties, Second edition. Soil Science Society of America, Madison. *American Society of Agronomy,* pp. 539-579.

Neuhauser, E. F., Loehr and M. R. Makecki, 1988. The potential of earthworms for managing sewage sludge. In: Edwards, C. A., Neuhauser, E. F. (Eds), Earthworm in waste and environmental management. SPB Academic Publishing, The Hugue, pp. 9-20.

Ngoc Son, T. T., L. Hong Man and C. Ngoc Diep, 2008. Bioconversion of paddy straw and biofertilizer for sustainable rice based cropping systems, *Omonrice,* **16**: 57-70 (2008).

Ngoc Son, T., V. van Thu, L. Hong Man and H. Hiraoka, 2001. Effect of organic and bio- fertilizer on quality, grain yield and soil

properties of soybean under rice based cropping system. *Omonrice,* **9**: 55-61.

Nikita, S., E. Amel and J. K. Whalen, 2007. Impacts of earthworms on soil nutrients and plant growth in soybean and maize agroecosystems, *Agriculture, Ecosystems and Environment,* **120:** 442–448.

Nogales, R., C. Celia and E. Benitez, 2005. Vermicomposting of winery wastes: a laboratory study. *Journal of Environmental Science Health Partices,* **40**: 659–673.

Nojima, T., A. Mori, S. Watarida and V. Moore, 1994. Experimental studies of pulsatile retrograde cerebral perfusion. *Journal of Japnese Association Thoraptic. Surgurn.,* **42**: 175-80.

Nordstrom, S. and S. Rundgen, 1974 Environmental factors and lumbricid associations in southern Sweden. *Pedobiologia,* **14**: 1–27.

Ochieng, C. A. and P. L. Erftemeijer, 2003. The seagrasses of Kenya and Tanzania. In: Green EP and Short FT (eds) World Atlas of Seagrasses, University of California Press,Berkeley, pp: 82–92.

Orozco, F. H., J. Cegarra, L. M. Trujillo and A. Roig, 1996. Vermicomposting of coffee pulp using the earthworm *Eisenia foetida*: Effects on C and N Contents and the availability of nutrients. *Biology and Fertility of Soils,* **22:** 162–166.

Orth, R. J., M. L. Luckenbach and K. A. Moore, 1984. Seed dispersal in a marine macrophyte: Implications for colonization and restoration. *Ecology,* **75:** 1927-1939.

Owa, S. O., A. A. Oyenusi, A. O. Joda, S. O. A. Morafa and J. A. Yeye, 2003b. Effect of earthworm casting on growth parameters of rice. *African journal of Zoology,* **38(2)**: 229-233.

Owa, S. O., G. A. Dedeke, M. Soa and J. Yeye, 2003a. Abundance of earthworms in Nigerian ecological zones: implications for sustaining fertilizer-free soil fertility. *African of Zoology,* **38(2):** 235-244.

Owa, S. O., O. H. Moreyibi, G. A. Dedeke, F. O. Olojo and O. O. Fashunwon, 2004a. Earthworm-created micro-environments around roots of lowland rice: Implication for growth performance. *Journal of Science and Technology,* **11(1):** 5261-5270.

Owa, S. O., O. H. Moreyibi, S. O. A. Morafa and G. A. Dedeke 2004b. Contribution of earthworms to soil temperature and its physiochemical implication on crops. *Journal of Science Technology,* **11(1)**: 5343-5350.

Owa, S.O., G. A. Moreyibi, G. A. Dedeke, S. O. A. Morafa, B. A. Senjobi, O. A. Odunbaku and A. A. Aladesida, 2008. Effect of over-seasoned earthworm products on seed germination: Implication for early rain cropping. *Journal of Applied Sciences Research*, **4(6):** 683-687.

Palm, C. A., 1995. Contribution of agro forestry trees to nutrient requirements of intercropped plants. *Agro forestry Systems,* **30**: 105–124.

Palm, C. A., R. J. K. Myers and S. M. Nandwa, 1997. Combined use of organic and inorganic nutrient sources for soil fertility maintenance and replenishment In Buresh R.J., Sanchez, D.A., Calhoun F (eds.) Replenishing Soil Fertility in Africa. Society of America Madison, Wis., *Soil Science*, pp. 193-217.

Panda, R., S. S. Pati and S. K. Sahu, 1999. Accumulation of zinc and its effects on the growth, reproduction and life cycle of Drawida willsi (Oligochaeta), a dominant earthworm in Indian crop fields. *Biology and Fertility of Soils,* **29**: 419–423.

Panikkar, A. K., S. J. Riley and S. P. Shrestha, 2004. Risk Management in Vermicomposting of Domestic Organic Waste. *Environmental Health,* **4(2)***:* 11-19.

Paoletti, M. G., 1999. The role of earthworms for assessment of sustainability and as bioindicators. *Pedobiologia,* **14:** 1–27.

Paredes, C., M. P. Bernal, J. Cegarra, A. Roig and A. F. Navarro, 1996. Nitrogen transformation during the composting of different organic wastes. In: Van Cleemput, O., Hofman, G., Vermoesen, A. (Eds.), Progress in Nitrogen Cycling Studies. Kluwer, Dordrecht, pp. 121–125.

Parkin, T. B. and E. C. Berry, 1994. Nitrogen transformations associated with earthworm casts. *Soil Biology and Biochemistry,* **26:** 1233–1238.

Parkin, T. B. and E. C. Berry, 1999. Microbial nitrogen transformations in earthworm burrows. *Soil Biology and Biochemistry,* **31**: 1765–1771.

Parmelee, R. W., M. H. Beare, W. Cheng, P. F, Hendrix, S. J. Rider, D. A. Crossley and D. C. Jr, Coleman, 1990. Earthworm and enchytraeids in conventional and no-tillage agro ecosystems: a biocide approach to assess their role in organic matter breakdown. *Biology and Fertility of Soils,* **10**: 1–10.

Parmelee, R. W., P. J. Bohlen and J. M. Blair, 1998. Earthworms and nutrient cycling processes: intergrating across the ecological hierarchy. In earthworm ecology (Edwards CA, ed.). New York, USA, pp. 123–143.

Perez-Losada, M., B. Maigualida Ricoy, J. C. Marshall and B. Jorge Dominguez, 2009. Phylogenetic assessment of the earthworm *Aporrectodea caliginosa* species complex (Oligochaeta: Lumbricidae) based on mitochondrial and nuclear DNA sequences. *Molecular Phylogenetics and Evolution,* **52:** 293–302.

Perner, H., D. Schwarz and E. George, 2006. Effect of mycorrhizal inoculation and compost supply on growth and nutrient uptake of young leek plants growth on peat-based substrates. *Horticulture Science,* **41**: 628-632.

Perreault, J. M. and J. K. Whalen, 2006. Earthworm burrowing in laboratory microcosms as influenced by soil temperature and moisture. *Pedobiologia,* **50:** 397–403.

Pizl, V. and A. Novakova, 2004. Interactions between microfungi and *Eisenia andrei* (Oligochaeta) during cattle manure vermicomposting. *Pedobiologia,* **47:** 895–899.

Poier, K. R. and J. Richter, 1992. Spatial distribution of earthworms and soil properties in an arable loess soil. *Soil Biology and Biochemistry*, **24**: 1601-1608.

Poincelot, R. P. and P. R. Day, 1973. Rates of cellulose decomposition during the composting of leaves combined with several municipal and industrial wastes and other additives. *Compost Science Utilization,* **14**: 23–25.

Postma-Blaauw, M. B., J. Bloem, J. H. Faber, J. W. Van Groenigen, R. G. M. de Goede, L. Brussaard, 2006. Earthworm species composition affects the soil bacterial community and net nitrogen mineralization. *Pedobiologia,* **50:** 243–256.

Preen, A., 1995. Impacts of dugong foraging on seagrass habitats: observational and experimental evidence for cultivation grazing. *Marine Ecological Progross Series,* **124**: 201–213.

Price, J. S. and V. R. Phillips, 1990. An improved mechanical separator for removing live worms from worked organic wastes. *Biology Waste,* **33 (1)**: 25-37.

Procaccini, G., M. C. Buia, M. C. Gambi, M. Perez, G. Pergent, C. Pergent Martini and J. Romero, 2003. The seagrasses of the Western Mediterranean. In: Green EP and Short FT (eds) World Atlas of Seagrasses, University of California Press, Berkeley, pp: 48–58.

Puh, P. C., 1941. Beneficial influence of earthworms on some chemical properties of the soil. Contributions of the bio- logical laboratories of the science society China, **15**: 147- 155.

Raj, A., 2002. Biofertilizers for micronutrients. *Biofertilizer Newsletters,* **10**: 8–10.

Ranganathan, L. S. and K. Parthasarathi, 2000. Enhanced phosphatase activity in earthworm casts is more of microbial origin**.** *Current Science,* **79**: 1158–1159.

Rasmussen, E., 1977. The wasting disease of eelgrass (*Zostera marina*) and its effects on environmental factors and fauna. In McRoy C. P., Helfferich, C., (eds). Seagrass Ecosystems. Marcel Dekker New York, pp. 1–51.

Raw, F. 1962. Studies of earthworm populations in orchards. Leaf burial in apple orchards. *Annals of Applied Biology,* **50**: 389-404.

Reeves, D. W., 1997. The role of soil organic matter in maintaining soil quality in continuous cropping systems. *Soil Tillage Research,* **43**:131–167.

Reinecke, A. J. and F. A. Visser, 1980. The influence of agricultural land use practices on the population density of *Allolobophora trapezoides* and *Eisenia rosea* (Oligochaeta) in Southern Africa. In: Dindal, D. L. (ed.). *Soil Biology as Related to Land Use Practices*. EPA Washington, DC. pp. 310-324.

Reinecke, A. J. and L. Hallatt, 1989. Growth and cocoon production of *Perionyx excavatus* (Oligochaeta). *Biology and Fertility of Soils,* **8**: 303–306.

Reinecke, A. J., S. A. Viljoen and R. J. Saayman, 1992. The suitability of *Eudrilus eugeniae, Perionyx excavatus* and *Eisenia fetida* (Oligochaeta) for vermicomposting in southern Africa in terms of their temperature requirements. *Soil Biology and Biochemistry,* **24(12)**: 1295–1307.

Reusch, R.N., R. Huang, and D. Kosk-Kosicka, 1999. Novel components and enzymatic activities of the human erythrocyte plasma membrane calcium pump. *FEBS Letters,* **412**: 592-596.

Reynolds, J. W., 1972. Earthworms in medicine. *American Journal of Natures,* **72:** 1270-1273.

Reynolds, J. W., 1973. Earthworms (Annelida: Oligochaeta) ecology and systematics. In: Dindal, D. L., ed. Proc. 1st Soil Microcommunities Conference. U. S. Atomic Energy Commission. pp. 95-120.

Reynolds, J. W., 1977. The earthworms (Lumbricidae and Sparganophilidae) of Ontario. Royal Ontario Museum, Toronto. pp. 141.

Reynolds, N. and W. John, 1980. The earthworm family Sparganophilidae (Annelida, Oligochaeta) in North America**.** *Megadrilogica.,* **3**: 189-204.

Robertson, A. I. and Duke, N. C., 1987. Mangroves as nursery sites: Comparisons of the abundance and species composition of fish and

crustraceans in mangroves and other nearshore habitats in tropical Australia. *Marine Biology,* **96**: 193–205.

Robertson, G. P., D. Wedin, P. M. Groffman, J. M. Blair, E. A. Holland, K. J. Nadelhoffer and D. Harris, 1999. Soil carbon and nitrogen availability: nitrogenmineralization, nitrification and soil respiration potentials. In: Robertson, G.P., Coleman, D.C., Bledsoe, C.S., Sollins, P. (Eds.), Standard Soil Methods for Long-term Ecological Research. Oxford University Press, Inc., New York, pp. 258–271.

Rodale, R., 1961. The challenge of earthworm research. Soil and health foundation, Emmaus, Pennsylvania. pp. 102.

Rossi, J. P., 2003. Clusters in earthworm spatial distribution: The 7th international symposium on earthworm ecology, Cardiff, Wales. *Pedobiologia,* **47**: 490-496.

Rush, D. W. and E. Epstein, 1981. Comparative studies on the sodium, potassium, and chloride relations of a wild halophytic and domestic salt-sensitive tomato species. *Plant Physiology,* **68**: 1308–1313.

Ruz Jerez, E., P. R. Ball and R. W. Tillman, 1988. The role of earthworms in nitrogen release from herbage residues. In: Jenkinson, D. S. and K.A. Smith (eds.). *Nitrogen Efficiency in Agricultural Soils.* pp. 355-370.

Ruz-Jerez, B. E., P. R. Ball and R. W. Tilman, 1992. Laboratory assessment of nutrient release from a pasture soil receiving grass or clover residues, in the presence or absence of *Lumbricus rubellus* or *Eisenia fetida. Soil Biology and Biochemistry,* **24**: 1529–1534.

Sabine, J. R., 1978. The nutritive value of earthworm meals, in: R. Hartenstein (ed.), *Utilization of soil organisms in sludge management*, Syracuse, State University of New York, pp. 122–130.

Saetre, P., 1998. Decomposition, microbial community structure, and earthworm effects along a birch-spruce soil gradient. *Ecology,* **79**: 834–846.

Saha, S., A. K. Pandey and K. A. Gopinath, 2007. Nutritional quality of organic rice grown on organic composts. *Agronomy Sustainable Development,* **27**: 223–229.

Saha, S., B. L. Mina and K. A. Gopinath, 2008. Relative changes in phosphatase activities as influenced by source and application rate of organic composts in field crops. *Bioresource Technology,* **99**: 1750–1757.

Said-Pullicino, D. and G. Gigliotti, 2007. Oxidative biodegradation of dissolved organic matter during composting. *Chemosphere,* **68:** 1030–1040.

Said-Pullicino, D., F. G. Erriquens and G. Gigliotti, 2006. Changes in the chemical characteristics of water-extractable organic matter during composting and their influence on compost stability and maturity. *Bioresource Technology,* **98(9):** 1822–1831.

Salls, R. A., 1988. Prehistoric fisheries of the California Bight. Dissertation. University of California at Los Angeles, Los Angeles, California.

Sampedro, L., K. Joann and I. Whalen, 2007. Changes in the fatty acid profiles through the digestive tract of the earthworm *Lumbricus terrestris* L., *Applied Soil Ecology,* **35:** 226–236.

Sanchez, D., Y. Leon and X. Zou, 2004. Plant influences on native and exotic earthworms during secondary succession in old tropical pastures. *Pedobiologia,* **48**: 215–226.

Sanchez, P. A., R. J. Buresh and R. R. B. Leakey, 1997. Trees, soils and security. philosophical transactions of the royal society, series B, **352**: 949–961.

Sanchez-De Leon, Y., E. De Melo, G. Soto, J. J. Maynard and J. L. Perez, 2006. earthworm populations, microbial biomass and coffee production in different experimental agroforestry management systems in C*osta rica***.** *Caribbean Journal of Science,* **42(3):** 397-409.

Satchell, J. E. 1983. Earthworm ecology from darwin to vermiculture. Chapman and Hall. London.

Satchell, J. E. and K. Martin, 1984. Phosphate Activity in Earthworm Faeces, *Soil Biology and Biochemistry.,* 16: 191–194.

Satchell, J. E., 1955 Some aspects of earthworm ecology. In: Kevan DKMc E (ed) Soil zoology. Butterworths, London.

Saxena, M., and A. Chauhan, 1998. Fly ash vermicomposting from non-ecofriendly organic wastes. *Pollution Research,* **17:** 5–11.

Scheu, S., N. Schlitt, A. Tiunov, J. E. Newington and T. Hefin Jones, 2002. Effects of the presence and community composition of earthworms on microbial community functioning, *Oecologia,* **133**: 254–260.

Scheu, S., 1987a. Microbial activity and nutrient dynamics in earthworm casts (*Lumbricidae*). *Biology and Fertility of Soils,* **5**: 230-234.

Scheu, S., 1987b. The role of substrate feeding earthworms (Lumbrieidae) for bioturbation in a beechwood soil. *Oecologia,* **72**: 192-196.

Schindler Wessells, M. L., P. J. Bohlen, D. A. Mc Cartney, S. Subler and C. A. Edwards, 1997. Earthworm effects on soil respiration in corn agro ecosystems receiving different nutrient inputs. *Soil Biology and Biochemistry,* **29:** 409–412.

Schmidt, O. and J. P. Curry, 1999. Effects of earthworms on biomass production, nitrogen allocation and nitrogen transfer in wheat–clover intercropping model systems, *Plant and Soil,* **214:** 187–198.

Schrader, S. and H. Q. Zhang, 1997. Earthwormcasting: stabilization or destabilization of soil structure, *Soil Biology and Biochemistry,* **29:** 469–475.

Semple, K. T., B. J. Reid and T. R. Fermor, 2001. Impact of composting strategies on the treatment of soils contaminated with organic pollutants. *Environmental Pollution,* **112:** 269–283.

Senapati, B. K. and J. M. Julka, 1993. Selection of suitable vermicomposting species under Indian conditions. Earthworm resources and vermiculture. Zoological Survey of India, Calcutta, pp 113–115.

Senapati, B. K., M. C. Dash A. K. Rane and B. K. Panda, 1980. Observation on the effect of earthworms in the decomposition process in soil under laboratory conditions. *Compost Physiology and Ecology,* **5**: 140–142.

Senesi, N., 1989. Composted materials as organic fertilizers. *The Science of the Total Environment,* **82:** 521–542.

Shabala, N. S., S. I. Shabala, A. I. Martynenko, O. Babourima and I. A. Newman. 1998. Salinity effect on the bioelectric activity, growth, Na+ accumulation and chlorophyll fluorescence of maize leaves; a comparative survey and prospects for screening . *Australian Journal of Plant Physiology*, **25**: 609–16.

Sharma, A. R. and B. N. Mittra, 1988. Effect of combination of organic materials and nitrogen fertilizer on growth, yield and nitrogen uptake. *Journal of Agriculture Science Cambridge,* **111**: 494–501.

Sharma, A. R. and B. N. Mittra, 1990. Complementary effect of organic, bio and mineral fertilizer in rice based cropping system. *Fertility News,* **35(2)**: 43-51.

Sharma, A. R. and B. N. Mittra, 1991. Direct and residual effect of organic materials and phosphorus fertilizer in rice based cropping system. *Indian Journal of Agronomy,* **36**: 299-303.

Sheehan, C., L. Kirwan, J. Connolly and T. Bolger, 2007. The effects of earthworm functional group diversity on earthworm community structure. *Pedobiologia,* **50:** 479–487.

Sheridan, P. and C. Hays, 2003. Are mangroves nursery habitat for transient fishes and decapods. *Wetlands*, **23**: 449–458.

Sheridan, P. F., 1992. Comparative habitat utilization by estuarine macrofauna within the mangrove ecosystem of Rookery Bay, Florida. *Bulltin Marine Science,* **50**: 21–39.

Shipitalo, M. J. and R. Protz, 1989. Chemistry and micromorphology of aggregation in earthworm casts. *Geoderma,* **45**: 357-374.

Shipitalo, M. J., R. Protz and A.D. Tomlin, 1988. Effect of diet on the feeding and casting activity of *Lumbricus terrestris* and *L. rubellus* in laboratory culture. *Soil Biology and Biochemistry,* **20**: 233-237.

Short, F. T., R. G. Coles and C. H. Pergent-Martini, 2007. Global seagrass distribution. In FT Short, RG Coles (eds.) Global seagrass research methods. Elsevier Science, Amsterdam, pp. 5-30.

Shuster, W. D., L. P. Mc Donald, D. A. Mc Cartney, R. W. Parmelee, N. S. Studer and B. R. Stinner, 2002. Nitrogen source and earthworm abundance affected runoff volume and nutrient loss in a tilled-corn agro ecosystem, *Biology Fertility of Soils,* **35**: 320–327.

Simek, **M. and V. Pizl**, **1989.** The effect of earthworms (Limbricidae) on nitrogenase soil. *Biology and Fertility of Soils,* **7:** 370-373.

Simek, M., D. W. Hopkins, J. Kalcik, T. Picek, H. Santruckova, J. Stana and K. Travnik, 1999. Biological and chemical properties of arable

soils affected by long-term organic and inorganic fertilizer applications. *Biology Fertility of Soils,* **29**: 300–308.

Siminis, C. I., M. Loulakis, M. Kefakis, T. Manios and V. Manios, 1998. Humic substances from compost affect nutrient accumulation and fruit yield in tomato. *Acta Horticulturae*, **469:** 353–358.

Singh, N. B., A. K. Khare, D. S. Bhargava and S. Bhattacharya, 2005. Effect of initial substrate pH on vermicomposting using *Perionyx excavatus* (Perrier, 1872). *Applied Ecology and Environmental Research,* **4**: 85-97.

Singh, R. and K. Pradhan, 1981. Determination of nitrogen and protein by Kjeldahl method. In: Forage Evaluation Science. Pvt. Publishers Ltd., New Delhi, p. 23.

Singleton, D. R., P. F. Hendrix, D. C. Coleman and W. B. Whitman, 2003. Identification of uncultured bacteria tightly associated with the intestine of the earthworm *Lumbricus rubellus* (Lumbricidae: Oligochaeta). *Soil Biology and Biochemistry,* **35:** 1547–1555.

Sinha, R. K., S. Heart, S. Agarwal, R. Asadi, and E. Carretero, 2002. Vermiculture and waste management: study of action of earthworms *Eisenia foetida, Eudrilus euginae* and *Parionyx excavatus* on biodegradation of some community wastes in India and Australia. *The Environmentalist,* **22**: 261–268.

Slater, C. S. and R. Hopp, 1947. Relation of fall protection to earthworm populations and soil physical conditions. *Soil Science Society American Journal,* **12**: 508-511.

Smith, F. 1928. An account of changes in the earthworm fauna of Illinois. *Natural History Bulletin,* **10:** 545–550.

Sogard, S. M. and K. W. Able, 1991. A comparison of eelgrass, sea lettuce macroalgae and marsh creeks as habitats for epibenthic fishes and decapods. *Esturine Coastal Shelf Science,* **33**: 501–519.

Son, T. T. N. and S. Kannaiyan, 1999. Utilization of agricultural wastes for sustainable crop production. In S. Kannaiyan (ed) Bioresources technology for sustainable Agriculture. Associated Publishing Company, New Delhi, India, pp. 109-127.

Speratti, A. B. and J. K. Whalen, 2008. Carbon dioxide and nitrous oxide fluxes from soil as influenced by anecic and endogeic earthworms. A*pplied soil ecology,* **38**: 27 – 33.

Spiers, G. A., D. Gagnon, G. E. Nason, E. C. Packee and J. D. Lousier, 1986. Effects and importance of indigenous earthworms on decomposition and nutrient cycling in coastal forest ecosystems. *Canadian Journal of Forest Research,* **16**: 983-989.

Springett, J. A. and J. K. Syers. 1979. The effect of earthworm casts on grass seedlings. In T. K. Crosby and R. P. Pottinger. editors. Proceedings of the 2nd Australasian conference on invertebrate ecology. pp. 47-49.

Springett, J. A. and R. Gray, 1997. The interaction between plant roots and earthworm burrows in pasture. *Soil Biology and Biochemistry,* **29**: 621-625.

Spurgeon, D. J. and S. P. Hopkin, 1999. Life-History patterns in reference and metal-exposed earthworm populations. *Ecotoxicology,* **8:** 133-141. 1999.

Sreenivas, C., S. Muralidhar and M. S. Rao, 2000. Vermicompost, a viable component of IPNSS in nitrogen nutrition of ridge gourd. *Annals of Agricultural Research,* **21(1):** 108–113.

Standing, J., B. Browning and J. W. Speth, 1975. The natural resources of Bodega Harbor. Coastal Wetland Series 11. California Department of Fish and Game. pp. 340.

Stebbings, S. and H. James, 1962. Endemic-exotic earthworm competition in the American Midwest. *Nature,* **196(4):** 905-906.

Steinberg, D. A., R. V. Pouyat, R. W. Parmelee and P. M. Groffman, 1996. Earthworm abundance and nitrogen mineralization rates along an urban-rural land use gradient. *Soil Biology and Biochemistry,* **29:** 427–430.

Stephen R. R. Stuorzenbaum, C. Winters, M. Galay, A. John Morgan and P. Kille, 2001. *Metal Ion Trafficking in Earthworms,* **276:** 34013–34018.

Stephens, P. M., C. W. Davoren, M. H. Ryder, B. M. Doube and R. L. Correll, 1994. Field evidence for reduced severity of *Rhizoctonia* bare-patch disease of wheat, due to the presence of the earthworms *Aporrectodea rosea* and *Aporrectodea trapezoides*. *Soil Biology and Biochemistry,* **26(11):** 1495–1500.

Stewart, V. I., J. Scullion, R. O. Salih and K. H. Al Bakri, 1988. Earthworms and structure rehabilitation in subsoils and in topsoils affected by opencast mining for coal. *Biology Agriculture and Horticulture,* **5**: 325-338.

Stinner, B. R., D. A. McCartney, J. M. Blair, R. W. Parmelee and M. F. Allen, 1997. Earthworm effects on crop and weed biomass, and N content in organic and inorganic fertilized agroecosystems. *Soil Biology and Biochemistry,* **29:** 423–426.

Stockdill, S. M. J., 1982. Effects of introduced earthworms on the productivity of New Zealand pastures. *Pedobiologia,* **24**: 29-35.

Subler, S. and A. S. Kirsch, 1998. Spring dynamics of soil carbon, nitrogen and microbial activity in earthworm middens in a no-till cornfield. *Biology Fertility of Soils,* **26**: 243–249.

Suchanek, T. H., S. W. Williams, J. C. Ogden, D. K. Hubbard and I. P. Gill, 1985. Utilization of shallow-water seagrass detritus by Caribbean deep-sea macrofauna: δ13c evidence. *Deep Sea Research,* **32**: 2201–2214.

Sunita, N. D., R. S. Giraddi, K. A. Kulkarni and S. Lingappa, 1997. Evaluation method of vermicomposting under open field conditions. *Karnataka Journal of Agricultural Sciences*, **10(4):** 987-990.

Suthar, S. and S. Singh, 2008a. Vermicomposting of domestic waste by using two epigeic earthworms (*Perionyx excavatus* and *Perionyx sansibaricus*). *International Journal of Environmental Science and Technology,* **5(1):** 99–106.

Suthar, S. and S. Singh, 2008b. Feasibility of vermicomposting in biostabilization sludge from a distillery industry. *Science and Total Environment*, **393**: 237–243.

Suthar, S. S., J. Watts, M. Sandhu, S. Rana, A. Kanwal, D. Gupta and M. S. Meena, 2005. Vermicomposting of kitchen waste by using *Eisenia fetida* (Savigny). Asian *Journal of Microbiology, Biotechnology and Environmental Science,* **7**: 541-544.

Suthar, S., 2006. Potential utilization of guargum industrial waste in vermicompost production. *Bioresource Technology,* **97**: 2474–2477.

Suthar, S., 2007. Influence of different food sources on growth and reproduction performance of composting epigeics of *Eudrilus Eugeniae, Perionyx Excavatus* and *Perionyx Sansibaricus.Applied Ecology and Environmental Research,* **5(2)**: 79-92.

Suthar, S., 2007a. Vermicomposting potential of *Perionyx sansibaricus* (Perrier) in different waste materials. *Bioresource Technology,* **98:** 1231-1237.

Suthar, S., 2007b. Nutrient changes and biodynamics of epigeic earthworm *Perionyx excavatus* (Perrier) during recycling of some agriculture wastes. *Bioresource Technology,* **98:** 1608-1614.

Suthar, S., 2008a. Bioconversion of post harvest crop residues and cattle shed manure into value-added products using earthworm *Eudrilus eugeniae* Kinberg. *Ecological Engineering,* **32(3)**: 206-214.

Suthar, S., 2008b. Development of a novel epigeic-anecic-based polyculture vermireactor for efficient treatment of municipal sewage water sludge. **2:** 1-2.

Suttles, W. P., 1951. Economic life of the Coast Salish of Haro and Rosario Straits. Dissertation. Department of Anthropology. University of Washington, Seattle, Washington.

Svendsen, T. S., C. Sommer, P. Holter and J. Gronvold, 2002. Survival and growth of *Lumbricus terrestris* (Lumbricidae) fed on cattle dung from cattle given sustained-release boluses of vermectin or fenbendazole. *European Journal of Soil Biology,* **38**: 319-322.

Svensson, B. H., U. Bostrom and L. Klemedtson, 1986. Potential for higher rates of denitrification in earthworm casts than in the surrounding soil. *Biology Fertility of Soils,* **2:** 147–149.

Syers J. K. and J. A. Springett, 1984. Earthworms and soil fertility**.** *Plant and Soil*, **76**: 931-934.

Syers, J. K. and J. A. Springett, 1979. Earthworms and soil fertility. In T. K. Crosby and R. P. Pottinger. editors. Proceedings of the 2nd Australasian conference on invertebrate ecology. pp. 46-47.

Szczech, M., W. Rondomanski, M. W. Brzeski, U. Smolinska and J. Kotowski, 1993. Suppressive effect of commercial earthworm compost on some root infecting pathogens of cabbage and tomato. *Biological Agriculture and Horticulture,* **10(1)**: 47–52.

Tajbakhsh, J., M. A. Abdoli, E. Mohammadi Goltapeh, I. Alahdadi and M. J. Malakouti, 2008. Recycling of spent mushroom compost

using earthworms *Eisenia foetida* and *Eisenia Andrei. Environmentalist*, **45:** 105-110.

Talashilkar, S. C., P. P. Bhangarath and V. B. Mehta, 1999. Changes in chemical properties during composting of organic residues as ifluenced by earthworm activity. *Journal of Indian Society of Soil Science,* **47**: 50-53.

Tereshchenko, N. N. and N. N. Naplekova, 2002. Influence of different ecological groups of earthworms on the of nitrogen fixation. *Biology Bulletin,* **29(6):** 628–632.

Terhivuo, J., A. Saura and K. Hongell, 1994. Genetic and morphological variation in the parthenogenethic earthworm *Eiseniella tetraedra* (Sav.) (Oligochaeta, Lumbricidae) from South Finland and Norway, *Pedobiologia,* **38**: 81–96.

Termorshuizen, A. J., S. W. Moolenaar, A. H. M. Veeken and W. J. Blok, 2004. The value of compost, *Reviews in Environmental Science and Bio-Technology,* **3**: 343–347.

Terrados, J., C. M. Duarte, L. Kamp-Nielsen, N. S. R. Agawin, E. Gacia, D. Lacap, M. D. Fortes, J. Borum, M. Lubanski and T. Greve, 2004. Are seagrass growth and survival affected by reducing conditions in the sediment. *Aquaatic Botany,* **65**: 175–197.

Thakuria Narayan, D., C. Talukdar, C. Chandan Goswami, Samarendra, C. Hazarika Mohan and D. Kalita Gary, 2008. Bending evaluation of rice legume rice cropping system on grain yield, nutrient

uptake, nitrogen fixation and chemical, physical, and biological properties of soil. *Biology Fertility of Soils*, **(11)**: 1007-1026.

Thimm, T., A. Hoffmann, I. Fritz and C. C. Tebbe, 2001. Contribution of the Earthworm *Lumbricus rubellus* (Annelida,Oligochaeta) to the Establishment of Plasmids in Soil Bacterial Communities. *Microbial Ecology,* **41**: 341-351.

Thompson, R. B. and R. Nogales, 1999. Nitrogen and carbon mineralization in soil of vermicomposted and unprocessed dry olive cake ('Orujo seco') produced from two stage centrifugation for olive oil extraction. Part B, Pesticides, Food Contaminants and Agricultural Wastes, *Journal of Environmental Science and Health,* **34(5):**917–928.

Tiquia, S. M., 2002. Evolution of extracellular enzyme activities during manure composting. *Journal of Applied Microbiology,* **92:** 764–775.

Tognetti, C., F. Laos, M. J. Mazzarino and M. T. Hernandez, 2005 Composting vs. vermicomposting: a comparison of end product quality. *Compost Science Utilization,* **13**: 6–13.

Tomati, U. and E. Galli, 1995. Earthworms, soil fertility and plant productivity. *Acta Zoologica Fennica*, **196**, 11–14.

Tomati, U., A. Grappelli and E. Galli, 1988. The hormone- like effect of earthworm casts on plant growth. *Biology and Fertility of Soils,* **5**: 288-294.

Tomati, U., E. Galli, L. Pasetti and E. Volterra, 1995. Bioremediation of olive mill waste waters by composting. *Waste Management Research,* **13**: 509-518.

Tomlin, A. D., 1983. The earthworm bait market in North America. In: J. E. Satchell (Ed.), Earthworm Ecology: From Darwin to Vermiculture. Chapman and Hall. London. pp. 331-338.

Torre-Castro, M. and P. Ronnback, 2004. Links between humas and seagrasses – an example from tropical East Africa. *Ocean and Coastal Management,* **47**:361-387.

Trigo, D. and P. Lavelle, 1993. Changes in respiration rate and some physicochemical properties of soil during gut transit through *Allolobophora molleri* (Lumbricidae, Oligochaeta). *Biology Fertility of Soils,* **15:** 185–188.

Tuomela, M., M. Vikman, A. Hatakka and M. Itao vaara, 2000. Biodegradation of lignin in a compost environment: a review. *Bioresource Technology,* **72:** 169–183.

Van Rhee, J. A. 1977. A study of the effect of earthworms on orchard productivity. *Pedobiologia,* **17**: 107-114.

Viel, A., M. K. Djo, A. Mazabraud, H. Denis and M. le Maire, 1987. Optimisation of agricultural, industrial waste management through in-vessel composting. *Federation of European Biochemical Societies,* **223**: 232-236.

Vinceslas-Akpa, M. and M. Loquet, 1997. Organic matter transformation in lignocellulosic waste products composted or vermicomposted

(*Eisenia fetida andrei*): chemical analysis and 13C CPMAS NMR spectroscopy. *Soil Biology and Biochemistry,* **29**: 751-758.

Walkowiak, A., 2007. Effect of selected environmental parameters on sewage sludge vermicomposting. *Journal of Natural Sciences,* **22(1):** 83-91.

Walter, R. H., 1965. Calcium and magnesium. EDTA Titration method. In: Methods of soil analysis (chemical and microbiological properties), USA, *American Society of Agronomy*, pp. 999-1003.

Walther, P. B. and Snider, R. M. 1984. Techniques for sampling earthworms and cocoons from leaf litter, humus and soil. *Pedobiologia,* **27**: 293-297.

Wang, Y. H. and H. T. Shih, 2010. Earthworm fauna of Eastern Taiwan, with descriptions of two new species (Oligochaeta: Megascolecidae), *Journal of Zoological taxonomy,* **2341**: 52–68.

Wani, S. P. and K .K. Lee, 1992. Biofertilizers role in upland crops production in Fertilizers, organic manures, recyclable wastes and biofertilisers (Tandon HLS, ed.). New Delhi, India: Fertilizer development and consultation organisation. pp. 91–112.

Watanabe, H., H. Hentry and J. Tsukamoto, 1976. Seasonal changes in size class and stage structure of Lumbricid *Eisenia foetida* population in a field compost and its practical application as the decomposer of organic waste matter, *Ecology, biology and soil research,* **13:** 141– 146.

Watson, R. A., R. G. Coles and W. J. Lee Long, 1993. Simulation estimates of annual yield and landed values for commercial penaeid prawns from tropical seagrass habitat, Northern Queensland, Australia. *Australian Journal Marine and Freshwater Research,* **44**: 211-219.

Weltzien, H. C., 1989. Some effects of composted organic materials on plant health. *Agriculture Ecosystems and Environment*, **27**: 439–446.

Wendt, K. and O. Larink, 1990. Computer-aided analysis of earthworm burrows of sectioned soil columns. *Pedobiologia,* **34**:221–225.

Werner, M. R. and D. L. Dindal, 1990. Earthworm community dynamics in conventional and low-input agro ecosystems. *Ecology, biology and soil research,* **26(4)**: 427-437.

West, H. K., A. J. Morgan, D. W. Bowker, M. S. Davies and R. J. Herbert, 2003. Evidence of interpopulation differences in life history parameters of adult and F1 generation *Lumbricus rubellus*. *Pedobiologia*, **47**: 535-541.

Whalen, J. K., L. Sampedro and T. Waheed, 2004. Quantifying surface and subsurface cast production by earthworms under controlled laboratory conditions. *Biology Fertility of Soils,* **39:** 287–291.

Whitt, M., 1988. Black Brant Contained in a group of poems titled La Ventana. La Ventana Press, Inverness CA, USA.

Williams, N. M. and E. S. Hunn, 1982. Resource Managers: North American and Australian Hunter-Gathers. AAAS, Globe Press, Melbourne.

Wong, M. T. F., A. Wild and A. S. R. Juo, 1997. Feasibility of using coal ash residue as co-composting materials for sewage sludge. *Journal of Soil Science,* **38**: 511–518.

Wu, L., L. Q. Ma and G. A. Martinez, 2000. Comparison of Methods for Evaluating stability and maturity of biosolids compost**.** *Journal of Environmental Quality,* **29:** 424-429.

Wyllie-Echeverria, S. and J. D. Ackerman, 2003. The seagrasses of the Pacific coast of North America. pp. 199-206 In: E. P. Green and F. T. Short (eds.) World Atlas of Seagrasses: present status and future conservation. Prepared by the UNEP World Conservation Monitoring Centre. University of California Press, Berkeley. pp. 298.

Wyllie-Echeverria, S. and P. A. Cox, 1999. The seagrass (*Zostera marina)* Zosteraceae industry of Nova Scotia (1907–1960). *Ecological Botony,* **53(4)**: 419–426.

Wyllie-Echeverria, S. P. Arzel and P. A. Cox, 2000. Seagrass conservation: Lessons from ethnobotany. *Packistan Conservation Biology,* **5**: 329–335.

Wyllie-Echeverria, S., P. A. Cox, A. C. Churchill, J. D. Brotherson and T. Wyllie-Echeverria, 2003. Seed size variation within *Zostera marina* L. (Zosteraceae). *Botanical Journal of Linnean Socity,* **142**: 281–288.

Yang, S. S. and E. H. Chang, 1997. Effect of fertilizer application on methane emission/production in the paddy soils of Taiwan, *Biology Fertility of Soils,* **25**: 245–251.

Yatazawa, M., 1977. Cycling of mineral nutrients in agricultural ecosystems. *Agro ecosystem,* **4**: 177–179.

Yeates, G. W., 1981a. Soil nematode population by the earthworm *Lumbricus terrestries* with special reference to apple leaves. *American Journal of Applied Biology,* **70:** 175-188.

Yeates, G. W., 1981b. Soil nematode populations depressed in the presence of earthworms. *Pedobiologia,* **22**: 191-195.

Youngberg, C. T., 1959. The influence of soil conditions, following tractor logging, on the growth of planted Douglas fir seedlings. *Soil Science Society American Journal,* **23**: 76–78.

Younis, A. F. and M. A. Hatata, 1971. Studies on the effects of certain salts on germination, on growth of root, and on metabolism. I. Effects of chlorides and sulphates of sodium, potassium, and magnesium on germination of wheat grains. *Plant Soil,* **13**: 183–200.

Zachmann, J. E. and D. R. Linden, 1989. Earthworm effects on corn residue breakdown and Infiltration. *Soil Science Society American Journal,* **53(6)**: 1846-1849.

Zajonc, I. and V. Sidor, 1990. Use of some waste for vermicompost preparation and their influence on growth and reproduction of the earthworm *E. fetida*. *Pol Nohospodarstvo,* 36**(8):** 742-752.

Zaller, J. G. and J. A. Arnone, 1999. Interactions between earthworm casts and plant species in a calcareous grassland under elevated CO2. *Ecology,* **80**: 873-881.

Zaller, J. G. and U. Kopke, 2004. Effects of traditional and biodynamic farmyard manure amendment on yields, soil chemical, biochemical and biological properties in a long-term field experiment. *Biology and Fertility of Soils*, **40:** 222–229.

Zaller, J. G., 2006a. Foliar spraying of vermicompost extracts: effects on fruit quality and indications of late-blight suppression of field-grown tomatoes. *Biological Agriculture and Horticulture*, **24**: 165–180.

Zaller, J. G., 2006b. Vermicompost as a substitute for peat in organic potting media: Effects on germination, biomass allocation, yields and fruit quality of three tomato varieties. *Biology Bulletin,* **21**: 245-249.

Zhigunov, A.V. and V. N. Simakov, 1977. Composition and Properties of Humic Acids Separated from Decomposing Plant Residues. *Soviet Soil Science,* **9**: 687-693.

Zhukovskaya, E. A., O. P. Kodolova, O. Yu Pravdukhina, A. Zh. Barne and N. M. Bolotetskii, 2005. Study of Genetic Diversity of Earthworm *Lumbricus rubellus* Hoff. (Oligochaeta, Lumbricidae). *Biology Bulletin,* **32(5):** 518–520.