

LIST OF TABLES

	Page No.
Table 1: Crystal Structure of the aluminas	8
Table 2: Solid-state rate expressions for different reaction models	71
Table 3: Physico-chemical characteristics of raw bauxite and synthetic alumina hydrate sample	75
Table 4: Dehydration loss of bauxite sample on progressive heat treatment	80
Table 5: Mass gain due to rehydration of the dehydrated bauxite sample at different relative humidities	82
Table 6: Dehydration loss of synthetic alumina hydrate sample on progressive heat treatment	83
Table 7: Mass gain due to rehydration of the dehydrated synthetic aluminum hydrate sample at different relative humidities	85
Table 8: Values of rate constants (K_1) for initial stage dehydration and equilibrium mass loss (L_∞) from $\log(\Delta L)$ against time plots of bauxite sample for different size fractions.	88
Table 9: Extent of validity of first order law as determined from $\log((L_\infty - L)/L_\infty)$ against time plots of bauxite for different size fractions	90
Table 10: Values of rate constants (K_2) for final stage dehydration of bauxite for different size fractions	90
Table 11: Activation energies as determined from Arrhenius plots at initial stage (E_1) and final stage (E_2) of dehydration of bauxite for different size fractions	90
Table 12: Activation energies (E_a) and correlation coefficient (r^2) for bauxite calculated by Integral isoconversional method recommended by ICTAC kinetic committee	92

Table 13: Values of rate constants (K_1^1) for initial stage dehydration and equilibrium mass loss (L_∞^1) from $\log(\Delta L)$ against time plots of synthetic aluminum hydrates	95
Table 14: Extent of validity of first order law as determined from $\log((L_\infty^1 - L)/L_\infty^1)$ against time plots of synthetic aluminum hydrate sample	96
Table 15: Values of rate constants (K_2^1) for final stage dehydration of synthetic aluminum hydrate sample	96
Table 16: Activation energies as determined from Arrhenius plots at initial stage (E_1^1) and final stage (E_2^1) of dehydration of synthetic aluminum hydrate	97
Table 17: Activation energies (E_a) and correlation coefficient (r^2) for synthetic aluminum hydrate sample calculated by Integral isoconversional method recommended by ICTAC kinetic committee	98
Table 18: Activation energies (E_a) and Correlation coefficient (r^2) calculated by FWO method for the decomposition of bauxite sample	101
Table 19: Activation energies (E_a) and Correlation coefficient (r^2) calculated by modified Coats and Redfern method for the decomposition of bauxite sample	102
Table 20: Activation energies (E_a) and Correlation coefficient (r^2) for the dehydration of bauxite by non-isothermal method	103
Table 21: Activation energies (E_a) and Correlation coefficient (r^2) calculated by modified FWO method for the decomposition of synthetic alumina hydrate sample	105

Table 22: Activation energies (E_a) and Correlation coefficient (r^2) calculated by modified Coats and Redfern method for the decomposition of synthetic alumina hydrate sample	106
Table 23: Activation energies (E_a) and Correlation coefficient (r^2) for the dehydration of synthetic aluminum hydrate by non- isothermal method	107