

Contents

	Page No
ACKNOWLEDGEMENT	II
PREFACE	III
CHAPTER 1 GENERAL INTRODUCTION	1–63
1.1 Overview and Historical Background	1
1.2 Classification of Porous Materials based on the size of the pores	2
1.2.1 Microporous Materials	3
1.2.2 Mesoporous Materials	6
1.2.3 Macroporous Materials	12
1.3 Mechanism of formation of porous materials	13
1.3.1 Formation of Microporous Materials	13
1.3.2 Formation of Mesoporous Materials	16
1.3.3 Formation of Mesoporous Polymeric Materials	26
1.3.4 Metal-Organic Frameworks (MOFs)	29
1.4 Catalysis	31
1.4.1 Base-catalysed reactions	33
1.4.2 Acid-catalysed reactions	34
1.4.3 Coupling reactions	36
1.4.4 Organocatalysis	38
1.4.5 Chiral catalysis	40
1.5 CO ₂ storage	42
1.6 H ₂ storage	44
1.7 Metal ion Adsorption	45
1.8 Objective and outlook of the thesis	47
1.9 Bibliography	50
CHAPTER 2 CHARACTERIZATION TECHNIQUE	64–79
2.1 Powder X-ray Diffraction Study	64
2.2 N ₂ adsorption-desorption Study	66
2.3 High Resolution Transmission Electron Microscopy	67
2.4 Field Emission Scanning Electron Microscopy	69
2.5 Fourier Transform Infrared Spectroscopy	70
2.6 Ultra violet Visible Diffuse Reflectance Spectroscopy	72
2.7 ²⁹ Si, ¹³ C and ³¹ P Solid State MAS NMR	74
2.8 ¹ H and ¹³ C NMR Analysis	75
2.9 EPR Analysis	75
2.10 Thermal Analysis (TG-DTA)	76
2.11 Bibliography	77
CHAPTER 3 Cu-GRAFTED FURFURAL FUNCTIONALIZED MESOPOROUS ORGANOSILICA MEDIATED ARYL SULFUR COUPLING REACTION OF ARYL IODIDES AND THIOPHENOL	81-100
3.1 Introduction	81
3.2 Experimental Section	83
3.2.1 Synthesis of furfural functionalized mesoporous silica	83

	supported Cu(II) catalyst	
3.2.2	Synthesis of Schiff base ligand (A):	83
3.2.3	Synthesis of furfural functionalized mesoporous organic hybrid silica (B):	83
3.2.4	Synthesis of mesoporous organic silica supported Cu(II) catalyst (1) :	84
3.2.5	Catalytic study (General procedure for aryl-sulfur coupling reaction of Thiophenol with Aryl iodide):	84
3.3	Results and Discussion	85
3.3.1	X-ray powder diffraction studies	85
3.3.2	Nitrogen adsorption-desorption Study	88
3.3.3	FE-SEM Analysis	89
3.3.4	TEM Analysis	90
3.3.5	FT-IR and UV-Vis diffused reflectance spectra	91
3.3.6	Catalysis	92
3.3.7	Proposed catalytic pathway	96
3.4	Conclusions	97
3.5	Bibliography	97
CHAPTER 4	HIGHLY ORDERED ACID FUNCTIONALIZED SBA-15: A NOVEL ORGANOCATALYST FOR THE PREPARATION OF XANTHENES	102-117
4.1	Introduction	102
4.2	Experimental Section	103
4.2.1	Synthesis of -COOH functionalized mesoporous SBA-15 organocatalyst (AFS-1):	103
4.2.2	Synthesis of 3-aminopropyl functionalized SBA-15:	103
4.2.3	Synthesis of -COOH functionalized mesoporous SBA-15 organocatalyst (AFS-1):	103
4.2.4	Catalysis (Synthesis of xanthenes via condensation reaction of 2-naphthol and aromatic aldehyde)	104
4.3	Results and Discussion	105
4.3.1	X-ray powder diffraction studies	105
4.3.2	Nitrogen adsorption-desorption Study	105
4.3.3	TEM Analysis	107
4.3.4	¹³ C and ²⁹ Si MAS NMR Studies	107
4.3.5	Catalysis	108
4.3.6	Proposed Catalytic cycle	114
4.4	Conclusions	115
4.5	Bibliography	116
CHAPTER 5	HIGHLY EFFICIENT MESOPOROUS BASE CATALYZED KNOEVENAGEL CONDENSATION OF DIFFERENT AROMATIC ALDEHYDES WITH MALONONTRILE AND SUBSEQUENT NONCATALYTIC DIELS-ALDER REACTIONS	119-135
5.1	Introduction	119
5.2	Experimental Section	120
5.2.1	Synthesis of amino-functionalized mesoporous silica:	120
5.2.2	Knoevenagel condensation and subsequent Diels-Alder reaction:	121
5.3	Results and Discussion	122
5.3.1	X-ray powder diffraction studies	122
5.3.2	Nitrogen adsorption-desorption Study	123

	5.3.3	SEM Analysis	124
	5.3.4	Catalysis	125
	5.3.5	Diels-Alder Cycloaddition reaction	129
	5.4	Conclusions	133
	5.5	Bibliography	133
CHAPTER 6		Fe₃O₄@ MESOPOROUS SBA-15: A ROBUST AND MAGNETICALLY RECOVERABLE CATALYST FOR ONE-POT SYNTHESIS OF 3,4-DIHYDROPYRIMIDIN-2(1H)-ONES VIA BIGINELLI REACTION	137-158
	6.1	Introduction	137
	6.2	Experimental Section	139
	6.2.1	Synthesis of Fe ₃ O ₄ functionalized SBA-15 magnetic nanocatalyst:	139
	6.2.2	Synthesis of vinyl functionalized SBA-15 (A):	139
	6.2.3	Synthesis of Cysteine hydrochloride functionalized mesoporous SBA-15 (B):	140
	6.2.4	Synthesis of well dispersed superparamagnetic Fe ₃ O ₄ nanoparticle:	140
	6.2.5	Synthesis of Fe ₃ O ₄ nanoparticle functionalized magnetic nanocatalyst (C):	140
	6.2.6	General procedure for Fe ₃ O ₄ nanoparticle mediated synthesis of dihydropyrimidinones <i>via</i> Biginelli condensation:	141
	6.3	Results and Discussion	142
	6.3.1	X-ray powder diffraction studies	142
	6.3.2	Nitrogen adsorption-desorption Study	143
	6.3.3	TEM Analysis	144
	6.3.4	FT-IR Spectra	145
	6.3.5	Catalysis	146
	6.4	Conclusions	155
	6.5	Bibliography	155
CHAPTER 7		ONE-POT THIOETHERIFICATION OF ARYL HALIDES WITH THIOUREA AND BENZYL BROMIDE IN WATER CATALYZED BY Cu-GRAFTED FURFURAL IMINE FUNCTIONALIZED MESOPOROUS SBA-15	160-176
	7.1	Introduction	160
	7.2	Experimental Section	161
	7.2.1	Synthesis of Cu grafted furfural imine functionalized mesoporous SBA-15:	161
	7.2.2	Synthesis of 3-aminopropyl functionalized SBA-15:	162
	7.2.3	Synthesis of imine functionalized mesoporous SBA-15:	162
	7.2.4	Synthesis of Cu(II) anchored mesoporous SBA-15 catalyst:	162
	7.2.5	General procedure for Cu(II) grafted mesoporous SBA-15 catalyst mediated one pot thioetherification of aryl halides using thiourea and benzyl bromide in aqueous medium:	163
	7.3	Results and Discussion	164
	7.3.1	X-ray powder diffraction studies	164
	7.3.2	Nitrogen adsorption-desorption Study	165

	7.3.3	TEM Analysis	166
	7.3.4	EPR & EXAFS Analysis	166
	7.3.5	FT-IR & UV-Vis Diffused Reflectance Spectra	168
	7.3.6	Catalysis	169
	7.4	Conclusions	174
	7.5	Bibliography	174
CHAPTER 8		SUMMARY	177-178
		LIST OF PUBLICATIONS	179-182