

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	v
	LIST OF TABLES	xiv
	LIST OF FIGURES	xv
	LIST OF SYMBOLS AND ABBREVIATIONS	xvii
1	INTRODUCTION	1
	1.1 MOBILE AD HOC NETWORK	1
	1.1.1 Types of MANET	2
	1.1.2 Characteristics	2
	1.1.3 Applications	3
	1.1.4 Issues	4
	1.2 ROUTING	5
	1.2.1 Types of Routing Protocol	6
	1.2.2 Issues Related to MANETs Routing	8
	1.2.3 Multicast Routing	8
	1.2.4 Challenges of Multicast Routing	11
	1.3 RATE ASSIGNMENT	13
	1.3.1 Components	13
	1.3.2 Issues	15
	1.4 RESOURCE ALLOCATION	16
	1.5 CROSS-LAYER DESIGN	17
	1.6 PROBLEM IDENTIFICATION	18
	1.7 RESEARCH OBJECTIVES	19

CHAPTER NO.	TITLE	PAGE NO.
1.8	PROPOSED CONTRIBUTIONS	20
1.8.1	Cross-layer based Routing and Rate Control using Fuzzy Decision Systems in MANET	20
1.8.2	Cross-layer Based Routing and Power Aware Rate Adjustment (CBR-PARA) MAC protocol for MANET	21
1.8.3	Cross-Layer based Fair Resource Allocation for MANET	21
1.8.4	Cross-layer based Multicast Routing using Fuzzy Decision Systems in MANET	22
1.9	THESIS OVERVIEW	22
2	LITERATURE SURVEY	24
2.1	EXISTING WORKS ON ROUTING IN MANET	24
2.2	EXISTING WORKS ON MULTICAST ROUTING IN MANET	27
2.3	EXISTING WORKS ON CROSS LAYER BASED ROUTING IN MANET	32
2.4	EXISTING WORK ON RATE CONTROL IN MANET	35
2.5	EXISTING WORKS ON RESOURCE ALLOCATION	38
2.6	EXISTING WORKS ON FUZZY BASED ROUTING IN MANET	45
2.7	SUMMARY	49
2.8	CONCLUSION	50

CHAPTER NO.	TITLE	PAGE NO.
3	CROSS-LAYER BASED ROUTING AND RATE CONTROL USING FUZZY DECISION SYSTEMS IN MANET	52
3.1	OVERVIEW	52
3.2	FUZZY LOGIC	52
3.2.1	Procedure	55
3.3	ESTIMATION OF METRICS	57
3.3.1	Estimation of Bandwidth	57
3.3.2	Estimation of Path Stability	58
3.3.3	Estimation of End to End Delay	59
3.3.4	Estimation of Packet Loss Ratio (PLR)	60
3.4	PROPOSED TECHNIQUE	60
3.4.1	Algorithm for Optimal Path Selection	61
3.4.1.1	Fuzzy Logic System 1 (FLS1): Optimal path selection	63
3.4.1.2	Fuzzy Logic System 2 (FLS2): Optimal rate adjustment	68
3.5	SIMULATION RESULTS	71
3.5.1	Performance Metrics	72
3.5.2	Results	72
3.6	CONCLUSION	85
4	CROSS-LAYER BASED ROUTING AND POWER AWARE RATE ADJUSTMENT PROTOCOL FOR MANET	86
4.1	OVERVIEW	86

CHAPTER NO.	TITLE	PAGE NO.
4.2	ESTIMATION OF RESIDUAL ENERGY	87
4.3	FUZZY LOGIC SYSTEM 1 (FLS)	87
4.4	ALGORITHM FOR OPTIMAL PATH SELECTION	90
4.5	ESTIMATION OF INITIAL TRANSMISSION POWER AND PHYSICAL DATA RATE	92
4.6	SIMULATION RESULTS	95
	4.6.1 Simulation Settings	95
	4.6.2 Performance Metrics	95
	4.6.3 Results	96
4.7	CONCLUSION	103
5	CROSS-LAYER BASED FAIR RESOURCE ALLOCATION FOR MANET	104
5.1	OVERVIEW	104
5.2	PATH BANDWIDTH ESTIMATION	105
	5.2.1 Bandwidth Calculation of a Path by Hop	106
5.3	RESOURCE ALLOCATION TABLE (RAT)	107
5.4	OVERALL PROCESS	109
5.5	SIMULATION RESULTS	110
	5.5.1 Simulation Setup	110
	5.5.2 Performance Metrics	111
	5.5.3 Results	111
5.6	CONCLUSION	118

CHAPTER NO.	TITLE	PAGE NO.
6	CROSS-LAYER BASED MULTICAST ROUTING USING FUZZY DECISION SYSTEMS IN MANET	119
6.1	OVERVIEW	119
6.2	ESTIMATION OF METRICS	119
6.3	PROPOSED TECHNIQUE	119
6.3.1	Multicast Tree Construction	120
6.3.2	Algorithm for Optimal Path Selection	122
6.3.3	Fuzzy Logic System (FLS)	124
6.4	SIMULATION RESULTS	124
6.4.1	Performance Metrics	125
6.4.2	Results	125
6.5	CONCLUSION	132
7	CONCLUSION AND FUTURE WORK	133
	REFERENCES	136
	LIST OF PUBLICATIONS	147

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
3.1	Format of Routing Table	61
3.2	Input Values	64
3.3	Fuzzy Rules	66
3.4	Input Values	68
3.5	Fuzzy Rules	70
3.6	Simulation Parameters	71
3.7	Results for Varying the Traffic Flows	72
3.8	Results for Varying the Nodes	77
3.9	Results for Varying the Pause time	81
4.1	Fuzzy Rules	89
4.2	Format of Routing table	91
4.3	Transmission Power and Rate table	93
4.4	Simulation Parameters	95
4.5	Results for Varying the Rate	96
4.6	Results for Varying the Traffic Flows	100
5.1	Simulation Parameters	110
5.2	Results for Varying Traffic Flows	111
5.3	Results for Varying Traffic Flows	115
6.1	Format of Routing Table	123
6.2	Simulation Parameters	124

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
3.1	Fuzzy Logic	53
3.2	Interpreting the Fuzzy Inference Diagram	56
3.3	Route Discovery Process	62
3.4	Fuzzy Logic System (FLS)	63
3.5	Membership function of Bandwidth input	65
3.6	Membership function of Path Stability input	65
3.7	Membership function of Optimal Path	65
3.8	Optimal Path Selection	67
3.9	Membership function of End to End delay	69
3.10	Membership function of Packet Loss Ratio	69
3.11	Membership function of Transmission Rate	69
3.12	Flows Vs Delay	73
3.13	Flows Vs Delivery Ratio	74
3.14	Flows Vs Drop	75
3.15	Flows Vs Overhead	76
3.16	Nodes Vs Delay	77
3.17	Nodes Vs Delivery Ratio	78
3.18	Nodes Vs Drop	79
3.19	Nodes Vs Overhead	80
3.20	Pause time Vs Delay	81
3.21	Pause time Vs Delivery Ratio	82
3.22	Pause time Vs Drop	83
3.23	Pause time Vs Overhead	84
4.1	Fuzzy Logic System (FLS)	88

FIGURE NO.	TITLE	PAGE NO.
4.2	Optimal Path Selection	92
4.3	Results of Delivery Ratio for varying the Rate	97
4.4	Results of Packet Drop for varying the Rate	98
4.5	Results of Residual Energy for varying the Rate	99
4.6	Results of Delivery Ratio for varying the Flows	100
4.7	Results of Packet Drop for varying the Flows	101
4.8	Results of Residual Energy for varying the Flows	102
5.1	Block Diagram	105
5.2	Estimation of path Bandwidth by hop	106
5.3	Resource Reservation procedure during an R-R slot	108
5.4	Flows Vs Delay	112
5.5	Flows Vs Bandwidth Utilization	113
5.6	Flows Vs Energy	114
5.7	Rate Vs Delay	115
5.8	Rate Vs Bandwidth Utilization	116
5.9	Rate Vs Energy	117
6.1	Multicast Tree Structure	122
6.2	Flows Vs Delay	125
6.3	Flows Vs Delivery Ratio	126
6.4	Flows Vs Drop	126
6.5	Flows Vs Overhead	127
6.6	Nodes Vs Delay	128
6.7	Nodes Vs Delivery Ratio	128
6.8	Nodes Vs Drop	129
6.9	Nodes Vs Overhead	129
6.10	Pause time Vs Delay	130
6.11	Pause time Vs Delivery Ratio	130
6.12	Pause time Vs Drop	131
6.13	Pause time Vs Overhead	131