

REFERENCES

1. Adlassnig, KP, Combi, C, Das, AK, Keravnou, ET & Pozzi G 2006, 'Temporal representation and reasoning in medicine: research directions and challenges', *Artificial Intelligence in Medicine*, vol. 38, no.2, pp.101-113.
2. Adorf, HM 1995, 'Interpolation of irregularly sampled data series – A survey', In: *Astronomical Data Analysis Software and Systems IV*, vol. 77, pp. 460-463.
3. Agrawal, R & Srikant, R 1994, 'Fast algorithms for mining association rules', In *Proceedings of 20th International Conference On Very Large Data Bases, VLDB*, vol. 1215, pp. 487-499.
4. Ahlrichs, C & Lawo, M 2013, 'Parkinson's disease motor symptoms in machine learning: A Review', *Health Informatics International Journal* vol. 2, no.4, pp. 1-18.
5. Allen, JF 1983, 'Maintaining knowledge about temporal intervals', *Communications of the ACM*, vol. 26, no. 11, pp. 832-843.
6. Anderson, FA, Hirsh, J, White, K & Fitzgerald, RH 2003, Temporal trends in prevention of venous thromboembolism following primary total hip or knee arthroplasty 1996–2001: findings from the Hip and Knee Registry. *Chest* 124 (6 Suppl.): 349S–356S.
7. Andridge, RR & Little, RJA 2010, 'A Review of hot deck imputation for survey non-response', *International statistical review*, vol. 78, no. 1, pp. 40-64.
8. Augusto, JC 2005, 'Temporal reasoning for decision support in medicine', *Artificial Intelligence in Medicine*, vol. 33, no.1, pp. 1-24.
9. Bahadori, Taha, M & Liu, Y 2012, 'Granger causality analysis in irregular time series. *SDM*.
10. Barnes, SL 1964, 'A technique for maximizing details in numerical weather map analysis, *Journal of Applied Meteorology*, vol. 3, pp. 396-409.



11. Batal, I, Cooper, GF, Fradkin, D, Harrison, J, Moerchen, F & Hauskrecht, M 2016, 'An efficient pattern mining approach for event detection in multivariate temporal data', *Knowledge and information systems*, vol. 46, no.1, pp. 115-150.
12. Batal, I, Sacchi, L, Bellazzi, R & Hauskrecht, M 2009, 'Multivariate time series classification with temporal abstractions', *Artificial Intelligence Research Society Conference*, AAAI Press, pp. 344-349.
13. Batal, I, Valizadegan, H, Cooper, FG & Hauskrecht, M 2013, 'A temporal pattern mining approach for classifying electronic health record data,' *ACM Transaction on Intelligent System Technology*, vol.4, no.4, pp. 63.
14. Baumert J, Ladwig KH, Doring A, Lowel H & Wichmann HE 2005, 'Temporal changes and determinants of smoking habits with respect to prevention', *Gesundheitswesen*, vol.67, pp.S46-50.
15. Beal, MF 2001, 'Experimental models of parkinson's disease, nature reviews', *Neuroscience*, vol. 2, pp. 325-334.
16. Belciug, S & Gorunescu, F 2014, 'Error-correction learning for artificial neural networks using the bayesian paradigm. Application to automated medical diagnosis', *Journal of Biomedical Informatics*, vol. 52, pp. 329-337.
17. Bellazzi, R & Zupan, B 2008, 'Predictive data mining in clinical medicine: current issues and guidelines', *International Journal of Medical Informatics*, vol. 77, no. 2, pp. 81-97.
18. Bodyanskiy, Y, Kolodyazhniy, V & Otto, P 2005, 'Neuro-Fuzzy kolmogorov's network for time series prediction and pattern classification', *Springer*, vol. 3698, pp. 191-202.
19. Bouzid, M, Combi, C, Fisher, MD & Ligozat, G 2006, 'Guest editorial: temporal representation and reasoning', *Annals of Mathematics and Artificial Intelligence*, vol. 46, no.3, pp. 231-234.
20. Breiman, L, Friedman, J, Olshen, R & Stone, C 1984, 'Classification and regression trees', *Wadsworth International Group*.
21. Carrault, G, Cordier, MO, Quiniou, R & Wang, F 2003, 'Temporal abstraction and inductive logic programming for arrhythmia recognition from electrocardiograms', *Artificial Intelligence in Medicine*, vol. 28, no. 3, pp. 231-63.



22. Chakravarty, S & Shahar, Y 2000, 'Acquisition and analysis of periodic patterns in time-oriented clinical data', Stanford Medical Informatics, Stanford, CA, USA, SMI-2000-0822.
23. Chan, K & Fu, AW 1999, 'Efficient time series matching by wavelets', In proceedings of the 15th IEEE International Conference on Data Engineering, Sydney, Australia, pp. 126-133
24. Chittaro, L & Montanari, A 2000, 'Temporal representation and reasoning in artificial intelligence: issues and approaches', Annals of Mathematics and Artificial Intelligence, vol. 28, pp. 47-106.
25. Chouchoulas, A & Shen, Q 2001, 'Rough set-aided keyword reduction for text categorisation', Applied Artificial Intelligence, vol. 15, no. 9, pp. 843-873.
26. Chu, CSJ 1995, 'Time series segmentation: A sliding window approach', Information Sciences, vol. 85, no. 1, pp. 147-173.
27. Cipra, T & Hanzak, T 2008, 'Exponential smoothing for irregular time series', Kybernetika, vol. 44, pp. 385-399.
28. Cismondi F, Fialho AS, Vieira SM, Reti SR, Sousa JM & Finkelstein SN 2013, 'Missing data in medical databases: impute, delete or classify?', Artificial Intelligence in Medicine, vol. 58, no. 1, pp. 63-72.
29. Cole, BT, Roy, SH, De Luca, CJ & Nawab, SH 2014, 'Dynamical learning and tracking of tremor and dyskinesia from wearable sensors', IEEE Transactions on Neural Systems and Rehabilitation Engineering, vol.22, no.5, pp. 982-91.
30. Combi, C & Shahar, Y 1997, 'Temporal reasoning and temporal data maintenance in medicine: issues and challenges', Computers in Biology and Medicine, vol.27, no.5, pp. 353-368.
31. Cooray, TMJA 2008, 'Applied time series: analysis and forecasting', Alpha Science International Limited Oxford.
32. Cressman, GD 1959, 'An operational objective analysis system', Monthly Weather Review, vol. 87, pp. 367.
33. Cuevas-Tello, JC, Tino, P, Raychaudhury, S, Yao, S & Harva, M 2009, 'Uncovering delayed patterns in noisy and irregularly sampled time series: an astronomy application', Pattern Recognition, vol. 43, no. 3, pp. 36.



34. Das, G, Lin, KI, Mannila, H, Renganathan, G & Smyth, P 1998, 'Rule discovery from time series', In: Proceedings of the Fourth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pp. 16–22.
35. Das, R 2010, 'A comparison of multiple classification methods for diagnosis of Parkinson disease', *Expert Systems with Applications*, vol. 37, pp. 1568-1572.
36. Dash, M & Liu, H 1997, 'Feature selection for classification', *Intelligent Data Analysis: An International Journal*, vol. 1, no. 3, pp. 131-156.
37. Davie, CA 2008, 'A review of Parkinson's disease', *British Medical Bulletin*, vol. 86, no. 1, pp. 109-127.
38. Dempster, AP, Laird, NM & Rubin, DB 1977, 'maximum likelihood from incomplete data via the EM algorithm', *Journal of the Royal Statistical Society B*, vol. 39, pp. 1-38.
39. Demuth, H & Beale, M 2013, 'Neural network toolbox for use with MATLAB. Users guide. <http://www.mathworks.com> Edition', The Math Works Inc.
40. Dezhbakhsh, H & Levy, D 1994, 'Periodic properties of interpolated time series', *Economics Letters*, vol. 44, no. 3, pp. 221-228.
41. Ding Y & Ross A, 2012, 'A comparison of imputation methods for handling missing scores in biometric fusion', *Elsevier, Pattern Recognition* 45, pp. 919–933.
42. Djuric-Jovicic, M, Jovicic, NS, Milovanovic, I, Radovanovic, S, Kresojevic, N & Popovic, MB 2010, 'Classification of walking patterns in Parkinson's disease patients based on inertial sensor data', *Neural Network Applications in Electrical Engineering, 2010 10th Symposium on 2010*, pp. 3-6.
43. Duftschmid G, Miksch S & Gall W 2002, 'Verification of temporal scheduling constraints in clinical practice guidelines', *Artificial intelligence in medicine*, vol. 25, no.2, pp. 3-121.
44. Enders, C 2010, 'Applied missing data analysis', Guilford, New York.



45. Enders, CK & Bandalos, DL 2001, 'The relative performance of full information maximum likelihood estimation for missing data in structural equation models', vol.8, no.3, pp. 430-457.
46. Ene, M 2008, 'Neural network-based approach to discriminate healthy people from those with Parkinson's disease', *Annals of the University of Craiova, Maths Computer Science Ser*, vol. 35, pp. 112-116.
47. Fahn, S & Elton, RL 1987, 'Unified Parkinson's disease rating scale', *Recent Developments in Parkinson's disease*. Macmillan Healthcare Information, vol. 2, pp. 153-63.
48. Farhangfar, A, Lukasz, A, Kurgan & Witold Pedrycz 2007, 'A novel framework for imputation of missing values in databases', *IEEE Transactions on Systems, Man, and Cybernetics—Part A: Systems and Humans*, vol. 37, no. 5, pp. 692-709
49. Ford, BL 1983, 'An overview of hot-deck procedures: Incomplete data in sample surveys', Academic Press, New York.
50. Frenkel-Toledo, S, Giladi, N, Peretz, C, Herman, T, Gruendlinger, L & Hausdorff, JM 2005, 'Effect of gait speed on gait rhythmicity in parkinson's disease: Variability of stride time and swing time respond differently', *Journal of Neuro Engineering and Rehabilitation*, vol. 2, no. 1, pp. 1.
51. Frenkel-Toledo, S, Giladi, N, Peretz, C, Herman, T, Gruendlinger, L & Hausdorff, JM 2005, 'Treadmill walking as a pacemaker to improve gait rhythm and stability in Parkinson's disease', *Movement Disorders*, vol. 20, no. 9, pp. 1109-1114.
52. Fu, TC 2011, 'A review on time series data mining', *Engineering Applications of Artificial Intelligence*, vol. 24, no. 1, pp. 164-81.
53. Gabrys, B & Burgiela, A 2000, 'General fuzzy min-max neural network for clustering and classification', *IEEE transactions on neural networks*, vol. 11, no. 3, pp. 769-783.
54. Gait Database. 2007. Parkinson's Disease Dataset. Accessed from the site: < <http://physionet.org/pn3/gaitpdb/> > [20. April. 2014]
55. Gandin, LS, 1970, 'The planning of meteorological station networks. technical Note'. World Meteorological Organization, Geneva, WMO.



56. George Y, Lu L, David W & Wong 2008, 'An adaptive inverse-distance weighting spatial interpolation technique', *Computers and Geosciences*, vol.34, pp. 1044-1055.
57. Geurts P et al. 2005, 'Proteomic mass spectra classification using decision tree based ensemble methods', *Bioinformatics*, vol. 21, pp. 3138-3145.
58. Gheyas, IA & Smith, LS 2010, 'A neural network-based framework for the reconstruction of incomplete data sets', *Neurocomputing*, vol. 73, no. 16, pp. 3039-3065
59. Giuberti, M, Ferrari G, Contin L, Cimolin V, Azzaro C, Albani G & Mauro A 2015, 'Assigning UPDRS scores in the leg agility task of parkinsonians: can it be done through BSN- based kinematic variables', *IEEE Internet of Things Journal*, vol.2, no.1, pp. 41-51.
60. Hagan, MT, & Menhaj, M 1999, 'Training feed-forward networks with the marquardt algorithm', *IEEE Transactions on Neural Networks*, vol. 5, no. 6, pp. 989-993.
61. Hagan, MT, Demuth, HB & Beale, MH 1996, 'Neural network design', 2nd edition, PWS Publishing, Boston, Massachusetts.
62. Haimowitz IJ & Kohane IS 1996, 'Managing temporal worlds for medical trend diagnosis', *Artificial Intelligence in Medicine*, vol.8, no.3, pp. 299-321.
63. Han J & Kamber M 2001, 'Data mining concepts and techniques', 2nd ed., Morgan Kaufmann Publishers Inc. San Francisco. CA. USA.
64. Hausdorff, JM, Lowenthal, J, Herman, T, Gruendlinger L, Peretz, C & Giladi, N 2007, 'Rhythmic auditory stimulation modulates gait variability in Parkinson's disease', *European Journal of Neuroscience*, vol. 26, pp. 2369-2375.
65. Hepatitis dataset for discovery challenge. European Conference on Machine Learning and Principles and Practice of Knowledge Discovery in Databases, 16th ECML and 9th PKDD Conference, October 3-10, Porto, Portugal, <http://lisp.vse.cz/challenge/ecmlpkdd2005/>. (Accessed: 1 Jan 2006).



66. Ho, TB, Nguyen, TD, Kawasaki, S, Le, SQ, Nguyen, DD & Yokoi, H, Takabayashi, K 2003, 'Mining Hepatitis data with temporal abstraction', KDD '03 Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining, pp. 69-377.
67. Hoehn, MM, Yahr, MD 1967, 'Parkinsonism onset, progression and mortality', *Neurology*, vol. 17, no. 5, pp. 427- 442.
68. Holt, CC 1957. 'Forecasting trends and seasonals by exponentially weighted averages', Carnegie Institute of Technology (No. 52), Pittsburgh ONR memorandum.
69. Holt, CC 2004, 'Forecasting seasonal and trends by exponentially weighted moving averages', *International Journal of Forecasting*, vol. 20, no. 1, pp. 5-10.
70. Hunter, J & McIntosh, N 1999, 'Knowledge-based event detection in complex time series data', *Joint European Conference on Artificial Intelligence in Medicine and Medical Decision Making*. Springer Berlin Heidelberg, pp. 271-280.
71. Innocent, PR, John RI 2004, 'Computer aided fuzzy medical diagnosis', *Information Sciences*, vol. 162, no. 2, pp. 81–104.
72. Isola, R, Carvalho, R & Tripathy, AK 2012, 'Knowledge discovery in medical systems using differential diagnosis,' *LAMSTAR and K-NN*, *IEEE Transactions on Information Technology in Biomedicine*, vol. 16, no. 6, pp. 1287- 1295.
73. Jang JSR, Sun CT & Mizutani E, 1996, 'Neuro-Fuzzy and soft computing: A computational approach to learning and machine intelligence', Prentice Hall, Inc.
74. Jelen, P, Wit, A, Dudzinski, K & Nolan, L 2008, 'Expressing gait-line symmetry in able-bodied gait', *Dynamic Medicine*, vol. 7, no.1, pp.1.
75. Jensen, R & Qiang Shen 2007, 'Tolerance-based and fuzzy-rough feature selection', *Fuzzy Systems Conference*, pp. 1-6.
76. Jensen, R & Qiang S 2007, 'Rough set based attribute selection: A review', *rough computing: Theories, Technologies and Applications*, pp. 70-107.



77. Jensen, S 2001, 'Mining medical data for predictive and sequential patterns', Discovery Challenge on Thrombosis Data. Freiburg.
78. Jerez JM, Molina I, García-Laencina PJ, Alba E, Ribelles N, Martín M & Franco L 2010, 'Missing data imputation using statistical and machine learning methods in a real breast cancer problem', *Artificial Intelligence in Medicine*, vol 50, no. 2, pp. 105-115.
79. Junninen, H, Niska, H, Tuppurainen K, Ruuskanen, J & Kolehmainen, M 2004, 'Methods for imputation of missing values in air quality data sets', *Atmospheric Environment*, vol. 38, no.18, pp. 2895-2907.
80. Kahn, MG 1991, 'Combining physiologic models and symbolic methods to interpret time-varying patient data', *Methods of Information in Medicine*, vol. 30, pp. 167-178.
81. Kahn, MG 1991, 'Extensions to the time-oriented database model to support temporal reasoning in medical expert systems', *Methods of Information in Medicine*, vol. 30, pp. 4-14.
82. Kahn, MG, Fagan, LM & Tu, S 1991, 'Extensions to the time-oriented database model to support temporal reasoning in medical expert systems', *Methods of Information in Medicine*, vol. 30, no. 1, pp. 4-14
83. Kalman, RE 1963, 'Mathematical description of linear dynamical systems', *Journal of the Society for Industrial and Applied Mathematics*, vol. 1, no. 2, pp. 152-92.
84. Kamali, T, Boostani, R & Parsaei, H 2014, 'A Multi-classifier approach to MUAP classification for diagnosis of neuromuscular disorders', *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 22, no.1, pp. 191 - 200.
85. Kass, GV 1980, 'An exploratory technique for investigating large quantities of categorical data', *Applied statistics*, vol.1, pp.119-27.
86. Kawagoe, K & Ueda, T, 2002, 'A Similarity search method of time series data with combination of fourier and wavelet transforms' In *Proceedings of the Ninth IEEE International Symposium on Temporal Representation and Reasoning*, pp. 86-93.
87. Kennedy, J & Eberhart, R 1995, 'Particle swarm optimization', *Proceedings of IEEE International Conference on Neural Networks IV*, pp. 1942-1948.



88. Keogh, E & Pazzani, M 1998, 'An enhanced representation of time series which allows fast and accurate classification, clustering and relevance feedback', Proceedings of the 4th International Conference of Knowledge Discovery and Data Mining AAAI Press, pp. 239- 241.
89. Keogh, E, Chakrabarti, K, Pazzani, M & Mehrotra, S 2001, 'Dimensionality reduction for fast similarity search in large time series databases', Journal of Knowledge and Information Systems, vol. 3, no. 3, pp. 263-286.
90. Keogh, E, Chu, S, Hart, D & Pazzani, M 2004, 'Segmenting time series: A survey and novel approach', Data mining in time series databases, vol. 57, pp. 1- 22.
91. Keravnou, E, & Shahar, Y 2005, 'Temporal reasoning in medicine, In handbook of temporal reasoning', Artificial intelligence; Fisher, M.D., Gabbay, D.M., Vila, L., Eds., Elsevier, Amsterdam, The Netherlands, pp. 587– 653.
92. Khanna Nehemiah, H, Kannan, A, Vijaya, K, Jane NY & Brindha Merin J 2007, 'Intelligent rule mining for decision making from clinical data sets', ICGST International Journal on Bioinformatics and Medical Engineering, vol.7, no.1, pp. 37- 45.
93. Komorowski, J, Pawlak, Z, Polkowski & L,Skowron 1999, 'Rough sets perspective on data and knowledge,' In: Klosgen W, Zytkow JM (eds)', The Handbook of Data Mining and Knowledge Discovery. Oxford University press, Newyork.
94. Kreindler, DM & Lumsden, CJ 2006, 'The effects of the irregular sample and missing data in time series analysis', Nonlinear Dyn Psychol Life Sci, vol. 10, no. 2, pp.187- 214.
95. Li, C, Yu, P, & Castelli V 1998, 'MALM: A framework for mining sequence database at multiple abstraction levels. Proceedings of the 9th International Conference on Information and Knowledge Management. pp. 267- 272.
96. Lin, J, Keogh, E, Wei, L & Lonardi, S 2007, 'Experiencing SAX: A novel symbolic representation of time series', DMKD Journal.



97. Little, MA, McSharry, PE, Hunter, EJ, Spielman & J, Ramig, LO 2008, 'Suitability of dysphonia measurements for telemonitoring of Parkinson's disease', *IEEE Transactions on Biomedical Engineering*, vol. 56, no. 4, pp. 1015-1022.
98. Little, R & Rubin D 1987, 'statistical analysis with missing data', John Wiley and Sons.
99. Little, RJA & Rubin, DB 2002, 'Statistical analysis with missing data', Wiley. 2nd edition, NewYork.
100. Liu, Z, & Hauskrecht, M 2014, 'Clinical time series prediction: toward a hierarchical dynamical system framework', *Artificial intelligence in medicine*, vol. 65, no. 1, pp. 5-18.
101. Loh, WY & Shih, YS 1997, 'Split selection methods for classification trees', *Statistica sinica*, vol. 1, pp. 815-840.
102. Long, W 1996, 'Temporal reasoning for diagnosis in a causal probabilistic knowledge base', *Artificial intelligence in medicine* vol. 8, no. 3, pp. 193-215.
103. Lovric, M, Milanovic, M & Stanenkovic, M 2014, 'Algorithmic methods for segmentation of time series: An overview', *Journal of Contemporary Economic and Business Issues*, vol.1, no.1, pp. 31- 53.
104. Mazilu, S, Calatroni, A, Gazit, E, Roggen, D, Hausdorff, JM & Tröster, G 2013, 'Feature learning for detection and prediction of freezing of gait in Parkinson's disease', In *International Workshop on Machine Learning and Data Mining in Pattern Recognition*, pp. 144-158.
105. McNameea, RL, Sunb, M & Sciabassi, R 2005, 'A neuro-fuzzy inference system for modeling and prediction of heart rate variability in the neuro-intensive care unit', *Computers in Biology and Medicine*, vol. 35, pp. 875-89.
106. Michael, A, Powell, Rahul, R & Kaliki 2014, 'User training for pattern recognition-based myoelectric prostheses: improving phantom limb movement consistency and distinguishability', *IEEE Transaction Neural System Rehabilitation Engineering*, vol. 22, no. 3, pp. 522-32.
107. Miguel, RA, Paulo, F & Carinena P 2013, 'Discovering metric temporal constraint networks on temporal databases', *Artificial Intelligence in Medicine*, vol. 58, no. 3, pp. 139-154.



108. Miksch, S, Horn, W, Popow, C & Paky, F 1996, 'Utilizing temporal data abstraction for data validation and therapy planning for artificially ventilated new born infants', *Artificial Intelligence in Medicine*, vol. 8, pp. 543-576.
109. Minas, A, Karaolis, Joseph, A, Hadjipanayi, MD, Constantinos S & Pattichis 2010, 'Assessment of the risk factors of coronary heart events based on data mining with decision trees', *IEEE Transactions on Information Technology in Biomedicine*, vol. 14, pp. 559-566.
110. Moerchen, F 2006, Algorithms for time series knowledge mining. *Proceedings of the international conference on Knowledge Discovery and Data mining (SIGKDD)*, pp. 668-673.
111. Moller 1993, *Neural Networks*; vol.6, pp. 525-533.
112. Moller, MF 1993, 'A scaled conjugate gradient algorithm for fast supervised learning', *Neural Networks*, vol.6, pp. 525-533
113. Moskovitch, R & Shahar, Y 2014, 'Classification of multivariate time series via temporal abstraction and time intervals mining', *Knowledge and Information Systems*, vol. 42, no. 1, pp. 1-40.
114. Moskovitch, R & Shahar, Y 2015, 'Classification of multivariate time series via temporal abstraction and time intervals mining', *Knowledge and Information Systems*, vol. 45, no. 1, pp. 35-74.
115. Moskovitch, R & Shahar, Y 2015, 'Classification-driven temporal discretization of multivariate time series', *Knowledge and Information Systems*, vol. 29, pp. 871-913.
116. Moskovitch, R & Shahar, Y 2015, 'Fast time intervals mining using the transitivity of temporal relations', *Knowledge and Information Systems*, vol. 42, pp. 21-48.
117. Musen, MA, Tu, SW, Das, AK & Shahar, Y 1996, 'EON: a component-based approach to automation of protocol-directed therapy', *J Am Med Inform Assoc*, vol. 3, no. 6, pp. 367-88.
118. Nordbotten, S 1996, 'Neural network imputation applied to the norwegian 1990 population census data', *Journal of Official Statistics*, vol. 12, no. 4, pp. 385-401.
119. O'Connor, MJ, Grosso, WE, Tu, SW & Musen, MA 2001, 'RASTA: a distributed temporal abstraction system to facilitate knowledge-driven monitoring of clinical databases', *MedInfo 2001*, vol. 10, pp. 508-512.



120. Oba, S, Sato MA, Takemasa I, Monden M, Matsubara K & Ishii S 2003, 'A Bayesian missing value estimation method for gene expression profile data', *Bioinformatics*, vol. 19, pp. 2088–2096.
121. Ohrn, A, Komorowski, J, Skowron, A & Synak P, 1998, 'The design and implementation of a knowledge discovery toolkit based on rough sets - the rosetta system', In: Polkowski and Skowron, pp. 76-399.
122. Ohsaki, M., Sato, Y, Yokoi, H & Yamaguchi, T 2002, 'A Rule discovery support system for sequential medical data, in the case study of a chronic hepatitis dataset', *International Workshop on Active Mining*, IEEE International Conference on Data Mining ICDM 2002, Maebashi, December 2002, pp. 97-102
123. Olinsky, A, Chen, S & Harlow, L 2003, 'The comparative efficacy of imputation methods for missing data in structural equation modeling', Elsevier, *European Journal of Operational Research*, vol. 151, pp. 53-79.
124. Orphanou K, Stassopoulou A & Keravnou E 2014, 'Temporal abstraction and temporal Bayesian networks in clinical domains: A survey', *Artificial Intelligence in Medicine*, vol. 60, no. 3, pp. 133-149.
125. Pandit SM, Wu SM. 1983, 'Time series and system analysis with applications', New York, USA: Wiley, vol. 56, no. 21, pp. 389-405
126. Parkinson Disease 2015. Parkinson's Disease. Available from: <<http://www.pdtrials.org/>> (16 June 2015).
127. Patra, S & Bruzzone, L 2014, 'A novel som-svm-based active learning technique for remote sensing image classification', *IEEE Transactions on Geoscience And Remote Sensing*, vol. 52, no. 11, pp. 6899 - 6910.
128. Pawlak, Z 1982, 'Rough sets', *International Journal of Computer and Information Sciences*, vol. 11, no. 5, pp. 341-356.
129. PD foundation. 2015. Parkinson's disease Foundation. Available from: < http://www.pdf.org/en/about_pd> (2011.09.15).
130. Perez A, Dennis RJ, Gil JFA & Rondon MA., 2002, 'Use of the mean, hot deck and multiple imputation techniques to predict outcome in intensive care unit patients in colombia', *Statistics in Medicine*, vol. 21, no. 24, pp. 3885-3896.



131. Petkovic, D, Ojbasic, ZC & Lukic S 2013, 'Adaptive neuro fuzzy selection of heart rate variability parameters affected by autonomic nervous system', *Expert Systems with Applications*, vol. 11, pp. 4490-4495.
132. Pradipta, M & ParthaGarai 2013, 'Fuzzy-Rough simultaneous attribute selection and attribute extraction algorithm', *IEEE transactions on cybernetics*, vol. 43, no. 4, pp. 1166-1177.
133. Qu, L, Li, L, Zhang, Y & Hu J 2009, 'PPCA-based missing data imputation for traffic flow volume: A systematical approach,' *IEEE Transactions on Intelligent Transportation Systems*, vol. 10, no. 3, pp. 512-522.
134. Quinlan, JR 1986, 'Induction of decision trees', *Machine Learning*, vol. 1, no. 1, pp. 81-106.
135. Quinlan, JR 1993, 'C4.5: programs for machine learning', Morgan Kaufmann, Los Altos 1993.
136. Rahman, Md & Islam, Z 2013, 'Missing value imputation using decision trees and decision forests by splitting and merging records: Two novel techniques', *Knowledge-Based Systems*, vol. 53, pp. 51-65.
137. Rasmussen, CE & Williams CKI 2006, 'Gaussian processes for machine learning', Cambridge, MA, USA: MIT Press.
138. Rehfeld, K, Marwan, N, Heitzig, J & Kurths, J 2001, 'Comparison of correlation analysis techniques for irregularly sampled time series', *Nonlinear Process in Geophysics*, vol. 18, no. 3, pp. 389-404.
139. Rigas, G, Tzallas, A, Tsipouras, M, Bougia, P, Tripoliti, E, Baga, D, Fotiadis, D, Tsouli, S & Konitsiotis, S 2012, 'Assessment of tremor activity in the parkinson's disease using a set of wearable sensors', *IEEE Transactions on Information Technology in Biomedicine*, vol. 16, no. 3, pp. 478-487.
140. Root2Being. 2015. Parkinsons Disease Details. Available from: <<http://root2being.com/foot-shape-and-function/foot-function>> (01. April. 2015).
141. Ruggieri, S 2002, 'Efficient C4.5', *Knowledge and Data Engineering Transactions*, vol. 14, pp. 438 -444.



142. Sacchi, L, Larizza, C, Combi, C & Bellazzi, R 2007, 'Data mining with temporal Abstractions: learning rules from time series', *Data Mining and Knowledge Discovery*, Springer, vol. 15, pp. 217–247.
143. Saeys, Y, Inza, I & Larrañaga, P 2007, 'A review of feature selection techniques in bioinformatics', *Bioinformatics*, vol. 23, no.19, pp. 2507-2517.
144. Scargle, JD 1981, 'Studies in astronomical time series analysis. I - Modeling random processes in the time domain', *The Astrophysical Journal Supplement Series*, vol. 45, no. 1, pp. 1-71.
145. Schafer, JL 1997, 'Analysis of incomplete multivariate data', CRC Press.
146. Scheuren, F 2005, 'Multiple imputation: How it began and continues', *The American Statistician*, vol. 59, pp. 315-319.
147. Schmidt, R & Gierl, L 2003, 'A prognostic model for temporal courses that combines temporal abstraction and case-based reasoning', *International journal of medical informatics*, vol. 95, pp. 571–576.
148. Semrl, A 1999, 'Real time monitoring of dense continuous data', In: Presented at computers in anaesthesia and intensive care: Knowledge based information management.
149. Sen, Z & Sahin, AD 2001, 'Spatial interpolation and estimation of solar irradiation by cumulative semivariograms', *Solar Energy*, vol. 71, no.1, pp. 11-21.
150. Shahar, Y & Musen, MA 1993, 'RESUME: a temporal-abstraction system for patient monitoring', *Computer Biomedical Research*, vol. 26, no. 3, pp. 255-273.
151. Shahar, Y & Musen, MA 1996, 'Knowledge-based temporal abstraction in clinical domains', *Artificial Intelligence in Medicine*, vol.8, no.3, pp. 267-298.
152. Shahar, Y 1997, 'A framework for knowledge-based temporal abstraction', *Artificial Intelligence*, vol. 90, pp. 79-133.
153. Shepard, D 1968, 'A two-dimensional interpolation function for irregularly-spaced data', In *Proceedings of the 1968 23rd ACM national conference*. New York, NY, USA : ACM, pp. 517–524.



154. Silva-Ramírez, EL, Pino-Mejías, R, López-Coello, M & Cubiles-de-la-Vega, MD 2011, 'Missing value imputation on missing completely at random data using multilayer perceptrons', *Neural Networks*, vol. 24, no. 1, pp. 121-129.
155. Stacey, M & McGregor, C 2006, 'Temporal abstraction in intelligent clinical data analysis: A survey', *Artificial Intelligence in Medicine*, vol. 39, pp. 1-24.
156. Strike K, Khaled El Emam, & Madhavji N, 2001, "Software cost estimation with incomplete data," *IEEE Transactions on Software Engineering*, vol. 27, No. 10, pp. 890-908.
157. Sullivan, D & Andridge, R 2015, 'A hot deck imputation procedure for multiply imputing nonignorable missing data: The proxy pattern-mixture hot deck', *Computational Statistics and Data Analysis*, vol. 82, pp. 173-185.
158. Thrombosis Dataset for Discovery Challenge, 3rd European Conference on Principles and Practice of Knowledge Discovery in Databases, September 15-18, 1999, Prague, Czech Republic <http://lisp.vse.cz/pkdd99/>. (Accessed: 1 Jan 2006).
159. Tsauro, RC, 2003, 'Forecasting by fuzzy double exponential smoothing model', *International Journal of Computer Mathematics*, vol. 80, no. 11, pp. 1351-1361
160. Tsumoto, S 1999, Guide to the Medical Data Set. In: (Berka P. ed.) *PKDD.99 Workshop Notes on Discovery Challenge*, Prague, pp. 45-47.
161. Van der Heijden, GJ, Donders, AR, Stijnen, T & Moons KG 2006, 'Imputation of missing values is superior to complete case analysis and the missing-indicator method in multivariable diagnostic research: A clinical example', *Journal of Clinical Epidemiology*, vol. 59, no. 10, pp. 1102-1109.
162. Verduijn, M, Sacchi, L, Peeka, N, Bellazzi, R, de Jonge, E & de Mol, BA 2007, 'Temporal abstraction for feature extraction: A comparative case study in prediction from intensive care monitoring data', *Artificial Intelligence in Medicine*, vol.41, no.1, pp. 1-12.



163. Vijaya, K, Nehemiah KH, Kannan A & Bhuvaneshwari Amma NG 2010, 'Fuzzy neuro genetic approach for predicting the risk of cardiovascular diseases', *International Journal of Data Mining, Modelling and Management*, vol. 2, no. 4, pp. 388-402.
164. Waibel, A, Hanazawa, T, Hinton, G, Shikano, K. & Lang, KJ 1989, 'Phoneme recognition using time-delay neural networks', *IEEE Transactions on Acoustics, Speech and Signal Processing*, vol. 37 no.3, pp. 328-339.
165. Wang, Z, Jiang, M, Hu, Y & Li, H 2012, 'An incremental learning method based on probabilistic neural networks and adjustable fuzzy clustering for human activity recognition by using wearable sensors', *IEEE Transactions on Information Technology in Biomedicine*, vol. 16, no. 4, pp. 691- 699.
166. Watkins, CJCH 1989, 'Learning from delayed rewards', PhD thesis, Cambridge University, Cambridge, England.
167. Wilcoxon, F 1945, 'Individual comparisons by ranking method', *Biometrics*, vol. 1, pp. 80-83.
168. Williams, DR & Hinton, GE 1986, 'Learning representations by back-propagating errors', *Nature*, vol. 323, pp. 533-536.
169. Winters, PR 1960, 'Forecasting sales by exponentially weighted moving averages', *Management Science*, vol.6, no. 3, pp. 324-342.
170. Wright, DJ 1986, 'Forecasting data published at irregular time intervals using extension of Holt's method', *Management Science*, vol. 32, no.4, pp. 499-510.
171. Wu, Y, Agrawal, D & El Abbadi, A 2000, 'A Comparison of DFT and DWT based similarity search in time-series databases', In *Proceedings of the Ninth ACM International Conference on Information and Knowledge Management*, pp. 488-495
172. Xinmeng, Z & Shengyi, JA 2012, 'Splitting criteria based on similarity in decision tree learning', *Journal of Software*, vol. 7, pp. 1775-1782.
173. Yogev, G, Giladi, N, Peretz, C, Springer, S, Simon ES & Hausdorff JM 2005, 'Dual tasking, gait rhythmicity, and Parkinson's disease: Which aspects of gait are attention demanding', *European Journal of Neuroscience*, vol. 22, pp. 1248-1256.



174. Zadeh, LA 1965, 'Fuzzy sets', Information and control, vol.3, pp. 338-53.
175. Zhong, N & Skowron, A 2001, 'A rough set-based knowledge discovery process', International Journal of Applied Mathematics Computer Science, vol. 11, no. 3, pp. 603-619.
176. Zhou, XH, McClish, DK & Obuchowski, NA 2009, 'Statistical methods in diagnostic medicine', John Wiley & Sons.
177. Zimmerman & Donald, W 1997, 'A Note on interpretation of the paired-samples t Test', Journal of Educational and Behavioral Statistics, vol. 22, no.3, pp. 349-360.
178. Zupan, B, Demsar, J, Smrke, D, Bozиков K, Stankovski V & Bratko I 2001, 'Predicting Patient's Long-Term Clinical Status after Hip Arthro-Plasty using Hierarchical Decision Modelling and Data Mining', Methods Archive, vol.40, no.1, pp. 25-31.
179. Zytchow, J & Gupta, S 2001, 'Guide to Medical Data on Collagen Disease and Thrombosis', In: (Berka P. ed.)', PKDD2001 Discovery Challenge on Thrombosis Data. Freiburg.
180. Zytchow, J, Tsumoto, S & Takabayashi, K 2000, 'Medical (Thrombosis) data description', In: (Siebes A. & Berka P. eds.) PKDD2000 Discovery Challenge. Lyon.

