

## REFERENCES

1. Aakeroy, CB & Hitchcock, PB 1993, 'Hydrogen-bonded layers of hydrogentartrate anions: two-dimensional building blocks for crystal engineering', *Journal of Materials Chemistry*, vol. 3, pp. 1129-1135.
2. Abrahams, SC & Marsh, P 1986, 'Defect structure dependence on composition in lithium niobate', *Acta Crystallographica Section B*, vol. 42, pp. 61-68.
3. Acosta-Ortiz, SE & Lastras-Martinez, A 1989, 'Electro-optic effects in the optical anisotropies of (001) GaAs', *Physical Review B*, vol. 40, pp. 1426-1429.
4. Aggarwal, MD, Choi, J, Wang, WS, Bhat, K, Lal, RB, Shields, AD, Penn, BG & Fraizer, DO 1999, 'Solution growth of a novel nonlinear optical material: L-histidine tetrafluoroborate', *Journal of Crystal Growth*, vol. 204, no. 2, pp. 179-182.
5. Ambujam, K, Rajarajan, K, Selvakumar, S, VethaPotheher, I, Ginson, P, Joseph, P & Sagayaraj 2006, 'Growth and characterization of a novel NLO crystal bis-glycine hydrogen chloride (BGHC)', *Journal of Crystal Growth*, vol. 286, no. 2, pp. 440-444.
6. Arora, SK, Patel, DH & Agarwal, MK 1996, 'Dielectric behaviour of tin disulphide single crystals', *Materials Chemistry and Physics*, vol. 45, pp. 63-65.
7. Aspnes, DE 1973, 'Third-derivative modulation spectroscopy with low-field electroreflectance', *Surface Science*, vol. 37, pp. 418-442.
8. Ayers, S, Faktor, MM, Marr, D & Stevensons, JL 1972, 'Growth of single crystals of meta-nitroaniline and the evaluation of its electro-optic properties', *Journal of Materials Science* vol. 7, no. 1, pp 31-33.
9. Balamurugan, S & Ramasamy, P 2009, 'Growth and characterization of unidirectional  $\langle 100 \rangle$  KDP single crystal by Sankaranarayanan-Ramasamy (SR) method', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 71, no. 5, pp. 1979-1983.



10. Balarew, C & Duhlew, R 1984, 'Application of the hard and soft acids and bases concept to explain ligand coordination in double salt structures, Christo Balarew, Rumen Duhlev', *Journal of Solid State Chemistry*, vol. 55, no. 1, pp. 1-6.
11. Band, YB 1985, 'Reverse Saturable Absorption of Short Polarized Light Pulses', *The Journal of Chemical Physics*, vol. 83, pp. 5453-5457.
12. Banfi, GP, Datta, PK, Degiorgio, V & Fortusini, D 1998, 'Wavelength shifting and amplification of optical pulses through cascaded second-order processes in periodically poled lithium niobate', *Applied Physics Letter*, vol. 73, pp. 136 -138.
13. Bardsley, W, Hurlle, DTJ & Mullin, JB 1977, *Crystal Growth: A Tutorial Approach Proceedings of the Third International School on Crystal Growth*.
14. Bella, SD 2001, Second-order nonlinear optical properties of transition metal complexes, *Chemical Society Reviews*, vol. 30, pp. 355-366.
15. Bhagavannarayana, G, Ananthamurthy, RV, Budakoti, GC, Kumar, B & Bartwal, KS 2005, 'A study of the effect of annealing on Fe-doped LiNbO<sub>3</sub> by HRXRD, XRT and FT-IR', *Journal of Applied Crystallography*, vol.38, pp. 768-771.
16. Bhandari, S, Sinha, N, Ray, G & Kumar, B 2014, 'Enhanced optical, dielectric and piezoelectric behaviour in dye doped zinc tris-thiourea sulphate (ZTS) single crystals', *Chemical Physics Letters*, vol. 591, pp.10-15.
17. Bhar, GC, Chaudhary, AK & Kumbhakar, P 2000, 'Study of laser induced damage threshold and effect of inclusions in some nonlinear crystals', *Applied Surface Science*, vol. 161, no. 1, pp. 155-162.
18. Bhat, MN & Dharmaprakash, SM 2002, 'Growth of nonlinear optical g-glycine crystals, *Journal of Crystal Growth*, vol. 236, pp. 376-380.
19. Boggess, TF, Moss, SC, Boyd, W & Smirl, AL 1984, 'Pico-second nonlinear-optical limiting in silicon', in *Ultrafast Phenomena IV*, D. H. Auston and K. B. Eisenthal, Ed. New York: Springer- Verlag, pp. 202.



20. Bolt, RJ & Bennema, P 1990, 'Potassium titanyl phosphate KTiOPO<sub>4</sub> (KTP): Relation between crystal structure and morphology', *Journal of Crystal Growth*, vol. 102, no. 1-2, pp. 329-340.
21. Bonse, U & Hart, M 1965, 'Tailless X-Ray single-crystal reflection curves obtained by multiple reflection', *Applied Physics Letters*, vol. 7, pp. 238-240.
22. Boomadevi S & Dhanasekaran, R 2004, 'Synthesis and characterization of L – pyrrolidone – 2- carboxylic acid, L-PCA) crystals', *Journal of Crystal Growth*, vol. 261, pp. 70-76.
23. Bossahard, CH 2001, *Organic Nonlinear Optical Materials*, pp.1-2, Gordon and Breach Science Publishers, South Africa.
24. Bosshard, Ch, Sutter, K, Schlessler, R & Gunter, P 1993, 'Electro-Optic effects in molecular crystals', *Journal of the Optical Society of America B: Optical Physics*, vol. 10, No. 5, pp. 867-885.
25. Bredas, JL, Adant, C, Tackx, P, Persoons, A & Pierce, BM 1994, 'Third-Order Nonlinear Optical Response in Organic Materials: Theoretical and Experimental Aspects', *Chemical Reviews*, vol. 94, pp. 243-278.
26. Brenner, SS 1963, *The Art and Science of Growing Crystals*, Wiley, New York.
27. Brice, JC 1965, *The Growth of Crystals from the Melt*, Wiley, New York.
28. Brice, JC 1986, 'Crystal Growth Process', Halsted Press, John Wiley and Sons, New York.
29. Bridgman, PW 1924, 'Some properties of single metal crystals', *Proceedings of the National Academy of Sciences*, vol. 10. no. 10, pp. 411-415.
30. Bube, RH 1960, *Photoconductivity of Solids*, Wiley Interscience, New York.
31. Bushiri, MJ, Antony, CJ & Fleck, M 2008, 'Raman and infrared spectral studies of [C (NH<sub>2</sub>)<sub>3</sub>]<sub>2</sub>MII (H<sub>2</sub>O) <sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>, MII = Mn, Cd and Vo', *Journal of Raman Spectroscopy*, vol. 39, no. 3, pp. 368-373.



32. Carmine Salvo, J 1971, 'Solid-state Light Valve', IEEE Transactions on Electron Device, vol. 18, pp. 748 - 755.
33. Chemla, DS & Zyss, J 1987, Nonlinear Optical Properties of Organic Molecules and Crystals, vol. 1-2, Academic Press, Newyork.
34. Chen, D, Fetterman, HR, Chen, A, Steier, WH, Wang, W & Shi, Y 1997, 'Demonstration of 110 GHz Electro-optic Polymer Modulators', Applied Physics Letters, vol. 70, pp. 3335-3337.
35. Cheng-Guo, Yasuda, JT, Kimura. K, Ohtake, A, Li-Hsin, K, Tai-Hong, W, Miwi, S, Yao, T & Tanaka, K 1997, 'Non-contact and non-destructive measurement of carrier concentration of nitrogen doped ZnSe by reflectance difference spectroscopy', Japanese Journal of Applied Physics, vol. 1, no. 36, pp. 6638-6644.
36. Choubey, RK, Sen, P, Sen, PK, Bhatt, R, Kar, S, Shukla, V & Bartwal KS 2006, 'Optical properties of MgO doped LiNbO<sub>3</sub> single crystals', Optical Materials, vol. 28 pp. 467-472.
37. Cole, JM, Wilson, CC, Howard, JAK & Cruickshank, FR 2000, 'Quantitative analysis of hydrogen bonding and atomic thermal motion in the organic non-linear optical material DCNP using X-ray and neutron diffraction', Acta Crystallographica Section B, vol.56, pp.1085-1093.
38. Czaplá, Z, Komar, J, Marcinišzyn, T & Poprawski, R 2011, 'Phase transition and anisotropic conductivity in guanidine zinc sulfate crystals', Solid State Ionics, vol. 196, pp. 25-29.
39. Eaton, EF 1991, Nonlinear Optical Materials, Science, vol. 253, pp. 281-287.
40. Eimerl, D, Velsko, S, Davis, L & Wang, F 1990, 'Progress in nonlinear optical materials for high power lasers' Progress in Crystal Growth and Characterization of Materials, vol. 20, pp. 59-113.
41. Faktor, MM & Garrett, I 1974, Growth of Crystals from vapour, Chapman and Hall, London.
42. Fisher, R 1983, 'Optical Phase Conjugation; Academic: New York,



43. Fleck, M, Becker, P, Bayarjargal, L, Ochrombel, R & Bohaty, L 2008, 'Crystal growth, crystal structure and physical properties of polar orthorhombic tris(glycine) zinc chloride', *Crystal Research and Technology*, vol. 43, no. 2, pp. 127-134.
44. Fleck, M, Bohaty, L & Tillmanns, E 2004, 'Structural characterisation of MII guanidinium sulphate hydrates (MII = Mn,Fe,Co,Ni,Cd,VO)', *Solid State Sciences*, vol. 6, pp. 469-477.
45. Fuller, J & Carlin, RT 1995, 'Incorporation of Imidazolium Cations into an Enantiomeric Tartrate Host Lattice: Designing New Nonlinear Optical Materials', *Chemistry of Materials*, vol. 7, pp. 909-919.
46. Gallagher, HG, Vrcelj, RM & Sherwood, JN 2003, 'The crystal growth and perfection of 2, 4, 6-trinitrotoluene', *Journal of Crystal Growth*, vol. 250, no. 3-4, pp. 486-498.
47. Ghatak, A & Thyagarajan, K 1989, *Optical Electronics*, Cambridge University Press, pp.475.
48. Giuliano, CR & Hess, LD 1967, 'Nonlinear Absorption of Light: Optical Saturation of Electronic Transition in Organic Molecules with High Intensity Laser Radiation', *IEEE Journal of Quantum Electronics*, vol. 3, no. 8, pp. 358-367.
49. Gong, J & Li, Y 2000, 'An energy-balance analysis for the size effect in low-load hardness testing', *Journal of Materials Science*, vol. 35, pp. 209-213.
50. Goodman, CHL 1974, *Crystal Growth: Theory and Technique*, Volume I, plenum press, London.
51. Gupte, SS, Pradhan, RD, Marciano, A, Melikechi, N & Desai, CF 2002, 'Laser damage studies in zinc (tris) thiourea sulfate: Nonlinear optical crystal', *Journal of Applied Physics*, vol. 91, pp. 3125-3128.
52. Hanneman, M 1941, 'Metall. Manchu', vol. 23, pp. 135-140.
53. Hanumantharao, R & Kalainathan, S 2012, 'Growth, spectroscopy, dielectric and nonlinear optical studies of novel organic NLO crystal: l-Threonine formate', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 94, pp. 78-83.



54. Harris, JM & Dovichi, NJ 1980, 'Thermal lens calorimetry', *Analytical Chemistry*, vol. 52, pp. 695-700.
55. Hays, C & Kendall EG 1973, 'Analysis of Knoop microhardness' *Metallography*, vol. 6, pp. 275-282.
56. He, GS, Liu, SH 1999, *Physics of Non-Linear Optics*, World-Scientific, Singapore.
57. He, GS, Xu, GC, Prasad, PN, Reinhardt, BA, Bhatt, JC & Dillard, AG 1995, 'Two-photon absorption and optical-limiting properties of novel organic compounds'. *Optics Letters*, vol. 20, pp.435-437.
58. Henari, FZ 2001, 'Optical switching in organometallic phthalocyanine', *Journal of Optics A: Pure and Applied Optics*, vol. 3, no. 3, pp. 188–190.
59. Henari, FZ, Blau, WJ, Milgrom, LR, Yahioğlu, G, Phillips, D, Lacey, JA 1997, 'Third-order optical non-linearity in Zn(II) complexes of 5, 10, 15, 20 - tetraarylethynyl-substituted porphyrins, *Chemical Physics Letters*, vol. 267, pp.229–233.
60. Hercher, M 1967, 'An Analysis of Saturable Absorbers', *Applied Optics*, vol. 6, no. 5, pp. 947 -953.
61. Hill, JR, Parry, G & Miller, A 1982, 'Non-linear refractive index changes in CdHgTe at 175 K with 10.6 pm radiation', *Optics Communications*, vol. 43, no. 2, pp. 151-156.
62. Hussaini, SS, Dhumane, NR, Dongre, VG & Shirsat 2009, MD, 'Growth and characterization of an NLO material–crystal of triglycine acetate', *Journal of Materials Science, Poland*, vol. 27, pp. 365 -372.
63. Iyi, N, Kitamura, K, Izumi, F, Yamamoto, JK, Hayashi, T, Asano, H & Kimura, S 1992, 'Comparative study of defect structures in lithium niobate with different compositions', *Journal of Solid State Chemistry*, vol. 101, pp. 340-352
64. Jasinski, JP, Butcher, RJ, Swamy, MT, Yathirajan, HS & Ramesha, AR 2009, '1-(2-Methyl-5-nitro-phenyl) guanidinium picrate', *Acta Crystallographica*, vol. E65, pp. 2788-2789.
65. Jennings, BR & Ridler, PJ 1989, 'Electro-optic fluorescence for optical shutters', *Journal of Physics D: Applied Physics*, vol. 22, pp. 337-342.



66. Jermann, F, Simon, M & Kratzig, E 1995, 'Photorefractive properties of congruent and stoichiometric lithium niobate at high light intensities', *Journal of the Optical Society of America B*, vol. 12, no.11, pp. 2066-2070.
67. Ji, C, Chen, T, Sun, Z, Ge, Y, Lin, W, Luo, J, Shi, Q & Hong, M 2013, 'Bulk crystal growth and characterization of imidazoliumL-tartrate (IMLT): a novel organic nonlinear optical material with a high laser-induced damage threshold', *Crystal Engineering Communication*, vol. 15, pp. 2157–2162.
68. Jong, D, Lucas, JJD, Kellogg, LN, van Esch, RM, Feringa, JH & Science, BL 2004, *Reversible Optical Transcription of Supramolecular Chirality into Molecular Chirality*, vol.304, pp.278-281.
69. Justus, BL, Campillo, AJ & Huston, AL 1994, 'Thermal-defocusing/scattering optical limiter', *Optics Letters*, vol. 19, no. 9, pp. 673-675.
70. Kaminsky, W 2005, 'WinXMorph: a computer program to draw crystal morphology, growth sectors and cross sections with export files in VRML V2.0 utf8-virtual reality format', *Journal of Applied Crystallography*, vol. 38, pp. 566–567.
71. Kaminsky, W 2007, 'From CIF to virtual morphology using the WinXMorph program', *Journal of Applied Crystallography*, vol. 40, no. 2, pp. 382-385.
72. Kannan, V, Bairava Ganesh, R, Sathyalakshmi, R, Rajesh, NP & Ramasamy, P 2006, 'Influence of La<sup>3+</sup> ions on growth and NLO properties of KDP single crystals', *Crystal Research and Technology*, vol. 41, no. 7, pp. 678–682.
73. Kar, S, Ryu, H & Bartwal, KS 2008, 'High Resolution XRD Studies on Mg, Cr and Nd Doped LiNbO<sub>3</sub>Crystals', *The Open Crystallography Journal*, vol.1, pp.1-5.
74. Kejalakshmy, N & Srinivasan, K 2004, 'Growth, optical and electro-optical characterisations of potassium hydrogen phthalate crystals doped with Fe<sup>3+</sup> and Cr<sup>3+</sup> ions', *Optical Materials*, vol. 27, no. 3, pp. 389-394.
75. Kim, IW, Park, BC, Jin, BM, Bhalla, AS & Kim, JW 1995, 'Characteristics of MgO-doped LiNbO<sub>3</sub> crystals', *Materials Letters*, vol. 24, pp. 157-160.



76. Krätzig, E & Schirmer, OF 1988, *Photorefractive Materials and their Applications*, pp. 131 – 167, Springer.
77. Krishna, A, Vijayan, N, Gupta, S, Thukral, K, Jayaramakrishnan, V, Singh, BK, Philip, J, Das, S, Maurya, KK & Bhagavannarayana, G 2014, 'Key aspects of L-threoninium picrate single crystal: an excellent organic nonlinear optical material with a high laser-induced damage threshold', *RSC Advances*, vol. 4, pp. 56188-56199.
78. Kumagai, N, Jung, HD, Hanad, T, Zhu, Z, Yasuda, T, Kimura, K, Lee, SD, Jeon, MH, Park, HS, Kim, TL & Yao, T 1998, 'Non-destructive measurement of electron concentration n-ZnSe by means of reflectance difference spectroscopy', *Journal of Crystal Growth*, vol. 184, pp. 505-509.
79. Kurtz, SK & Perry, TT 1968, 'A powder technique for the evaluation of nonlinear optical materials', *Journal of Applied Physics*, vol. 39, no. 8, pp. 3798-3813.
80. Lastras-Martinez, Balderas-Navarro, A, Cantu Alejandro, REP & Ladras-Martinez, LF 1999, Photorefractance spectroscopy of CdTe (001) around E1 and E1+ $\Delta$ E1: Linear electro-optic spectrum, *Journal of Applied Physics*, vol. 86, pp. 2062-2065.
81. Ledoux, I, Zyss, J & Khoo, IC 1997, *Novel Optical Materials and Applications*, Chapter I, pp. 1, Wiley, New York.
82. Leite, RCC, Porto, SPS & Damen, TC 1967, 'The thermal lens effect as a power limiting device', *Applied Physics Letters*. vol. 3, no. 3, pp. 100-101.
83. Li, K & Feng, XD 2009, 'Hardness of materials: studies at levels from atoms to crystals', *Chinese Science Bulletin*, vol. 54, pp. 131-136.
84. Li, K, Yang, P, Niu L & Xue, D 2012, 'Group Electronegativity for Prediction of Materials Hardness', *The Journal of Physical Chemistry A*, vol. 116, pp. 6911–6916.
85. Li, QS, Liu, CL, Liu, ZG & Gong, QH 2005, 'Broadband optical limiting and two-photon absorption properties of colloidal GaAs nanocrystals', *Optics Express*, vol. 13, no. 6, pp. 1833-1838.





86. Magesh, M, Anandha Babu, G & Ramasamy, P 2011, 'Investigation on growth and characterization of dimethyl ammonium picrate (DMAP) single crystal grown by conventional and SR method', *Journal of Crystal Growth*, vol. 324, pp. 201–206.
87. Malovichko, G, Grachev, V & Schirmer, O 1999, 'Interrelation of intrinsic and extrinsic defects – congruent, stoichiometric, and regularly ordered lithium niobate', *Applied Physics B*, vol. 68, no. 5, pp. 785-793.
88. Marder, SR, Sohn, JE & Stucky, GD 1991, *Materials for nonlinear optics: Chemical perspectives*. ACS symposium series no.455. Chemical Society, Washington.
89. McArdle, BJ, Sherwood, JN & Damask, AC 1974, 'The growth and perfection of phenanthrene single crystals: 1. Purification and single crystal growth', *Journal of Crystal Growth*, vol. 22, no. 3, pp. 193-200.
90. McCannt, JF, Pezytg, J & Wilsen, P 1982, 'A versatile electronic light shutter composed of a high speed switching circuit coupled with a lithium niobate Pockels cell', *Journal of Physical Engineering Science and Instrumentation*, vol.15, pp. 322–324.
91. Miles, PA 1999, 'Bottleneck optical pulse limiters revisited', *Applied Optics*, vol. 38, no. 3 y, pp. 566-570.
92. Miller, RC, Heikes, RR & Mazelsky, R 1961, 'Model for the electronic transport properties of mixed valency semiconductors', *Journal of Applied Physics*, Vol. 32, pp. 2202-2206.
93. Misoguti, L, Varela, AT, Nunes, FD, Bagnato, VS, Mela, FEA, Mendes Filho, J & Zilio, SC 1996, 'Optical properties of L-alanine organic crystals', *Optical Materials*, vol.6, pp.147-52.
94. Mohanalingam, K, Nethaji, M & Das, PK 1996, 'Journal of Molecular Structures', vol. 378, pp. 177–188.
95. Morimoto, CN & Lingafelter, EC 1970, 'The Crystal Structure of Zinc Guanidinium Sulfate', *Acta Crystallographica B*, vol. 26, pp.335-341.
96. Mott, BW 1956, *Micro-indentation hardness testing*, pp. 9, Butterworths, London.



97. Mott, BW 1958, 'Hardness of Butter, Influence of Season and Manufacturing Method Micro indentation hardness testing', *Journal of Dairy Science*, vol. 41, pp. 360-368.
98. Mott, N 1949, 'The basis of the electron theory of metals, with special reference to the transition metals', *Proceedings of the Royal Society of London A*, vol.62, pp. 416-422.
99. Mullin, JW 1972, *Crystallization*, Second edition, Butterworth's, Academic Press, London.
100. Mullin, J. W. "Industrial Crystallization", Plenum press, New York 1976.
101. Moustroph, H, Stollenwerk, M, Bressau, & *Angewandte Chemie*, V 2006, 'Current developments in optical data storage with organic dyes', *International Edition*, vol. 45, pp. 2016-2035.
102. Mythili, P, Kanagasekaran T & Gopalakrishnan, R 2007, 'Investigations on nucleation kinetics, growth and characterization of sulphanic acid single crystals', *Crystal Research Technology*, vol. 42, no.8, pp.791-799.
103. Nagalakshmi, R, Krishnakumar, V, Hagemann, H & Muthunatesan, S 2011, 'Polarized Raman and hyperpolarizability studies of Hydroxyethylammonium (L) tartrate monohydrate for quadratic nonlinear optics', *Journal of Molecular Structure*, vol. 988, no. 1-3, pp. 17-23.
104. Nalwa, HS & Miyata, S 1997, *In Nonlinear Optics of Organic Molecular and Polymeric Materials*, CRC Press, Florida.
105. Narasimhamurty, TS 1981, *Photo-elastic and electro-optic properties of crystals*, Plenum Press, New York.
106. Newman, PR, Warren, LF, Cunningham, P, Chang, TY, Copper, DE, Burdge, GL, Polak Dingles, P & Lowe-Ma, CK 1990, 'Semiorganics, a new class of NLO materials, in *Advanced Organic Solid State Materials*', *Materials Research Society Symposium Proceedings*, vol. 173.
107. Nye, JF 1957, *Physical Properties of Crystals*, Clarendon Press, Oxford, London.



108. O’Konski, T 1976, *Molecular Electro-optics, part-I, theory and method*. Marcel Dekker, Newyork.
109. Onitsch, EM 1947, ‘Micro-hardness testing and Mechanical properties of materials, *Mikroskopie*, vol. 2, pp. 131-135.
110. Ott, JH & Sliker, TR 1964, ‘Linear Electro-Optic Effects in KH<sub>2</sub>PO<sub>4</sub> and Its Isomorphs’, *Journal of the Optical Society of America*, vol. 54, no. 12, pp. 1442-1444.
111. Oudar JL 1977, ‘Optical Nonlinearities of Conjugated Molecules Stilbene Derivatives and Nighly Polar Aromatic Compounds, *The Journal of Chemical Physics*, vol. 67, pp. 446-457.
112. Perry, JW 1997, *Non linear optical properties of Organic molecules and polymers*, CRC press, USA.
113. Perry, JW, Mansour, K, Lee, IYS, Wu, XL, Bedworth, PV, Chen, CT, Ng, D, Marder, SR, Miles, P, Wada, T, Tian, M & Sasabe, H 1996, ‘Organic Optical Limiter with a Strong Nonlinear Absorptive Response’, *Science*, vol. 273, no. 5281, pp. 1533-1536.
114. Petrosyan, HA, Karapetyan, HA, Petrosyan, AM 2006, ‘L-Histidine nitrates’, *Journal of Molecular Structure*, vol. 794, pp.160–167.
115. Petrosyan, M, Karapetyan, HA, Sukiasyan, RP, Aghajanyan, AE, Morgunov, VG, Kravchenko, EA & Bush, AA 2005, ‘Crystal structure and characterization of L-arginine chlorate and L-arginine bromate’, *Journal of Molecular Structure*, vol. 752, pp. 144-152.
116. Prakash, M, Geetha, D, Lydia Caroline & M, Ramesh, PS 2011, ‘Crystal growth, structural, optical, dielectric and thermal studies of an amino acid based organic NLO material: l-Phenylalanine l-phenylalaninium malonate’, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 83, no. 1, pp. 461-466.
117. Prasad, PN & Williams, DJ 1991, *Introduction to nonlinear optical Effects in Molecules and Polymers*, John Wiley and Sons, New York.
118. Prasun ganguly & Jha AK 2010, ‘Structural and electrical properties of Ba<sub>5-x</sub>Ca<sub>x</sub>SmTi<sub>3</sub>Nb<sub>7</sub>O<sub>30</sub> (x = 0–5) ferroelectric ceramics’, *Journal of Alloys and Compounds*, vol. 495, pp. 7 – 12.



119. Przesiawski, J, Lglesias, T & Gonzalo, JA 1995, 'Dielectric characterization of the defect concentration in lithium niobate single crystals', *Solid State Communication*, vol. 96, pp. 195–198.
120. Rajalakshmi, M, Shyju, TS, Indirajith, R & Gopalakrishnan, R 2012, 'Unidirectional growth of benzil crystal from solution by Sankaranarayanan–Ramasamy method and its characterization', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 86, pp. 27-32.
121. Rajesh, NP, Kannan, V, Ashok, M, Sivaji, K, Santhana Raghavan, P & Ramasamy, P 2004, 'A new nonlinear optical semi-organic material: cadmium thiourea acetate', (Citations: 6) *Journal of Crystal Growth*, vol. 262, no. 1, pp. 561-566.
122. Rani Christhu Dhas, Benet Charles, J & Gnanam, FD 1994, 'Growth and microhardness studies on  $\text{NH}_4\text{Sb}_3\text{F}_{10}$  single crystals', *Journal of Crystal Growth*, vol. 137, pp. 295-298.
123. Reynolds 1963, *The Art and Science of Growing Crystals*, Wiley, New York.
124. Riscob, B, Kushwaha, SK, Shakir, M, Nagarajan, K, Maurya, KK, Haranath, D, Roy, SDD & Bhagavannarayana, G 2011, 'Growth of L-histidine nitrate NLO single crystals and their characterization for crystalline perfection, optical and dielectric properties', *Physica B*, vol. 406, pp. 4440-4446.
125. Safaryan, P, Feigelson, RS & Petrosyan, AM 1999, 'An approach to the defect structure analysis of lithium niobate single crystals', *Journal of Applied Physics*, vol. 85, pp. 8079-8082.
126. Sajan, D, Vijayan, N, Safakath, K, Reji Philip & Hubert Joe, I 2011, 'Intramolecular Charge Transfer and Z-Scan Studies of a Semiorganic Nonlinear Optical Material Sodium Acid Phthalate Hemihydrate: A Vibrational Spectroscopic Study', *The Journal of Physical Chemistry A*, vol.115, pp. 8216-8226.
127. Saldivar Garcia, ADJ, Mani Medrano, AM & Sahinas Rodrigues, AR 1999, 'Effect of solution treatments on the FCC/HCP isothermal martensitic transformation in Co-27Cr-5Mo-0.05C aged at 800 °C', *Scripta Materialia*, vol. 40, no. 6, pp. 717–722.



128. Sangwal, K 2000, 'On the reverse indentation size effect and microhardness measurement of solids', *Materials Chemistry and Physics*, vol. 63, no. 2, pp. 145-152.
129. Sankaranarayanan, K & Ramasamy, P 1998, 'Microtube-Czochralski technique ( $\mu$ -CZ): a novel way of seeding the melt to grow bulk single crystal', *Journal of Crystal Growth*, vol. 193, pp. 252-256.
130. Sankaranarayanan, K & Ramasamy, P 2005, 'Unidirectional seeded single crystal growth from solution of benzophenone', *Journal of Crystal Growth*, vol. 280, no. 3, pp. 467-473.
131. Sankaranarayanan, K & Ramasamy, P 2006, 'Unidirectional crystallization of large diameter benzophenone single crystal from solution at ambient temperature', *Journal of Crystal Growth*, vol. 292, no. 2, pp. 445-448.
132. Sankaranarayanan, K 2005, 'Growth of large size  $\langle 110 \rangle$  benzophenone crystal using uniaxially solution-crystallization method of Sankaranarayanan-Ramasamy (SR)', *Journal of Crystal Growth*, vol. 284, no. 1-2, pp. 203-208.
133. Satapathy, S, Sharma, SK, Karnal, AK & Wadhawan, VK 2002, 'Effect of seed orientation on the growth of TGS crystals with large (0 1 0) facets needed for detector applications', *Journal of Crystal Growth*, vol. 240, pp. 196- 202.
134. Scheel, HJ & Fukuda, T 2004, *Crystal Growth Technology*, Wiley, United Kingdom.
135. Scheel, HJ 1994, 'Historical Introduction, Chapter 1 in Handbook of Crystal Growth', (Ed.) Hurler DTJ, vol. 1, Elsevier, Amsterdam.
136. Senthil Pandian, M & Ramasamy, P 2010, 'Conventional slow evaporation and Sankaranarayanan-Ramasamy (SR) method grown diglycine zinc chloride (DGZC) single crystal and its comparative study', *Journal of Crystal Growth*, vol. 312, no. 3, pp. 413-419.
137. Senthil Pandian, M, Balamurugan, N, Bhagavannarayana, G & Ramasamy, P 2008, 'Characterization of  $\langle 0 1 0 \rangle$  directed KAP single crystals grown by Sankaranarayanan-Ramasamy (SR) method', *Journal of Crystal Growth*, vol. 310, pp. 4143- 4147.



138. Senthil, K, Kalainathan, S, Ruban Kumar, A & Aravindan, PG 2014, 'Investigation of synthesis, crystal structure and third-order NLO properties of a new stilbazolium derivative crystal: a promising material for nonlinear optical devices', RSC Advances, vol. 4, pp. 56112-56127.
139. Senthil, S, Pari, S, Sagayaraj, P & Madhavan, J 2009, 'Studies on the electrical, linear and nonlinear optical properties of Meta nitroaniline, an efficient NLO crystal', Physica B, vol. 404, pp. 1655-1670.
140. Shah, D & Want Bull, B 2015, 'Growth, characterization and dielectric studies of gadolinium fumarate heptahydrate single crystals', Bulletin of Materials Science, vol. 38, no. 1, pp. 73-81.
141. Sheik-Bahae, M, Said, AA & Van Stryland, EW 1989, 'High Sensitivity, Single Beam  $n_2$  Measurements', Optics Letters, vol. 14, no. 17, pp. 955-957.
142. Sheik-Bahae, M, Said, AA, Wei, TH, Hagan, DJ & Van Stryland, EW 1990, 'Sensitive Measurement of Optical Nonlinearities Using a Single Beam', IEEE Journal Quantum Electron, vol. 26, pp. 760-769.
143. Shi, Y, Zhang, C, Zhang, H, Bechtel, JH, Dalton, LR, Robinson, BH & Steier, WH 2000, 'Low (sub-1-volt) halfwave voltage polymeric electro-optic modulators achieved by controlling chromophore shape', Science, vol. 288, pp. 119-122.
144. Shyju, TS, Anandhi, S & Gopalakrishnan, R 2012, 'Comparative studies on conventional solution and Sankaranarayanan-Ramasamy (SR) methods grown potassium sodium tartrate tetrahydrate single crystals', Crystal Engineering Communications, vol. 14, pp. 1387-1396.
145. Sioncke, S, Verbiest, T & Persoons, A 2003, 'Second-order nonlinear optical properties of chiral materials', Materials Science and Engineering: R, vol. 42, pp. 115-155.
146. Smyth, CP 1965, Dielectric Behaviour and Structure, pp. 132, McGraw-Hill, New York.
147. Soileau, MJ, Williams, EW & Van Stryland, EW 1983, 'Optical power limiter with picosecond response time', IEEE J. Quantum Electron. QE-19, pp. 731-735.



148. Somac, M, Somac, A, Davies, BL, Humphery, MG & Wong, MS 2003, *Optical Materials*, vol. 21, pp. 485–488.
149. Spangler, CW 1999, 'Recent development in the design of organic materials for optical power limiting', *Journals of Materials Chemistry*, vol. 9, pp. 2013–2020.
150. Spek, L 1987, 'Reinvestigation of the structure of ammonium hydrogen D-tartrate', *Acta Crystallographica C*, vol. 43, pp. 1633-1634.
151. Srikrishnan, T, Narasinga Rao, S & Parthasarathy, R 1984, 'Structure and conformation of nitrates of Amino acids: crystal and molecular structures of L-histidine nitrate, L-phenylalanine nitrate and DL-methionine nitrate, crystallography in biochemistry and pharmacology', *Acta Crystallography A*, vol. 03, pp. 5-18.
152. Srinivasan, K, Meera, K, Ramasamy, P 1999, 'Enhancement of metastable zone width for solution growth of potassium acid phthalate', *Journal of Crystal Growth*, vol. 205, no. 3, pp. 457-459.
153. Srinivasan, TP, Ananthi, S & Gopalakrishnan, R 2011, 'Growth and characterization of 2-methylimidazolium D-tartrate single crystal', *Journal of Crystal Growth*, vol.318, pp.768–773.
154. Srinivasan, TP, Indirajith, R & Gopalakrishnan, R 2010, 'Growth and characterization of 1H-Imidazolium Hydrogen L-tartrate single crystals', *Journal of Crystal Growth*, vol. 312, no. 4, pp. 542-547.
155. Stieb, AB 1996, 'Polarizeless electro-optic IR shutter based on a cholestric scattering effect', *Liquid Crystals*, vol. 20, pp. 559-567.
156. Stillwel, CW 1938, *Crystal Chemistry*, McGraw Hill, New York.
157. Sudharsana, N, Keerthana, B, Nagalakshmi, R, Krishnakumar, V & Guru Prasad, L 2012, 'Growth and characterization of hydroxyethylammonium picrate single crystals for third-order nonlinear optical applications', *Materials Chemistry and Physics*, vol. 134, no. 3, pp.736-746.
158. Sugak, DY, Matkovskii, AO & Solskii, IM 1997, 'Growth and optical properties of LiNbO<sub>3</sub>: MgO single crystals', *Crystal Research and Technology*, vol. 32, pp. 805-809.



159. Tang, CL 1995, Handbook of Optics, Chapter 38, vol. II, McGraw-Hill.
160. Urit, CI, Ramasamy, P & Manyum, P 2010, 'Comparative study of L-alaninium maleate single crystal grown by Sankaranarayanan-Ramasamy (SR) method and conventional slow evaporation technique', Journal of Crystal Growth, vol. 312, pp. 2369–2375.
161. Vanishri, S, Babu Reddy, JN, Bhat, HI & Ghosh, S 2007, 'Laser damage studies in nonlinear optical crystal sodium p-nitrophenolate dihydrate', Applied Physics B, vol. 88, no. 3, pp. 457-461.
162. Vasudevan, V, Ramesh Babu, R & Ramamurthi, K 2012, 'Synthesis, growth and characterization of l-lysiniun(+),l-lysiniun(2+) dichloride perchlorate (LLDP) single crystals by Sankaranarayanan–Ramasamy method', Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, vol. 99, pp. 259-265.
163. Velsko, S 1990, Laser Program Annual Report, Lawrence UCRL- JC 105000, Lawrence Livermore National Laboratory, Livermore, Ca.
164. Vengatesan, B, Kanniah, N & Ramasamy, P 1986, 'Microhardness and crack patterns of CVT grown CdGa<sub>2</sub>S<sub>4</sub> single crystals', Journal of Materials Science Letters, vol. 5, no. 10, pp. 987-988.
165. Venkataramanan, V, Sanjay Uchil & Bhat, HL 1994, 'Physical characterization of the organic nonlinear optical crystal- 3-methoxy 4-hydroxy benzaldehyde', Bulletin of Materials Science, vol. 17, pp. 1109-1117.
166. Vidya, S, Ravikumar, C, Hubert Joe, I, Kumaradhas, P, Devipriya, B & Raja, K 2010, 'Vibrational spectra and structural studies of nonlinear optical crystal ammonium D, L-tartrate: a density functional theoretical approach', Journal of Raman Spectroscopy, vol. 42, no. 4, pp. 676–684.
167. Vijaya, R, Murti, YVGS, Vijayaraj, TA & Sundararajan, G 1997, 'Optical limiting action in poly(para-methoxy phynylacety- lene)', Current Science, vol. 72, pp. 507-508.





168. Vijayan, N, Bhagavannarayana, G, Ramesh Babu, R, Gopalakrishnan R, Maurya, KK & Ramasamy, P 2006, 'A Comparative Study on Solution- and Bridgman-Grown Single Crystals of Benzimidazole by High-Resolution X-ray Diffractometry, Fourier Transform Infrared, Microhardness, Laser Damage Threshold, and Second-Harmonic Generation Measurements' *Crystal Growth & Design*, vol. 6, pp. 1542-1546.
169. Volk, T & Wöhlecke, M 2008, 'Lithium Niobate: Defects, Photorefractive and Ferroelectric Switching Springer-Verlag, Berlin.
170. Wang, LN, Wang, XQ, Zhang, GH, Liu, XT, Sun, ZH, Sun, GH, Wang, L, Yu, WT & Xu, D 2011, 'Single crystal growth, crystal structure and characterization of a novel crystal: L-arginine 4-nitrophenolate 4-nitrophenol dehydrate (LAPP)', *Journal of Crystal Growth*, vol. 327, pp. 133-139.
171. Wang, WS, Aggarwal, MD, Choi, J, Gebre, T, Shields, AD, Penn, BG & Frazier DO 1999, 'Solvent effects and polymorphic transformation of organic nonlinear optical crystal L-pyroglyutamic acid in solution growth processes: I. Solvent effects and growth morphology,' *Journal of Crystal Growth*, vol. 198, no. 1, pp. 578-582.
172. Won, GJ, Park CS & Clark, NA 2000, 'Time resolved infrared spectroscopy of molecule binding site orientation during ferro-electric liquid crystal electro-optic switching', *Physical Review E*, vol. 62, pp. 5154-5159.
173. Wood, GL, Miller, MJ & Mott, AG 1995, 'Investigation of tetrabenzporphyrin by the Z-scan technique', *Optical Letters*, vol. 20, pp. 973-975.
174. Wooster WA 1953, 'Physical properties and atomic arrangements in crystals, Reports on Progress in Physics, vol. 16, no. 1, pp. 62-82.
175. Xing, G, Jiang, M, Shao, Z & Xu, D 1987, 'Bis-thiourea cadmium chloride (BTCC)—a novel nonlinear optical crystal of organometallic complex', *Chinese Physics Letters*, vol. 14, pp. 357-364.
176. Yariv, A 1975, *Quantum Electronics*, Wiley, New York, pp. 327-370.
177. Zaitseva, N & Carman, L 2001, *Progress in Crystal Growth and Characterization of Materials*, vol. 43, no. 1, pp. 1-118.



178. Zaitseva, N, Atherton, J, Rozsa, R, Carman, L, Smolsky, I, Runkel, M, Ryon, R & James, L 1999, 'Design and benefits of continuous filtration in rapid growth of large KDP and DKDP crystals', *Journal of Crystal Growth*, vol. 197, pp. 911-920.
179. Zhang, HW, Batra, AK & Lal, RB 1994, 'Growth of large methyl-(2, 4-dinitrophenyl)-aminopropanoate: 2-methyl-4-nitroaniline crystals for nonlinear optical applications', *Journal of Crystal Growth*, vol. 137, pp. 141-144.
180. Zhang, S, Wang, Q, Xu, X, Dong, C, Zhang, X & Li, P 2003, 'Diode-laser pumped passively Q-switched green laser by intracavity frequency-doubling with periodically poled LiNbO<sub>3</sub>', *Optical Laser Technology*, vol. 35, no.3, pp. 233–235.
181. Zhang, Y, Li, H, Xi, B, Che, Y & Zheng, J 2008, 'Growth and characterization of l-histidine nitrate single crystal, a promising semiorganic NLO material', *Materials Chemistry and Physics*, vol.108, pp. 192–195.
182. Zhao, JC, Larsen, M & Ravikumar, V 2000, 'Phase precipitation and time–temperature-transformation diagram of Hastelloy X', *Materials Science and Engineering A*, vol. 293, pp. 112-119.
183. Zyss, J & Oudar, JL 1982, 'Structural dependence of nonlinear-optical Properties of methyl-(2, 4-dinitrophenyl)-aminopropanoate crystals', *Physical Review A*, vol. 26, pp. 2016-2027.

