

LIST OF FIGURES

List of Figures	Pages
Fig. 1.1 Conceptual Framework	32
Fig. 2.1 Sampling Framework: Flow Diagram	78
Fig. 3.1 Health Care Delivery System in India – Flow Chart	109
Fig. 3.2 The Health Infrastructure	111
Fig. 3.3 Illustrative structure of the health care system under the NRHM	122
Fig. 3.4 Lorenz Curve showing Public Hospitals against Population Size, Districts of West Bengal, 2007-08	126
Fig. 3.5 Lorenz Curve showing Public Hospital Beds against Population Size, Districts of West Bengal, 2007-08	126
Fig. 3.6 Lorenz Curve showing NGO/Private Hospitals against Population Size, Districts of West Bengal, 2007-08	127
Fig. 3.7 Lorenz Curve showing NGO/Private Hospital Beds against Population Size, Districts of West Bengal, 2007-08	127
Fig. 3.8 Lorenz Curve showing Hospitals against Population Size, Districts of West Bengal, 2007-08	128
Fig. 3.9 Lorenz Curve showing Hospitals Beds against Population Size, Districts of West Bengal, 2007-08	128
Fig. 3.10 Lorenz Curve showing Hospitals (RH, BPHC, PHC) against Population Size, Districts of West Bengal, 2007-08	129
Fig. 3.11 Lorenz Curve showing Hospitals Beds (RH, BPHC, PHC) against Population Size, Districts of West Bengal, 2007-08	129
Fig. 3.12 Lorenz Curve showing Subcentres against Population Size, Districts of West Bengal, 2007-08	129
Fig. 3.13 Lorenz Curve showing Hospitals Beds (in Rural Areas) against Rural Population Size, Districts of West Bengal, 2007-08	130
Fig. 3.14 Lorenz Curve showing Hospitals Beds (in Urban Areas) against Urban Population Size, Districts of West Bengal, 2007-08	130
Fig. 3.15 Population Per Bed, Districts of West Bengal, 2007-08	133
Fig. 3.16 Population Per Doctor and Nurse (1981-2007)	134
Fig. 3.17 Rural-Urban Difference in Population Per Bed (1983-2007)	134
Fig. 3.18 Percentage Change in Rural-Urban Difference in Population Per Bed (1983-2007)	135
Fig. 4.1 Percentage of women who have received any ANC Checkups during Pregnancy by Source of ANC Provider, India, 2002-04	157
Fig. 4.2 Percentage of women who have received any ANC Checkups during Pregnancy by Source and Place of ANC Checkups, India, 2002-04	157
Fig. 4.3 Percentage of women who have Childbirth by Place of Delivery, India, 2002-04	158
Fig. 4.4 Percentage of women who have Pregnancy Complications by Type of Complications during Pregnancy, India, 2002-04	159
Fig. 4.5 Percentage of women who have any Pregnancy Complication and sought treatment by Source of Treatment, India, 2002-04	160
Fig. 4.6 Percentage of women who have Delivery Complications by Type of Delivery Complications, India, 2002-04	160
Fig. 4.7 Percentage of women who have Post Delivery Complications by Type of Post Delivery Complications, India, 2002-04	161
Fig. 4.8 Percentage of women who have any Post Delivery Complication and sought treatment by Source of Treatment, India, 2002-04	162
Fig. 4.9 Percentage of children who have received any Vaccination by Source of Last Vaccination, India, 2002-04	163
Fig. 4.10 Percentage of women who are aware of Diarrhoea Management, Type of Practice followed if child gets Diarrhoea by Percentage of women whose child suffered from Diarrhoea, India, 2002-04	164
Fig. 4.11 Percentage of women who have sought treatment for child who have suffered from Diarrhoea by Source of Treatment, India, 2002-04	164

List of Figures	Pages
Fig. 4.12 Percentage of women who are aware of Danger Signs of Pneumonia by Percentage of women whose child suffered from Pneumonia, India, 2002-04	165
Fig. 4.13 Percentage of women who have sought treatment for child who have suffered from Pneumonia by Source of Treatment, India, 2002-04	166
Fig. 4.14 Percentage of women who have received ANC Checkups by specific Components of ANC Checkups during Pregnancy, West Bengal, 2002-04	171
Fig. 4.15 Percentage of women who have received ANC Checkups by specific Components of ANC Advice during Pregnancy, West Bengal, 2002-04	172
Fig. 4.16 Percentage of women who have not received any ANC Checkups by the main reason for not receiving ANC Checkups during Pregnancy, West Bengal, 2002-04	179
Fig. 4.17 Percentage of women who have Non-institutional Delivery by the main reason for not going to Health Institution for Delivery, West Bengal, 2002-04	185
Fig. 4.18 Percentage of women who have Pregnancy Complications by Type of Complications during Pregnancy, West Bengal, 2002-04	191
Fig. 4.19 Percentage of women who have Delivery Complications by Type of Delivery Complications, West Bengal, 2002-04	200
Fig. 4.20 Percentage of women who have Post Delivery Complications by Type of Post Delivery Complications, West Bengal, 2002-04	203
Fig. 4.21 Percentage of children who have not received any Vaccination by reason reported by mother for not giving Vaccination, West Bengal, 2002-04	216
Fig. 4.22 Percentage of women who are aware of Diarrhoea Management, Type of Practice followed if child gets Diarrhoea by Percentage of women whose child suffered from Diarrhoea, West Bengal, 2002-04	221
Fig. 4.23 Percentage of women who are aware of Danger Signs of Pneumonia by Percentage of women whose child suffered from Pneumonia, West Bengal, 2002-04	228
Fig. 4.24 Regional Pattern of ANC Coverage, West Bengal, 2002-04	233
Fig. 4.25 Regional Pattern of Places of Delivery, West Bengal, 2002-04	234
Fig. 4.26 Regional Pattern of Prevalence of Pregnancy Complications, West Bengal, 2002-04	234
Fig. 4.27 Regional Pattern of Prevalence of Delivery Complications, West Bengal, 2002-04	235
Fig. 4.28 Regional Pattern of Prevalence of Post Delivery Complications, West Bengal, 2002-04	235
Fig. 4.29 Regional Pattern of Immunisation Coverage among children, West Bengal, 2002-04	236
Fig. 4.30 Regional Pattern of Prevalence of Diarrhoea among children, West Bengal, 2002-04	236
Fig. 4.31 Regional Pattern of Prevalence of Pneumonia among children, West Bengal, 2002-04	237
Fig. 4.32 Percentage of women who have Home Visit by a Health Personnel, among women who have Home Visit, Satisfied with Time Spent by Health Personnel and with Services Provided, India and West Bengal, 2002-04	239
Fig. 4.33 Percentage of women who have been Visited by Health Worker and who have Discussed Specific Topics with the Health Worker, India and West Bengal, 2002-04	240
Fig. 4.34 Percentage of women who have Visited Health Facility and have Discussed Specific Topics with the Health Worker, India and West Bengal, 2002-04	240
Fig. 4.35 Percentage of women who needed to Visit Health Facility, but not visited, women who have visited Health Facility by Type of Health Facility, India and West Bengal, 2002-04	241
Fig. 4.36 Percentage of women who have Visited Government Health Facility and rated Quality and Availability of Services, India, 2002-04	242
Fig. 4.37 Percentage of women who have Visited Government Health Facility and rated Quality and Availability of Services, West Bengal, 2002-04	243
Fig. 4.38 Percentage of women who have Visited Private Health Facility by reason for not Visiting Government Health Facility, India and West Bengal, 2002-04	243
Fig. 4.39 Percentage of women who have been Advised to have Delivery at Health Facility and Follow-up Services for Postpartum Checkups, India and West Bengal, 2002-04	244
Fig. 5.1 Percentage of women who have received ANC Checkups by specific Components of ANC Checkups during Pregnancy, Hugli and Murshidabad, 2002-04	250
Fig. 5.2 Percentage of women who have received ANC Checkups by specific Components of ANC Advice during Pregnancy, Hugli and Murshidabad, 2002-04	250

List of Figures	Pages
Fig. 5.3 Percentage of women who have Pregnancy Complications by Type of Complications during Pregnancy, Hugli and Murshidabad, 2002-04	262
Fig. 5.4 Percentage of women who have Delivery Complications by Type of Delivery Complications, Hugli and Murshidabad, 2002-04	266
Fig. 5.5 Percentage of women who have Post Delivery Complications by Type of Post Delivery Complications, Hugli and Murshidabad, 2002-04	269
Fig. 5.6 Percentage of children who have received Hepatitis B Vaccines, Hugli and Murshidabad, 2002-04	274
Fig. 5.7 Percentage of women who are aware of Diarrhoea Management, Type of Practice followed if child gets Diarrhoea by Percentage of women whose child suffered from Diarrhoea, Hugli and Murshidabad, 2002-04	279
Fig. 5.8 Percentage of women who are aware of Danger Signs of Pneumonia by Percentage of women whose child suffered from Pneumonia, Hugli and Murshidabad, 2002-04	283
Fig. 5.9 Percentage of women who have Home Visit by a Health Personnel, among women who have Home Visit, Satisfied with Time Spent by Health Personnel and with Services Provided, Hugli and Murshidabad, 2002-04	286
Fig. 5.10 Percentage of women who have been Visited by Health Worker and who have Discussed Specific Topics with the Health Worker, Hugli and Murshidabad, 2002-04	287
Fig. 5.11 Percentage of women who have Visited Health Facility and have Discussed Specific Topics with the Health Worker, Hugli and Murshidabad, 2002-04	287
Fig. 5.12 Percentage of women who needed to Visit Health Facility, but not visited, women who have visited Health Facility by Type of Health Facility, Hugli and Murshidabad, 2002-04	288
Fig. 5.13 Percentage of women who have Visited Government Health Facility and rated Quality and Availability of Services, Hugli, 2002-04	289
Fig. 5.14 Percentage of women who have Visited Government Health Facility and rated Quality and Availability of Services, Murshidabad, 2002-04	290
Fig. 5.15 Percentage of women who have Visited Private Health Facility by reason for not Visiting Government Health Facility, Hugli and Murshidabad, 2002-04	290
Fig. 5.16 Percentage of women who have been Advised to have Delivery at Health Facility and Follow-up Services for Postpartum Checkups, Hugli and Murshidabad, 2002-04	291