

BIBLIOGRAPHY

Abrahams, P.W., (2002), *Soils: their implications to human health*, Sci. Total Environ., 291, pp: 1–32.

Acosta, J., Jansen, B., Kalbitz, K., Faz, A., Martinez, S., (2011), *Salinity increases mobility of heavy metals in soils*, Chemosphere, 85, pp: 1318-1324.

Adamski, Z., Machalska, K., Chorostkowska, K., Niewadzi, M., Ziemnicki, K., Hirsch, H.V.B., (2009), *Effects of sublethal concentrations of fenitrothion on beet armyworm (Lepidoptera: Noctuidae) development and reproduction*, Pesticide Biochemistry and Physiology, 94(2-3), pp: 73-78.

Adhya, T.K., Barik, S. and Sethunathan, N., (1981), *Hydrolysis of selected organophosphorus insecticides by two bacteria isolated from flood soil*, J. Appl. Bacteriol., 50, pp: 167-172.

Agnihotri, N.P., Pandey, S.Y., Jain, H.K., Srivastava, K.P., (1981), *Persistence, Leaching and movement of chlorfenvinphos, chlorprriphos, disulfoton, fensulfothion, monocrotophos and tetrachlorvinphos in soil*, Indian Journal Of Agricultural Chemistry, 24:27-31.

Akan, J.C., Jafiya, L., Mohammad, Z., Abdulrahman, F.I., (2013), *Organophosphorus pesticides residues in vegetables and soil samples from Alau Dam and Gongulong agricultural areas, Borno State, Nigeria*, Int. J. Env. Moni. Anal., 1(2), pp: 58-64.

Alexander, M., (1981), *Non-biodegradable and other recalcitrant molecules,* Biotechnology and Bioengineering, 15, pp: 611-647.

Alloway, B.J., (1990), *Heavy Metals in Soils.* Blackie, London.

Allison, L.E., (1965), *Organic Carbon, In: Methods for Soil Analysis, Part-2,* Amer. Soc. Agron. Madison, pp: 1367-1377.

Alloway, B. J., (1995), *The origins of heavy metals in soils,* in *Heavy Metals in Soils,* B. J. Alloway, Ed., Chapman & Hall, London, UK, pp: 29–39.

Amdur, M. O., Doull, J. and Klaassen, C. D., (1991), *Casarett and Doull's Toxicology the Basic Science of Poisons,* Fourth Edition, Macmillan Publishing Company.

American Medical Association,(1997), *Educational and Informal strategies to reduce pesticide risks,* Preventive Medicine 26, pp: 191-200 (10) complete.

Anasco, N., Uno, S., Koyama, J., Matsuoka, T., Kuwahara N., (2010), *Assessment of pesticide residues in freshwater areas affected by rice paddy effluents in Southern Japan.* Environmental Monitoring and Assessment 160(1), pp: 371-383.

Arjmandi, R., Tavakol, M., Shayeghi, M., (2010), *Determination of organophosphorus insecticides residues in the rice paddies,* Int. J. Environ. Sci. Tech., 7(1), pp: 175-182.

Ashok, K., (1998), *Studies on the properties of an Aftisols under selected forest plantations.* M.Sc. (Agri.) Thesis, submitted to Univ. Agric. Sci. Bangalore (India).

Awashthi, S.K., (2000), *Prevention of Food Adulteration Act no 37 of 1954.*
Central and State Rules as Amended for 1999, Ashoka Law House, New Delhi.

Babu, G.V.A.K., Reddy, B.R., Narashima, G., Sethunathan, N., (1988),
Persistence of quinalphos and occurrence of its primary metabolite in soils, Bull.
Environ. Contam. Toxicol., 60, pp: 724-731.

Babu, R.R., Imagawa, T., Tao, H., Ramesh, R., (2005), *Distribution of PCBs,*
HCHs and DDTs, and their ecotoxicological implications in Bay of Bangal, India,
Environ. Int., 31, pp: 503-512.

Baig, S.A., Akhter, N.A., Ashfaq, M., Asi, M.I., (2009), *Determination of the*
organophosphorus insecticides in vegetables by high-performance liquid
chromatography, American-Eurasian J. Agri. Environ. Sci., 6(5), pp: 513-519.

Bedos, C., Genermont, S., Le cadre, E., Garcia, L., Barriuso, E. and Cellier, P.,
(2009), *Modeling pesticides volatilization after soil application using the*
mechanistic model Volt' Air, Atmospheric Environment, 43, pp: 3630-3639.

Beynon, K.I., Huston, D.H. and Wright, A.N., (1973), *The metabolism and*
biodegradation of vinyl phosphate insecticides, Res. Rev. 47, pp: 55-142.

Bhuyan, B, (2006), *A study on the quality of soil and water in the tea gardens of*
Lakhimpur district, Assam, Ph.D. Thesis submitted to Gauhati University,
Guwahati.

Blake, G.R. and Hartge, (1986), *Bulk density-In methods of Soil Analysis,* Part-
1:Physical and Mineralogical methods, 2nd Edition, Ed. A. Klute, SSSA Book series

5, Madison Wisconsin, USA, pp-66-69.

Boatman, N.D., Brickle, N.W., Hart, J.D., Milsom, T.P., Morris, A.J., Murray, A.W.A., Murray, K.A., Robertson, P.A., (2004), *Evidence for the indirect effects of pesticides on farmland birds*, Ibis, 146, pp: 131-143.

Boone, M.D., Semlitsch, R.D., Little, E.E., Doyle, M.C., (2007), *Multiple stressors in Amphibian communities: Effects of chemical contamination, Bullfrog and Fish*, Ecological Applications, 17(1), pp: 291-301.

Boonyatumanond, R., Tabucanon, M.S., Siriwong, C., Prinyatanakun, P., (1997), *Distribution of organochlorine pesticides in the Chao Phraya River, Thailand*, Environ. Monitor. Assess, 44(1-3), pp: 315-325.

Bradman, M.A.S.A., Harnly, M.E. and Goldman, L.R., (1994), *Malathion and the malaoxon environmental levels used for exposure assessment and risk characterization of aerial applications to residential areas of southern California, 1989-1990*, Journal of Exposure Analysis and Environmental Epidemiology, 4, 49-63.

Brittain, C.A., Vighi, M., Bommarco, R., Settele, J., Potts, S.G., (2010), *Impacts of a pesticide on pollinator species richness at different spatial scales*, Basic and Applied Ecology, 11(2), pp: 106-115.

Broadley R., Banks A., Collinge M. and Middleton K., (2000), *Pesticide Application Manual 3rd Edition*, Department Primary Industries Queensland, Queensland.

Burauel, P. and Bassman, F., (2005), *Soils as filter and buffer for pesticides: Experimental concepts to understand soil functions*, Environ Pollut. 133:11–6.

Busman, L., Lamb, J., Randall, G., Rehm, G. & Schmitt, M., (2002), *The nature of phosphorus in soils*, University of Minnesota.

Cappuccino, J.G. and Sherman, N., (1999), *Microbiology – A laboratory Manual*. 5th Edition, Benjamin/Cummings Science Publishing, California 94025.

Carson, R., (1962), *Silent Spring*, Boston:Houghton Mifflin.

Casabe, N., Piola, L., Fuchs, J., Oneto, M.L., Pamparato, L., Basack, S., Gimenez, R., Massaro, R., Papa, J.C., Kesten, E., (2007), *Ecotoxicological Assessment of the Effects of Glyphosate and Chlorpyrifos in an Argentine Soya Field*, Journal of soil sediments, 7(4), pp: 232-239.

CEPA (Chinese Environmental Protection Administration), (1990), *Elemental Background Values of Soils in China*, Environmental Science Press of China, Beijing, China.

Cerejeira, M.J., Viana, P., Batista, S., Pereira, T., Silva, E., Valério, M.J., Silva, A., Ferreira, M., Silva-Fernandes, A.M., (2003), *Pesticides in Portuguese surface and ground waters*. Water Research, 37(5), pp: 1055-1063.

Chandrajith, R., Dissanayake, C. B., and Tobschall, H. J., (2005), *The abundances of rarer trace elements in paddy (rice) soils of Sri Lanka*, Chemosphere, vol. 58, no. 10, pp:1415–1420.

Chukwudebe, A., R.B. March, M. Othman and T.R. Fukuto, (1989), *Formation of trialkyl phosphorothioate esters from organophosphorus insecticides after exposure to either ultraviolet light or sunlight*, J. Agric. Food Chem., 3, pp: 340-345.

Chen F., Pu L., (2007), Relationship between heavy metals and basic properties of agricultural soils in Kunshan County, *Soils*, 39,pp:291-296.

Chen W., Mulchandani A., Deshusses M. A., (2005), *Environmental Biotechnology: Challenges and opportunities for chemical engineers*, AIChE J., 51, pp:690-695.

Chiocchio, V., Venedikian, N., Martinez, A.E., Menendez, A., Ocampo, J.A., Godeas, A., (2000), *Effect of the fungicide benomyl on spore germination and hyphal length of the arbuscular mycorrhizal fungus Glomus mosseae*, International Microbiology. 3, pp: 173–175.

Cohen, S. Z., Wauchope, R. D., Klein, A. W., Eadsforth, C. V., Graney, R., (1995), *Offsite transport of pesticides in water: mathematical models of pesticides leaching and runoff*, Pure Appl. Chem., 67, pp:2109-2148.

Commission of the European Communities, (1999), White paper on food safety, Brussels, 12 January, 2000, COM (1999) 719 final.

Cornell, (2009), *Soil Health Assessment Training Manual*, 2nd Edition, Cornell Soil Health, College of Agriculture and Life Sciences, Cornell University, (2005), EXTTOXNET- Extension Toxicology network, Pesticides Information profile, 31st August, <http://pmep.cce.cornell.edu/profiles/exttoxnet/24d-captan/acephate-ext.html>

Covacia, A., Gheorgheb, A., Voorspoelsa, S., Maervoeta, J., Redekere, E.S., Blustc, R and Schepensa, P., (2005), *Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls and Organochlorine Pesticides in Sediment Cores from the Western Scheldt River (Belgium): Analytical Aspects and Depth Profiles*, Environment International, 31, pp: 367-375.

Davies, L., (1984), *Nutrition in the elderly: Identifying those at risk*, Proceedings of Nutrition Society (London), 43, pp:295-302.

Deer H., (2004), Vol. 2005 Utah State University Extension, Utah, USA.

de Jong, F.M.W., de Snoo, G.R., van de Zande, J.C., (2008), *Estimated nationwide effects of pesticide spray drift on terrestrial habitats in the Netherlands*, Journal of Environmental Management, 86(4), pp: 721-730.

Doong, R.A., Peng, C.K., Sun, Y.C. and Liao, P.L., (2002), *Composition and Distribution of Organochlorine Pesticide Residues in Surface Sediments from Wu-Shi River Estuary, Taiwan*, Marine Pollution Bulletin, 45, pp: 246-253.

Doran, J.W. and Parkin, T.B., (1994), *Defining and assessing soil quality*. In: Doran, J.W., Coleman, D.C., Bezdicek, D.F., Stewart, B.A. (Eds.), *Defining soil Quality for Sustainable Environment*. Soil Sci. Soc. Am. Soc. Agron., Madison, WI, pp: 3-21.

Doran, J.W. and Parkin, T.B., (1996), *Quantitative indicators of Soil quality: a minimum data set*, In: Doran, J.W., Jones, A.J. (Eds.), *Methods for assessing soil Quality*. SSSa Special Publication, Vol. 99, Soil Sci. Soc. Am. Soc. America, Madison, WI, USA, pp: 25-37.

Dua, M., Singh, A., Sethunathan, N., Johri, A., (2002), *Biotechnology and bioremediation: successes and limitations*, Appl. Microbiol. Biotechnol., 59, pp: 142-152.

Dureja, P., Walia, S. and Mukerjee, S.K., (1988), *Multiphase photodegradation of quinalphos*, Pesticide science, 22, pp: 287-295.

Edgehill, R. U., Fin, R. K., (1983), *Microbial treatment of soil to remove pentachlorophenol*, Appl. Environ. Microbiol., 45, pp:1122-1125.

Einax, J., Ostwald, K. and Danzer, K., (1990), *Analytical Investigations and Chemometrical Characterization of Polluted Soil*, Fresenius J. Anal Chem., 336, pp: 394-399.

Endlweber, K, Schadler, M, Scheu, S., (2005), *Effects of foliar and soil insecticide applications on the collembolan community of an early set-aside arable field*, Applied Soil Ecology 31, 136–146. doi: 10.1016/j.apsoil.2005.03.004

EPA, (1987), *Guidelines for the re-registration of pesticide products containing as the active ingredient Mancozeb*, US EPA, Washington DC, Office of Pesticide Programs, US Environmental Protection Agency.

EPA, (1996), Product Properties Test Guidelines. Oxidation/Reduction: Chemical Incompatibility, EPA 712±C±96±023, OPPTS 830.6314, US EPA, Washington DC.

EPA., (2000a), *Malathion*, Re-registration eligibility decision, U.S. Environmental Protection Agency, Http: www.epa.gov/pesticides/red/malathion.html. November 6, 2000.

EPA, (2011), Pesticide General Permit (PGP) Documents.

European standards (EU 2002), Regulatory standards of heavy metals in agricultural soils.

Evangelou, V.P., (1998), *Environmental Soil and Water Chemistry: Principles and Applications*, John Wiley & Sons, New York.

Feber, R.E., Johnson, P.J., Firbank, L.G., Hopkins, A., Macdonald, D.W., (2007), *A comparison of butterfly populations on organically and conventionally managed farmland*, *Journal of Zoology*, 273(1), pp: 30-39.

Ferencz, L., Balog, A., (2010), *A pesticide survey in soil, water and foodstuffs from Central Romania*. *Carpathian Journal of Earth and Environmental Sciences*, April 2010, 5(1), pp: 111-118.

Ferrando, M.D., Alarcon, V., Fernandezcasalderrey, A., Gamon, M., Andreumoliner, E., (1992), *Persistence of some pesticides in the aquatic environment*, *B. Environ. Contam. Tox.*, 48, pp: 747–755.

Finlayson, D. G., MacCarthy, H. R., (1973), *Pesticide residues in plants, in Environmental Pollution by Pesticides* (Ed: C.E. Edwards), Plenum Press, New York.

Fishel, F. M., (2005), *Pesticide-Organism Interactions*, PI-43 Document, Pesticide Information Office, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, (<http://edis.ifas.ufl.edu/pdffiles/PI/PI0800.pdf>)

Foght, J., April, T., Biggar, K., Aisabie, J., (2001), *Bioremediation of DDT-contaminated soils: A review*, *Bioremediation J.*, 5, pp: 225-246.

Forget, J., Solomon, K.R., Ritter, L., (2001), *A Review of Selected Persistent Organic Pollutants: DDT, Aldrin, Dieldrin, Endrin, Chlordane, Heptachlor, Hexachloro-benzene, Mirex, Toxaphene, Polychloro Biphenyls, Dioxins and Furans*; IPCS Report PCS/95.39.

Fountain, M.T., Brown, V.K., Gange, A.C., Symondson, W.O.C., Murray, P.J., (2007), *The effects of the insecticide chlorpyrifos on spider and Collembola communities*, *Pedobiologia*, 51(2), pp: 147-158.

Fox, J.E., Gulledge, J., Engelhaupt, E., Burow, M.E., McLachlan, J.A., (2007), *Pesticides reduce symbiotic efficiency of nitrogen-fixing rhizobia and host plants*, *Proceedings of the National Academy of Sciences*, 104(24), pp: 10282-10287.

Frampton, G.K., Dorne, J.L.C.M., (2007), *The effects on terrestrial invertebrates of reducing pesticide inputs in arable crop edges: a meta-analysis*, *Journal of Applied Ecology*, 44(2), pp: 362-373.

Gardiner, D., Miller, R., (2008), *Soils in Our Environment*; Pearson Education, Inc.: Upper Saddle River, NJ, USA.

Geiger, F., Bengtsson, J., Berendse, F., Weisser, W.W., Emmerson, M., Morales, M.B., Ceryngier, P., Liira, J., Tschardtke, T., Winqvist, C., Eggers, S., Bommarco, R., Part, T., Bretagnolle, V., Plantegenest, M., Clement, L.W., Dennis, C., Palmer, C., Onate, J.J., Guerrero, I., Hawro, V., Aavik, T., Thies, C., Flohre, A., Hanke, S., Fischer, C., Goedhart, P.W., Inchausti, P., (2010),

Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland, Basic and Applied Ecology, 11(2), pp: 97-105.

Ghorbani, H., Hafezi Moghadas, N., Kashi, H., (2015), *Concentration of some heavy metals in soil of Golestan Province, Iran*, J. Agri. Sci. Tech., 17, pp: 1025-1040.

Ghosh, A.B., Bajaj, J.C., R and Shing, D., (1983), *Soil and Water Testing Methods: A Laboratory Manual*, IARL, New Delhi.

Gibson, W.P. and Burns, R.G., (1977), *The breakdown of malathion in soil and soil components*, Microbial Ecology, 3, pp: 219-230. doi: 10.1007/BF02010619

Gigliotti C., Allievi L., (2001), *Differential effects of the herbicides Bensulphuron and Cinosulphuron on soil microorganisms*, Journal of Environmental Science and Health, Part B: Pesticides, Food Contaminants, and Agricultural Wastes, 36(6), pp: 775 - 782.

Gil, C., Boluda, R., Ramos, J., (2004), *Determination and evaluation of cadmium, lead and nickel in greenhouse soils of Almeria (Spain)*, Chemosphere, 55, pp:1027-1034.

Gilliom, R.J., (2007), *Pesticides in U.S. Streams and Groundwater*. Environmental Science & Technology, 41(10), pp: 3408-3414.

Gimeno-Garcia, E., Andreu, V., Boluda, R., (1996), *Heavy metals incidence in the application of inorganic fertilizers and pesticides to rice farming soils*, Environ. Pollut., 92, pp: 19-25.

Gliessman, S.R, (1998), *Agroecology: Ecological processes in sustainable agriculture*, Ann Arbor Press, Chelsea, MI.

Goswami, U. and Sarma, H.P., (2008), *A study on the heavy metal content in the biodegradable solid wastes of Guwahati City*, Poll Res. 27 (2), pp: 265-268.

Griffin, P., Mason, H., Heywood, K., Cocker, J. (1999), *Oral and dermal absorption of chlorpyrifos: a human volunteer study*, Occupational & Environmental Medicine, 56, pp:10-13.

Gupta, R.C., (2006), *Toxicology of Organophosphate & Carbamate Compound*, Elsevier Academic Press.

Haque, R., Freed, V. H., (1974), *Behavior of pesticides in the environment: Environmental chemodynamics*, Residue Rev., 52, pp: 89-116.

Helberg, M., Bustnes, J.O., Erikstad, K.E., Kristiansen, K.O and Skaare, J.U. (2005), *Relationships between Reproductive Performance and Organochlorine Contaminants in Great Black-backed Gulls (Larus marinus)*, Environmental Pollution, 134, pp: 475-483.

Hildebrandt, A., Lacorte, S., Barceló, D., (2009), *Occurrence and Fate of Organochlorinated Pesticides and PAH in Agricultural Soils from the Ebro River Basin*, Archives of Environmental Contamination and Toxicology, 57(2), pp: 247-255.

Holly, E.A., Aston, D.A., Ahn, D.K., Kristiansen, J., (1992), *Ewing's bone sarcoma, parental occupational exposure, and other factors*, Am. J. Epidemiol,

135, pp:122-129.

Horvath, G., Kissimon, J. and Faludi-Dániel, A., (1972), *Effect of light intensity on the formation of carotenoids in normal and mutant maize leaves,* Phytochemistry, 11, pp: 183–187.

Howard, P.H., (1991), Handbook of environmental degradation rates, Lewis Publishers, Chelsea.

Hussein, M.M., Balbaa, L.K., Gaballah, M.S., (2007), *Salicylic acid and salinity effects on growth of maize plants,* Res. J. Agric. Biol. Sci., 3 (4), pp: 321–328.

ICAR, (2005), *Hand book of Agriculture,* 3rd Edition, Indian Council of Agricultural research, New Delhi.

ICAR-Indian Institute of soil science, (2015), Assessment of soil health and preparation of soil health card.

ISO 10390, (1994), *Soil Quality-Determination of pH.*

ISO 11464, (2006), *Soil Quality- Pretreatment of samples for physico-chemical analysis.*

Iranzo, M., Sainz-Pardo, I., Boluda, R., Sánchez, J. and Mormeneo. S., (2001), *The use of microorganisms in environmental remediation,* Ann. Microbiol.,51, pp: 135-143.

Jabber, A., Masud, S. Z., Parveen, Z., Ali, M., (1993), Pesticides residues in cropland land soils and shallow ground water in Punjab, Pakistan. Bull. Environ.

Toxicol., 51, pp: 269-273.

Jacob, C. and Joseph, P.V., (1994), *Study of heavy metal levels in the soils of Pala Municipality, Kerala, Poll. Res. 27 (2), pp: 279-283.*

Jadhav, S.D., Sawant, R.S. and Godghate, A.G., (2013), *Investigation of Some Parameters and Nutrients from Soil Samples of Rice Field in Gadhinglaj and Ajara Tahsil of Kolhapure District, India, Res. J. Agriculture and Forestry Sci., 1(4), pp: 24-25.*

Jansa, J., Wiemken, A., Frossard, E., (2006), *The effects of agricultural practices on arbuscular mycorrhizal fungi, Geological Society, London, Special Publications, 266(1), pp: 89-115.*

Jauregui, J., Valderrama, B., Albores, A., Vazquez-Duhalt, R., (2003), *Microsomal transformation of organophosphorus pesticides by white rot fungi, Biodegradation 14, pp: 397–406.*

Jiang, Y.-F., Wang, X.-T., Jia, Y., Wang, F., Wu, M.-H., Sheng, G.-Y., Fu, J.-M. (2009), *Occurrence, distribution and possible sources of organochlorine pesticides in agricultural soil of Shanghai, China. Journal of Hazardous Materials 170(2-3), pp: 989-997.*

Kabata-Pendias, A. and Pendias, A. (1984), *Trace Elements in soils and plants. CRC Press, Boca Raton, Fla.*

Kabata-Pendias, A., Pendias, H., (1992), *Trace Elements in Soils and Plants, 2nd ed. CRC Press, Boca Raton, FL.*

Kabata-Pendias, A.,(2001), *Trace Elements in Soils and Plants*, CRC Press, Boca Raton, Fla, USA.

Kamrin, M.A., (1997), *Pesticide profiles: toxicity, environmental impact and fate*. CRC Press.

Kan, A. T., Fu, G. M., Hunter, M. A., Thomson, M. B., (1994), *Sorption/desorption hysteresis in organic pollutant and soil/sediment interaction*, Environ. Sci. Technol., 28, pp: 859-867.

Kanekar, P.P., Bhadbhade, B., Despande, N.M. and Sarnaik, S.S., (2004), *Biodegradation of organophosphorus pesticides*. Proceedings of Indian National Science Academy, 70, pp: 57-70.

Karunya, S. K. and Reetha, D., (2012), *Efficiency of Bacterial Isolates in the Degradation of Malathion and Parathion*, International Journal of Pharmaceutical & Biological Archives, 3(3), pp: 659-665.

Kaufman, D. D., (1983), *Fate of toxic organic compounds in land-applied wastes, in Land Treatment of Hazardous Wastes* (Eds: J.F. Parr, P.B. Marsh, J. M. Kla), Noyes Data Corp., Park Ridge, New York.

Kerle, E. A., Jenkins, J. J., Vogue, P. A., (1996), *Understanding Pesticide Persistence and Mobility for Groundwater and Surface Water Protection*, Report EM 8561, Oregon State University Extension Service.

Kinney, C.A., Mandernack, K.W., Mosier, A.R., (2005), *Laboratory investigations into the effects of the pesticides mancozeb, chlorothalonil, and*

prosulfuron on nitrous oxide and nitric oxide production in fertilized soil, Soil Biology and Biochemistry, 37(5), pp: 837-850.

Kiss, A. and Virag, D., (2009), *Interpretation and modeling of environmental behavior of diverse pesticides by revealing photodecomposition mechanisms*, Microchemical Journal, 92, pp: 119-122.

Klaassen, C., D. (Ed.) (2001), *Casarett and Doull's Toxicology, The Basic Science of Poisons*, McGraw-Hill, United States of America.

Konrad, J.G., Chesters, G. and Armstrong, D.E. (1969), Soil degradation of malathion, a phosphorodithioate insecticide, *Soil Science Society of America*, 33, pp: 259-262. doi: 10.2136/sssaj1969.03615995003300020026x

Konstantinou, I.K., Hela, D.G., Albanis, T.A. (2006), *The status of pesticide pollution in surface waters (rivers and lakes) of Greece. Part I. Review on occurrence and levels*, Environmental Pollution 141(3), pp : 555-570.

Kuhard R. C., Johri A. K., Singh A., Ward O. P., (2004), *Bioremediation of pesticide-contaminated soils, in Soil Biology*, Applied Bioremediation and Phytoremediation(Eds: A. Singh, O. P. Ward), Vol. 1, Springer Verlag, Heidelberg, pp: 35-54.

Kumari T. Kusum, Marathi Rao, B. and Ranganavakulu, N., (2001), *Characterization and distribution of cationic micronutrients*, Indian, J. Environ Protec. 21(9), pp: 847-849.

LaDou, J., (1997), *Occupational & Environmental Medicine*, Appleton & Lange, Connecticut.

LaDou, J., (2004), *Occupational & Environmental Medicine*, Lange Medical Books/McGraw-Hill, United States of America.

Laetz, C.A., Baldwin, D.H., Collier, T.K., Hebert, V., Stark, J.D., Scholz, N.L., (2008), *The Synergistic Toxicity of Pesticide Mixtures: Implications for Risk Assessment and the Conservation of Endangered Pacific Salmon*, *Environmental health perspectives*, 117(3), pp: 348–353.

Lakshmi, C.V., Kumar, M., Khanna, S., (2008), *Biotransformation of chlorpyrifos and bioremediation of contaminated soil*, *Int Biodeter Biodegr.*, 62, pp: 204–209.

Lang, M., Cai, Z., (2009), *Effects of chlorothalonil and carbendazim on nitrification and denitrification in soils*, *Journal of Environmental Sciences*, 21(4), pp: 458-467.

Laveglia J. and Dahm P.A., (1977), *Degradation of organophosphorus and carbamate insecticides in soil and by soil microorganisms*, *Ann. Rev. Entomol*, 22, pp: 483-513.

Lee, W. J., Cha, E. S., Park, E. S., Kong, K. A., Yi, J. H., Son, M., (2009), *Deaths from pesticide poisoning in South Korea*, *Int. Arch. Occup. Environ. Health*, 82, pp: 365-371.

Leeson, A., Johnson, P. C., Johnson, R. L., Bruce, C. L., (2001), *Advances in situ air sparging/biosparging*, Bioremediation J., 5, pp: 251-266.

Li, X.-h., Wang, W., Wang, J., Cao, X.-l., Wang, X.-f., Liu, J.-c., Liu, X.-f., Xu, X.-b., Jiang, X.-n. (2008), *Contamination of soils with organochlorine pesticides in urban parks in Beijing, China*. Chemosphere 70(9), pp: 1660-1668.

Liebich, J., Schaffer, A., Burauel, P., (2003), *Structural and functional approach to studying pesticide side-effects on specific soil functions*, Environmental Toxicology and Chemistry, 22(4), pp: 784-790.

Logan, B.E., (1999), *Environmental Transport Processes*, John Wiley & Sons, New York.

Longley, M., Sotherton, N.W., (1997), *Factors determining the effects of pesticides upon butterflies inhabiting arable farmland*, Agriculture, Ecosystems & Environment, 61(1), pp: 1-12.

Mayanglambam, T., Vig, K., Singh, D.K., (2005), *Quinalphos persistence and leaching under field conditions and effect of residues on dehydrogenase and alkaline phosphomonoesterase activities in soil*, Bull. Env. Contamination and Toxicology, 75, pp: 1067-1076.

Menendez, A., Martínez, A., Chiocchio, V., Venedikian, N., Ocampo, J.A., Godeas, A., (1999), *Influence of the insecticide dimethoate on arbuscular mycorrhizal colonization and growth in soybean plants*, International Microbiology, 2, pp: 43-45.

Menon P, Gopal M, Parsad R., (2005), *Effects of chlorpyrifos and quinalphos on dehydrogenase activities and reduction of Fe⁺ in the soils of two semi-arid fields of tropical India*, Agriculture, Ecosystems & Environment, 108, pp: 73–83. doi: 10.1016/j.agee.2004.12.008.

Miller, J. and Miller, R., (1979), *Environmental carcinogenesis*, Emmelot, P., Krick, E., (eds), Elsevier, Amsterdam, Holland.

Mills, W. B., Porcella, D. B., Unger, M. J., Gherini, S. A., Summers, K. V., Mok, L. et al., (1985), *Water Quality Assessment: a Screening Procedure for Toxic and Conventional Pollutants*, Parts 1, 2 and 3, EPA-600/f6±82± 004a, b, c, US EPA, Washington DC.

Moreby, S.J., Southway, S.E., (1999), *Influence of autumn applied herbicides on summer and autumn food available to birds in winter wheat fields in southern England*, Agriculture, Ecosystems & Environment, 72(3), pp: 285-297.

Mulder, Y.M., Drijver, M., Kreis, I.A., (1994), Case-control study on association between cluster of childhood haematopoietic malignancies and local environmental factors in Aalsmeer, The Netherlands, J. Epidemiol. Commun. Health, 48, pp: 161-165.

Mulla, D.J., Page, A.L. and Ganje, T.J., (1980), *Cadmium accumulation and bioavailability in soils from long-term fertilization*, J. Environ. Qual. 9, pp: 408-412.

Mulla, M.S., Mian, L.S., and Kawecki, J.A., (1981), *Distribution, transport, and fate of the insecticides malathion and parathion in the environment*, Residue

Reviews volume 81, Gunther, F.A. and Gunther, J.D. eds., Springer-Verlag New York.

Muller, K., Magesan, G.N. and Bolan, N.S., (2007), *Acritical review of the influence of effluent irrigation on the fate of pesticides in soil*, Agriculture, Ecosystems and Environment, 120, pp: 93-116.

Nath, T. N., (2010), *Soil quality variation due to long term tea cultivation in upper Assam India*, Ph.D. Thesis submitted to Gauhati University, Guwahati.

Naidoo, V., Buckeley, C. A., (2003), Water Research Commission Report No: 1128/0/1/03.

Nawab, A., Aleem, A., Malik, A., (2003), *Determination of organochlorine pesticides in agricultural soil with special reference to γ -HCH degradation by pseudomonas strains*, Bioresource Technol., 88, pp: 41-46.

Nowell, L. H., Capel, P. D., Dileanis, P. D., (1999), *Pesticides in Stream Sediment and Aquatic Biota: Distribution, Trends, and Governing Factors*, Lewis Publishers, Boca Raton.

NRMMC, (2005), The Natural Resource Management Ministerial Council <http://www.mincos.gov.au>. Australian Government NRM Communications Team, GPO Box 787, Canberra Act 2601.

Nunes, J.R., Miras, J.R., Pineiro, A.L., Loures, L., Gil, C., Coelho, J., Loures, A., (2014), *Concentrations of Available Heavy Metals in Mediterranean Agricultural Soils and their relation with some selected Soil*

Properties, Sustainability, 6, pp: 9124-9138, doi: 10.3390/su6129124.

Ldeman, L.R., (1994), *The global extent of soil degradation.* In: Greenland, D.J., Szabolcs, I. (eds.), *Soil Resilience and Sustainable Land use.* CAB International, Wallingford, Oxon, UK, pp: 99-118.

Pal, R., Chakrabarti, K., Chakraborty, A., Chowdhury, A., (2005), *Pencycuron application to soils: Degradation and effect on microbiological parameters,* *Chemosphere*, 60(11), pp: 1513-1522.

Panda, S, Sahu, S.K., (1999), *Effects of malathion on the growth and reproduction of Drawida willsi (Oligochaeta) under laboratory conditions,* *Soil Biology and Biochemistry* 31, pp: 363–366. doi: 10.1016/S0038-0717(98)00135-7

Pandey, S, Singh, D.K., (2004), *Total bacterial and fungal population after chlorpyrifos and quinalphos treatments in groundnut (Arachis hypogaea L.) soil,* *Chemosphere* 55, pp: 197–205. doi: 10.1016/j.chemosphere.2003.10.014.

Pawar, K.R. and Mali, G.V., (2014), *Biodegradation of Quinalphos insecticide by Pseudomonas strain isolated from Grape rhizosphere soils,* *Int. J. Curr. Microbiol. App. Sci.*, 3(1), pp: 606-613.

Peris, M., Recatala, L., Mico, L., Sanchez, R., Sanchez, J., (2007), *Heavy metal contents in horticultural crops of a representative area of the European Mediterranean region,* *Sci. Total Environ.*, 378, pp: 42-48.
Perry, D.A., (1994), *Forest ecosystems,* The Johns Hopkins University Press, Baltimore, Maryland, USA.

Potera, C., (2007), *Agriculture: Pesticides Disrupt Nitrogen Fixation*, Environ Health Perspect, 115(12).

Rai, M.M., (1995), *Principles of Soil Science*, 3rd Edition, Macmillan India Ltd., New Delhi.

Ramamoorthy, D., (2015), Assessment of heavy metal pollution and its impact on soil physical, chemical properties and Beta-glucosidase activities in agricultural lands, Puducherry region, DST Project, Govt. of Puducherry.

Ramos-Miras, J., Roca-Perez, L., Guzman-Palomino, M., Boluda, R., Gil, C., (2011), *Background levels and baseline values of available heavy metals in Mediterranean Greenhouse Soils, (Spain)*, J.Geochem. explor., 110, pp: 186-192.

Rangaswamy, V., and Venkateswarlu, K., (1992), *Degradation of selected insecticides by bacteria isolated from soil*, Bulletin of Environmental Contamination and Toxicology, 49, pp: 797-804.

Ratna Kumari, A., Jeevan, G., Ashok, M., Rao, A., Vamsi, K.S., (2012), *Malathion Degradation by Bacillus sp. Isolated from Soil*, IOSR Journal of Pharmacy, 4, pp:2250-3013.

Redondo, M.J., Ruiz, M.J., Font, G., Boluda, R. (1997), *Dissipation and distribution of atrazine, simazine, chlorpyrifos, and tetradifon residues in citrus orchard soil*, Arch. Environ. Contam. Toxicol, 34, pp: 346- 352.

Relyea, R.A., (2003), *Predator cues and pesticides: a double dose of danger for amphibians*, Ecological Applications, 13(6), pp: 1515-1521.

Relyea, R.A., (2005a), *The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities*, *Ecological Applications*, 15(2), pp: 618-627.

Relyea, R.A., (2005b), *The lethal impact of Roundup on aquatic and terrestrial amphibians*, *Ecological Applications*, 15(4), pp: 1118-1124.

Relyea, R.A., Diecks, N., (2008), *An unforeseen chain of events: lethal effects of pesticides on frogs at sublethal concentrations*, *Ecological Applications*, 18(7), pp:1728-1742.

Relyea, R.A., Hoverman, J.T., (2008), *Interactive effects of predators and a pesticide on aquatic communities*, *Oikos*, 117(11), pp: 1647-1658.

Rosenberg, A. and Alexender, M., (1979), *Microbial cleavage of various organophosphorus insecticides*, *Applied and Environmental Microbiology*, 37, pp: 886-891.

Rosenstock, L.M., Keifer, W.E., Daniell McConnel, R., Claypoole., (1991), *Chroniccentral nervous system effects of acute organophosphorus pesticide intoxication*, *Lancet* 338, pp: 223-227.

Rudel, H. (1997), *Volatilisation of pesticides from soil and plant surfaces*, *Chemosphere* 35, pp: 143-152.

Saarinen, K., (2002), *A comparison of butterfly communities along field margins under traditional and intensive management in SE Finland*, *Agriculture, Ecosystems & Environment*, 90(1), pp: 59-65.

Sardar, D, Kole, RK., (2005), *Metabolism of chlorpyrifos in relation to its effect on the availability of some plant nutrients in soil*, Chemosphere, 61, pp:1273–1280.

Schimdt, K.J., (1972), Proceedings of 2nd International Congress on Pesticide Chemistry, (IUPAC).

Sengupta, D., Aktar, W., Purkait, S., Ganguly, M., (2009), *Impact of quinalphos on microbial biomass and activities in tropical clay loam soil*, Elec. J. Env. Agri. Food Chem., 8, pp:1127-1135.

Sethunathan, N., (1973), *Microbial degradation of insecticides in flooded soil and in anaerobic cultures*, Res. Rev. 47, pp:143-165.

Sethunathan, N., and Yoshida, Y., (1973), *A Flavobacterium that degrades diazinon and parathion*, Canadian Journal of Microbiology, 19, pp: 873-5.

Shahla, Y., D'Souza, D., (2010), *Effects of Pesticides on the Growth and Reproduction of Earthworm: A Review*, Applied and Environmental Soil Science, pp Article ID 678360, 9 pages.

Sharma, B.K., (2005), Environmental chemistry viiith Edition, Goel Publishing House, Meerut (India).

Sharungbam et al. (2003), *Degradation of quinalphos by bacteria isolated from soil.*

Shegunova, P., Klanova, J., Holoubek, I., (2007), *Residues of organochlorinated pesticides in soils from the Czech Republic*, Environmental Pollution 146(1), pp: 257-261.

Siamwalla, A., (1999), *Agricultural sustainability in rapidly industrializing Asian economies.* In: Integration of Sustainable Agriculture and Rural Development in Agricultural Policy, FAO/Winrock International.

Singh, A.K. and Seth, P.K., (1989), *Degradation of malathion by microorganisms isolated from industrial effluents,* Bulletin of Environmental Contamination and Toxicology, 43, pp: 28-35.

Singh, B., Kaur, R. and Singh, K., (2009), *Degradation of Organophosphate Pesticide, Malathion, by Bacillus sp. isolated from soil,* Proceeding of 11th International Conference on Environmental Science and Technology, Greece.

Singh, B. K. & Walker, A., (2006), *Microbial degradation of organophosphorus compounds,* FEMS Microbiol. Rev.30, pp: 428–471.

Singh, J, Singh, D.K., (2005), *Dehydrogenase and phosphomonoesterase activities in groundnut (Arachis hypogaea L.) field after diazinon, imidacloprid and lindane treatments,* Chemosphere 60, pp: 32–42. doi: 10.1016/j.chemosphere.2004.11.096

Singh, K.P., Mohan, D., Sinha, S., Dalwani, S., (2004), *Impact assessment of treated/ untreated wastewaters toxicants discharged by sewage treatment plants on health, agricultural and environmental quality in the wastewater disposal area.* Chemosphere, 55, pp: 227-55.

Skinner, J. A., Lewis, K. A., Bardon, K. S., Tucker, P., Catt, J. A. and Chamber, B. J. (1997), *An overview of the environmental impact of agriculture in the U.K.,* Journal of Environmental Management 50, pp: 111–128.

Soil Analysis Hand Book of Reference Methods, Soil and Plant Analysis Council, CRP Press, 2004.

Spyros, K., Golfinopoulos, Anastasia D., Nikolaou, Maria N. Kostopoulou, Nikos K., Xilourgidis, Maria C. Vagi, Dimitris T. Lekkas, (2003), *Organochlorine pesticides in surface waters of Northern Greece*, Chemosphere , 50, pp: 507-516.

Stephenson, G.A. and Solomon, K.R., (1993), *Pesticides and the Environment*, Department of Environmental Biology, University of Guelph, Guelph, Ontario, Canada.

Sudan, Gao, W.J., Walker, A., Randy, D. and Jeff, B., (1997), *Simultaneous sorption of Cd, Cu, Ni, Pd and Cr on soils treated with sewage sludge supernatant*, Water, Air and Soil Poll., 93, pp: 331-345.

Tamer, M.A. Thabit, and Medhat A.H.EL-Naggar, (2013), Malathion degradation by soil isolated bacteria and detection of degradation product by GC-MS, Int. J. Env. Sci., Vol-3, IPA, doi:10.6088/ijes.2013030500017.

Taylor, R.L., Maxwell, B.D., Boik, R.J., (2006), *Indirect effects of herbicides on bird food resources and beneficial arthropods*, Agriculture, Ecosystems & Environment, 116(3-4), pp: 157-164.

Toan, V., Thao, V., Walder, J., Schmutz, H.-R., Ha, C. (2007), *Contamination by Selected Organochlorine Pesticides (OCPs) in Surface Soils in Hanoi, Vietnam*, Bulletin of Environmental Contamination and Toxicology, 78(3), pp: 195-200.

UNEP, (1993), *Selected indicators of Food and Agricultural development in Asia and the Pacific region, 1982-1999*, Publication 1993/24, Bangkok.

U.S Department of Agriculture (USDA), (1983), *National Soils Handbook*, Nat. Coop. Soil Survey, USDA 430. VI.NSH, Govt. Printers, Washington DC, USA.

US Salinity Laboratory Staff., (1954), *Diagnosis and improvement of saline and alkali soils*, US Department Agriculture Handbook, 956, pp: 160.

USDA National Resource Conservation Service (NRCS, 1993).

Van Hamme, J.D., (2004), *Bioavailability and biodegradation of organic pollutants*, A microbial perspective, in *Soil Biology, Vol.2: Biodegradation and Bioremediation* (Eds: A. Singh, O.P. Ward), Springer Verlag, Berlin, Heidelberg, pp: 37-56.

Vonderheide, A.P., Meija, J., Montes-Bayon, M., Caruso, J.A., (2003), *Use of optional gas and collision cell for enhanced sensitivity of the organophosphorus pesticides by GC-ICP-MS.*, *J. Anal. Atom. Spectrom.*, 18, pp: 1097-1102.

Waldman M., Shevah Y., (1993), *Biodegradation and leaching of pollutants: monitoring aspects*, *Pure Appl. Chem.*, 65, pp:1595-1603.

Walkley, A. and Black, I.A., (1934), *An examination of Degtjareff method for determining soil organic matter and a proposed modification of the chronic acid titration method*, *Soil Sci.*, 63, pp: 29-37.

Wang, X. C., Yan, W. D., An, Z. et al., (2003), *Status of trace elements in paddy soil and sediment in Taihu Lake region*, *Chemosphere*, vol. 50, no. 6, pp: 707-710.

Ward, O. P., Singh, A., (2014), *Soil bioremediation and phytoremediation-An Overview*, in Soil Biology, Vol. 1: Applied Bioremediation and Phytoremediation (Eds: A. Singh, O.P. Ward), Springer Verlag, Berlin, Heidelberg 2004, pp: 1-12.

Waugh, D., (2000), *Geography: An Integrated Approach*, Nelson Thornes, pp: 276.

Wesley, S.G., (2004), *Bioaccumulation of Heavy metals by the intertidal Molluscs Kanyakumari waters*, Indian Poll. Res. 23(1), pp: 37-40.

White, P.J., Kerr, J.T., (2007), *Human impacts on environment–diversity relationships: evidence for biotic homogenization from butterfly species richness patterns*, Global Ecology and Biogeography, 16(3), pp: 290-299.

White, R.E., (1987), In: Introduction to the Principles and Practice of Soil Science English Language Book Society/ Blackwell Scientific Publication. London.

Whitford, F., Wolt, J., Nelson, H., Barrett, M., Brichford, S., Turco, R., (1995), *Pesticides and Water Quality Principles, Policies and Programs*, Purdue University Cooperative Extension Service, West Lafayette.

William. C.H. and David. D.J., (1976), *Study on accumulation in soil of Cd residues from phosphate fertilizers and their effect of Cadmium content of plants*, Soil Sci., 121, pp: 86-93.

Wilson, C., (2000), *Environmental and human costs of commercial agricultural production in South Asia*, International Journal of Social Economics, 27, pp:816-846.

Wong, S. C., Li, X. D, Zhang, G., Qi, S. H., and Min, Y. S., (2002), *Heavy metals in agricultural soils of the Pearl River Delta, South China*, Environmental Pollution, vol. 119, no. 1, pp: 33–44.

World Health Organization (WHO), (1947), Constitution of the World Health Organization.

World Health Organization (WHO), (1990), Public health impact of pesticides used in agriculture. Geneva: WHO.

World Health Organization (WHO), (1994), *International Programme on Chemical Safety*. Environmental Health Criteria 170. Assessing human health risks of chemicals.

World Health Organization, WHO, (2001), *Organophosphorous pesticides in the environment- Integrated Risk Assessment*, Geneva: WHO.

Woudneh, M.B., Ou, Z., Sekela, M., Tuominen, T., Gledhill, M. (2009), *Pesticide Multiresidues in Waters of the Lower Fraser Valley, British Columbia, Canada*. Part I. Surface Water. J. Environ. Qual. 38(3), pp : 940-947.

Yang, Z., Liu, Y., Liu, D., Zhou, Z., (2012), *Determination of organophosphorus pesticides in soil by dispersive liquid-liquid microextraction combined with gas chromatography*, J. Chromatogr Sci., 50(1), pp:15-20, doi: 10.1093/chromsci/bmr011.

Zhang, G., Li J., Cheng, H.R., Li X.D., Xu W.H and Jones, K.C., (2007), *Distribution of Organochlorine Pesticides in the Northern South China Sea: Implications for Land Outflow and Air-Sea Exchange*. *Environmental Science and*

Technology, 41, pp: 3884-3890.

Zhang, H. B., Luo, Y. M., Zhao, Q. G. et al., (2006), *Residues of organochlorine pesticides in Hong Kong soils*, [J]. *Chemo- sphere*, 63, pp: 633–641.