

# BIBLIOGRAPHY



## BIBLIOGRAPHY

- Abdul-Baki, A.A. 1969. Relationship between seed viability and glucose metabolism in germinating barley and wheat seeds. *Crop Sci.*, **9**, 732-737.
- Abdul-Baki, A.A. 1980 .Biochemical aspects of seed vigor. *Hort. Science.*, **15**, 765-771.
- Abdul-Baki, A.A. and Anderson, J.D. 1970. Viability and leaching of sugars from germinating barley. *Crop Sci.*, **10**, 31-34.
- Abdul-Baki, A.A. and Anderson, J.D. 1972. Physiological and biochemical deterioration of seeds (In: *Seed Biol.*, Vol II ed. T.T. Kazlowski), pp. 283-315, Academic press, N.Y.
- Abdul-Baki, A.A. and Anderson, J.D. 1972. Physiological and Biochemical deterioration of seeds. (In: *Seed Biology.*, Volume II, ed.T.T.Koslowski (New York: Academic Press,),pp. 283-315.
- Abdul-Baki.1980. Biochemical aspects of seed vigor. *Hort. Science.*, **15(6)**, 765-771.
- Abedona, A.C. and Odu, A. 1972.On some effects of prolonged seed soaking on the germination of cowpea seeds. *Phyton.*, **30**, 59-62.
- Adebisi, M.A. and Oyekale, K.O.2005. Effect of seed treatments and storage containers on the maintenance and viability of okra seeds. *ASSET Journal Series.*, **A5 (1)** , 81-89.
- Adebisi, M.A., Daniel, I.O., Ajala, M.O. 2004. Storage life of soybean (*Glycine max L.* Merril) seeds after seed dressing. , *J. of Tropical Agriculture.*, **42(1/2)** , 3-7.
- Adebisi, M.A., I.O, and Ajala, M.O. 2003.Storage life of soybean seed after seed dressing. *Journal of Tropical Agriculture (India).*, **42**, 3-7.
- Aebi , H. 1984. Catalase in vitro, Methods in Enzymology., **105**, 121-126.
- Abu-Shakra, S.S. and Ching, T.M. 1967. Mitochondrial activity in germinating new and old soybean seeds.*Crop Sci.*, **7**, 115-118.
- Agarwal, V.K., Singh, A. and Verma , H.S. 1976. A note on emergence of wheat seeds treated with different seed dressing fungicides prior to storage. *Seed Res.*, **4**, 194-196.

- Agnieszka, I.P.C., Niedzielski, M., Michalczyk, D.J., Luczak, W., Adomas, B .2010.Soluble carbohydrates in cereals (wheat, rye, triticale) seed after storage under accelerated ageing conditions. *Acta Soc.Bot. Pol.*, **79(1)**, 21-25.
- Agrawal, P. K. and Kharlukhi, L.1987. Enzymic activities in seed during storage. *Indian Journal of Experiment Biology.*, **25**,719–22.
- Agrawal , P.K. 1990.Seed deterioration during storage. Proceedings of the international congress of Plant Physiology., Vol II, 1270-1278.
- Aldana, A.B., Fites ,R.C. and Pattee , H.E. 1972.Changes in nucleic acids, protein and ribonuclease activity during maturation of peanut seeds. *Plant & Cell Physiol.*, **13**, 515-521.
- Amana , M. J., Bhattacharjee , M. and Wanjama , J.K. 2005. Effects of iodination on membrane integrity of drought resistant Duma and non-resistant Kwale Kenyan wheat varieties. *Discovery and Innovation.*, **17(3/4)** ,173-179.
- Anderson , J.D., Gupta , K .1986 .Nucleotide alternations during seed deterioration. (*In:Physiology of Seed Deterioration.*, No 11, pp 47–63. McDonald, M .B. Jr and NelsonC .J. (Eds). CSSA special publication,USA.
- Anderson, A.M., Hatr, J.R. and French, R.C. 1964. Comparison of germination technique and conductivity tests of cotton seeds. *Proc. Int. Seed Test Ass.*, **29**, 81-86.
- Andrea, P.S. Penalosa and Mirian,T.S. Eira. 1993. Hydration-dehyreation treatments on tomato seeds (*Lycopersicon esculentum* Mill.) *Seed Sci. and Technol.*, **21**,309-316.
- Anjali Devi , R. K. 1998. Studies on halogenation of cotton seeds to prolong the shelf life and its resultant effect on productivity. *M.Sc. (Agri) Thesis*, Tamil Nadu Agril. Univ., Coimbatore, India.
- Anuradha, Goel. and Sheron, I.S. 2014. Seed soluble protein pattern cotton (*Gossypium hirsutum* L.) under the influence of accelerated ageing. *Annals of Agri. Bio. Res.*, **19(3)**, 441-443.
- Arulnandhy ,V. and Senanayak , Y. D. A.1990. Relation of harvest time to quality of soybean seed produced in the humid tropics. *Legume Res.*, **13(4)**, 153-159.
- Aspinall , D., and Paleg , L.G . 1971. The deterioration of wheat embryo and endosperm function with age.*J. Exp. Bot.*, **22**, 925-935.

Astegar, Z .R., Sedghi, M. and Khomari, S.2011. "Effects of Accelerated Aging on Soybean Seed Germination Indexes at Laboratory Conditions", *Not Sci. Biol.*, Vol.III, No. **3**, pp. 126-129.

Atkin, J.D. 1958. Relative susceptibility of snap bean varieties to mechanical injury of seed.*Proc. Ann. Soc.Hort. Sci.*, **72**, 370-373.

Austin, R. B. 1966. The influence of phosphorus and nitrogen nutrition of pea plants on the growth of their progeny. *Plant & soil*, **24**,359-368.

Ayyappan , V., Andy , G., Natesan , S., Choi , C.W., Markandan , M. 2006 .Changes in L-isoaspartyl

methyltransferase, storage components and anti-oxidant enzymes activities during accelerated ageing in cucumber (*Cucumis sativus L.*) seeds. *J. Plant Sci.*, **3**, 228-239.

Babuchkin,K.N., Balashov, T.V. and Pogorelova, T.S. 1974. The effect of intermittent concentrated sunlight (ICS) on peas. *Problemy Fotoenergi Rastenii Kichinev*, Moldavin SSR, Stiinca, 233-237 (*Hort. Abstr.*, 45, 5-68.)

Bailly , C., Benamar , A., Corbineau , F., Come , D, .1996.Changes in malondialdehyde content and in superoxide dismutase, catalase and glutathione reductase activities in sunflower seeds as related to deterioration during accelerated ageing. *Physiol Plant.*, **97**,104-110.

Bailly , C. 2004 .Active oxygen species and antioxidants in seed biology. *Seed Sci Res.*, **14**, 93-107.

Bailly , C., Benamar , A., Corbineau ,F. and Come ,D. 1996. Changes in malondialdehyde content and in superoxide dismutase, catalase and glutathione reductase activities in sunflower seeds as related to deterioration during accelerated aging. *Physiol Plant.*, **104**, 646–652.

Bam, R.K., Kumaga, F.K., Ofori, K.and Asiedu, E.A. 2006. Germination, vigour and dehydrogenase activity of naturally aged rice (*Oryza sativa L.*) seeds soaked in potassium and phosphorus salts. *Asian J.Plant Sci.*, **5**, 948-955.

Banerjee , S.K. 1984. Seed in Indian Agriculture during 1980s and beyonds. *Indian Agric.*, **28**,115-120.

- Barsa , A.S. 1984. Basic mechanisms and agricultural implications .Food products press, England ,183-200.
- Basavarajappa , B.S., Shetty , H.S., Prakash , H.S. 1991. Membrane deterioration and other biochemical changes associated with accelerated ageing of maize seeds. *Seed Sci.Techol.*, **19**,279-286.
- Bass , L.N. 1973. Controlled atmosphere and seed storage. *Seed Sci. and Technol.*, **1**, 463-492.
- Bass , L.N. 1975 . Seed storage of *Carica Papaya* L. *Hort. Sci.*, **10**, 232 ( In Engl. With Engl. Summ).
- Basu , R.N., and Pal , P. 1978. Seed treatment to maintain viability, vigour and yield potential of stored rice seed. *Int. Rice Res, Newsletter.*, **3**,5.
- Basu, R.N., Kuchlan, P. and Sur, K. 1990. Bioassay of seed vigour . *Indian J. of Expt. Biol.*, **28**, 169-170.
- Basavaraju , P., Chaluvaraju , G., Deepak , S. A., Amruthesh , K. N. and Shekar Shetty , H. 2004. Location and transmission of downy mildew pathogen plamospa halsteo (i) in sunflower seeds. *Seed Res.*,**32(1)** ,108-110.
- Basu , R.N. 1976. Physico-chemical control of seed deterioration. *Seed Res.*, **4**, 15-23.
- Basu , R. N. 1995. Seed viability. In: *Seed Quality. Basic Mechanisms and Agricultural Implications*, ed. A. S.
- Basra (Food Products Press. An Imprint of The Haworth press, Inc. New York. London. Norwood (Australia),pp. 1-44.
- Basu , R.N. 1976. Physico-chemical control of seed deterioration. *Seed Res.*, **4**, 15-23.
- Basu , R.N. and Dasgupta , M. 1974. Control of seed deterioration in wheat (*Triticum aestivum* L.). *Indian Agric.*, **18**, 285-288.
- Basu , R.N. and Rudrapal , A.B. 1980. Iodination of mustard seed for the maintenance of vigour and viability. *Indian J. of Expt. Biol.*, **18**, 492-494.
- Basu , R.N. and Rudrapal , A.B. and Pathak , G. 1980. Control of mustard seed deterioration . 19<sup>th</sup> ISTA Congress (Vienna ) Preprint , Session , I., No. 27.

Basu , R.N., Chattopadhyay , K. and Pal , P. 1974. Maintenance of seed viability in rice (*Oryza sativa* L.) and Jute ( *Corchorus capsularis* L. and *C. olitorius* L.). *Indian Agric.*, **18**, 75-79.

Basu , R.N., Pan, D. and Punjabi, B. 1979. Control of lettuce seed deterioration. *Indian J. of Plant Physiol.*, **22**, 247-253.

Benson, E.E. Free radical damage in stored plant germplasm (Rome: International Board for Plant Genetic Resources, 1990).

Bernheim, F., Bernheim, M.L.C. and Wilbur, K.M.1948. The reaction between thiobarbituric acid and the oxidation products of certain lipids. *J. of Biol. Chem.*, **174**, 257-264.

Berjak , P. 1978. Viability extension and improvement of stored seeds. *South Afr. J. Sci.*, **74**, 365-368.

Berjak , P. and Villiers , T.A. Ageing in plant embryos . II. Age-induced damage and its repair during early germination. *New Phytol.*, **71(1972a)** , 135-144.

Berjak , P. and Villiers, T.A. 1972. Ageing in plant embryos. II. Repair and compensatory mechanisms. Age-induced damage and its repair during early germination. *New Phytol.*, **7**, 135-144.

Berjak ,P. 1986b . A study of some aspects of senescence in embryo of *Zea mays* L. Ph.D. Thesis, University of Natal.

Bernfield, peter.1955. In: Methods of Enzymology ( Eds Colowicks , S and Kaplan, N.O.). *Academic Press Newwork* , **1**,149

Bertram, G.K. 1998. Nonsteroidal anti-inflammatory drugs; disease-modifying anti rheumatic drugs;nonopioid analgesics ; drug used in gout. In : *Basic and clinical Pharmacology* . (ed. Bertram, G.K.,7<sup>th</sup> Edition ), pp.579, Prentice Hall International.

Betina , V. Biological effects of mycotoxins. In *Mycotoxins* : Production, Isolation, Separation and purification . ed. V. Betina (Amsterdam : Elsevier , 1984 ), pp. 25-36.

Bharttacharjee , A., Roychowdhury , S. and Choudhuri , M.A. 1986.Effects of CCC and Na-dikegulac on longevity and viability of seeds of two jute cultivars. *Seed Sci. & Technol.*, **14**,127-139.

Bhattacharya , A.K. and Basu, R.N. (1990). Retention of vigour and viability of stored pea (*Pisum sativum* L.) seed. *Indian Agric.*, **34**, 187-193.

Biabani , A. Boggs , L.C., Katozi ,M. and Sabouri , H .(2011). “Effects of seed deterioration and inoculation with *Mesorhizobium cicerion* yield and plant performance of chickpea”, *Australian Jour. of Crop Science.*, Vol. 5, No. **1**, pp. 66-70.

Biddle , A. J. (1980). Production factors affecting vining pea-seed quality. In Seed Production, ed. P.D. Hebblethwaite (London, UK: Butterworths),pp. 527-534.

Biradar , S.2001. Influence of pre-harvest insecticidal spray on seed yield and quality and post harvest seed treatment on storability of greengram (*Vigna radiata* L.) Wilczek. *M.Sc.(Agri.) Thesis*, University of Agricultural Sciences, Dharwad.

Biswas , J., Guha , P. And Mandal , A. K. 2010. Compatibility of pesticidal formulations with dry physiological treatments for retention of vigour, viability and productivity of Bengal Gram (*Cicer arietinum* L). *Indian Agric.*, **54(3 & 4)** , 179-184.

Biswas , P.S. and Mandal , A. K. 2012. Response of different cultivars of sesamum (*Sesamum indicum* L.) to seed invigoration treatment for improved storability. *Indian Agric.*, **56(3/4)**, 89-96.

Bolkliiva , O., Virolainen , E., Fagerstedt , K.V.2003. Antioxidants, oxidative damage and oxygen deprivation stress, a review, *Ann Bot.*, **91**,179-194.

Boonmee, Siri. , Kanit. Vichitphan. , Preeda, Kaewnaree. , Sukanda. Vichitphan. and Preekamol ,Klanrit . 2013. Improvement of quality, membrane integrity and antioxidant systems in sweet pepper (*Capsicum annuum* L.) seeds affected by osmoprimeing. *Australian J. of Crop Sci.*, **7(13)** ,2068-2073.

Boonsiri , K., Ketsa , S., Van Doorn ,W.G. 2007. Seed browning of hot peppers during low temperature storage. *Postharvest Biol Tec.*, **45**,358- 365.

BoonsiriSiri ,B., Vichitphan ,K. , Kaewnaree,P.,Vichitphan ,Klanrit,P.2013. Improvement of quality, membrane integrity and antioxidant systems in sweet pepper (*Capsicum annuum* Linn.) seeds affected by osmoprimeing. *Australian J. of Crop Sci.*, **7(13)** ,2068-2073.

Bowler , C., VanMontagu , M., Inze , D .1992. Superoxide dismutase and stress tolerance. *Annu.Rev. Plant Physiol.Plant Mol.Bio.*, **43**,83-116.

- Brocklehurst , P. A. 1985. Factors affecting seed quality of vegetable crops. *Scientific Hort.*, **36**,48-57.
- Basu ,R.N. and Dasgupta , M. (1978). Control of seed deterioration by free radical controlling agents.*Indian J. of Expt. Biol.*, **16**, 1070-1073.
- Braca , A., Sortino , C., Politi , M. 2002. Antioxidant activity of flavonoids from *Licania licaniaeeflora*. *J Ethnopharmacol.*, **79** ,379-381.
- Bramlage , W. J., Leopold , A. C. and Parrish , D. J. 1978. Chilling stress to soybean during imbibition. *Plant Physiology*, **61**, 525-529.
- Brand , L.M. , Share , K.L., loomans , M.E. and Reller , H.H. 1990. Antiinflammatory pharmacology and Mechanism of the orally active capsaicin analogs. NE-19550and NE 28345, *Agents Actions*, **31**, 329-349.
- Burcharov ,P. and Gantcheff , T.S.1984. Physiological influence of accelerated and natural ageing on free radical levels in soybean seeds. *Physiol. Plantm.*, **60**, 53-56.
- Carpenter, J.F., Crowe L.M., Crowe J.H .1987. Stabilization of phosphofructokinase withsugars during freeze drying. *Biochemistry Biophysics Acta.*, **923**, 109-115.
- Castro ,C.A.S., and Sediyma , C.S. 1990. Liberacion del aldehido hexanal comoindice para estimar el vigor de semilla de soya . *Semillas* .,15, 7-10.
- Chauhan , D.S.,Deswa , D.P., Dahiya , O.S., Punia , R.C.2011. Change in storage enzymes activities in natural and accelerated aged seed of wheat (*Triticum aestivum*). *Indian J. Agri.Sci.* ,**81(11)**, 1037-1040.
- Cheah, K.S.E. and D.J.Osborne. 1978. DNA lesions occur with loss of viability in embryos of ageing rye seed.*Nature.*, **272**, 593-599.
- Ching , T.M.,Schoolcraft , I. 1968. Physiological and chemical differences in aged seeds. *Crop Sci.*,**8**,407409.
- Christensen , C.M., and Kaufmann, H.H. Microflora. In *Storage of cereal Grains and their Product* , ed. C.M.
- Christensen (St. Paul, Minnesota : American Association of Cereal Chemist, 1974), pp. 158-192.

Christensen , C.M., and. Kaufmann ,H.H. 1969. Deterioration of stored grains by fungi. *Grain Storage. The Role of Fungi in Quality Loss.* (Minneapolis, Minnesota : University of Minnesota Press), pp. 154.

Chiu KY, Wang CS, Sung JM .1995. Lipid peroxidation and peroxide scavenging enzymes associated with accelerated ageing and hydration of watermelon seeds differing in ploidy. *Physiol. Plant.*, **94**, 441-446.

Christensen, C. M., 1969, Factors affecting invasion of sunflower seeds by storage fungi. *Phyto Pathology*,**59(11)** ,1699-1702.

Cole , R.J., and Cox , R.H. *Handbook of Toxic Fungal Metabolites* ( NewYork : Academic Press, 1981).

Coolbear , P., Francis , A ., Grierson , D. 1984. The effect of low temperature pre-sowing treatment on the germination performance and membrane integrity of artificially aged tomato seeds. *J. Exp. Bot..*, **35**, 1609-1617.

Cook , R.F. 1963. The effects of water and protective agent on gamma-ray induced free radicals in mustardseeds. *Int. J. Radiat. Biol.*, **7**, 497-504.

Copeland, L. O. 1988, Seed germination. In: Principles of Seed Sci. and Technol., Subject Publications, Delhi,pp. 55-212.

Copeland ,L.O., and McDonald , M.B. Jr. *Principles of Seed Science and Technology* , second edition(Minneapolis: Burgess Publishing,1985).

Cox , L.G., Munger , H.M. and Smith, E.M. 1945. A germination inhibitor in seed coats of certain varieties of cabbage. *Plant Physiol.*, **20**, 289-294.

Crocker, W. and Barton ,L.V. 1953. Physiology of seeds. In: *An introduction to the experimental study of seed and germination problems.*, pp. 1-267. *Chronica Botanica Co. Waltham, Mass.*

Crowe, L.M., Mouradian , R., Crowe , J.H., Jackson , S.A., Womersly , C .1984b. Effect of carbohydrates on membrane stability at low water activities. *Biochemistry Biophysics Acta.*,**769**,141-150.,during freeze drying. *Biochemistry Biophysics Acta* ,**923**, 109-115.

Crowe, J. H., Whittam M.A.,Chapman, D.and Crowe LM .1984a. Interactions of phospholipid monolayers with carbohydrates. *Biochemistry Biophysics Acta* **769**: 151-159.

- Custodio , C.C., Marcos-Filho , J. 1997. Potassium leachate test for the evaluation of soybean seed physiological quality. *Seed Sci. Technol.*, **25** (3),549-564.
- Dadlani, M., Mathur, R.,Choudhary,D. Varier, A., Choudhury, D. 1995. Manifestation of seed vigour in sunflower hybrid under accelerated ageing. *Plant Physiol.Biochem.*,**10**,23-30.
- D'Amato ,F.1951. Spontaneous chromosome aberrations in seedlings of *Pisum sativum*. *Caryologia.*, **3**,285-293.
- Daniel , I.O., Adeniyani , O.N., Adetumbi , J.A ., Okelana , M.A., Olakojo , S.A., Ajala , M.O ., Aluko , O.A.,
- Adekoya , M.A. 2012. Hydro-priming improved germination and vigour of Kenaf (*Hibiscus cannabinus* L.) seeds. **10(2/2)** ,760-763.
- Dasgupta , M., Chattopadhyay , K., Basak , S.L. and Basu , R.N. 1977. Radioprotective action of seed invigoration treatments. *Seed Res.*, **5**, 104-118.
- Dasgupta , M. 1978. Studies on the viability of Wheat (*Triticum aestivum* L.) seed. Ph.D. Thesis, University of Calcutta.
- Dasgupta , M., Basu , R.N. 1976. Seed treatment for vigour, viability and productivity of wheat (*Triticum aestivum* L.). *Indian Agric.*, **20**, 265-273.
- Das , S., Monalisa , N., Patra , B.C., Ramakrishnan , B., Krishnan , P .2010 .Characterization of seeds of selected wild species of rice (*Oryza*) stored under high temperature and humidity conditions. *Indian J.Biochem. Biophys.*, **47**, 178-184.
- De, B.K., Mukherjee, S. and Mandal , A.K. 2004. Efficacy of dry and wet physiological treatments for improved storability and field performance of soybean (*Glycine max* [L.] Merrill). *Indian Agric.*, **48**, 125-131.
- De , B.K., Mandal , A.K. and Basu , R.N. 1998. Effect of dry physiological seed treatments for improved vigour, viability and productivity of Black gram ( *Phaseolus mungo Roxb.* ) *Indian Agric.*, **42** ,13-20.
- De ,B.K. , Guha, P. and Mandal , A.K. 2012. Wet and dry dressing treatments on different seed sizes of wheat (*Triticum aestivum* L.) for extended storability and improved field performance. *Ind. Agric .*, **56**, (3&4) ,97-105.

De, B.K. and Mandal, A.K. 2012. Dry dressing treatments of wheat (*Triticum aestivum* L.) seed for improved germination and field performance. *Indian Agric.*, **56** (1&2), 33-38.

De , B.K., Mandal , A.K. and Basu , R.N. 2004.Compatibility of fungicides with pre-storage dry and mid-storage wet physiological seed treatments for storability and field performance of wheat (*Triticum aestivum* L.). *Tropical Agriculture.*, **81**(2) , 105-113.

De , B.K., Mandal , A.K. and Basu , R.N.2003. Seed invigoration treatments on different seed sizes of wheat ( *Triticum aestivum* L.) for improved storability and field performance. *Seed Sci. & Technol.*, **31** , 379-388.

De , B.K., Mukherjee , S. and Mandal , A.K. 2004. Efficacy of dry and wet physiological treatments for improved storability and field performance of soybean ( *Glycine max* [ L. ] Merrill ). *Indian Agric.*, **48**, 125-131.

Delouche , J.C.1980. Environmental effects on seed development and seed quality., **15**, 775-780.

Delouche, J. C. 1973.Precepts of seed storage (Revised) South Canada Proc., Mississippi State Univ., pp. 97-122

Delouche, J. C., 1988, Seed storage practices and problems for cool season food legumes. In Summerfield, R. J., Ed., World crops: cool season food legumes, London, Kluwer Academic Pub., Pp ,331-339.

Delouche , J.C., and Baskin ,C.C. 1973. Accelerated ageing techniques for predicting the relative storability of seed lots. *Seed Sci. & Technol.* ,**1**,427-452.

Demopoulos , H.B. 1973a. The basis of free radical pathology. *Fed. Proc.*, **32**,1859-1861.

Demopoulos, H.B. 1973b.Control of free radicals in biologic systems. *Fed. Proc.*, **32**, 1903-1908.

Demirkaya M .2013. Relationship between antioxidant enzymes and physiological variations occur during ageing of pepper seeds. *Hort. Environ. Biotechnol.*, **54** (2) , 97-102.

Dermirkaya , M., Dietz , K.J., Sivritepe , H.O. 2010. Changes in antioxidant enzymes during ageing of onion seeds. *Not. Bot. Horti Agrobot. Cluj.*, **38**, 49-52.

Desikachar , H.S.R. and Subrahmanyam , V.1960.The relative effects of enzymatic and physical changes during storage on the culinary properties of rice. Cereal Chemistry., **37** , 1–8.

Deshpande, V. K. 1988. Effect of dates of harvesting on seed yield, quality and storability in maize (*Zea mays* L.). M.Sc.(Agri) Thesis, Univ. of Agric. Sci., Dharwad, Karnataka, India.

Dey , A.K. and Ghosh , J.J.1993. Ultraviolet radiation induced lipid per oxidation in liposomal membrane, modification by capsaicin. *Phytotherapy Res.*, **7**, 87-89.

Dey , B. and Sircar , S.M. 1968. The presence of an abscisic acid like factor in non-viable rice seeds. *Physiol. Plant.*, **21**, 1054-1059.

Dey , G, and Basu , R.N. 1985. Physico-chemical control of radiation and ageing damage in mustard seed . *Indian J. of Expt. Biol.*, **23**, 167-171.

Dey , G. and Mukherjee , R.K. 1988. Deterioration of maize and mustard seeds : Changes in phospholipid and tocopherol content in relation to membrane leakiness and lipid peroxidation. *Agrochimia.*, **32**, 430-440.

Dey, G. and Mukherjee,R. K. 1988. Invigouration of dry seeds with physiologically active chemicals in organic solvents. *Seed Sci. and Technol.*, **16** , 145-153.

Dewivedi, S.N.1990. Changes in the concentration of total phenolic compounds, in gram seeds as influenced by fungal invasion during storage. *Indian Phytopathol.*, **43**,96-98.

Dhaliwal , Y.S., Sekhon , K.S. and Nagi , H.P.S..En- 147–158. 1991. Ezymatic activities and rheological properties of stored rice. *Cereal Chemistry*, **68**,18–21.

Dharmalingam , C.and Basu , R.N. 1987. Influence of seed size and seed coat colour on the production potential of mung bean cv. CO.3. *Seeds and Farms* ., **13**, 16-20.

Dighe, R. S., Zaade, V. R., Zope, N. G. and Asalmol, M. N.1995. Study on seed invigouration with chemicals in sunflower. *Annals of Pl. Physio.*, **9** , 55-58.

Dighe , R.S. & Patil , V.N.1981.Effect of seed size on germination, vigour and yield in sorghum. *P.K.V. Res.*,**1**, 17-20.

Dias DCFS, Marcos-Filho, J., Carmello, QAC.1996.Potassium leakage test for evaluation of vigour in soybean seeds. *Seed Sci.Technol.*, **25**, 7-18.

- Dourodo , A.M., Roberts ,E.H. 1984. Chromosome aberrations induced during storage in barley and pea Seeds. *Ann .Bot.*,**54**, 767-779.
- Dornbos , D. L. Jr.1995. Seed vigor. In Seed Quality, Basic Mechanisms and Agricultural Implication, ed. A. S. Basra. (Food Products Press. An Imprint of The Haworth Press. Inc. New York. London. Norwood(Australia), pp. 45-80.
- Duan , Q., Zaho , G., XingYin , J., Chong , W., Bao , J., Xiang D., Liu , P. 2012. Effects of Imidacloprid seeddressing on seed activity and seedling growth of maize. *J.of Maize Sciences.*, **20(6)** , 63-69.
- Duang , Qiang., Zaho , GuoLing., Jiang, XingYin., Wang , Chong., Bao, Jing., Li, XiangDong., Liu , Peng. 2012.
- Effects of Imidachloprid seed dressing on seed activity and seedling growth of maize. *J. of maize Sci.*, **20(6)** , 63-69.
- Ehrenberg , A. 1961. Research on free radicals in enzyme chemistry and radiation biology . In : *Free radicals in Biological Systems*. (ed. Bloise, M.S., Brown, H.W.,Lemmon, R.M. , Lindblom, R.O. and Weissbluth, M.), pp. 337-350. Academic Press, Inc., N.Y.
- Elder , R.H. and Osborne , D.J.1993. Function of DNA repair in the survival of embryos during early germination and in dormancy. *Seed Sci. Res.*, **3**, 43-53.
- Ella , E.S., Dionisio , Sese. M.L., Ismail , A.M. 2011. Seed pre-treatment in rice reduces damage, enhances carbohydrate mobilization and improves emergence and seedling establishment under flooded conditions. *AoB. Plants.* , 2011.plr 007.
- Ellis , R.H. and Roberts , E.H. 1981. The quantification of ageing and survival of orthodox seeds. *Seed Sci.and Technol.*, **9**, 373-409.
- Eyster , H.C. 1940. The cause of decreased germination of bean seeds soaked in water. *Amer. J. Bot.*, **27**,652-659.
- Ellis, M. Black, Murdoch ,A .J., Hong, T. D. pp 803-808. *Kluwer Acad. Publ.*, Boston.
- Esashi , Y., Kamataki , A. and Zhang , M. 1997 . The molecular mechanism of seed deterioration in relation to the accumulation of protein- acetaldehyde adducts . In : *Basic and Applied Aspects of Seed Biol.*, (ed. Ellis, R.H., Black, M., Murdoch, A.J. and Hong, T.D.), pp. 489-498. *Kluwer Acad. Publ.*,Boston.

Esuruoso , A.O.2010.Effect of storage duration and seed invigoration treatments on quality of kenaf (*Hibicus cannabinus* L.) seed stored under ambient conditions. Unpublished Masters of Agric. Dissertation. Department of Plant Breeding and Seed Technology, Federal University of Agriculture, Abeokuta , Nigeria. 84 pp.

FAO.1968 Food Composition table for use in Africa.

Ferguson , J.M., and TeKrony , D.M. and Egli , D.B.1990b. Changes during early soybean seed and axes deterioration (II ) *Lipids Crop Sci.*, **30**,179-182.

Ferguson, J.M., and TeKrony , D.M. and Egli , D.B. 1990a. Changes during early soybean seed and axes deterioration: 1. Seed quality and mitochondrial respiration. *Crop Sci.***30**, 175-179.

Fields, R.W., and T.H. King.1962. Influence of storage fungi on deterioration of stored pea seed. *Phytopathology* , **52** ,336-339.

Fisher, R.1948. Statistical methods for research workers. Oliver and Boyd, Edinburgh

Foyer, C.H., Lelandais , M., Kunert , K.J .1994a.Photo-oxidative stress in plants. *Physiol. Plant.*, **92**,696-717.

Francis , A., Coolbear , C. 1984. Changes in the membrane phospholipid composition of tomato seeds accompanying loss of germination capacity caused by controlled deterioration. *Journal of Experimental. Botany.*, **35**, 1764-1770.

Francis, A., and Coolbear, P., A .1987. Comparison of changes in the germination responses and phospholipid composition of naturally and artificially aged tomato seeds. *Ann. Bot.*, **59**,167-172.

Ghasemi-Golezani , K. ,Khomari, S., Dalili, B., Mahootchy, A.H., Jedi, A.C . 2010. Effect of seed aging on field performance of winter oil seed rape. *J. Food. Agric. Environ.*, **8(1)**, 175- 178.

Ghassemi-Golezani , K., Bakhshy , J., Raey , Y. and Hossainzadeh-Mahootchy , A . 2010.“Seed Vigor and Field Performance of Winter Oilseed Rape (*Brassica napus* L.)”, *Cultivars. Not. Bot. Hort. Agrobot . Cluj.*, Vol. **38**, No. 3, pp. 146-150.

Gholami ,T.H., Golpayegani ,A. 2011.Effect of seed ageing on physiological and biochemical changes in rice seed (*Oryza sativa* L.) *Int. J. Agr. Sci.*, **1(3)**, **138**-43.

- Ghosh , T and Basak , M. 1958. Method of storing jute seed and effect of age of seed on seed yield of fibre. *Indian J. Agril. Sci.*, **28**(2), 235-242.
- Ghosh , T., Basak , M. and Kundu , B. C. 1951. Effect of insolation and chemical treatment in relation to storing of jute seeds. *Indian Phytopathology.*, **4**,38-44.
- Ghosh , J. and Nandi , B. 1986. Deteriorative abilities of some common storage fungi of wheat. *Seed Sci.and Technol.*, **14**, 141-149.
- Gidrol , X., Nouhanni , A., Mocquot, B ., Fournier, A., Pradet ,A. 1998. Effect of Accelerated Aging on Protein Synthesis in Two Legume seeds. *Plant Physio. Biochem.*, **26**, 281-288.
- Gille , J.J.P. and Joenje , H. 1991. Biological significance of oxygen toxicity: An introduction. In:*Membrane Lipid Oxidation* (ed. Vigo- Pelfrey , C.), pp. 1-32, CRC Press, Boca Raton.
- Gordon, I.L., Smith , D.R. and Serepraseri , V.1990.Grain development and sprouting damage in wheat.Massey University Faculty of Agricultural and Horticultural Sciences Research Report, 16.
- Gorecki , R.J. and Harman , G.E. 1987. Effects of antioxidants on the viability and vigour of ageing pea seeds. *Seeds Sci. and Technol.*, **15**, 109-117.
- Govorov , L.I. 1928. Bull appl. Bot., *Leningrad.*, **19**, 497-522.
- Greene , R. 2002. Oxidative stress and acclimation mechanism in plants. In: *The Arabidopsis book* (Eds.Somerville , C.R. and Meyerowitz , E. M. ) The American Society of Plant Biologists, Rockville, USA.
- Grzesiuk , S. and Kulka , K. 1971. Nucleic acids and nucleases in cereal seeds of various age. *Bulletin del'academic polonaise des sciences. Sciences Biologiques.*, **19**,363-366, Poland.
- Guerrier, G. 1991. Improvement of seed vigour by potassium chloride and calcium chloride pretreatments : relation with the regulation of hydrolytic enzyme activities. *Agrochimica.*, **35(5/6)** ,396-407.
- Guha , P. and Mandal , A. K. 2011. Efficacy of Seed Invigoration Treatments in combination with Pesticidal Formulations for the Maintenance of Germinability

- and Improved Field Performance of Stored Okra (*Abelmoschus esculentus* L.) seed. *J. Botan. Soc. Bengal.*, **65(2)**, 165-172.
- Guha , P.and Mandal , A.K. 2013. Seed treatment for extended storability and their physiology on different vigour status of Okra. (*Abelmoschus esculentus* L.). *Ind. Agric.* , **57(1)**, 29-36.
- Guha , P., Biswas , J., De , B. K. and Mandal , A. K. 2012. Post-harvest dry and wet physiological seed treatments for improved storability and field performance of okra (*Abelmoschus esculentus* L.) .*Indian J. Agric. Res.*, **46(1)** , 16-22.
- Gupta , A. and Aneja , K. R.2004. Seed deterioration in soybean varieties during storage. Physiological Attributes, *Seed Res.*, **32(1)** , 26-32.
- Guy , P.,Smith , S., and Black . M. 1991.Changes in DNA associated with vigour and viability in wheat as revealed by RFLP analysis : A preliminary study . *J.Exp. Bot.*, **42**, Supplement, P.27.
- Gunthardt , H., Smith , L., Haferkamp , M.E. and Nilan , R.A. 1953. Studies on the aged seeds. II. Relation of ageing of seeds to cytogenic effects. *Agron.J.*, **45**, 436-441.
- Gupta , I.I., Schmitthenner , A.E. and Mc.Donald , M.B. 1993. Effect of storage fungi on seed of soybean. *Seed Sci. and Technol.*, **21**, 581-591.
- Gupta , I.J., Schmitthenner , A.F., McDonald, M.B. 1993. Effect of storage fungi on seed vigour of soybean. *Seed Sci. and Technol.*, **21(3)**, 581-591.
- Haber , A.H. and Randolph , M.L. 1967. Gamma-ray induced ESR signals in lettuce : Evidence for seed hydration resistant and sensitive free radicals. *Radiat. Bot.*, **7**, 17-28.
- Halder , S. and Gupta , K.1980.On the mechanism of sunflower (cv. EC 68414) seed deterioration under low and high relative humidity. *Seed Tech. News.*, **10(2)** ,14.
- Hallam , N.D. 1973.Fine structure of viable and non-viable rye and other embryos. In *Seed Ecology*,ed. W.Heydecker, London : Butterworths, pp. 115-145.
- Halliwell , B.,Gutteridge, J.M.C.1989.Free radicals in biology and medicine (Eds. Halliwell, Band Gutteridge, JMC) Clarendon Press, *Oxford ISBN 0-1985-5294-7*.
- Halloon , J.M. 1986Microorganisms and seed deterioration. In *Physiology of Seed Deterioration*, eds. M.B.

- Hamman, R., Halmajan, H., Egli, D.B. 2001. Single seed conductivity and seedling emergence in soybean. *Seed Sci. Technol.*, **29**, 575–86.
- Hampton , J.G. 1979a. Effect of storage of fungicide treated cereal seed on subsequent seed performance of Captan, Captan + fuberidazole, thiram, carboxin , carboxin +Thiram. *Newzealand J. Expt. Agric.*, **7**, 201-206.
- Haque , S. M. A., Ali , M. S., Izad Ahmed and Rashid , M. H. 2007. Effect of moisture on germination and pathogen contamination on different for storability of jute seed. *Int. J. Sustainable Agril. Technol.*, **3(4)** , 19-23.
- Harrison , B.J. 1966. Seed deterioration in relation to seed storage conditions and its influence upon seed germination, chromosomal damage and plant performance. *J.Nat.Inst. Agric. Bot.*, **10**, 644-663.
- Harrington , J.F.1973. Problems of seed storage . Seed Ecology, (ed. Heydecker, W.), pp. 251-253, Butterworths , London.
- Halligan, E. A. 1986. The effect of elevated temperatures and their duration on the incidence of hallow heart in pea seeds. *Annals of Applied Biology*, **109 (3)** , 619-625.
- Harman , G.E., and Mattick, L.R. 1976. Association of lipid oxidation with seed ageing and death . *Nature.*, **26**., 323-324.
- Harman, G.E., Nedrow, B.L., Clark, B.E. and Mattick, L.R.1982. Association of volatile aldehyde production during germination with poor soybean and pea seed quality. *Crop Sci.*, **22**, 712-716
- Harman, G. E.,Nedrow ,B. and Nash, G.1978. Stimulation of fungal spore germination by volatiles from aged seeds. *Canadian Journal of Batony.*, **56**, 2124-2127.
- Harman, G. E., Nash, G. and Nedrow, B .1980. Stimulation of fungal spore germination and inhibition of sporulation in fungal vegetative thalli by fatty acid
- Harman , G.E. and Granett,A.L.1972.Deterioration of stored pea seed .Changes in germination, membrane permeability and ultrastructure resulting from infection by *Aspergillus ruber* and from ageing. *Physiol. Plant Pathol.*, **2** ,271-278.
- Harman, G.E., and Mattick , L.R. 1976. Association of lipid oxidation with seed ageing and death. *Nature.*, **260**,323-324.

- Harrington,J.F.1963.The value of moisture resistant containers in vegetable seed packing.  
*Bull. Calif. Agric. Expt. Sta.*, 792, 1-23.
- Harrington, J.F. and Douglas, J.E. 1970. Seed storage and packaging. Applications for India. Pub. By National Seeds Corporation Ltd. In cooperation with Rockefeller Foundation, New Delhi, India, pp. 3-9.
- Harrington, J.F. 1972. Seed storage and longevity . In *Seed Biology* .., Volume III,ed. Kozlowski ,T.T. (New york : Academic Press, pp. 145-245.
- Harrington , J. F. and Kihara , G. M.1960. Chilling injury of germinating muskmelon and pepper seed. *Proc. Amer. Soc. Hort. Sci.*, **75**, 485-489.
- Harrington, J.F. 1973. Biochemical basis of seed longevity. *Seed Sci. & Technol.*, **1**,453-461.
- Harrington,J.F. 1973.Seed storage and longevity in seed biology. Vol III (Ed.) . Kozyłowski ,T. T.,Academic Press, New York and London, pp. 145-245.
- Heckly, R.T. and Dimmick, R. L.1967. Electron paramagnetic resonance in frozen and dried biological materials . *Nature*, **216**., 1003-1004.
- Heydecker , W., Higgins , J. and Turner , Y.J. 1975. Invigoration of seeds. *Seed Sci. and Technol.*, **3**, 881-888.
- Heydecker, W., Higgins, J.,Gulliver, R.J. 1973.Accelerated germination by osmotic seed treatment. *Nature v.*,**246**, p.42-44,
- Horbowicz , M. 1997 .Changes of carbohydrate contents during natural and accelerated ageing in natural and accelerated aged seed of wheat (*Triticum aestivum*). *Indian J. Agri.*, of some vegetable seeds.In: *Basic and Applied Aspects of Seed Biology* (eds. R HSci., **81(11)** , 1037-1040.
- Hou ,Long Yu., Duan , Xang Fang., Li, Qing Mei., Liu, Guang Quan., Zhang , JunFeng. 2008. Changes in germination and physiological characteristics of seeds of *Robinia pseudoacacia* and *Pinus tabulaeformis* during artificial ageing. *Chinese Forestry Science and Technol.*, **7(4)** , 8-13.
- Humphrey-Taylor, V.J., and Larsen , N.G. 1990. Sixty years of sprout damage in New Zealand wheats, New Zealand *J.Crop. & Hort. Sci.*, **18**, 105-113.

- Hsu , C.C., Chen , C.L., Chen , J.J., Sung , J.M .2003. Accelerated aging-enhanced lipid peroxidation in bitter gourd seeds and effects of priming and hot water soaking treatments. *Sci Hortic-Amsterdam.*,**98**,201-212.
- Holm, R.E. and Miller, M.R. 1972. Weed germination responses to chemical and physical treatments . *Weed Sci.*, **20** , 150-153.
- Inayat , U.R., Nawab , A., Rab, A., Shah, Z. 2013. Role of pre storage seed priming in controlling seed deterioration during storage. *Sarhad Journal of Agriculture.*, **29(3)** , 379- 386.
- International Seed Testing Association.1976. International rules for seed testing, rules 1976. *Seed Sci and Tecnol.* **4**., 3-49.
- International Seed Testing Association .1993. International rules for seed testing. *Seed Sci. Technol.*, **21**, 1-288.
- Jain , N., Koopar, R. and Saxena ,S. 2006. Effect of accelerated ageing on seeds of radish (*Raphanussativus L.*). *Asian J. Plant Sci.*, **5**,461-464.
- Janmohammadi , M., Moradi, D., Sharifzadeh, F. 2008. Seed invigoration techniques to improvegermination and early growth of inbred line of maize under salinity and drought stress. *Gen. Appl.Plant Physiol.*, **34(3-4)** , 215-226.
- Jatoi S A, Afzal M, Nasim S and Anwar R .2001.“Seed deterioration study in pea, using accelerated ageing techniques”, *Pakistan Jour. of Biological Sciences*, Vol. 4, No. 12, pp. 1490-1494.
- Jeng , T.L., Sung, J.M. 1994. Hydration effect on lipid peroxidation and peroxide scavenging enzyme activity of artificially aged peanut seeds. *Seed Sci. Technol.* **22**, 531-539.
- Ji , T. and Singh, S. P. 1977.Chemical control of seedling blight of jute caused by *Macrophomina phaseoli*, *Indian J. Mycology Plant Path.*, **7(1)** ,75-76.
- Justice ,O.L. and Bass ,L.N. Principles and Practices of seed Storage (Washington : U.S. Department of Agriculture, 1978).
- Justice,O.L., Bass ,L.N. 1978. Principles and practices of seed storage. USDA *Agriculture Handbook 506.*, US Govt. Print Office, Washington, DC.

- Justice, O. L. and Bass , L. N.1978. Principles and practices of seed storage.USDA *AgriL Hand Book*, No. 506 .,Washington, pp. 53-60.
- Kaewnaree, P., Vichitphan, S., Clanrit, P., Siri, B., Vichiphan, K. 2011. Effect of accelerated aging process on seed quality and biochemical changes in sweet pepper (*Capsicum annuum* Linn) seeds. *Biotechnology DOI* ., **10**,.3923.
- Kalpana, R. and Rao, M.K.V. 1995. On the ageing mechanism in pigeon pea (*Cajanus cajan* (L.) Millsp.) seeds. *Seed Sci. Technol.*, **23**, 1-9.
- Kalpana, R., Madhav Rao., K.V. 1994. Absence of the role of lipid peroxidation in the accelerated ageing of seeds of pigeon pea (*Cajanus cajan* L. Millsp.) cultivars. *Seed Sci. Technol.* ,**22**, 253-260.
- Kamra, S.K. 1967. Detection of mechanical damage and internal insects in seed by X-ray radiography. *SVENSK Bot. Tidskr.*, **61**, 43-48.
- Kanp, U.K., Bhattacharjee, A. 2003. Influence of sodium dikegulac, ascorbic acid and eucalyptus oil on ageing on sunflower seeds. *Indian J. Plant Physiol.*, pp. 240-245.
- Kanwar, J.S .1990 .*Punjab Veg. Grower.*, **25**, 12-15.
- Kapoor, N., Arya , A., Siddiqui, M.A., Amir, A. and Kumar, H. 2010. Seed deterioration in chickpea (*Cicer arietinum* L.) under accelerated ageing. *Asian J. Plant Sci.*, **9**,158-162.
- Kashyap, P.K., Chaudhary, O.P., Sheron, I.S. Effects of insecticide seed treatments on seed viability and vigour in wheat cultivars., **22(3)** ,503-517.
- Kathiravan, M., Ponnuswamy, A.S. and Vanitha, C. 2007. Influence of dry dressing treatments on the storability in jatropha ( *Jatropha curcas* L.). *Res. on Crops.*, **8(3)** , 730-736.
- Kato, Y. 1951. Spontaneous chromosome aberration in mitosis of *Allium fistulosum* L. (a preliminary note). *Bot. Mag. Tokyo.*,**64**, 152-156.
- Kermode, A.R., Bewley , J.D., Dasgupta , J.and Misra. 1986. The transition from seed development to germination.A key role for desiccation. *HortScience* ., **21**,1113-1118.

- Kehinde, T.O., Ajala, M.O., Daniel, I.O., Oyelakin, O.O.2013. Physiological and genetic integrity of Amaranth (*Amaranthus* spp.) seeds during storage. *Int. J. Plant Breed. Genet.*, **7(1)** , 35-46.
- Khan, M.M., Iqbal ,M.J., Abbas, M., Usman, M. 2003. Effect of ageing on viability, vigour and chromosomal damage in pea (*Pisum sativum* L.) seeds. *Pak. J. Agri. Sci.*, **40(1-2)** , 50-54.
- Khan, A.M., Khan, H., Khan, R. and Aziz, A., 2007. Vigor tests used to rank seed lot quality and predict field emergence in wheat. *Am. J. Plant Physiol.*, **2**, 311-317.
- Khatun, A., Kabir .G., Bhuiyan ,M.A.H. 2009.“Effect of harvesting stages on the seed quality of lentil (*Lens culinaris* L.) during storage”, *Bangladesh Jour. Agril. Res.*, Vol. **34**, No. 4, pp. 565-576.
- Kibinza, S., Bazin, J., Baily, C., Farrant, J.M., Corbineau , F., El. Maarouf Bouteau, H. 2011. Catalase is a key enzyme in seed recovery from ageing during priming. *Plant Science.*, **181(3)** , 309-315.
- Kidd, F. and West, C. 1919. The influence of temperature on the soaking of seeds. *New Phytol.*, **18**, 35-39.
- Kittock , D. L. and law, A.G. 1968. Relationship of seedling vigour , respiration and tetrazolium chloride reduction by germinating wheat seeds . *Agron. J.*, **60**, 286-288.
- Kittock , D. L. and Iaw, A.G. 1968. Relationship of seedling vigour , respiration and tetrazolium chloride reduction by germinating wheat seeds . *Agron. J.*, **60** , 286-288.
- Krishnan, P., Nagarajan , S., Dadlani, M. and Moharir, A. V. 2003. “Characterization of wheat (*Triticum aestivum* L.) and soybean (*Glycine max* L.) seed under accelerated aging condition bye proton nuclear magnetic spectroscopy”, *J Seed Sci Technol.*, Vol. **31**, pp. 541-550.
- Krishnan, P., S. Nagarajan, M. Dadlani and A.V. Moharir. 2003. Characterization of wheat (*Triticum aestivum*) and soybean (*Glycine max*) seeds under accelerated ageing conditions by proton nuclear magnetic spectroscopy. *Seed Sci. Technol.*, **31**, 541-550.
- Krishnaveni, K. and Ramasamy, K. R. 1985. Bio-chemical studies in COH-1 maize seed during storage.*Madras Agric. J.*, **72**, 500-504.

- Krishnaswamy, V. and Sheshu, D.V.1990. Germination after accelerated ageing and associated characters in rice varieties. *Seed Sci. Technol.*, **18**,147-156.
- Krishnan, P., Nagarajan,S., Dadlani,M. and Moharir,A.V.2003. Characterization of wheat (*Triticum aestivum*) and soybean (*Glycine max*) seeds under accelerated ageing conditions by proton nuclear magnetic spectroscopy. *Seed Sci. Technol.*, **31**,541-550.
- Krizala, J., Stoklasova, A., Kovarova, H. and Ledvina, M. 1983. Importance of superoxide dismutase in Radiobiology. *Biologia*, **38**, 367-376.
- Kumaran, A., Larunakanan, R.J. 2006. Nitric Oxide radical scavenging active components from *Phyllanthus emblica* L. *Plants Foods Heun Nutn*, **61(1)** , 1-5.
- Kumar, G.S., Nayaka, H., Dharmesh, S.M., & Salimath, P.V. 2006. Free and bound phenolic antioxidants in amla (*Emblica officinalis*) and turmeric (*Curcuma longa*), *J Food Comp Anal.*, **19**, 446-52.
- Kumar,G., Rai ,P.K . 2009 .Genetic repairing through storage of gamma irradiated seeds in inbred maize (*Zea mays L.*) .*Turk. J. Biol.*, **33**,195-204.
- Kumar, M. and Agarwal, V.K. 1999. Effect of fungicidal seed treatment on seed borne fungi, germination and seedling vigour of maize. *Seed Res.*, **26**, 147-151.
- Kundu, C. and Basu, R.N. 1981. Hydration-dehydration treatment of stored carrot seed for the maintenance of vigour, viability and productivity. *Scientia Hortic .*, **15**, 117-125.
- Kushwah, A.,Rajawat, P., Kushwah, H. S. 2002. Nutritional evaluation of extruded Faba bean (*Vicia faba L.*) as a protein supplement in cereals based diet in rats. *J. Exp Biol.*, **40(1)** , 49 – 52.
- Lachman ,J., Dudjak, J., Orsak ,M., Pivec ,V.(2003),(1). *Plant Soil Environ.*, **49**,1-7.
- Lamelli, U.K.1970. Sodium Dodecyl Sulphate - polyacrylamide gel electrophoresis in Nature (London).,**227**, 680.
- Lamphrang,K.2013. Physiological and biochemical changes in purple and yellow coloured seeds of *Zea mays* during accelerated ageing. *J. of Applied Sci. Res.*, **9(4)** , 2513-2519.

Larson, R.A .1997. Naturally Occurring Antioxidants (Ed. Larson, RA) Lewis Publications,Boca Raton.

Larson, R.A. 1997. Naturally Occuring Antioxidants. Lewis Publ., Boca Raton.

Larson, L. A. 1968. The effect soaking pea seeds with or without seed coats has on seedling growth. *Plant Physiol.*, **43**, 255-259.

Larson, S. U., Povlsen, F. V., Eriksen, E. N. and Pedersen, H. C. 1998. The influence of seed vigor on field performance and the evaluation of the applicability of the controlled deterioration vigor test in oil seed rape (*Brassica napus*) and pea (*Pisum sativum*). *Seed Science and Technol.*, **26 (3)** ,627-641.

Layek, N., De, B. K., Mishra, S.K. and Mandal, A. K. 2006. Seed invigoration treatments for improved germinability and field performance of gram (*Cicer arietinum* L.) *Legume Research.* , **29(4)** ,257-261.

Lima, W.A., Borem, A.A., Dias, DCFS, Moriera, M.A., Dias, LAS. 2010. Lipoxygenase and physiological quality of soybean seeds during storage. *Seed Sci. Technol.*, **38**, 767–71.

Liu-X. ,Liu S.,Cheng-Hong, Y., Song-Song, Q. 2008 .Changes in activities of reactive oxygen species scavenging enzymes of sweet sorghum seeds during artificial aging. *Plant-Physiology-Communications.*, **44(4)** , 719-722.

Lowry,O.H., Rosebrough, N.J. , Farr, A.L. , & Randall, R.J. 1951. Protein measurement with the folin phenol reagent, *J. Biol. Chem.*, **193**,265-75.

Lush, W.M., Wien, H.C. 1980. The importance of seed in early growth of wild and domensticated cowpeas. *Journal of Agricultural .Sciences.*, Cambridge, **94**, 177-182.

Madhava Rao ,K.V., Kalpana ,R. 1994. Carbohydrates and the ageing process in seeds of monolayers with carbohydrates. *Biochemistry Biophysics Acta.*, **769**, 151-159.

Maeda, J.A. and E.B. Wutke. 1996. Discrimination among chickpea seeds lots by the artificial ageing test. *Braggantia.*, **55**, 129-132.

Majumdar, R., Dey, Kamaljeet, Dey and Mandal, A.K. 2015. Efficacy of botanicals, Pharmaceutical formulation and wet treatments for extended storability,enzyme activity and improved field performance of field pea (*Pisum Sativum* L., CV. Rachna ) seed. *Indian Biol.*, **47(1)** , 71-77.

- Malik, A.R. and G.S. Shamet. 2009. Storage of *Pinus gerardiana* seeds: Biochemical changes and its applicability as vigour test. *Res. J. Seed Sci.*, **2**,48-55.
- Mandal, A.K. and Basu, R.N. 1982 .Dip-dry treatment for the maintenance of vigour and viability of stored wheat seed. *Indian Agric.* , **26**,271- 278.
- Mandal, A.K., De, B.K., Saha, R and Basu , R.N. 2000. Seed invigoration treatments for improved storability, field emergence and productivity of soybean ( *Glycine max* L. Merill). *Seed Sci. & Technol.*, **28** ,349-355.
- Mandal, A.K. and Basu, R.N. 1986. Vigour and viability of wheat seed treatment with bleaching powder. *Seeds & Farm* , **12**, 46-48.
- Mandal, R. K. 2001.Seed borne fungi of jute, *J. of Inter acadademicia.*, **5(3)** ,402-405.
- Mandal, A.K. and Basu, R.N. 1982. Alleviation of salt stress during germination and early seedling growth of wheat by hydration dehydration pre treatments. *Indian Agric.*, **26**, 121-129.
- Mandal ,A.K., De, B.K. and Basu, R.N. 1999. Dry-seed treatment for improved germinability and productivity of wheat ( *Triticum aestivum* ). *Indian J. Agric. Sci.*, **69** , 627- 630.
- Mandal, A.K. and Basu, R.N. 1984. Preservation of wheat seed by hydration-dehydration treatment with seed protectants. *Pestology.*, **8**, 20-23.
- Mandal, A.K. and Basu, R.N. 1987. Mid-term and pre-sowing hydration-dehydration treatments for improved field performance of wheat. *Field Crops Research.*, **15** ,259-265.
- Mandal, A. K., De, B. K., Chatterjee, B. K. and Kapri, B. 2008. Pre-storage dry seed treatments for improved vigour, viability and field performance of sesamum (*Sesamum indicum* L.). *Indian Agric.*, **52(3 & 4)** ,127-132.
- Mandal, A.K. and Basu R.N. 1983. Maintenance of vigour, viability and yield potential of stored wheat seed. *Indian J. Agric. Sci.*, **53** , 905-912.
- Mandal ,A., Basu ,R., Das, S., Nandy, P.2011. Beneficial role of carbon nano tubes on mustard plant growth-an agricultural prospect. *J. Nanoparticle Res.*, **13(10)**, 4519-4528.

- Marshal, A. H. and Levis, D. N. 2004. "Influence of seed storage conditions on seedling emergence, seedling growth and dry matter production of temperate forage grasses". *J Seed Sci Technol.*, Vol.**32**, pp. 493-501.
- Mastouri,F., Bjorkman, T., Harman, G.E. 2010. Seed treatment with *Trichoderma harzianum* alleviates biotic, abiotic and physiological stress in germinating seeds and seedlings .*Phytopathology.*,**100(11)** , 1213-1221.
- Matthews, S. and Brandnock, W.T. 1967. The detection of seed samples of wrinkled seeded peas (*Pisum sativum L.*) of potentially low planting value. Proc. Int. Seed Test Ass., **32**, 553.
- Matthews, S., Powell, A. A. and Rogerson, N. E.1980. Physiological aspects of the development and storage of pea seeds and their significance to seed production. In *Seed Production*. ed. P. D. Hebblethwaite (London, UK: Butterworths), pp. 513-525.
- McDonald, M.B., Jr.and Wilson D.O. 1980. ASA-610 ability to detect changes in soybean seed quality. *J.Seed Technol.*, **5** ,56-66.
- Mc Donald, M.B. 1999. Seed deterioration: physiology, repair and assessment. *Seed Sci.Techol.*, **27**, 177-237.
- Mc.Donald, Jr. and Nelson ,C.J. (Madison, Wisconsin : Crop Science Society of America, Special Publication , No. **11**, , pp. 89-99.
- Mc Cready, R.M., Guggols, J., Silviers, V. and Owen , H.S.1950. Determination of starch and amylase in vegetables. *Ann. Chem.*, **22** , 1156-1158.
- Mc Neal, X.1966. Conditioning and storage of soybeans. Bull. 714, *Arkans Agric. Emp.Station.*, p. 30.
- Merritt, D.J., Senaratna. T., Touchell, D.H., Dixon, K.W., Sivasithamparam, K. 2003. Seed ageing of four Western Australian species in relation to storage environment and seed antioxidant activity. *Seed Sci.Res.*, **13**, 155–65.
- Merwade, M. N.2000. Investigations of seed production techniques and storability of chickpea (*Cicer arietinum L.*). *Ph.D Thesis*, Univ. Agric. Sci., Dharwad, Karnataka, India.

- Mishra, S. K., Layek, N. , De, B. K. and Mandal, A. K. 2005. Efficacy of pre-storage seed invigoration treatments for improved storability and field performance of sunflower (*Helianthus annuus* L.). *Indian Agric.*, **49** ,223-231
- Mitra, R. and Basu, R.N. 1979. Seed treatment for viability, vigour and productivity of tomato. *Scientia Hort.*., **11**, 365-369.
- Milborrow, B.V. 1963. Penetration of seeds by acetone solute. *Nature, London*, **190**, 716-717.
- Milner, M. ,Geddes,W.F. 1954. Respiration and heating . In storage of Cereal Grains and their products ( J.A. Anderson and A.W. Alcock , eds.), pp. 152-200. American Association of Cereal Chemists. St. Paul
- Milosevic, M. and Malesevic, M. 2004. Seed production. Institute of Field and Vegetable Crops, Novi Sad, 110-114 against heavy inoculum pressure of certain fungi causing discoloration of paddy seeds. *Seed Abstracts*, 1992, NO. 015, 01627.
- Milvy, P. 1973. Control of free radical mechanism in nucleic acid systems .Studies in radioprotection and radiosensitization. *Fed. Proc.*, **32**, 1895-1902.
- Mishra, S.K., Layek, N., De, B. K. and Mandal, A. K. 2005. Efficacy of pre-storage seed invigoration treatments for improved storability and field performance of sunflower ( *Helianthus annuus* L.). *Indian Agric.*, **49(3/4)** ,223-231.
- Mohammadi, H., Soltani, A., Sadeghipour, H.R., Zeinali, E. 2011. Effect of seed aging on subsequent seed reserve utilization and seedling growth in soybean. *Internat. J. Plant Product.*, **5(1)** , 65-70.
- Mohammadi,H., Soltani, A., Sadeghipour ,H .R. and Zeinali ,E .2011. “ Effect of seed ageing on subsequent seed reserve utilization and seedling growth in soybean . *Inter. Jour. Of Plant Production.*, Vol. V, No.1, pp. 65-70.
- Moore, S. and Stein, W.H. 1948. Photochromic ninhydrin method for use in the chromatography of amino acids. *J. of Biol. Chem.*, **176**, 367-388.
- Moore, R.P. 1972. Effects of mechanical injuries on viability (In: *Viability of seeds*. ed. Roberts, E.H. 1972), pp. 94-113.
- Morrison, M.Jl, Xue, A.G.2007. The influence of seed size on soybean yield in short-season region. *Canadian Journal of Plant Sciences.*, **87**,89-91

Moule, Y. Biochemical effects of mycotoxins. In *Mycotoxins : Production, Isolation, Separation and purification* . ed. V. Betina (Amsterdam : Elsevier , 1984 ), pp. 37-44.

Mukhamedkhanov, O. And Shermukhamedov , K. 1971. Effect of ultrasound on development and yield of cotton cv. 108-F. *Nauchnye Trudy, Tashkentsku Selskokhozyaistvennyi Institut. No. 22. 45-71.(Field Crop Abstr., 25, 4165)*.

Mukhopadhyay, A., Pal, P., Basu R.N. 1997. Seed invigoration treatments for French bean (*Phaseolus vulgaris L.*) and Soybean (*Glycine max L.*) for improved vigour and viability after storage.*Indian Agric.,41(2)* , 79-85.

Murthy, P., and Dushyenthkumar, B. M.2004. Studies on seed development and physiological maturity in field bean [*Lablab purpureus* (L.) Sweet]. *Legume Res., 27(2)*, 134-136.

Myccock, D.J. and Berjak, P. 1995. The implication of seed –associated mycoflora during storage. In : *Seed Development and Germination* (eds. J. Kigel and G.Galili), pp. 747-766. Marcel Dekker. NY.

Narayanaswamy, S.2003. Effect of packaging and location of storage on groundnut seed. In: *Proc. Nat. Workshop on Groundnut Seed Technology*, Ed. Basavegowda et al., Univ. Agric. Sci., Campus, Raichur during February 6-7, 2003, p. 164-167.

Nataraj, K., Balakrishna, P., Ramegowda, Roopa Ananthareddy and Chandrashekhar, U. S.2011. Influence of storage containers and seed treatment chemicals on quality of new sunflower (*Helianthus annus*) hybrids during storage. *Proc. Nation. Seed Congress., Jan, 29-31, Pune*, pp. 267-280.

Nautiyal, A.R., Thapliyal, A.P., Purohit, A.N. 1985 .Seed viability in Sal. IV. Protein changes accompanying loss of viability in *Shorea robusta*. *Seed Sci. Technol. 16*, 247-260.

Navashin, M.S. 1933a. Origin of spontaneous mutations. *Nature, London., 131*, 436.

Navashin, M.S. 1933b. Ageing of seeds is a cause of chromosome mutations. *Planta.,20*, 233-243.

Negi, S., sing, R.V. and Dwivedi, O.K. 2006. Effect of Biofertilizers, nutrient sources and lime on growth and yield of garden pea, *Legume research., 29 (4)*, 282-285.

- Nirmala, K. and Umarani, R. 2008. Evaluation of seed priming methods to improve seed vigour of okra (*Abelmoschus esculentus*) and beet root (*Beta vulgaris*). *Seed Sci. and Technol.*, **36(1)**, 56-65.
- Nooshabadi, S.J.Y., Mashayekhi, F. 2013. Enzyme activity and seedling growth of soybean seeds under accelerated ageing. *Journal of stress physiology and Biochemistry.*, **9(4)**, 65-72.
- Onwueme, I.C. 1975. Enhancement of Okra (*Hibiscus esculentus*) seedling growth and emergence by heat stress condition. *J. Agri. Sci. Comb.*, **85**, 233-239.
- Orphanos, P.I. and Heydecker, W. 1986. On the nature of the soaking injury of *Phaseolus vulgaris* seeds. *J. of Expt. Bot.*, **19**, 770-784.
- Osborne , D.J. Senescence in seeds. In *Senescence in plants*, ed. K.V. Thimann (Boca Raton, Florida : CRC press,1980),pp.13-37.
- Osborne , D.J. Deoxyribonucleic acid integrity and repair in seed germination . The importance in viability and survival . In *the Physiology and Biochemistry of Seed Development, Dormancy and Germination*, ed. Khan ,A.A.(New York : Elsevier Biomedical Press, 1982),pp.435-463.
- Osborne, D.J. 1990. Biochemical aspect of seed vigor and deterioration. In *Proceedings of the International Congress of Plant Physiology*, New Delhi, India, 15-20 February 1988. Vol.II, New Delhi,India , Society for plant physiology and Biochemistry, U.K.
- Padrit, J. ,Hampton J. G., Hill, M. J. and B. R. Watkin. 1996. The effects of nitrogen and phosphorus supply to the mother plant on seed vigor in garden pea (*Pisum sativum L.*) cv. *Pania*. *Journal of Applied Seed Production.*, **14**,41
- Pal, P. and Basu, R.N. 1988. Treatment of rice seed with iodine and chlorine for the maintenance of vigour, viability and productivity . *Indian Agric.*, **32**, 71-75.
- Pal, P. and Basu , R.N. 1993. Effect of powdered red chilli , turmeric and neem leaf on pre and post-storage germinability of wheat seed. *Indian Agric.*, **37**, 226-271.
- Pal, P. and Basu , R.N. 1994. Extension of wheat seed viability with plant leaf powders and an aspirin containing pharmaceutical preparation. *Indian Agric.*, **38**, 145-149.

- Pallavi, H.M., Kalappa, V.P., Vishwanath,K., Prasad, S.R., Rame-Gowda. 2005-2006. Influence of seed vigour levels and invigouration treatments on crop performance in cauliflower var. Pant Shubra. *Journal of Asian Horticulture*. **2(1/2)** , 34-39.
- Pallavi, M., Sudheer, S. K., Dangi, K. S. and Reddy, A. V. 2003. Effect of seed ageing on physiological, biochemical and yield attributes in sunflower (*Helianthus Annus* L.) cv. Morden. *Seed Research.*,**31 (2)**, 161–168.
- Pan, D. and Basu,R.N. 1985. Absence of de novo protein synthesis in moisture equilibration- drying treatment for maintenance of lettuce (*Lactuca sativa* L.) Seed viability . *Indian J. of Expt. Biol.*, **23**, 375-379.
- Pati, C.K., Bhattacharjee, A. 2011. Alleviation of seed deterioration and enhancement of plant potential of a pea species using selected medicinal plant extracts. *J. Med. Plants Res.*, **5(17)** ,4108-4111.
- Patil, A. K.2000. Influence of containers and seeds treatments on storability of chick pea. M.Sc.(Agri) Thesis, Univ. Agri. Sci., Dharwad, India.
- Patil, B. B. 2010. Effect of fungicidal seed treatment on control of grain smut incidence, seed yield, quality and storability of rabi sorghum. M. Sc. (Agri) Thesis, Univ. Agri. Sci., Dharwad, India.
- Pearce,R.S. and Abdel Samad I.M. 1980.Changes in fatty acid content of polar lipids during ageing of seeds of peanuts (*Arachis hypogea* L.).*J.Exp.Bot.*, **31** , 1283-1290.
- Penaloza, A.P.S. and Eira, M.T.S. 1993. Hydration and dehydration treatments on tomato seeds (*Lycopersicon esculentum* Mill.) *Seed Sci. and Technol.* **21(2)** , 309-3016.
- Perry, D. A. 1969. A vigor test for peas based on seedling evaluation. *Proceedings of the International Seed Testing Association.*, **34**, 265-270.
- Perry ,D.A. 1980. Seed vigour and seedling establishment. *Advances in Research and Technology of Seeds.*,**5**, 25-40.
- Petruzzelli, L. and Taranto, G. 1984.Phospholipid changes in wheat embryos aged under different storage conditions. *J.Exp.Bot.*, **35** ,517-520.
- Petruzzelli, L., and Taranto,G. 1985. Effects of permeation with plant growth regulators in acetone on seed viability during accelerated ageing. *Seed Sci. & Technol.*, **13**, 183-191.

- Pijlen, J.G. Van., Groot, S.P.C., Kraak , H.L., Bergevoet , J.H.W., Bino, R.J. 1996. Effects of pre-storage hydration treatments on germination performance, moisture content, DNA synthesis and controlled deterioration tolerance of tomato (*Lycopersicon esculentum* Mill.) seeds. *Seed Sci. and Technol.* **6**(2) ,57-63.
- Pittman, U.J. and Austey, T.H. 1967. Magnetic treatment and seed orientation of single harvest snap beans ( *Phaseolus vulgaris* L.) . *Proc. Ann. Soc. Hort. Sci.*, **91**, 310-314.
- Pittman, U.J. and Ormrod, D.P. Physiological and chemical features of magnetically treated winter seeds and resultants seedlings. *Can. J. of Plant Sci.*, **50** , 211-217.
- Popovic, B. Influence of  $\gamma$ - radiation on antioxidative system of selected soybean genotypes and appearance of oxidative stress. Thesis (Ph.D.) – University of Novi Sad, Novi Sad. (2001).
- Powell, A.A., Matthews, S. and Oliveira, M. de A. 1984. Seed quality in grain legumes. *Advances in Applied Biology*, **10**, 217-285.
- Powell, A.A. and Matthews, S. 1978a. The damaging effect of water on dry pea embryos during imbibition. *J. of Exp. Bot.*, **29**, 1215-1229.
- Powell, A.A.,and Matthews S. 1977.Deteriorative changes in pea seeds (*Pisum sativum* L.) stored in humid or dry conditions. *J.Exp.Bot.*, **28** ,225-234.
- Powell, A.A. , Oliveria, M.D. A. and Matthews, S. 1986. The role of imbibitions damage in determining the vigour of white and coloured seed lots of dwarf French bean ( *Phaseolus vulgaris*). *J. of Expt. Bot.*,**37**, 716-722.
- Powell,A.A.,and S.Matthews. 1981. Association of phospholipid changes with early stages of seed ageing.*Ann.Bot.*, **47**,709-712.
- Priestley,D.A. and Leopold,A.C. 1983.Lipid changes during natural ageing of soybean seeds. *Physiol.Plant.*, **59**, 467-470.
- Pukacka, S. and Kuiper, P.J.C. 1988. Phospholipid composition and fatty acid peroxidation during ageing of *Acer platanoides* seeds. *Physiologia Plantarum.*, **72**, 89-93
- Pukacka S, Ratajczak E .2007. Age-related biochemical changes during storage of beech (*Fagus sylvatica* L.) seeds. *Seed Sci. Res.*, **17**,45-53.

- Punjabi , B and Basu, R.N. 1982 . Testing germination and seedling growth by an inclined glass plate blotter method . *Indian J. Physiol.*, **25**, 289-295.
- Punjabi, B. and Basu, R.N. 1982. Control of age and irradiation- induced seed deterioration in lettuce ( *Lactuca sativa* L.) by hydration-dehydration treatments. *Proc. Indian Natl. Sci. Acad.*, **B48**, 242-250.
- Puntalaro, S., and Boveris, A. 1990. Effect of natural and accelerated ageing on the hydroxide metabolism of soybean embryonic axes. *Plant Sci.*, **68**, 27-32.
- Pyror, W.A. and Lasswell, L.D. 1975. Diels-alder and 1,4-diradical intermediates in the spontaneous polymerization of vinyl monomers. In : *Advances in Free Radical Chemistry* (ed. Williams, G.H. ), **5**,27. Flek Science , London.
- Rad Molaei, A. , Ghouchian , H., Moosavi-Movahedi , A.A., Hong ,J. and K. Nazari .2007. Spectrophotometric assay for horseradish peroxidase activity based on pyrocatechol-aniline coupling hydrogen donor. *Science Direct.*, **362**, 38–43
- Rahman, M. M. K. and Rahman, G. M. M.1997. Effect of containers and length of storage on germination and seed borne fungi associated with jute seed. *Bangladesh J. of plant pathology.*, **13(1/2)** , 13-16.
- Ramamoorthy, K., Natarajan, N. and Raja, K. 2009. Effect of seed invigoration treatments on vigour and viability in black gram (*Vigna mungo* L.) Hepper. *International J. of plant Sci.- Muzaffarnagar .*, **4(1)**, 188-190.
- Ransing, S. K., Shelar, V. R. and Mehetre, S. S. 2011. Effect of varieties and containers on storability of summer ground nut. *Proc. Nation. Seed Congress*, Jan., 29-31, Pune, pp. 251.
- Rao, T. P., Sakaguchi. N., Juneja. L.R., Wada,E., Yokozawa, T. 2005. Aonla ( *Emblica officinalis* Gatern) extract reduce oxidative stress. *J. Med. Food.*, **8(3)**, 362-368.
- Rao, R.G.S. , Singh, P.M. and Rai, Mathura. 2006. Storability of onion seeds and effects of packaging and storage conditions on viability and vigor. *Sci. Horticulture.*, **110**,1-6.
- Rao, N.K. and Roberts, E.H.1990. The effect of oxygen in seed survival and accumulation of chromosome damage in lettuce ( *Lactuca sativa* L.). *Seed Sci. and Technol.*, **18**, 229-238.

- Rao, K.V.M. and Kalpana, R. 1994. Carbohydrates and the ageing process in seeds of pigeon pea (*Cajanus cajan* L. Millsp. ) cultivars. *Seed Sci. and Technol.*, **22**, 495-501.
- Rashed, M.M., Shallan, M., Fathy, M., Ismail, A.I. 2010. Changes in biochemical and isozymes components of watermelon seeds during accelerated ageing technique. *J. Am. Sci.*, **6(12)**, 979-985.
- Rathinavel,K. and Dharmalingam, C. 1999. Effect of iodine treatment on the control of seed deterioration in cotton ( *Gossypium* sp. L.), *Gujrat Agricultural university Research J.*, **25(1)**, 35-43.
- Ravikumar, R., Ananthakrishnan. G., Ganapathi. A., Appasamy. T. 2002. Seed viability and biochemical changes associated with accelerated ageing in *Dendrocalamus strictus* seeds. *Biol. Plant.*, **45(1)**, 153-156.
- Ravindranath, H.V., Kulkarni, G.N., Shashidhara, S.D. AND Vyakaranahal, B.S.1990. Effect of insecticides and fungicide treatment on cowpea seed quality. *Seed Research.*, **18(1)**, 90-92.
- Reddy, N. R.; Pierson, M. D.; Salunkhe, D. K.1986. *Legume based fermented foods*, CRS press, Inc-Boca Raton, Florida P1.
- Reshma,C., Srimathi,P., and Parameswari , K. 2009. Influence of pre-storage treatments on storability of hedge lucern (*Desmanthus virgatus*) cv. TNDV 1 seeds., *Madras Agricultural J.*, **96(1/6)**, 76-79.
- Richard-Rorget, F., Gauillard, F., Hugues ,M., Jean-Marc, T., Boivin, P., Nicolas, J. 1995. Inhibition of horsebean and germinated barley lipoxygenase by some phenolic compounds. *J. Food Sci.*, **60**, 1325–1329.
- Ries, S.K., Agers, G., Wer. V., Everson. E.H.1976. Variation in protein, size and seedling vigor with position of seed in heads of winter wheat cultivars. *Canadian Journal of Plant Sci.*, **56**, 823-827.
- Ries, S.K. 1971. The relationship of protein content and size of bean seed with growth and yield. *J. Amer.Soc. Hort. Sci.*, **96**, 567-570.
- Rohitha, B.H., Mott, J. and Hoffman, A. Effect of large seed size, post-sowing compaction and chemical seed dressings on the survival of canola seedlings in the presence of the earth mite damage. *Proc. of the Aust. Agro. Conf.*, Australian Society of Agronomy, 2004.

- Robert, E.H. 1972. Viability of seed (ed. Roberts, E.H. Chapman and Hall, London ), pp. 14-58.
- Roberts, B.E., Osborn, D.J. 1973. Protein synthesis and viability in rye grains. In *Seed ecology* Ed. W. Heydecker. Butterworth, London. pp 99-114.
- Roberts, B.E. 1961b. The viability of rice seed in relation to temperature, moisture content and gaseous environment. *Ann. Bot.*, **25**, 381-390.
- Roberts, E.H., Abdalla ,F.H., Owen, R.J .1967 .Nuclear damage and the ageing of seeds, pp. 65-100. In *Aspects of the biology of Ageing. S.E.B. Symposium XXI*, ed. H.W. Woolhouse, pp.634 .
- Roberts, E.H., Abdalla, F.H. and Owen, R.J. 1967. Nuclear damage and the ageing of seeds. *Symp.Soc.Expt. Biol.*, **21**, 65.
- Roebuck, J.F., Trenery, J. 1978. Seed size and sowing depth in spring barley. *Experimental Husbandry.*,**34**,12-18.
- Roozrokh, M., Shams, K., Vghar, M. 2005. Effects of seed size and seedling depth on seed vigor of chick pea, First National Legume Congress. Mashhad Ferdowsi.University,Mashhad,Iran.
- Roos,E.E. Induced genetic changes in seed germplasm during storage. In the physiology and Biochemistry of Seed Development, Dormancy and Germination, ed. A.A.Khan (Amterdam: Elsevier Biomedical Press, 1982),pp.409-434.
- Ross, E.E. and Pollock, B.M. 1971. Soaking injury in lima beans. *Crop Sci.*, **11**, 78-81.
- Roubal, W.T. and Tappel, A.L. 1966. Damage to proteins, enzymes and amino acids by peroxidizing lipids. *Arch. Biochem. Biophys.* , **113**,5.
- Rudrapal, A.B. and Basu, R.N. 1980. Iodine treatment of mungbean seeds for the maintenance of vigour and viability. *Curr. Sci.*, **49**, 319-320.
- Sadhu, M.K., Pal, S.K., Biswas, Rina.2011. Wet treatment effect on brinjal seed and deterioration under different condition. *Indian Biol.* ,**43(1/2)** ,81-93.
- Saha, R. and Basu, R.N. 1984. Invigoration of soybean seed for the alleviation of soaking injury and ageing damage on germinability . *Seed Sci. and Technol.*, **12**, 613-622.

- Saha, D. and Mandal, A. K. 2014. Pre-storage seed treatment for improved storability and field performance of high-vigour sunflower (*Helianthus annuus* L.) seed. *Indian Biol.*, **46(1)** ,13-18.
- Saha, R. and Basu, R.N.1981. Maintenance of soybean seed viability by hydration-dehydration treatments.*Indian Agric.*, **25**, 275-278.
- Sakunnarak, N. An evaluation of antioxidant and hydration treatments for the improvement of the storability of soybean (*Glycine max* L.) Merr. Seeds. PhD Thesis, Seed Technology Centre, Massey University , New Zealand, 1992.
- Sax, K. and Sax, K. 1964. The effect of chronological and physiological ageing on onion seeds on the frequency of spontaneous and X- ray induced chromosome aberrations. *Radiat. Bot.*, **4**, 37-41.
- Schmeding, V.B. and Kulka, M. 1966. Systemic fungicidal activity of 1,4-oxanthim derivatives. *Science.*,**152**, 125
- Schultz, H. W., Day,E.A. and Sinnhuber,R.O. 1962. Symposium on food. *Lipids and Their oxidation*, (ed. H. W.Schultz). The AVI Publishing Co., Inc., Westport, Connecticut, USA.
- Scialabba, A., Bellani, L .M. and Dell'aquila, A. 2002. Effects of ageing on peroxidase activity and Localization in radish (*Raphanus sativus* L.) seeds. *European Journal of Histochemistry.*, **46 (4)** , 351–8.
- Semenuik, G. 1954. Microflora. In : *Storage of Cereal Grains and Products*. (eds. Anderson, J.A. and A1cock , A.W. ),pp. 152-220, Amer, Ass. Cereal Chem., St. Paul.
- Sengupta, A.K., Mandal ,A.K .2005. Pre-storage seed invigouration treatments for the maintenance of vigour, viability and field performance of high vigour onion seed (*Allium cepa* L.). *Seed Sci. Technol.*, **33**, 753-760.
- Sen, S. 1977. Cellular lesions leading to non viability of seeds. *Seed Res.*, **5**, 79-92.
- Sharma, I. M. 1989. Damping off of Citrus (jambhiri ,Jatti Khatti) seedlings, its cause and control in Himachal Pradesh. *Review of Plant Pathology.*, 1993. Vol. **72**, NO. 7, Num. 4670.

- Shekaramurthy, S., Patkar, K.L., Shetty, S.A., Prakash, H.S. and Shetty, H.S. 1994. Effect of thiram treatment on sorghum seed quality in relation to accelerated ageing . *Seed Sci. and Technol.*, **22**, 607-617.
- Shekaramurthy, S., Patkar, K.L., Shetty, S.A., Prakash, H.S., Shetty, H.S. 1994. Effect of thiram treatment on sorghum seed quality in relation to accelerated ageing. *Seed Sci. and Technol.*, **22(3)** ,607- 617.
- Shelar ,V .R .2008. “*Role of mechanical damage in deterioration of soybean seed quality during storage review*. Agric. Rev.”, Vol. **29**, No. 3, pp.177-184.
- Shepherd, H.L., Naylor,R.E.L. and Stuchbury T. 1995. The influence of seed maturity at harvest and drying method on the embryo  $\alpha$ -amylase activity and seed vigour in rice (*Oryza sativa L.*). *Seed Sci. Technol.*, **23**, 487-499.
- Shen, D. I.,X. Q. Qi, Shen,D. and X. Q. Qi. 1998. Short-and long-term effects of ultra-drying on germination and growth of vegetable seeds. *Seed Sci. Res.*, **8**. Supplement No. **(1)** , 47-53.
- Shivankar, R. S., Zode, N. G., Shivankar, S. K., Naphade, R. S. and Patil, V. N.2001. Effect of time of harvest on seed quality and morphological indices of physiological maturity of soybean. *Legume Res.*, **24(3)** ,190-193.
- Siadat,S.A., Moosavi, A., Sharafizadeh , M. 2012. Effects of seed priming on antioxidant activity and germination characteristics of maize seeds under different ageing treatments. *Res. Journal of Seed Sci.*, **5(2)** ,51-62.
- Simic, A., Sredojeviæ, S., Todorovic M, Đukanovic L., Radenovic, E. 2004. Studies on the relationship between content of total phenolics in exudates and germination ability of maize seed during accelerated ageing. *Seed Sci. Technol.*, **32**, 213-218.
- Simon, E. W. and R. M. Raja Harun. 1972. Leakage during seed imbibitions. *J. Exp. of Bot.*, **23**,1076-1085.
- Simon, E. W. 1974. Phospholipids and plant membrane permeability. *New Phytol.*, **73**,377-420.
- Smirnoff,N. 1993. The role of active oxygen in the response of plants to water deficit and dessication. *New Phytol.*, **125**, 27-58.

- Sing, C., Bhan, A.K. and Kaul, B.L. 1974. The role of some physical and chemical agents in the improvement of seed germination in *Datura innoxia*. *Seed Sci. and Technol.*, **2**, 421-425.
- Singh, H. and Singh, G., 1990, Maintenance of germination of onion Seeds. *Seed Res.*, **18**, 163 – 165
- Sing,B . and Amritphale, D. 1993. Effects of dry permeated gibberellic acid and benzyl adenine on germinability of soybean seeds during storage. *Seed Sci. and Technol.*, **21**, 351-357.
- Singh, H.B. and Joshi, B.S.1970. Peas. In: *Pulse Crops of India* (ed., P. Kachroo). Indian Council of Agricultural Res., Krishi Bhawan, New Delhi, India. pp. 256-305.
- Song ,S.Q., Berjak ,P., Pammerer, N.W.2004. Desiccation sensitivity of *Trichilla dregeana* axes and antioxidant role of ascorbic acid. *Acta Bot. Sin.*, **46**, 803-810.
- Stewart, R.C, Bewley ,J.D. 1980. Lipid peroxidation associated with accelerated ageing of soybean axes. *Plant Physiol.*, **65**,245-248.
- Stougaard, R.N. and Q.Xue.2005. Quality versus quantity. Spring wheat seed size and seedling rate effects on *Avena fatua* interference. Economic returns and economic thresholds. *Weed Res.*, **45**, 351-360.
- Sung, J.M., (1996). Lipid peroxidation and peroxide-scavenging in soybean seeds during ageing. *Physiol. Plant.*, 97: 85-89. Sisman, C. & Delibas, L. (2004).Storing sunflower seed and quality losses during storage. *Journal of Central European Agriculture*, **4**,239-250.
- Sung , J. M. and Chiu, C.C. 1995. Lipid peroxidation and peroxide-scavenging enzymes of naturally aged soybean seed. Plant science – Limerick., **110(1)** , 45-52.
- Sushma, D.M.2003. Effect of seed treatment and containers on seed storability ofgarden pea (*Pisum sativum* L.). *M.Sc.(Agri.) Thesis*, University of Agricultural Sciences, Dharwad.
- Suryavanshi, Y. B. and Patil, R. B.1995. Physiological maturity in mungbean (*Vigna radiata*L. Wilczek.) cultivars.*Seed Res.*, **23(1)**, 25-27.
- Takayanagi, K. and Murakami, K. 1968b. Rapid germinability test with exudates from seeds. *Nature, London.*,**218**, 493-494.

- Takaki, M. and Rosim, R.E. 2000. Aspirin increases tolerance to high temperature in seeds of *Raphanussativus* L. cvar. Early Scarlet Globe. *Seed Sci. and Technol.*, **28**, 179-183.
- Takayanagi, K.1977. An experiment of seed vitality, with special reference to a method using seed exudates).Nogyo Gijutsu Kenkyusko Hokoku D. Seiri Iden Sakumotsu Ippan .,28, 1-87(cited by priestley ,1986).
- Talwar, P. K. and Sathiarajan, R.1974. Jute seed storage and oxygen requirements. *Current Sci.*, pp.756.
- Tao, K.L., Khan, A.A., Harman, G.E. and Eckenrode, C.J. 1974. Practical significance of the application of chemicals in organic solvents to dry seeds. *J. Amer. Soc. Hort. Sci.*, **99**, 217-220.
- Tappel, A.L. 1973. Lipid peroxidation damage to cell components . *Fed. Proc.*, **32** , 1870-1874.
- Tatic, M.,Balesevic-Tubic, S., Orevic,V.,Nikolic,Z. , Ukip, V. , Vujakovic, M. , Cvijanovic, G. 2012. Soybean seed viability and changes of fatty acids content as affected by seed ageing. *African J. of Biotech.*, **11(45)**,10310-10316.
- Taweekul, N., Hill,G.D., McKenzie, A.B. and Hill, M.J. 1998. Field performance of field pea seeds with varying vigor levels. *Proceedings Annual Conference Agronomy Society of New Zealand.*, **28**, 99-105.
- Tekrony, D.M., 1993. Accelerated ageing test. *J. Seed Tech.*, **17**,110-120.
- TeKrony, D.M., Egli,D.B. and Balles,J .The effectof the field production environment on soybean seed quality . In *Seed Production*, ed. P.D. Hebblethwaite (London: Butterworths,1980),pp.403-425.
- Tilebeni, H.G. and Sadeghi, M. 2011. Efect of priming on biochemical regeneration of chamomile ( *Matricaria recutita* , *Chamaeme nobile* ) deteriorative seeds. *Amer. – Eurasian Journal of Agricultural and Environmental Sciences.*, **10(6)**, 954-961.
- Trawatha, S.E., Tekrony, D.M., Hidebrand, D.F. 1995. Relationship of soybean seed quality to fatty acid and C6-Aldehyde levels during storage. *Crop Sci.*, **35**, 1415-1422.
- Trebuchet, G., Chopinet, R. and Drowsy, J. 1953. *Ann. Amel. Planets.*, **3(2)**, 147-251.

- Umarani, R., Bharathi, A. and Karivaratharaju , T.V. 1997. Effect of seed treatments on storage life of *Casuarina equisetifolia*. *J. of Tropical forest Sci.*, **10**, 18-23.
- Vanangamudi, K. and Karivaratharaju, T.V. 1986. Effect of prestorage chemical fortification of seeds on shelf-life of redgram, blackgram and green gram seeds. *Seed Sci. and Technol.*, **14**, 477-482.
- Vanitha, C., Ramamoorthy,K., Kathiravan, M. and Sivasubramaniam, K.2009. Pre –seed storage hydration-dehydration treatment with chicory (*Cichorium intybusL.*) leaf extract to improve the seed viability during storage in sunflower ( *Helianthus annus L.*) cv. *Modern*. *Advances in plant Sci.*, **22(1)** , 101-104.
- Vasudevan, S.N., Shakuntala, N.M., Doddagoudar, S.R. , Mathad, R.C., Macha, S.I. 2012.Biochemical and molecular changes in aged peanut (*Arachis hypogaea L.*) seeds. *The Ecoscan: Special issue.*, **1**, 347-352.
- Vavilov, N.I. 1949. The origin, variation, immunity and breeding of cultivated plants (Transl. from Russian).*Chron.Bot.*, 13pp.364.
- Verma ,S. S, Tomer, R. P. S. and Verma, U. 2003. Loss of viability and vigour in Indian mustard seeds stored under ambient conditions.*Seed Research.*, **31 (1)** , 90–3.
- Vijay, D. 2000. M.Sc. Thesis: Relationship between physicochemical parameters and the deterioration mechanisms in maize and soybean seeds. Division of Seed Science and Technology, IARI, New Delhi.
- Villiers, T.A. Ultrastructural changes in seed dormancy and senescence. In *plant Senescence*, ed. K.V. Thimann (Boca Raton, Florida : CRC Press, 1980), pp.39-66.
- Villiers, T.A. 1974. Seed ageing : Chromosome stability and extended viability of seed stored fully imbibed.*Plant Physiol.*, **53**, 875-878.
- Villiers,T.A. and Edgcumbe , D.J. 1975. On the cause of seed deterioration in dry storage. *Seed Sci. and Technol.*, **3**, 761-774.
- Vinson, J.A., Su,X., Zubik, L. and Bose, P.2001.Phenol antioxidant quantity and quality in foods : fruits. *J.Agric. Food chem .*, **49(11)** , 5315-21.
- Vishnyakova, J.A., Krasnook,N.P.,Povaronna,R.I., and Morgunova,E.A. 1976. Ultrastructure of cells of the embryos of viable and unviable rice seeds in the course of swelling. *Soviet Plant Physiol.*, **223**, 307-311.

- Vishwanath, K., Prasanna, K.P.R., Rajendra Prasad, S., Ramegowda, S. NarayanaSwammy and pallavi, H.M.2007. Influence of accelerate of ageing on total soluble seed protein profile of tomato. *Seed Res.*, **35** (2) , 194-197.
- Viswanath, K., Prasanna, K.P.R., Rajendra Prasad, S., Ramegowda, S. Narayanaswammy and Pallavi , H.M. 2007. Influence of accelerated ageing on total soluble seed protein profile of tomato. *Seed Res.*, **35(2)**, 194-197.
- Walters, C., Ballesteros, D. and Vertucci, V. A. 2010. "Structural mechanics of seed deterioration: Standing the test of time", *Plant Science*, Vol. 179, pp. 565–573.
- Walters C.1998. Understanding the mechanisms and kinetics of seed aging. *Seed Sci Res.*,**8** ,223-244.
- Wang, F., Wang ,R., Jing, W., Wenhun, Z. 2012. Quantitative dissection of lipid degradation in rice seeds during accelerated aging. *Plant Growth Regulator.*, **66**, 49–59.
- Wang, H.Y., Chen, C.L., Sung. J.M. 2002. Both warm water soaking and solid priming treatments enhance antioxidation of bitter gourd seeds germinated at sub-optimal temperature. *Seed Sci Technol* ., **31**, 47-56.
- Wei, Xiaoli. and Zhou, XiaoDong.2011. Effect of different storage condition on seed physiology and chemistry characters and germination of *Jatropha curcas* . *Seed.*, **30(1)** ,33-37.
- Willekens, H., Montagu, IDM., Camp ,W. 1995. Catalases in plants. *Mol. Breed.*, **1**, 207-228.
- Williams, R.J., Leopold, A.C. 1991. The glassy state in corn embryos. *Plant Physiol.*, **89**, 977-981.
- Wilson,D.O., and McDonald,M.B. 1986b. Jr. The lipid peroxidation model of seed ageing. *Seed Sci. & Technol.*,**14**, 269-300.
- Wilson,D.O., and McDonald,M.B. Jr. 1986a. A convenient volatile aldehyde assay for measuring soybean seed vigour . *Seed Sci. & Technol.*, **14**,259-268.
- Woltz, J.M. and D.M. Tekrony . 2001. Accelerated ageing test for corn seed. *J. Seed Tech.*, **23**,21-34.

- Wonky-Appiah, J.B. 1974. Effect of duration of heat treatment on germination of dura oil palm seeds. *Ghana J. Agric.*, **7**, 57-59.
- Woodstock, L.W., Maxon, S., Faust, K. and Bass, L.N. 1983. Use of freeze drying and acetone impregnation with natural and synthetic antioxidants to improve storability of onion , pepper and parsley seeds. *J. of the American Soc. of Hort. Sci.*, **108**, 692-696.
- Woodstock,L.W.,Furman,K. and Leffler,H.R.1985. Relationship between weathering deterioration and germination, respiratory metabolism, and mineral leaching from cotton seeds. *Crop Sci.*, **25**, 459-466.
- Woodstock, L.W., Maxon, S., Faul,K. and Bass, L. 1983. Use of freeze-drying and acetone impregnation with natural and synthetic antioxidants to improve storability of onion,pepper and parsley seeds. *J.Amer. Soc.Hort.Sci.*, **108**, 692-696.
- Woodstock,L.W.,and Taylorson, R.B . 1981. Ethanol and acetaldehyde in imbibing soybean seeds in relation to deterioration. *Plant physiol.*, **67**,424-428.
- Woodstock,L.W.,Furman,K. and Solomos,T. 1984. Changes in respiratory metabolism during ageing in seeds and isolated axes of soybean. *Plant & cell Physiol.*, **25**, 15-26.
- Wood Stock , L.W. and Tao, K.J. 1981. Prevention of imbibational injury in low vigour soybean embryonic axes by osmotic control of water uptake. *Physiologia planatarum.*, **51**, 133-139.
- Ya-jing G, Jin HU, Xian-ju W, Chen-xia S .2009. Seed priming with chitosan improves maize germination and seedling growth in relation to physiological changes under low temperature stress. *J Zhejiang Univ-Sci., B* **6**, 427-433.
- Yang, YaPing., Jiang -Xiao, Cheng., Chen-LiangBi. and Yang, YuanZhu.2008. *J. of Hunan Agricultural University.*, **34(3)** , 265-269.
- Yeh YM, Chiu KY, Chen CL, Sung JM .2005. Partial vacuum extends the longevity of primed bitter gourd seeds by enhancing their anti-oxidative activities during storage. *Sci Horticulture -Amsterdam.*, **104**, 101-112.
- Zaidi, S. B. I.; M. I. Khan and S. K. Saxena. 1991. Effect of fungicides on mycoflora of chickpea seeds. *Review of Plant Pathology.*, 1992. Vol. **71**, Num. 1898.

- Zang, M., Yasima, H., Umezawa, Y., Nakagawa, Y. and Esashi, Y. 1995. Gc-Ms Identification of volatile compounds evolved by dry seeds in relation to storage conditions. *Seed Sci. and Technol.*, **23**, 59-68.
- Zeng, X. Y.; R. Z. Chen; J. R. Fu; X. W. Zhang; X. Y. Zeng; R. Z. Chen; J. R. Fu and X. W. Zhang. 1998. The effects of water content during storage on physiological activity of cucumber seeds. *Seed sci. Res.*, 8 Supplement NO. **1**, 65-68.
- Zhang, M., Lin, Y., Torii, I., Sasaki, H. and Esashi , Y. 1993. Evolution of volatile compounds by seeds during storage periods. *Seed Sci. and Technol.*, **21**, 359-373.
- Zhang, M., Maeda, Y., Furihata, Y., Nakamaru , Y. and Esashi, Y. 1994. A mechanism of seed deterioration in relation to the volatile compounds evolved by dry seeds themselves. *Seed Sci. Res.*, **4(1)**, 49-56 .
- Zolyneck, C.C. and Bicu, I.E. 1972. Combined treatments on plant material with ionizing radiation and electromagnetic fields I. Combined treatment with intermittent X-rays and uniform low-intensity electromagnetic field on seed of *Fagopyrum esculentum* Moench. *Anal. Stunt. Univ. Al. I. Cuza.*, **18**, 205-208. ( *Fileld crop Abstr.*, **28** : 3111).
- Zolyneck, C.C. and Penor, E. 1972. Combined treatments on plant material with ionizing radiation and electromagnetic fields 2. Combined treatment with  $\gamma$ -rays and uniform low-intensity electromagnetic field on seed of *Fagopyrum esculentum* Moench. *Anal. Stunt. Univ. Al. I. Cuza.*, **18**, 209-211. ( *Fileld crop Abstr.*, **28** : 3112).