

Chapter 7

REFERENCES CITED

7. References Cited

- Adebola, P. O., Morakinyo J. A., 2005. Chromosome numbers of four Nigerian species of *Cola* Schott & Endl. (Sterculiaceae). *Silvae Gen.* **54**(1): 42–44.
- APG. 1998. An ordinal classification for the families of flowering plants. *Ann. Missouri Bot. Gard.* **85**: 531–553.
- APG III. 2009. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Bot. J. Linn. Soc.* **161**: 105–121.
- APG IV, 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Bot. j. Linn. Soc.* **181**:1–20.
- Alverson, W.S., B. A. Whitlock, R. Nyffeler, C. Bayer, and D.A. Baum, 1999. Phylogeny of the core Malvales: evidence from ndhF sequence data. *American J. of Bot.* **86**: 1474–1486.
- Anitha, S. and T. Pullaiah, 2001. In vitro propagation of *Sterculia foetida* Linn. (Sterculiaceae). Department of Botany, Sri Krishnadevaraya University, Anantapur –515003, India. Pp 139–144.
- Anon. 1952. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Voll. III.* CSIR, New Delhi. Pp. 111 & 189.
- Anon. 1956. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Vol. IV.* CSIR, New Delhi. Pp. 260 & 269.
- Anon. 1959. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Voll. V.* CSIR, New Delhi. Pp. 27–29 & 35–38.
- Anon. 1962. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Vol. VI.* CSIR, New Delhi. Pp. 75, 333–334.
- Anon. 2003. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Vol. IV.* CSIR, New Delhi. P. 423.
- Anon. 2004. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Vol. I.* CSIR, New Delhi. P. 54.
- Anon. 2004. *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Vol. V.* CSIR, New Delhi. (Suppl.) Pp. 161–162, 211–218 & 353.

- Arlorio, M., J.D. Corˆsson, F. Travaglia, F. Varsaldi, G. Miglio, G. Lombardi and A. Martelli, 2005. Antioxidant and biological activity of phenolic pigments from *Theobroma cacao* hulls extracted with supercritical CO₂. *Food Res. Int.* **38**: 1009–1014.
- Arnott, H. J. 1959. Leaf clearing. *Turtex News* **37**: 192–194.
- Atluri, J. B., P. Rao, S. Subba and C. Reddi., 2000. Pollinator ecology of *Helicteres isora* Linn. (Sterculiaceae). *Cur. Sci.*, **Vol. 78**(6): 713–718.
- Bailey, I. W. 1956. Nodal anatomy in retrospective. *J. Arnold Arbor.* **37**: 269–287.
- Bayer, C., M. W. Chase and M. F. Fay, 1998. Muntingiaceae, a new family of dicotyledons with malvacean affinities. *Taxon* **47**: 37–42.
- Bayer, C., M. F. Fay, A.Y. De Bruijn, V. Savolainen, C. M. Morton, K. Kubitzki, W.S. Alverson, and M.W. Chase, 1999. Support for an expanded family concept of Malvaceae within a circumscribed order Malvales: a combined analysis of plastid *atpB* and *rbcL* DNA sequences. *Amer. J. Bot.* **129**: 267–303.
- Bentham, G. 1862. Sterculiaceae. In: Bentham, G., and J. D. Hooker (eds.), *Genera Plantarum*, Vol.II. L. Reeve and Co., London. Pp. 214–228.
- Bentham, G. and J. D. Hooker, 1862–1863. *Genera Plantarum*. **Vol 1–3**. L. Reeve & Co., London.
- Borokini, T. I., A. Ugochukwu Okere, A. Olusesan Giwa, B. O. Daramola and W. Tiwalade Odofin, 2010. Biodiversity and conservation of plant genetic resources in Field Gene Bank of the National Centre for Genetic Resources and Biotechnology, Ibadan, Nigeria. *Int. J. Biodiv. Conser.* **2**(3): 37–50.
- Brown, R. 1844. *Pterocymbium*, with observations on *Sterculieae*, the tribe to which it belongs. London: Privately published.
- Chalk, L. 1937. Phylogenetic value of certain anatomical structure of dicot woods. *Ann. Bot. (London) [N.S.]* **1**: 409–428.
- Chase, M. W, D. E. Soltis, R. G. Olmstead. and 39 others. 1993. Phylogenetics of seed plants: an analysis of nucleotide sequences from the plastid gene *rbcL*. *Ann. Miss. Bot. Garden* **80**: 528±580.

- Chowdhury, K. A. 1961. Limitations of anatomical aid to taxonomy of Angiosperms. *Recent Advances in Botany*. Vol. 1. University of Toronto, Toronto. pp. 150-155.
- Couch, J.A., H.A. Zintel and P.J. Fritz, 1993. The genome of the tropical tree *Theobroma cacao* L. *Mol. Gen. Genet.* **237**(1-2): 123-131.
- Cristobal, C.L. 1968. Estudio morfológico de les granas de polen de *Byttneria*. *Pollen et Spores* **10**: 57-72.
- Cronquist, A. 1968. *The Evolution and Classification of Flowering Plants*, Boston.
- Cronquist, A. 1981. *An integrated system of classification of flowering plants*. Columbia University Press, New York.
- Cronquist, A. 1988. *The Evolution and Classification of Flowerin Plants*, 2nd edn. Bronx; New York Botanical Garden.
- Dagar, H. S 1989. Plant flok medicines among Nicobarese tribal of Car Nicobar Islands, India. *Econ. Bot.* **43**: 215-224.
- Das, S. and M. Ghosh, 1993. Morphology of stomata and leaf hairs of some halophytes from Sunderbans, West Bengal. *Phytomorphology* **43**: 59-70.
- Das, A. B., A. K. Mukherjee and P. Das, 2001. Molecular phylogeny of *Heritiera* Aiton (Sterculiaceae), a tree mangrove: variations in RAPD markers and nuclear DNA content. *Bot. J. Linn Soc.* **136**: 221-229.
- Datta, K. 1960. Some phytogeographical and economic aspects of the genus *Sterculia* (Sterculiaceae). *Ind. For.* **92**: 510-516.
- Davie, J. H. 1935. Chromosome studies in the Malvaceae and certain related families. II. *Genetica.* **17** (5-6): 487-498.
- Dehay, C. 1941. L' appareil libero-ligneux foliaire des Sterculiacees. *Ann. Sci. Nat. Bot.*, ser. 2, **45**: 127-128.
- Deshpande, H. A. and S. R. Bhalsing, 2015. Sterculiaceae: A critical appraisal on plant tissue culture studies in medicinally important plants. *Res. in Biotech.* **6**(2): 31-38.
- Dickison, W. C. 1969. Comparative morphological studies in Dilleniaceae, IV. Anatomy of the node and vascularization of the leaf. *J. Arnold Arb.* **50**: 384-410.

- Dickison, W. C. 1973. Anatomical studies in the Connaraceae: 4. The Bark and young stem. *J. Elisha Mitchell Sci. Soc.* **89** (3): 166–171.
- Dickison, W. C. 1975a. Floral morphology and anatomy of *Bauera*. *Phytomorphology* **25**: 69–76.
- Dilcher, D. L. 1974. Approaches to the identification of angiosperm leaf remains. *Bot. Rev.* **40**:1–157.
- Dorr, L. J. 2004. A remarkable new species of *Sterculia* (Sterculioideae, Malvaceae) from Madagascar. *Adansonia*, sér. 3, **26**: 161–165.
- Dorr, L. J. and L. C. Barnett. 1990. A new species of *Hildegardia* (Sterculiaceae) from Somalia. *Kew Bull.* **45**: 577–580.
- Doyle, J. A. 1978. Potentials and limitations of exine structure in studies of early angiosperm evolution: Courier Forschungsinstitut Senckenberg, v. **30**, p. 54–61
- Edlin, H. L. 1935. A critical revision of certain taxonomic groups of the Malvales. *New Phytol.* **34**: 1–20, 122–143.
- Erdtman, G. 1952. *Pollen morphology and plant taxonomy. Angiosperms*. Almqvist & Wiksell, Stockholm.
- Esau, K. 1960. *Anatomy of Seed Plants*. Wiley, New York.
- Esau, K. 1965. *Vascular Differentiation in Plants*. Holt, Rinehart and Winston, New York.
- Esau, K. 1979. *Anatomy of Seed Plants*. New De Stähli, India: Wiley Eastern Limited.
- Fuller, Q. D. and L. J. Hickey, 2005. Systematics and the leaf architecture of the Gunneraceae. *Bot. Rev.* **71** (3): 29–33.
- Figueiredo, G.S.F., C.A.F. Melo, M.M. Souza, I.S. Araújo, H.A. Zaidan, J.L. Pires and D. Ahnert, 2013. Karyotype variation in cultivars and spontaneous cocoa mutants (*Theobroma cacao* L.). *Genet. Mol. Res.* **12** (4): 4667–4677.
- Foster, A. S. 1950a. Morphology and venation of the leaf in *Quiina acutangula* Ducke. *Amer. J. Bot.* **37**: 159–171.
- Foster, A. S. 1950b. Venation and histology of leaflets in *Tourolia guianensis* Abul and *Forestia tricarpaceae*. *Amer. J. Bot.* **37**: 848–862.

- Foster, A. S. 1952. Foliar venation in angiosperms from an ontogenetic stand point. *American. J. Bot.* **39**: 752–766.
- Gadella, Th.W.J., E. Kliphuis, J.C. Lindeman and E.A. Mennega, 1969. Chromosome numbers and seedling morphology of some Angiospermae collected in Brazil. *Acta Bot. Neerl.* **18**(1): 75–83.
- Grew, N. 1675. Anatomie des plants qui contient une description exate dc leurs parties et de leurs usager(et qui fait vior connet ells se format, et comment ells croissant). Paris, p. 227.
- Hare, C. L. 1943. The anatomy of the petiole and its taxonomic value. *Proc. Linn. Soc. London***155**: 223–229.
- Hamdy, R. and E. Shams, 2010. Pollen Morphology of Sterculiaceae (s. str.) in Egypt and its Taxonomic Significance. *Egypt. J. Bot.* **Vol. 50**: 103–117.
- Hickey, L. J. 1973. Classification of the architecture of Dicotyledonous leaves. *Amer. J. Bot.* **60**: 17–33
- Hickey, L. J. and J. A. Wolfe, 1975. The basis of angiosperm phylogeny: vegetative morphology. *Ann. Missouri Bot. Gard.* **62**: 538–589.
- Hickey, L. J. 1979. A revised classification of architecture of Dicotyledons leaves. In: Metcalfe, C. R. and L, Chalk (eds.). *Anatomy of the Dicotyledons*, **Vol. 1**. Clarendon Press, Oxford. Pp. 25–39.
- Hickey, L. J. and J. A. Doyle, 1972. Fossil evidence on evaluation of angiosperm leaf venation. *American. J. Bot.* **59**: 661–666.
- Hickey, L. J. and J. A. Wolfe, 1975. The basis of angiosperm phylogeny: vegetative morphology. *Ann. Missouri Bot. Gard.* **62**: 538–589.
- Hickey, L. J. and D. W. Taylor, 1991. The leaf architecture of *Tochodendron* and the application of foliar character in discerning its relationship. *Ann. Missouri Bot. Gard.* **78**: 105–130.
- Howard, R. A. 1959. The vascular anatomy of the petiole as a taxonomic character. *Proc. IX Intern. Bot. Congr.* (Montreal), Abstract II: 171.
- Howard, R. A. 1962. The vascular structure of the petiole as a taxonomic character. In *Advances in Horticultural Science and Their Application*. Vol. **III**: 7–13. Oxford.

- Howard, R.A. 1970. Some observation of the nodes of woody plants with special references to the problem of the “split lateral” verses the “common gap”. In Robson, N. K., B. D. F. Cutler and M. Gregory (eds.), *New Research in Plant Anatomy. Bot. Jour. Linn. Soc.* **63** (Suppl.1): 195–214.
- Howard, R. A. 1974. The stem–node–leaf continuum of the Dicotyledoneae. *J. Arnold Arbor.* **55** (2):–125–173.
- Howard, R. A. 1979. The stem–node–leaf continuum of the Dicotyledoneae. In Metcalfe, C.R. and L. Chalk (eds.), *Anatomy of the Dicotyledons. Vol.1.* Clarendon Press, Oxford. Pp. 76–96.
- Hutchinson, J., 1959. The families of flowering plants, arranged according to a new system based on their probable phylogeny. **Vol.1&2** (2nd ed.). MacMillan.
- Hutchinson, J., 1967. *The genera of flowering plants, Volume II.* Clarendon Press. Oxford.
- Hussin, K. and Z. M. Sani, 1996. The leaf anatomy of *Pterygota alata* (Roxb.) R. Br. *Kleinhovia hospita* L. and *Commersonia batramia* (L.) Merr. (Sterculiaceae). *Malaysian App.Bio.* **25** (1): 41–49.
- Hussin, K., Z. M. Sani and F. M. Zain, 1997. Comparative leaf anatomical studies of some *Heritiera* (Sterculiaceae) species. *Malaysian App. Bio.* **26** (1): 7–13.
- Hussin, K and Z. M. Sani, 1998. Comparative leaf anatomical studies of some *Sterculia* L. species (Sterculiaceae). *Bot. J. Linn. Soc.* **127**:159–174.
- Hussin, K., Z. M. Sani and F. M. Zain, 1997. Comparative leaf anatomical studies of some *Heritiera* (Sterculiaceae) species. *Malaysian App. Bio.* **26** (1): 7–13.
- Husseini, N. E., 2006. Pollen Morphology of Tiliaceae Juss. and Sterculiaceae Vent. and their Relations to Malvaceae Juss. in Egypt. *Int. J. Agr. Bio.* **8** (6): 844–847.
- Hossain, Md. A., S. Panthi, Md. Asadujjaman, S. A. Khan, F. Ferdous and S. K. Sadhu, 2013. Phytochemical and Pharmacological Assessment of the Ethanol Leaves Extract of *Heritiera fomes* Buch–Ham. (Family–Sterculiaceae). *J. Pharm. Phytochem.* **2** (3): 95–101.

- Imieje, V., I. Igbe and A. Falodun, 2013. Phytochemical screening, proximate analysis and acute toxicity studies of leaves of *Cola lepidota* K. Schum (Sterculiaceae). *J. Pharm. All. Scien.* **10** (1): 1684 – 1689.
- Inamdar, J. A., G. C. Bhatt and G. S. Chaudhari, 1983. Structure and development of stomata in some Acanthaceae. *Proc. Indian. Acad. Sci– Plant Sci.* **92** (3): 28–296.
- Jain, S.K. & R. R. Rao, 1977. *A Handbook of Field and Herbarium Methods*. Today & Tomorrow's Printers & Publishers. New Delhi.
- Jian, S.G., T. Tang, Y. Zhong and S.H. Shi, 2010. Conservation genetics of *Heritiera littoralis* (Sterculiaceae), a threatened mangrove in China, based on AFLP and ISSR markers. *Biochemical Systematics and Ecology* **38**: 924–930.
- Johansen, D. A. 1940. *Plant Microtechnique*. McGraw–Hill Book Co., London.
- Judd, W. S. and S. R. Manchester, 1997. Circumscription of Malvaceae (Malvales) as determined by a preliminary cladistic analysis of morphological, anatomical, palynological, and chemical characters. *Brittonia* **49**: 384–405.
- Kamble, S. Y., S. R. Patil, P. S. Sawant, Sawant Sangita, S.G. Pawar, and E. A. Singh, 2008. Studies on Plants used in traditional medicine by Bhilla tribe of Maharashtra. *Indian. J. Trad. Knowl.* **9** (3): 591–598.
- Keshavanarayan, P., K. Rajkumar and V Sivaram, 2015. Floral ecology and reproductive biology of *Pterospermum reticulatum* Wight & Arn. (Sterculiaceae): a vulnerable tree species of Western Ghats of India. *Int. J. Pl. Anim. Env. Sciences* **5** (1): 258–265.
- Kirsty, A. R. 2002. Pharmacological properties of members of the Sterculiaceae; Ph. D. thesis (unpublished), University of Natal; Pietermaritzburg.
- Kostermans, A. J G. H. 1954. A note on some African Sterculiaceae. *Bulletin Jardin Botan de l'Etat Bruxelles* **24**: 335–338.
- Kostermans, A. J G. H. 1956. The genus *Firmiana* Marsili (Sterculiaceae). *Communication of the For. Res. Inst. Indonesia* **54**: 3–33.
- Kostermans, A. J G. H. 1957. The genus *Firmiana* Marsili (Sterculiaceae). *Reinwardtia* **4**: 281–310.

- Kostermans, A. J. G. H. 1959a. A monograph of the genus *Heritiera* Dry. (Sterculiaceae) (including *Argyrodendron* F. v. M. and *Tarrietia* Bl). *Penerbitan, Madjelis Ilmu Pengetahuan Indonesia* **1**: 1–121.
- Kostermans, A. J. G. H. 1959b. A monograph of the genus *Heritiera* Aiton (Sterculiaceae) (including *Argyrodendron* F. v. M. and *Tarrietia* Bl). *Reinwardtia* **4**: 465–583.
- Kubitzki, K. 1990. *The families and genera of vascular plants*. Springer, Verlag: Berlin; Germany.
- Kumar, G. and A. G. Murugesan, 2008. Hypolipidaemic activity of *Helicteres isora* L. bark extracts in streptozotocin induced diabetic rats. *J. Ethnopharm.* **116** (1): 161–166.
- Lakshminarasimhan, P. 2012. Herbarium Techniques. In: Maity, D. (ed.), *Perspectives of plant Taxonomy. Exploration, Herbarium, Nomenclature and Classification*. Naya Udyog, Kolkata. pp. 3–27.
- Litchfield, W.H. 1966. The pollen morphology of Australian Sterculiaceae. *Pollen et Spores* **8**: 439–453.
- Low, F. C., M. D. Hassan, S. C. Cheah, M. Y. Aziah, K. F. Cheong, J. Hafsah, R. Wickneswari and B. Krishnapillay, 1995. Present status of plant biotechnology research and development in Malaysia. In: Altman, D. W. and Watanabe, K. N. (eds.), *Plant biotechnology Transfer to Developing Countries*. Pp. 117–129.
- Mabberley, D. J. 2008. *Mabberley's Plant Book, a portable dictionary of plants, their classification and uses*. Cambridge University Press, Cambridge. pp. 518–519.
- Mahmud, I., Md K. Islam, S. Saha, A. K. Barman, Md M. Rahman, Md Anisuzzman, T. Rahman, A. Al-Nahain, R. Jahan and M. Rahmatullah, 2014. Pharmacological and ethnomedicinal overview of *Heritiera fomes*: future prospects. *Int. Schol. Res. Not.* **2014**: 1–12.
- Maity, D. and Mitra, S. 2014. *Foliar architecture of Indian members of the family Sterculiaceae and its systematic relevance*. Project report (unpublished). Dept. of Botany, University of Calcutta, W.B.

- Malick, K. C. 1993. Sterculiaceae. In: Sharma, B. D. and M. Sanjappa, (eds.), *Flora of India*. Vol. 3. Botanical Survey of India, Calcutta. Pp. 407–476.
- Malick, K. C. and B. Safui, 1982. A review of androecium in Sterculiaceae with a key to the genera. *Bull. Bot. Surv. India* **22**: 213–216.
- Mandal, M. 2010. *Foliar architectural pattern of Indian members of Malvaceae*. Ph. D. Thesis (unpublished). University of Kalyani, West Bengal.
- Mandal M., D. Maity and G. G. Maiti, 2010. Systematics and foliar architecture of the family Malvaceae, IOPB seminar, Aurangabad (Abstract).
- Martini, M. H., A. Figueira, C. Gonçalves Lenci and D. De Queiroz Tavares, 2008. Polyphenolic cells and their interrelation with cotyledon cells in seven species of *Theobroma* (Sterculiaceae). *Revista Brasil. Bot.*, **31** (3): 425–431.
- Masters, T. M. 1874. Sterculiaceae. In: Hooker, J. D. (ed.), *The Flora of British India*. Vol I. L. Reeve & Co., London. pp. 353–379.
- Melville, R. 1976. The terminology of leaf architecture. *Taxon* **25** (5–6): 459–561.
- Metcalf, C. R. and L. Chalk, 1950. *Anatomy of Dicotyledons*. Vol. II. Clarendon Press, Oxford.
- Metcalf, C. R. 1954. Recent work on the systematic anatomy of the Monocotyledons (with special reference to investigation of the Jodrell Lab. at Kew). *Kew Bulletin* **9** (4): 523–532.
- Metcalf, C. R. and L. Chalk, 1983. *Anatomy of the Dicotyledons: Volume II—Wood Structure and Conclusion of the General Introduction*. 2nd ed. Clarendon Press, Oxford, UK. 297 p.
- Mitra, Sonia & D. Maity. 2013. Nodal and petiolar anatomy of Indian *Melochia* Griseb. (Sterculiaceae) and their taxonomic significance. *J. Botan. Soc. Bengal* **67** (1): 49–54.
- Mitra, S. and D. Maity. 2014. Taxonomic significance of petiole anatomy of Sterculiaceae species distributed in north–east India—Part I. *Pleione* **8** (1): 55–67.
- Mitra, S., G. G. Maiti and D. Maity. 2015. Nodal and Petiolar Anatomy of 16 Species of Indian Sterculiaceae and their Systematic Relevance. *Phytomorphology* **65**(1 & 2): 69–78.

- Mongalo, N.I. 2014. Antibacterial activity of *Waltheria indica* Linn. (Sterculiaceae), collected from Blouberg area, Limpopo Province, South Africa. *African J. Bot.* **13** (31): 3198–3203.
- Moore, P.D. and J.A. Webb. 1978. *An Illustrated Guide to Pollen Analysis*. Hodder and Stoughton, London.
- Moore, P.D., J.A. Webb and M.E. Collinson. 1991. *Pollen analysis*. Blackwell Scientific Publication.
- Mukherjee, A. K., L. K. Acharya, I. Mattagajasingh, and P. C. Panda, 2003. Molecular characterization of three *Heritiera* species using AFLP markers. *Bio.Plant.* **47**: 445–448.
- Muqarrabun, L. M. R. and Al N. Ahmat, 2015. Medicinal uses, phytochemistry and pharmacology of family Sterculiaceae: A review. *European Journal of Med. Chem.*, **92**: 514–530.
- Nagaraju, N. and K. N. Rao, 1990b. A survey of plant crude drugs of Rayalaseema, Andhra Pradesh, *Indian J. Ethnopharm.* **29**: 137–158.
- Nair, M. N. B., 2003. Gum tapping in *Sterculia urens* Roxb. (Sterculiaceae) using Ethephon. Unedited version of a paper submitted to the XII World Forestry Congress, Quebec City, Canada.
- Nyffeler, R. and D. A. Baum, 2000. Phylogenetic relationships of the durians (Bombacaceae–Durioneae or /Malvaceae/Helicteroideae/Durioneae) based on chloroplast and nuclear ribosomal DNA sequences. *Pl. Sys. Evol.* **224**: 55–82.
- Nyffeler, R., C. Bayer, W. S. Alverson, A. Yena, B. A. Whitlock, M. W. Chased and D. A. Baum, 2005. Phylogenetic analysis of the Malvadendrina clade (Malvaceae *s.l.*) based on plastid DNA sequences. *Org. Diver & Evol* **5**: 109–123.
- Obembe, O. O., A. C. Adebona and E. B. Esan, 1989. Effect of plant growth regulators on callus growth of *Cola nitida* (Malvales: Sterculiaceae). *Bioscience Research Communications* **Vol. 11**(1): 53–57.
- Otake, T., H. Mori, M. Morimoto, T. Namba, T. Otake, S. Sutardjo and N. Ueba, 1995. Screening of Indonesian plant extracts for anti-human immunodeficiency virus type 1 (HIV– 1) activity. *Phytother. Res.* **9**: 6–10.

- Pal, R. K. 1973. Cytotaxonomy of the family Sterculiaceae. *J. Cytol. Genet.* **7–8**: 98–105.
- Pastrana, F. T. 2007. Citogenética De *Guazuma Ulmifolia* Var. *Ulmifolia* (Sterculiaceae). *Darwiniana* **45**(1): 23–27.
- Payne, W. W. 1978. A glossary of plant hair terminology. *Brittonia*, **30**: 239–255.
- Péchon, T.L. and Luc D. B. Gigord, 2014. On the Relevance of Molecular Tools for Taxonomic Revision in Malvales, Malvaceae *s.l.*, and Dombeyoideae. *Meth. Mol. Bio.* **1115**: 337–363.
- Petit, L. 1886. Sur l'importance taxonomique du petiole. *Compt. Rend. Acad. Sci. Paris.* **103**:767- 769.
- Pragasam, L.A., 2014. A phytogeographic analysis for conservation significance of tree flora of the Eastern Ghats in South India. *J. Glob. Bio.* **3** (2): 499–510.
- Pray, T. R. 1954. Foliar venation of Angiosperms. 1. Mature venation of *Liriodendron*. *American. J. Bot.* **41**: 663–670.
- Pole, M. 1991. A modified terminology for Angiosperm leaf architecture. *Jour. Royal Soc. New Zealand* **21** : 297–312.
- Ramana Naidu, B.V., D. Haribabu Rao, P. Subramanyam, C. Prabhakar Raju and D. Jayasimha Rayalu, 2012. Ethnobotanical study of medicinal plants used by tribals in Nallamalla forest area of Kurnool district, Andhra Pradesh. *Int. J. Pl. An. Environ. Sci.* **2** (4): 72–81.
- Ramayya, N. 1972. Classification and phylogeny of trichomes of Angiosperms. In A.K.M. Ghose & Mohd. Yunus (Eds.) *Research Trends in Plant Anatomy*. Pp. 91–102, Delhi.
- Rao, C. V. 1950. Pollen grains of Sterculiaceae. *J. Indian Bot. Soc.* **29**: 130–131.
- Rao, D.M. and T. Pullaiah, 2007. Ethnobotanical studies on some rare and endemic floristic elements of Eastern ghats – hill ranges of south east Asia, India. *Ethnobotan.Leaf.* **11**: 52–70.
- Robyns, A., S. Nilsson and R. Dechamps. 1977. Sur la position systematique du genera *Maxwellia* Baillon *Bull. Jard Bot. Nat., Belgium* **47**: 145–153.
- Roth, N. A., U. Dieler, V. Mosbrugger and H. Kerp, 2001. Evolution and function of leaf venation architecture—A review. *Ann. Bot.* **87**: 3–66.

- Savithramma, N., P. Yugandhar and M. Linga Rao, 2014. Ethnobotanical Studies on Japali Hanuman Theertham– a sacred grove of Tirumala hills, Andhra Pradesh, India. *J. Pharm. Sci. & Res.* **6** (2): 83–88.
- Schumann, K., 1895. Tiliaceae, Malvaceae, Bombacaceae, Sterculiaceae. In: *Die Natürlichen Pflanzenfamilien, III. Teil, Abteilung 6*, Englera A. and K. Prantl. (eds.) Leipzig: Engelmann. Pp. 8–99
- Shamso, E. and R. Hamdy. 2010. *Melhania steudneri* (Sterculiaceae) new record for Egypt, and a synopsis of the Sterculiaceae in Egypt. *Nordic J. Bot.*, **28**: 174–181.
- Shanmukha, R., 1987. Structure, distribution and classification of plant trichomes in relation to taxonomy: Sterculiaceae. *Fedd. Repert.* **98** (1–2): 127–137.
- Shanmukha, R. and N. Ramayya, 1983. Occurrence of stomatal diversity and taxonomic value of dominant and codominant stomatal types in Malvales. *Fedd. Repert.* **94**(9–10): 639–642.
- Sharma, B. D. 1969. Studies of Indian pollen grains in relation to taxonomy– Sterculiaceae. *Proc. Natl. Inst. Sci.* **35**: 320–359.
- Sharma, G. L., R. P. Singh, A. K. S. Chauhan and J. K. Mishra, 2012. Some economic and medicinal plants used by tribals in Ashok Nagar and Guna districts of M.P. *Indian J. L. Sci.* **1** (2): 115–117.
- Shriram, V., K. Vinay and M. G. Shitole, 2008. Indirect organogenesis and plant regeneration in *Helicteres isora* L., an important medicinal plant. *In vitro Cellular and Developmental Biology* **44** (3): 186–193.
- Sinott, E. W. 1914. Investigation on the phylogeny of the Angiosperms: the anatomy of the node as an aid in the classification of angiosperms. *American J. Bot.* **1**: 303–332.
- Slade, B. F. 1957. Leaf development in relation to venation as shown in *Cercis siliquastrum* L. *Prunus serrulata* Lindl. and *Acer pseudoplatanus* L. *New Phytol.* **58**: 281–30.
- Sneath, P. H. A. and R. R. Sokal, 1973. *Numerical Taxonomy*. W. H. Freeman and Co., San Francisco.
- Soleredor, H. 1908. *Systematic Anatomy of the Dicotyledons*. (English edition, translated by L. A. Boodle and E. E. Fretish). Oxford.

- Solomon Raju, A. J., Venkata K. Ramana and P.Hareesh Chandra. 2013. Floral Ecology and pollination in *Eriolaena Lushingtonii* (Sterculiaceae), an endemic and threatened deciduous tree species of Southern Peninsular India. *J. Threat. tax.* **5** (9): 4359–4367.
- Sonibare, M. A., M. O. Soladoye, O. O. Esan and Sonibare. O. O. 2009. Phytochemical and antimicrobial studies of four species of *Cola* Schott & Endl. (Sterculiaceae1). *African J. Tradit. Compl. Altern. Med.* **6** (4): 518–525.
- Sounigo, O., P. Lachenaud, P. Bastide, C. Cilas, Jeanne N’Goran, C. Lanaud, 2003. Assessment of the value of doubled haploids as progenitors in cocoa (*Theobroma cacao* L.) breeding. *J. Appl. Genet.* **44** (3): 339–353.
- Stace, C. A. 1965. The significance of the leaf epidermis in the taxonomy of the Combretaceae. *Bot. J. Linn. Soc.* **59** (378): 229–252.
- Stebbins, G. L. and G. S. Khush, 1961. Variation in the Organization of the Stomatal Complex in the Leaf Epidermis of Monocotyledons and Its Bearing on Their Phylogeny. *Amer. J. Bot.* **48**: 51–59.
- Stuessy, T. F. 1990. *Plant Taxonomy: The Systematic Evaluation of Comparative Data*. Columbia University Press. New York.
- Takhtajan, A. 1976. Neoteny and the origin of flowering plants. In: C. B. Beck (ed.), *Origin and early evolution of angiosperms*. Columbia Univ. Press. New York, pp. 207–219.
- Takhtajan, A. 1997. *Diversity and classification of flowering plants*. Columbia University Press, New York.
- Takhtajan A. 2009. *Diversity and classification of flowering plants*, 2nd ed. Springer. Berlin.
- Thorne, R. 1992. Classification and geography of the flowering plants. *Bot. Rev.* **58**: 225–348.
- Thorne, R. 2007. *An Updated Classification of the Class Magnoliopsida (“Angiospermae”)*. The New York Botanical Garden, Bronx.
- Von Ettinghausen, C. R. 1854. Uber die nervation der blatter der papilionaceen. *Sitzungsber. Kaiserlich Akad. Wiss.* **12**:600-663.

-
- Whitlock, B. A., C. Barbara, C. Bayer and D. A. Baum. 2001. Phylogenetic relationships and floral evolution of the Byttnerioideae ("Sterculiaceae" or Malvaceae s.l.) Based on sequences of the chloroplast gene, *ndhF*. *Syst. Bot.* **26** (2): 420–437.
- Whitlock, B. A., C. Bayer and D. A. Baum, 2001. Phylogenetic Relationships and Floral Evolution of the Byttnerioideae ("Sterculiaceae" or Malvaceae s.l.) Based on Sequences of the Chloroplast Gene, *ndhF*. *Systematic Botany*. **Vol. 26** (2): 420–437.
- Wilkie, P., A. Clark, R. Toby Pennington, M. Cheek, C. Bayer and C. C. Wilcock, 2006. Phylogenetic Relationships within the subfamily Sterculioideae (Malvaceae/Sterculiaceae–Sterculieae) using the chloroplast gene *ndhF*. *Syst. Bot.* **31** (1): 160–170.
- Yoganandam, P. G., V. Gopal and L. Kaviarasan, 2012. Promising pharmaceutical prospective of 'java olive' – *Sterculia foetida* Linn. (Sterculiaceae). *Int. J. Pharm. Rev.Res.* **2** (2): 93–96.
- Young, A. M., E. H. Erickson Jr., M. A. Strand and B. J. Erickson, 1987. Pollination biology of *Theobroma* and *Herrania* (Sterculiaceae): I. *Fl. Bio. Ins. Sci. App.* **8**: 151–164.