

## LIST OF TABLES

<b>Table No.</b>	<b>Title</b>	<b>Page No.</b>
Table 2.1	Major ROS scavenging antioxidant enzymes	33
Table 3.1	Various characteristics of soil (pH, EC) and nutrients in soil	47
Table 4.1	Two-way analysis of variance (ANOVA) for germination percentage	66
Table 4.2	Bonferroni post-test for comparison for germination percentage	67
Table 4.3	One-way analysis of variance (ANOVA) for stem length	70
Table 4.4	Tukey's multiple comparison test for stem length	70
Table 4.5	One-way analysis of variance (ANOVA) for root length	71
Table 4.6	Tukey's multiple comparison test for root length	71
Table 4.7	Growth parameters of <i>Andrographis paniculata</i> after 30 days of incubation	73
Table 4.8	One-way analysis of variance (ANOVA) for seedling fresh weight	74
Table 4.9	Tukey's multiple comparison test for seedling fresh weight	74
Table 4.10	One-way analysis of variance (ANOVA) for seed vigor index (SVI)	75
Table 4.11	Tukey's multiple comparison test for seed vigor index (SVI)	75
Table 4.12	Growth and biomass in <i>A. paniculata</i> at different growth stages	77
Table 4.13	Two-way analysis of variance (ANOVA) for leaf area	81
Table 4.14	Bonferroni post-test for total leaf area	81
Table 4.15	Two-way analysis of variance (ANOVA) for total height	81
Table 4.16	Bonferroni post-test for total height	81
Table 4.17	Two-way analysis of variance (ANOVA) for total fresh weight	85
Table 4.18	Bonferroni post-test for total fresh weight	85
Table 4.19	Two-way analysis of variance (ANOVA) for total dry weight	85
Table 4.20	Bonferroni post-test for total dry weight	86
Table 4.21	One-way analysis of variance (ANOVA) for relative water content (RWC)	88
Table 4.22	Tukey's multiple comparison test for relative water content (RWC)	88
Table 4.23	Physiological responses and nutrient contents	90
Table 4.24	One-way analysis of variance (ANOVA) for membrane stability index	92
Table 4.25	Tukey's multiple comparison test for membrane stability index	92
Table 4.26	One-way analysis of variance (ANOVA) for total carbohydrates	93

Table 4.27	Tukey's multiple comparison test for total carbohydrates	93
Table 4.28	One-way analysis of variance (ANOVA) for total free amino acid content	97
Table 4.29	Tukey's multiple comparison tests for total free amino acid content	97
Table 4.30	One-way analysis of variance (ANOVA) for total protein content	98
Table 4.31	Tukey's multiple comparison tests for total protein content	98
Table 4.32	One-way analysis of variance (ANOVA) for free proline content	100
Table 4.33	Tukey's multiple comparison tests for free proline content	100
Table 4.34	One-way analysis of variance (ANOVA) for Na <sup>+</sup> content	103
Table 4.35	Tukey's multiple comparison tests for Na <sup>+</sup> content	103
Table 4.36	One-way analysis of variance (ANOVA) for K <sup>+</sup> content	104
Table 4.37	Tukey's multiple comparison tests for K <sup>+</sup> content	104
Table 4.38	Enzymatic antioxidants (SOD, CAT, POD, APX, GPX and GST)	106
Table 4.39	One-way analysis of variance (ANOVA) for SOD activity	108
Table 4.40	Tukey's multiple comparison tests for SOD activity	108
Table 4.41	One-way analysis of variance (ANOVA) for CAT activity	109
Table 4.42	Tukey's multiple comparison tests for CAT activity	109
Table 4.43	One-way analysis of variance (ANOVA) for POD activity	112
Table 4.44	Tukey's multiple comparison tests for POD activity	112
Table 4.45	One-way analysis of variance (ANOVA) for APX activity	113
Table 4.46	Tukey's multiple comparison tests for APX activity	113
Table 4.47	One-way analysis of variance (ANOVA) for GPX activity	116
Table 4.48	Tukey's multiple comparison tests for GPX activity	116
Table 4.49	One-way analysis of variance (ANOVA) for GST activity	117
Table 4.50	Tukey's multiple comparison tests for GST activity	117
Table 4.51	Non-enzymatic antioxidants (AA, carotenoid, chlorophyll, phenol, flavonoid content and lipid peroxidation)	120
Table 4.52	One-way analysis of variance (ANOVA) for ascorbic acid content	121
Table 4.53	Tukey's multiple comparison tests for ascorbic acid content	121
Table 4.54	One-way analysis of variance (ANOVA) for carotenoids	122
Table 4.55	Tukey's multiple comparison tests for carotenoids	122
Table 4.56	One-way analysis of variance (ANOVA) for total chlorophyll content	126

Table 4.57	Tukey's multiple comparison tests for total chlorophyll content	126
Table 4.58	One-way analysis of variance (ANOVA) for tocopherol content	127
Table 4.59	Tukey's multiple comparison tests for tocopherol content	127
Table 4.60	One-way analysis of variance (ANOVA) for phenol content	131
Table 4.61	Tukey's multiple comparison tests for phenol content	131
Table 4.62	One-way analysis of variance (ANOVA) for flavonoid content	132
Table 4.63	Tukey's multiple comparison tests for flavonoid content	132
Table 4.64	One-way analysis of variance (ANOVA) for lipid peroxidation	134
Table 4.65	Tukey's multiple comparison tests for lipid peroxidation	134
Table 4.66	One-way ANOVA for DPPH radical scavenging activity	137
Table 4.67	Tukey's multiple comparison tests for DPPH radical scavenging activity	137
Table 4.68	One-way ANOVA for ABTS radical scavenging activity	138
Table 4.69	Tukey's multiple comparison tests for ABTS radical scavenging activity	138
Table 4.70	Validation and optimization of HPLC	139
Table 4.71	Retention time of the main peaks	141
Table 4.72	Andrographolide content at different growth stages	142
Table 4.73	Characteristic of chromatograms in 20, 40, 60, 80, 100 and 120 days old plants	143
Table 4.74	Characteristics of HPLC chromatogram after 20 days	144
Table 4.75	Characteristics of HPLC chromatogram after 40 days	145
Table 4.76	Characteristics of HPLC chromatogram after 60 days	146
Table 4.77	Characteristics of HPLC chromatogram after 80 days	147
Table 4.78	Characteristics of HPLC chromatogram after 100 days	148
Table 4.79	Characteristics of HPLC chromatogram after 120 days	149
Table 4.80	Andrographolide content in the leaves under different stresses	151
Table 4.81	Characteristics of chromatograms in 120 days old plants under different stress conditions	152
Table 4.82	Characteristics of HPLC chromatogram after 120 days	153
Table 4.83	Characteristics of HPLC chromatograms PEG treated plants	154
Table 4.84	Characteristics of HPLC chromatograms NaCl treated plants	155
Table 4.85	Characteristics of HPLC chromatograms CdSO <sub>4</sub> treated plants	156

## LIST OF FIGURES

<b>Fig. No.</b>	<b>Title</b>	<b>Page No.</b>
Figure 2.1	<i>Andrographis paniculata</i> (Kalmegh)	8
Figure 2.2	Formulae of the main constituents	10
Figure 2.3	ROS and antioxidants defense mechanism	34
Figure 3.1	A standard curve for potassium	48
Figure 3.2	A standard curve for phosphorus	49
Figure 4.1	Time-course of germination of <i>Andrographis paniculata</i> seeds	64
Figure 4.2	Germination of <i>A. paniculata</i> seeds	65
Figure 4.3	Stem length (A), root length (B) and seedling fresh weight (C)	69
Figure 4.4	Seed vigour index (SVI)	73
Figure 4.5	Leaf area (cm <sup>2</sup> )	78
Figure 4.6	Plant height on different days	79
Figure 4.7	120 days old plants of <i>A. paniculata</i>	80
Figure 4.8	Plant fresh weight on different days	83
Figure 4.9	Total dry weight on different days	84
Figure 4.10	Relative water content (A) and membrane stability index (B)	87
Figure 4.11	Total carbohydrates	91
Figure 4.12	A calibration curve for total carbohydrate estimation	91
Figure 4.13	Total free amino acid content	95
Figure 4.14	A calibration curve for total free amino acid estimation	95
Figure 4.15	Total protein content	96
Figure 4.16	A calibration curve for total protein content estimation	96
Figure 4.17	Free proline content	99
Figure 4.18	A calibration curve for proline content estimation	100
Figure 4.19	Na <sup>+</sup> (A) and K <sup>+</sup> content (B) in leaves	102
Figure 4.20	Superoxide dismutase (A) and catalase (B) activity	107
Figure 4.21	Peroxidase (A) and ascorbate peroxidase (B) content	111
Figure 4.22	GPX (A) and GST (B) content	115
Figure 4.23	Ascorbic acid content	119
Figure 4.24	A standard graph for ascorbic acid	119

Figure 4.25	Carotenoid content	120
Figure 4.26	Total chlorophyll (A), chlorophyll a (B) and chlorophyll b (C) content	124
Figure 4.27	Tocopherol content	125
Figure 4.28	A standard graph for tocopherol	125
Figure 4.29	Phenol content	129
Figure 4.30	A calibration curve of gallic acid for phenol content estimation	129
Figure 4.31	Flavonoid content	130
Figure 4.32	A calibration curve of quercetin for flavonoid estimation	130
Figure 4.33	Malonoaldehyde content showing lipid peroxidation	133
Figure 4.34	DPPH (A) and ABTS (B) radical scavenging activity	136
Figure 4.35	Chromatograms of pure andrographolide at different concentrations	140
Figure 4.36	Andrographolide content at different growth stages	142
Figure 4.37	Andrographolide content in 20 days old plants	144
Figure 4.38	Andrographolide content in 40 days old plants	145
Figure 4.39	Andrographolide content in 60 days old plants	146
Figure 4.40	Andrographolide content in 80 days old plants	147
Figure 4.41	Andrographolide content in 100 days old plants	148
Figure 4.42	Andrographolide content in 120 days old plants	149
Figure 4.43	Andrographolide content under different stress conditions	151
Figure 4.44	Andrographolide content in untreated plants	153
Figure 4.45	Andrographolide content in PEG treated plants	154
Figure 4.46	Andrographolide content in NaCl treated plants	155
Figure 4.47	Andrographolide content in CdSO <sub>4</sub> treated plants	156